



International Residential Product Guide | International Commercial Product Guide Product list effective November 2020.





Innovation for Today, Tomorrow, Forever

Elkay® makes plumbing products that are at the heart of life's moments. Whether it's a new sink feature to enhance the workspace or a more hygienic approach to water delivery, our customers' needs are what inspire our innovation. And with hygiene and sustainability top of mind, we're committed to building solutions for a safer, healthier life. That's Elkay.

Flip through this price guide and discover our expansive portfolio of plumbing products.







Limited lifetime warranty on select products.

Connect With Us!












Table of Contents

Residential Products

Sink Quick Reference Guide	R-1
Practical Ingenuity in Action	R-1
Stainless Steel Sink Finishes	R-2
Sink Colors	R-3
Faucet Finishes	R-4
Care and Cleaning	R-5
Product Overview	R-7
Lustertone® Classic	R-7
Crosstown [®]	R-11
Quartz Luxe®	R-14
Quartz Classic®	R-17
Fireclay	R-20
Asana®	R-22
Custom Stainless Solutions	R-23
Residential Flltration	R-24
Stainless Single Bowl	
Stainless Single Bowl Undermount Sinks	R-25
9	R-25 R-26
Undermount Sinks	
Undermount Sinks Lusterone Iconix	
Undermount Sinks Lusterone Iconix Stainless MultiBowl	R-26
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown	R-26
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl	R-26
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown	R-26 R-79 R-80
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl Drop-in Sinks Lusterone Classic	R-26 R-79 R-80 R-124
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl Drop-in Sinks Lusterone Classic Stainless MultiBowl	R-26 R-79 R-80 R-124 R-125
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl Drop-in Sinks Lusterone Classic Stainless MultiBowl Drop-in Sinks	R-26 R-79 R-80 R-124 R-125
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl Drop-in Sinks Lusterone Classic Stainless MultiBowl	R-26 R-79 R-80 R-124 R-125
Undermount Sinks Lusterone Iconix Stainless MultiBowl Undermount Sinks Crosstown Stainless Single Bowl Drop-in Sinks Lusterone Classic Stainless MultiBowl Drop-in Sinks	R-26 R-79 R-80 R-124 R-125

Fireclay Fireclay	R-197 R-198
Bathroom Sinks	R-204
Drains and Accessories Drains	R-211 R-212
Dayton®	R-241
Dayton®	R-242
Accessories	R-265

Reserve Selection

Terms and Conditions

Elkay's Reserve Selection is an exclusive, handpicked assortment of sinks sold through Elkay traditional wholesale distribution partners and their showrooms.

Inside Back Cover

Sinks include: Lustertone Iconix (R-11, R-73), Quartz Luxe with Perfect Drain (R-26, R-235) and Fireclay workstation sink kits (R-32, R-271).

Note: Reserve Selection includes sinks and sink kits. Accessories sold separately are not part of Reserve Selection and can be purchased online.



Sink Quick Reference Guide

Practical Ingenuity in Action



Perfect Drain®

Sinks featuring the Elkay Perfect Drain® have a seamless look and feel. The edgeless design eliminates the collar around the drain for a cleaner sink. Food has nowhere to go but down the drain



Aqua Divide™

Elkay sinks featuring Aqua Divide™ offer flexibility at the sink. They have a low center wall that allows pan handles to extend over the middle. Use it as two separate bowls or fill the sink high with water to wash larger items, like baking sheets, across both bowls.



Water Deck™

Sinks featuring Water Deck™ have a lowered faucet deck that directs water into the sink. This helps to keep the countertop dry and prevents mold and residue from building up. Available on Crosstown sinks.



Workstation Sinks

Available in stainless steel, fireclay or quartz, our workstations sinks are designed to fit all kitchen styles and are engineered for convenience. Slide custom accessories along the built-in ledge to streamline kitchen tasks and maximize your workspace. Accessories transform your sink into your ideal workstation.




Interchangeable Apron™

Our exclusive interchangeable apron offers the stylish look of a farmhouse sink with the ability to change the color and material of the apron from day to night, or whenever the mood strikes you. Available for select Crosstown sinks; sink and interchangeable aprons sold separately.

Did you know?

Sinks with tight corners and a flat bottom provide more usable space in the bowl. They generally hold more than sinks with wide corners, and items like wine glasses are less likely to tip over and break.





Stainless Steel Sink Finishes

(See individual sink SKUs for finish availability.)



Lustrous Satin

This striking uniform finish is scratch resistant to heavy-duty use. Deep scratches are repairable with an Elkay stainless steel restoration kit. The fine linear grain reflects light evenly for high shine. Available on Lustertone Classic sinks.



Hammered Mirror

Mirrored stainless steel is the base for this finish that features a random hammered pattern that is achieved by hand.



Luminous Satin

A resilient finish that is scratch resistant, standing up to everyday use. Deep scratches are repairable. The linear grain radiates the light. Available on Lustertone Iconix sinks.



Polished Satin

A soft, linear grain provides a radiant finish. Available on Crosstown sinks.



Brushed Satin

A light, linear grain lends a subdued, casual feel to this finish. Available on Celebrity sinks.



Rugged Texture

A semireflective finish of bold, random semicircles is applied by hand for a unique texture and look.



Sink Colors

(See individual sink SKUs for color availability.)

Quartz Luxe



Caviar (CA)



Charcoal (CH)



Chestnut (CN)

Quartz Classic



Bisque (BQ)



Black (BK)



Dusk Gray (GY)



Jubilee (JB)



Maraschino (MA)



Mint Creme (MT)



Greige (GR)



Greystone (GS)



Mocha (MC)



Parchment (PA)



Ricotta (RT)



Silvermist (SM)



Putty (PT)



White (WH)

Fireclay



Biscuit (BI)



Matte Gray (MG)



White (WH)



Faucet Finishes

(See individual faucet SKUs for finish availability.)



Antique Steel (AS)



Black Stainless (BK)



Black Stainless/Chrome (BK/CR)



Brushed Nickel (NK)



Chrome (CR)



Lustrous Steel (LS)



Matte Black (MB)



Matte Black/Chrome (MB/CR)



Oil-rubbed Bronze (RB)



Polished Nickel (PN)



Satin Stainless Steel (SSS)



Care and Cleaning

For complete care and cleaning guides, visit helpcenter.elkay.com and select the "Sinks (Commercial & Residential)" module to view our comprehensive care and cleaning guides.

General Sink Care and Cleaning

- For daily cleaning, use an ordinary mild detergent and soft cloth to rinse and dry the sink to prevent buildup of mineral deposits from the water. **DO NOT** use steel wool pads.
- Soft abrasive cleaners may be used when necessary (blue Scotch-Brite™ Non-Scratch pads). **DO NOT** use strong abrasive cleaners (green Scotch-Brite pads) as they will scratch and dull the surface.
- It is recommended to use an Elkay bottom grid or rinsing basket to protect your sink. **DO NOT** use dish mats as these can trap soap and dirt making sink maintenance more time-consuming and susceptible to cultivating harmful bacteria.
- Run cold water while pouring boiling water into sink.
- Avoid storing open containers of household cleaners and chemicals that have chloride beneath the sink:
 bleach, acid, drain cleaners and toilet bowl cleaner. Vapor emission from chlorides can cause corrosion and pitting to the exposed stainless steel and other metals, such as faucet water supply lines.
- **DO NOT** leave standing water in your sink, especially if the water contains anything that could stain the sink (i.e. coffee or tea).

Stainless Steel Sinks

- **DO NOT** use steel soap pads, steel wool or wire brushes; particles can adhere to a stainless steel sink surface and will eventually rust. If an abrasive pad must be used, Elkay recommends the blue Scotch-Brite Non-Scratch pads.
- **DO NOT** use cleaners containing ammonia, bleach or other harsh chemicals. Chemicals containing chlorides (bleach) are particularly damaging to stainless. If used, rinse the surface immediately to prevent corrosion.







Care and Cleaning

Quartz Sinks

- Use mild abrasive cleaners to clean your quartz sink. Strong abrasive cleaners can dull the color and finish of your sink.
- **DO NOT** use abrasive pads like steel wool or wire brushes, as these can damage the finish of the sink. The only abrasive Elkay recommends is the blue Scotch-Brite Non-Scratch scrub sponge.
- Stubborn stains and water marks can be wiped with the eraser pad in Elkay's cleaning kit or a Mr. Clean® Magic Eraser either with water or a 50/50 white vinegar and water solution. Towel dry with a cotton cloth.
- **DO NOT** leave dirty dishes, coffee grounds or other staining materials in your quartz sink as they can negatively impact the color and finish of your sink.

Fireclay Sinks

- For difficult stains, a 50/50 water-bleach solution or nonabrasive cleaners (follow cleaner manufacturer's instructions) can be used. Rinse and towel dry the sink afterward. **DO NOT** leave bleach or bleach solution sitting in the sink.
- **DO NOT** set hot pans directly into sink.
- Though fireclay sinks are resilient, they can be chipped or cracked with metal or stone objects. Use caution and never throw or drop anything into a fireclay sink.
- Stubborn stains and water marks can be wiped with the eraser pad in Elkay's cleaning kit or a Mr. Clean® Magic Eraser either with water or a 50/50 white vinegar and water solution. Towel dry with a cotton cloth.

General Faucet Care and Cleaning

- For daily cleaning, wipe faucet well with a damp cloth and dry thoroughly with a soft towel. Drying helps prevent water spots.
- **DO NOT** use cleaning products containing ammonia, bleach, alcohol or other harsh chemicals. **DO NOT** use any form of abrasives (e.g. abrasive sponges or steel wool), which are damaging to metal surfaces.
- Faucet spray faces may become dirty over time. But with Elkay's easy-clean rubber spray face, simply run a finger against it to get it clean. Recommended daily.

Chrome Faucets

• For chrome-finished faucets, common household cleaners (e.g. dish soap) can be used. However, cleaners should be rinsed off thoroughly and the faucet should be dried.

Oil-rubbed Bronze Faucets

• For oil-rubbed bronze faucets, Windex® Original can be used. However, cleaners should be rinsed off thoroughly and the faucet should be dried.







Forgiving Finish



Bowl Depths up to 12"



Perfect Drain (Select models)

18 GAUGE

Stainless Steel Construction

LUSTERTONE® CLASSIC

The versatile look and durability of stainless steel has made it a popular choice for decades. Elkay's Lustertone Classic sink has a fine linear grain and lustrous finish which reflects light evenly for a high shine. Sinks have a rich, uniform finish that is scratch resistant to heavy-duty use. For deeper scratches, Elkay offers a stainless steel restoration kit. Elkay's Lustertone Classic sinks are proudly built in the USA.

Features vary by model:

- Select from undermount, drop-in, dual mount and farmhouse models
- Sound-deadening pad(s) minimizes sound and vibration for a quieter time at the sink
- Select models available as value kits with drain(s) and bottom grid(s) included; DBG suffix
- · Available in ADA depths



Farmhouse Sinks







ELUHF2520 R-30



ELUHF3320 R-83

Undermount Single Bowl Sinks



ELUH2816PD R-34



LSR2722 R-77, R-124



ELUH2416PD R-41



ELUH2317L R-42



ELUH2317R R-43



ELUH2317PD R-42



ELUH2118PD R-47



ELUH2115PD R-50



ELUH1814PD R-56



ELUH1616 R-58



ELUH1418PD R-60



ELUH1316PD R-64



ELUH1212PD R-67



ELUH129 R-67



ELUH12FB R-68



ELUH12 R-69



ELUH1113 R-69



ELUH1317 R-71



Undermount Double Bowl Sinks



LKHSR2509RPD R-93, R-155



LKHSR33229PD R-93, R-156



ELUH31229RPD R-94



ELUHAQD3218 R-97



ELUHAQD32179 R-97



ELUH3116 R-98



ELUH3220PD R-104



ELUH3120RPD R-106



ELUH3119L R-108



ELUH3118PD R-113



ELUH311810L R-115



ELUH311810R R-115

Drop-in Single Bowl Sinks



LRS3322 R-115



LR3122PD R-131



LSR2722 R-40, R-133



LR2522PD R-134



DLR252212 R-136



LR2521 R-138



LR2222 R-140



LR2219PD R-141



LR2022 R-143



LR1919PD R-144





LR1918 R-147



LR1722PD R-147



LR1720 R-149



LR1716 R-150



LR1517 R-151



BLR15 R-152

Drop-in Double Bowl Sinks



LKHSR2509RPD R-87, R-168



LKHSR33229PD R-87, R-169



LR3322PD R-169



LR3321 R-179



LR3319 R-173



LR2922 R-174



DLR251910 R-175















Tight Corners

Bowl Depths up to 10"

Stainless Steel Construction

Sound Deadening

Polished Satin Finish

CROSSTOWN®

The ultimate mix of beauty, function and contemporary styling. Tight corners, combined with creased accent lines in the sink bowl, offer a fresh geometric aesthetic that makes an impact in any kitchen or bar area.

Features vary by model:

- · Choose from undermount, drop-in, dual mount and farmhouse models
- Available in 15 mm (5/8") or zero radius (90°) corners
- Select undermount models available with Water Deck, a lowered faucet deck that directs water into sink
- Ultrathin Slim Rim™ design on dual mount models virtually eliminates the barrier between the sink and counter for a clean drop-in design
- Workstation models have built-in ledge to accommodate included, custom accessories: wood cutting board, wood-handled colander, roll-up drying rack, bottom grid and drain
- Interchangeable Apron offers the option to change the color and material of the apron; compatible with select sinks
- Select models available as value kits with a drain and bottom grid(s) included; C or DBG suffix
- Available in ADA depths





ECTRUF30179RC R-28

Farmhouse Double Bowl Sinks







ECTRUF32179RC R-76

ECTRUFA32179C R-76

ECTRUFA32179 R-76

Undermount Single Bowl Sinks









ECTRU35179TC R-31

EFRU311610TC R-32

ECTRU30179RTC R-33

EFU281610TC R-38











EFRU2816TC R-38

EFRU281610TC R-39

ECTRU24179RTC R-46

EFU211510TC R-52

EFRU211510TC R-53



EFRU2115TC

R-53





ECTRU21179TC R-54



EFRU191610T R-55



ECTRU17179TC R-57





EFU131610TC R-63



EFRU131610T R-63



ECTRU12179TC R-71



EFRU718T R-73

Undermount Double Bowl Sinks



EFU471810DBT

R-85





EFRU321910T R-97



ECTRUD31199L R-94



ECTRUD31199R R-95



ECTRU31179TC R-103



ECTRU32179LTC R-101



ECTRU32179RTC R-102



EFU311810TC R-111



EFRU311810TC R-112

Dual Mount Single Bowl Sinks



ECTSRS33229TBG R-31, R-130



ECTSR25229TBG R-47, R-136



ECTSRAD25226TBG R-46



ECTSR15159TBG R-66, R-152



ECTSR13169TBG R-72

Dual Mount Double Bowl Sinks



ECTSR33229TBG R-92, R-166



ECTSRA33229TBG R-93, R-167









Rich, Bold Colors



Hygiene Protection



Stain Resistant



Heat Safe



Scratch Resistant

QUARTZ LUXE®

Featuring a variety of striking colors that make a statement, Quartz Luxe is a great way to achieve beautiful aesthetic in your space. But these sinks are beyond attractive – they're exceptionally tough, and like our Quartz Classic sinks, designed with hygiene in mind. With Luxe, though, you get a tighter formulation of ultrafine, rounded particles. This creates an ultrasmooth, nonporous surface that resists, dirt, food and stains.

Features vary by model:

- Select from undermount, drop-in, dual mount, farmhouse and workstation models
- Dual mount sinks can be installed as an undermount or drop-in
- Proprietary manufacturing process combines natural quartz with high-performance acrylic resins
- UV-stable resins retain their rich color over time
- Hard enough to resist scratches and chips, but resilient enough to reduce breakage of glassware and fine dinnerware
- · Prescored faucet holes for easy faucet installation
- Bowl depths up to 10"
- · Natural sound-dampening properties minimize noise
- Quartz Luxe sinks with Perfect Drain are part of Elkay's Reserve Selection (see Table of Contents for details)



Farmhouse Sink



ELXUFP3620 R-180

Undermount Single Bowl Sinks





ELXRUP3620 R-180

ELXU2522 R-180

Undermount Double Bowl Sinks







ELXU250R R-169

ELXULB3322 R-167

ELXU3322 R-182

Drop-in Single Bowl Sinks



ELX2522 R-182



Drop-in Double Bowl Sinks



Quartz Luxe Sink Colors (Select Models)















Stain Resistant



Heat Safe



Scratch Resistant



Perfect Drain (Select models)



Impact Resistant

QUARTZ CLASSIC®

Our original quartz sinks have a smooth surface and UV-stable colors with a visible depth to the structure. They offer the look of authentic stone. Quartz offers durability and the option of adding an unexpected pop of color to the kitchen.

Features vary by model:

- · Select from undermount, drop-in and dual mount models
- Dual mount sinks can be installed as an undermount or drop-in
- · Laundry and ADA-compliant sinks available
- Molded from natural quartz and high-performance acrylic resins
- UV-stable resins retain their color over time
- Hard enough to resist scratches and chips, but resilient enough to reduce breakage of glassware and fine dinnerware
- Prescored faucet holes for easy faucet installation
- Nonporous surface prevents stains, is hygienic and easy to clean
- Bowl depths up to 10"
- · Natural sound-dampening properties minimize noise



Undermount Single Bowl Sinks



ELXRU13322 R-173



ELX1616 R-174, C-92



ELGU251912PD R-185



ELGU2522 R-185



ELX2522 R-175, R-181



ELG1616 R-186

Undermount Double Bowl Sinks



ELGU250R R-176



ELG3322 R-177



ELXH3322R R-177



ELGU3322C R-178, C-96



ELGU3322 R-188



ELGHU3322R R-173

Drop-in Single Bowl Sinks



ELGS3322R R-175



ELG1616 R-180



ELG252212PD R-186





ELG3322 R-191









Farmhouse Models



Reversible Design



Beautifully Finished



Quiet



Durable

FIRECLAY

From traditional décor to cozy urban design, fireclay sinks have timeless appeal. They offer long-lasting durability and shine. Features vary by model:

- Molded from fireclay for either a glossy glaze or a striking matte gray
- · Available as undermount, farmhouse and workstation
- Farmhouse models available in a reversible style, offering the option of a traditional flat apron front or an apron front with a decorative bar feature across the front
- Bowl depths up to 9-5/8"
- Dense material naturally dampens sound and reduces condensation
- Fireclay workstation sink kits are part of Elkay's Reserve Selection (see Table of Contents for details)



Farmhouse Sinks







SWUF2520 R-195



SWUF32189 R-197



SWUF3320 R-198

Undermount Sink



SWU1517 R-196









Bowl Depths up to 8"



Limited Lifetime Warranty

ASANA®

Introduce inspired beauty into the bathroom. With a choice of either crisp lines or smooth curves, Asana creates a compelling presence without overpowering the senses.

Features vary by model:

- · Available in undermount, drop-in, dual mount or vessel models
- Dual mount sinks can be installed as either undermount or drop-in
- 16-, 18- or 20-gauge stainless steel
- Sound-deadening materials minimize sound and vibration











Bowl Depth





Drain Location



Gauge



Bowl Configuration

CUSTOM STAINLESS SOLUTIONS

Can't find what you're looking for? Whether you need a sink modification or a custom sink, Elkay can help. We are America's No. 1 selling kitchen sink company. Put our experience to work for you.


Sink Modifications

- · Select SKUs from our catalog may be modified
- · Only die-drawn, machine-driven products
- 18 gauge; Type 304 or Type 316

Custom Fabrication

- Hand-fabricated sinks and sink tops for residential and commercial applications
- One piece seamlessly crafted to your specifications
- 14 or 16 gauge; Type 304 or Type 316

Download custom or modification forms at elkay.com/custom.









RESIDENTIAL FILTRATION

Elkay provides homes with clean drinking water and addresses a wide range of household needs. A sustainable solution to cleaner water is available and it utilizes Elkay's innovative purification technology, high efficiency and outstanding quality.











OFFSET DRAIN

Drain placement provides more usable space on the bottom of the sink and in the cabinet below. *Available on select models.*



LUSTERTONE ICONIX

HIGHLIGHTED SATIN

A brightly polished rim around the top of the bowl provides a beautiful, crowning touch.

EXCLUSIVELY ELKAY®

The edgeless design of our Perfect Drain® eliminates the gap around the drain for a cleaner, more hygienic sink. Food and waste go right down the drain.

STAINLESS STEEL CONSTRUCTION

Premium 16- and 18-gauge thickness and Type 304 stainless steel for immense durability, performance and beauty.



ENGINEERED FOR STYLE

The corners of a Lustertone Iconix sink are engineered to give you a modern look. They also make the sink easy to clean.

SLEEK MODERN DESIGN

The clean lines of this modern sink add a touch of sophistication to the kitchen.

FORGIVING FINISH

Finish offers scratch forgiveness, standing up to everyday use. Deep scratches are repairable with an Elkay® stainless restoration kit.

Shown: ELUHH3017TPD




EFRUFF3417RDBG



- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Single Bowl Tall Farmhouse Sink Kit



Includes: EFRUFF3417R sink, CTXFBG3316 bottom grid, LKDD deep strainer drain


Ship dims: 40" x 25" x 12" Approx. ship weight: 59 lbs.

EFRUFF3417R



- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Single Bowl Tall Farmhouse Sink



Optional Accessories Bottom grid

CTXFBG3316 **Drain**

LKDD LK35

LK99


Ship dims: 40" x 25" x 12" Approx. ship weight: 45 lbs.

CS60CWK



- Dimensions: 59-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom

Elkay Circuit Chef Stainless Steel 59-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Cherry Wood Boards



Includes: CS60LC Large Colander, CS60BG Bottom Grid, CS60CW Cherry Wood Cutting Boards, CSLPC Low Profile Colander

Special Note: This model requires a custom cabinet for installation and a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA

Extended Lead Time

Ship dims: 61-5/16" x 22-3/16" x 14-5/8"


Approx. ship weight: 95 lbs.



CS60BPK

- Dimensions: 59-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom

Elkay Circuit Chef Stainless Steel 59-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Black Polymer Boards



Includes: CS60LC Large Colander, CS60BG Bottom Grid, CS60BP Black Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a custor

Special Note: This model requires a custom cabinet for installation and a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time

Ship dims: 61-5/16" x 22-3/16" x 14-5/8"


Approx. ship weight: 95 lbs.

CS60WPK



- Dimensions: 59-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom

Elkay Circuit Chef Stainless Steel 59-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with White Polymer Boards



Includes: CS60LC Large Colander, CS60BG Bottom Grid, CS60WP White Poly Cutting Boards, CSLPC Low Profile Colander

Special Note: This model requires a custom cabinet for installation and a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time


Ship dims: 61-5/16" x 22-3/16" x 14-5/8" **Approx. ship weight:** 95 lbs.

CS45CWK



- Dimensions: 45-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •48" minimum cabinet size

Elkay Circuit Chef Stainless Steel 45-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Cherry Wood Boards



Includes: CS3045SC Small Colander, CS45BG Bottom Grid, CS45CW Cherry Wood Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time

Ship dims: 47-3/16" x 22-3/16" x 14-1/4" **Approx. ship weight:** 76 lbs.




CS45BPK



- •Dimensions: 45-1/2" x 20-1/2" x 10"
- •16 gauge
- •Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom
- •48" minimum cabinet size

Elkay Circuit Chef Stainless Steel 45-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Black Polymer Boards



Includes: CS3045SC Small Colander, CS45BG Bottom Grid, CS45BP Black Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time


Ship dims: 47-3/16" x 22-3/16" x 14-1/4" **Approx. ship weight:** 76 lbs.

CS45WPK



- •Dimensions: 45-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •48" minimum cabinet size

Elkay Circuit Chef Stainless Steel 45-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with White Polymer Boards



Includes: CS3045SC Small Colander, CS45BG Bottom Grid, CS45WP White Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop.


Built in USA Extended Lead Time


Ship dims: 47-3/16" x 22-3/16" x 14-1/4" **Approx. ship weight:** 76 lbs.

EFU411510DBT

- •Dimensions: 43-1/2" x 18-1/4" x 10"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •48" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 43-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink





Special Note: Zero radius sink features tight corners.

Optional Accessories

Bottom grid CTXBG1914 Drain LKDD

LK35 **Ship dims:** 1


Ship dims: 19-15/16" x 12-3/16" x 49-7/8" **Approx. ship weight:** 35 lbs.



CS30CWK

- Dimensions: 32-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •36" minimum cabinet size

Elkay Circuit Chef Stainless Steel 32-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Cherry Wood Boards



Includes: CS3045SC Small Colander, CS30BG Bottom Grid, CS30CW Cherry Wood Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time


Ship dims: 34-5/16" x 22-3/16" x 15-1/2" **Approx. ship weight:** 60 lbs.

CS30BPK



- Dimensions: 32-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- •36" minimum cabinet size

Elkay Circuit Chef Stainless Steel 32-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with Black Polymer Boards



Includes: CS3045SC Small Colander, CS30BG Bottom Grid, CS30BP Black Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time


Ship dims: 34-5/16" x 22-3/16" x 15-1/2" **Approx. ship weight:** 60 lbs.

CS30WPK



- Dimensions: 32-1/2" x 20-1/2" x 10"
- •16 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and
- •36" minimum cabinet size

Elkay Circuit Chef Stainless Steel 32-1/2" x 20-1/2" x 10", Single Bowl Undermount Sink Kit with White Polymer Boards



Includes: CS3045SC Small Colander, CS30BG Bottom Grid, CS30WP White Poly Cutting Boards, CSLPC Low Profile Colander Special Note: This model requires a 1/2" reveal in order for the cutting board to sit flush with the countertop.

Built in USA Extended Lead Time

Ship dims: 34-5/16" x 22-3/16" x 15-1/2" **Approx. ship weight:** 60 lbs.




EFRU30169RTWC



- Dimensions: 31-1/2" x 18-1/2" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Workstation

Elkay Crosstown 16 Gauge Workstation Stainless Steel 31-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit



Includes: CTXBG2814 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain


Ship dims: 37-3/16" x 25-13/16" x 12-1/2" **Approx. ship weight:** 49 lbs.

ECTRU30169RTWC



- Dimensions: 31-1/2" x 18-1/2" x 9"
- •18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Workstation

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 31-1/2" x 18-1/2" x 9" Single Bowl Undermount Sink Kit



Includes: CTXBG2814 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain


Ship dims: 37-3/16" x 25-13/16" x 12-1/2" **Approx. ship weight:** 46 lbs.




DLSR272210PD

- Dimensions: 27" x 22" x 10"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size
- Features: Perfect Drain, Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl **Dual Mount Sink with Perfect Drain**





Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2416SS

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB2416SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 25 lbs.


ECTRU24169RTWC



- Dimensions: 25-1/2" x 18-1/2" x 9"
- •18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Workstation

EFU211510T

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 25-1/2" x 18-1/2" x 9" Single Bowl Undermount Sink Kit




Includes: CTXBG2214 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain

Ship dims: 30-1/8" x 25-13/16" x 12-7/8" Approx. ship weight: 43 lbs.

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" **Single Bowl Undermount Sink**



- Dimensions: 23-1/2" x 18-1/4" x 10"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads



Special Note: Zero radius sink features tight corners.

Optional Accessories

Bottom grid

CTXOBG1914

Drain **LKDD**

LK35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8"

Approx. ship weight: 30 lbs.




CTXF134179RC

Traps of separate

- Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size
- · Features: Interchangeable Apron

Elkay Crosstown Stainless Steel 33-7/8" x 17" x 9" Single Bowl Farmhouse Sink Kit for Interchangeable Apron



Includes: CTXF134179R sink, CTXFBG3316

grid, one LKDD drain

Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron

feature sold separately.

Optional Accessories

Drain LK99S


LK35 **Ship dims:** 39-1/2" x 24" x 12" **Approx. ship weight:** 45 lbs.

CTXF134179R



- Dimensions: 35-7/8" x 20-5/16" x 9"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size
- Features: Interchangeable Apron

Elkay Crosstown Stainless Steel 33-7/8" x 17" x 9" Single Bowl Farmhouse Sink for Interchangeable Apron



Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Bottom grid

CTXFBG3316

Drain

LKDD

LK99S


LK35

Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 45 lbs.

ECTRUF30179RC

- Dimensions: 35-7/8" x 20-1/4" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Single Bowl Farmhouse Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Bottom grid CTXBG2916


Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 45 lbs.



ECTRUF30179R

- Dimensions: 35-7/8" x 20-1/4" x 9"
- 18 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Single Bowl Farmhouse Sink



Optional Accessories Bottom grid CTXBG2916

Drain

LKDD LK35

LK99S

Ship dims: 38-3/4" x 28-3/8" x 11-1/4"


Approx. ship weight: 40 lbs.

ELUHFS2816DBG



- Dimensions: 33" x 20-1/2" x 8"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 8", Single Bowl Farmhouse Sink Kit



Includes: ELUHFS2816 sink,

LKWOBG2816SS bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1713* CBS1316*

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 36 lbs.


*1/2" sink reveal required for proper fit.

ELUHFS2816



- Dimensions: 33" x 20-1/2" x 8"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 8", Single Bowl Farmhouse Sink



Made in USA

Optional Accessories
Bottom grid

LKWOBG2816SS

Cutting board

CB1713*

CBS1316*

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 30 lbs.




ELUHF2520DBG



- Dimensions: 25" x 20-1/2" x 7-7/8"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 20-1/2" x 7-7/8", Single Bowl Farmhouse Sink Kit



Includes: ELUHF2520 sink, LKWOBG2115SS

bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1516*

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 28 lbs.


*1/2" sink reveal required for proper fit.

ELUHF2520



- Dimensions: 25" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 20-1/2" x 7-7/8", Single Bowl Farmhouse Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2115SS
Cutting board
CB1516*

CB1516² **Drain** LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.



ECTRU35179TC

- Dimensions: 36-1/2" x 18-1/2" x 9"
- 18 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 39" minimum cabinet size

Elkay Crosstown Stainless Steel 36-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit





Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories
Cutting board
LKCBF17HW


Ship dims: 44-5/8" x 26-1/16" x 10-1/16" **Approx. ship weight:** 42 lbs.

ECTRU35179T



- Dimensions: 36-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 39" minimum cabinet size

Elkay Crosstown Stainless Steel 36-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink





Optional Accessories Bottom grid

CTXBG3416

CIXBG3416

Drain

LKDD LK35

Ship dims: 44" x 25-9/16" x 10-13/16"


Approx. ship weight: 37 lbs.

ECTSRS33229TBG



- Dimensions: 33" x 22" x 9"
- 18 gauge
- · Polished Satin finish
- Available in 1, 2, 3, 4, 5, FR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 33" x 22" x 9", Single Bowl Dual Mount Sink Kit





Includes: ECTSRS33229T Sink, CTXBG2915

Bottom Grid

Optional Accessories

Drain LKDD LK35

Ship dims: 38" x 24-1/2" x 10-13/16"




EFRU311610TC

Elkay Crosstown 16 Gauge Stainless Steel 32-1/2" x 18" x 10", **Single Bowl Undermount Sink Kit**



- Dimensions: 32-1/2" x 18" x 10"
- 16 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size





Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board

LKCBF2816HW

Ship dims: 37-1/2" x 26-1/16" x 12-1/16"

Approx. ship weight: 32 lbs.


EFRU311610T

5" (127mm) R9/16" (15mm)

• Dimensions: 32-1/2" x 18" x 10"

- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 32-1/2" x 18" x 10", **Single Bowl Undermount Sink**





Optional Accessories Bottom grid

CTXBG2914 Drain

LKDD LK35


Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 36 lbs.



ECTRU30179RTC

- Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board LKCBF17HW

Ship dims: 37-1/2" x 26-1/16" x 10-1/16"


Approx. ship weight: 42 lbs.

ECTRU30179RT



- Dimensions: 31-1/2" x 18-1/2" x 9"
- 18 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink



Optional Accessories Bottom grid

CTXBG2815

Drain

LKDD LK35

Ship dims: 38-9/16" x 25-3/16" x 10-13/16"


Approx. ship weight: 37 lbs.

PODUH2816



- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Pursuit Stainless Steel 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Outdoor Sink



R9-16" (15mm)

Special Note: Made with Type 316 Stainless

Steel

Made in USA

Optional Accessories

Bottom grid

LKWOBG2816SS

Cutting board

CB1713

CBS1316

Drain

LK335 LK372

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 19 lbs.



ELUH2816PDBG

- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- · Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink Kit w/Perfect Drain



Includes: ELUH2816PD sink, one LKWOBG2816SS bottom grid, one LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Cutting board

CB1713*

CBS1316*

Drain

LKPDVR18B

LKDS99 LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 29 lbs.

*1/2" sink reveal required for proper fit.

ELUH2816PD

- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG2816SS

Cutting board CB1713*

CBS1316*

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 24 lbs.

*1/2" sink reveal required for proper fit.

ELUH2816DBG

- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink Kit



Includes: ELUH2816 sink, LKWOBG2816SS

bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1713*

CBS1316*


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 25 lbs.



- Dimensions: 30-1/2" x 18-1/2" x 7-1/2"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 7-1/2", Single Bowl Undermount Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG2816SS

Cutting board

CB1713*

CBS1316*

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 22 lbs.


*1/2" sink reveal required for proper fit.

ELUH281610PDBG



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- · Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink Kit with Perfect Drain



Includes: ELUH281610PD sink, one LKWOBG2816SS bottom grid, one LKPD1

Perfect Drain and strainer.

Built in USA

Optional Accessories

Cutting board

CB1713*

CBS1316*

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14"

Approx. ship weight: 32 lbs.


*1/2" sink reveal required for proper fit.

ELUH281610PD



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size
- · Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWOBG2816SS

Cutting board

CB1713*

CBS1316*

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 26 lbs.



ELUH281610DBG

- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink Kit



Includes: ELUH281610 sink, LKWOBG2816SS bottom grid, LK99 drain

Built in USA

CBS1316*

Optional Accessories Cutting board CB1713*

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 29 lbs.


*1/2" sink reveal required for proper fit.

ELUH281610



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2816SS
Cutting board

CB1713* CBS1316*

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 25 lbs.


*1/2" sink reveal required for proper fit.

ELUH281612DBG



- Dimensions: 30-1/2" x 18-1/2" x 11-1/2"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 11-1/2", Single Bowl Undermount Sink Kit



Includes: ELUH281612 sink, LKWOBG2816SS bottom grid, LK99 drain

Built in USA Optional Accessories Cutting board


Cutting boa CB1713* CBS1316*

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 29 lbs.



- Dimensions: 30-1/2" x 18-1/2" x 11-1/2"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 11-1/2", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2816SS

Cutting board CB1713*

CBS1316* **Drain** LK99

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 27 lbs.


*1/2" sink reveal required for proper fit.

PLAFRU281610



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Pursuit Stainless Steel 30-1/2" x 18-1/2" x 10", Single Bowl Undermount Laundry Sink





Special Note: Made with Type 316 Stainless

Steel

Optional Accessories Cutting board

LKCBF2816HW

Drain LK335

LK372

Ship dims: 19-15/16" x 12-13/16" x 38-5/8"


Approx. ship weight: 32 lbs.

PLAUH281612



- Dimensions: 30-1/2" x 18-1/2" x 11-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Elkay Pursuit Stainless Steel 30-1/2" x 18-1/2" x 11-1/2", Single Bowl Undermount Laundry Sink



Special Note: Made with Type 316 Stainless

Steel

Made in USA

Optional Accessories

Bottom grid LKWOBG2816SS

Cutting board

CB1713

CBS1316

Drain LK335

LK372

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 23 lbs.




EFU281610TC

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink Kit



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gaugePolished Satin finish
- 2.4/21/(00----) -----
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size





Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Special Note: Zero radius sink features tight corners.

Optional Accessories
Cutting board
LKCBF2816HW

Ship dims: 37-1/2" x 26-1/16" x 12-1/16"


Approx. ship weight: 37 lbs.

EFU281610T

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size





Special Note: Zero radius sink features tight corners.

Optional Accessories Bottom grid CTXBG2614 Drain

Drain LKDD LK35

Ship dims: 19-15/16" x 12-13/16" x 38-5/8"


Approx. ship weight: 32 lbs.

EFRU2816TC

Elkay Crosstown 16 Gauge Stainless Steel 30-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink Kit



- Dimensions: 30-1/2" x 18-1/2" x 8"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size





Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories
Cutting board
LKCBF2816HW

Ship dims: 37-1/2" x 26-1/16" x 10-1/16"

Approx. ship weight: 36 lbs.




EFRU2816T

15° (127mm)

- Dimensions: 30-1/2" x 18-1/2" x 8"
- 16 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 30-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink



9/16" 8" (15mm) (200mm)

Optional Accessories

Bottom grid

CTXBG2614

Drain

LKDD LK35

Ship dims: 19-15/16" x 12-13/16" x 38-5/8"


Approx. ship weight: 32 lbs.

EFRU281610TC



- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink Kit





Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories
Cutting board

LKCBF2816HW


Ship dims: 37-1/2" x 26-1/16" x 12-1/16"

Approx. ship weight: 43 lbs.

EFRU281610T

- Dimensions: 30-1/2" x 18-1/2" x 10"
- 16 gauge
- · Polished Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 30-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink





Optional Accessories Bottom grid

CTXBG2614

Drain

LKDD

LK35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8"


Approx. ship weight: 38 lbs.



LSR2722

- Dimensions: 27" x 22" x 8"
- 18 gauge
- · Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG2416SS
Cutting board
CB1713
CBS1316

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 25 lbs.

DLSR272210



- Dimensions: 27" x 22" x 10"
- 18 gauge
- · Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink



Made in USA
Optional Accessories

Bottom grid

LKWBG2416SS

Cutting board

CB1713

CBS1316

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.



ELUH2416PD

- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- · Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- · Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer.

Built in USA

Optional Accessories

Bottom grid

LKWOBG2416SS

Cutting board

CB1713*

CBS1316*

Drain LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.

*1/2" sink reveal required for proper fit.

ELUH2416

- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories

Bottom grid

LKWOBG2416SS

Cutting board

CB1713*

CBS1316*

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.


*1/2" sink reveal required for proper fit.

ELUH241610PD



- Dimensions: 26-1/2" x 18-1/2" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- · Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWOBG2416SS

Cutting board

CB1713*

CBS1316*

Drain

LKPDVR18B

LKDS99


LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14" **Approx. ship weight:** 25 lbs.



- Dimensions: 26-1/2" x 18-1/2" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 26-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2416SS
Cutting board

CB1713* CBS1316*

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.


*1/2" sink reveal required for proper fit.

ELUH2317PD



- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- · Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWOBG2317SS

Cutting board

LKCB2317HW

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 30-13/16" x 26-7/16" x 12-11/16"

Approx. ship weight: 25 lbs.

ELUH2317L

- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink



Made in USA

Optional Accessories
Bottom grid

LKWOBG2317LSS

Cutting board

LKCB2317HW*

Drain

LK99

Ship dims: 23-5/16" x 9-13/16" x 31-3/16"


Approx. ship weight: 20 lbs.



ELUH2317R

- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

LKWOBG2317RSS

Cutting board LKCB2317HW*

Drain

LK99

Ship dims: 23-5/16" x 9-13/16" x 31-3/16"


Approx. ship weight: 20 lbs.

*1/2" sink reveal required for proper fit.

ELUH2317

- Dimensions: 25-1/2" x 19-1/4" x 8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- · 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG2317SS

Cutting board

LKCB2317HW*

Drain LK99

Ship dims: 23-5/16" x 9-13/16" x 31-3/16"

Approx. ship weight: 20 lbs.


*1/2" sink reveal required for proper fit.

ELUH231710PD



- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- · Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWOBG2317SS

Cutting board

LKCB2317HW

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-13/16" x 26-7/16" x 14-3/16"


Approx. ship weight: 25 lbs.



ELUH231710L

- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", **Single Bowl Undermount Sink**



Made in USA **Optional Accessories Bottom grid** LKWOBG2317LSS

Cutting board LKCB2317HW*

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.


*1/2" sink reveal required for proper fit.

ELUH231710R



- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", Single Bowl Undermount Sink



Made in USA **Optional Accessories Bottom grid** LKWOBG2317RSS

Cutting board

LKCB2317HW* Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 23 lbs. *1/2" sink reveal required for proper fit.

ELUH231710



- Dimensions: 25-1/2" x 19-1/4" x 10"
- 18 gauge
- · Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- · Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 10", **Single Bowl Undermount Sink**



Made in USA **Optional Accessories**

Bottom grid LKWOBG2317SS

Cutting board

LKCB2317HW*

Drain LK99


Ship dims: 30-11/16" x 26-1/4" x 12-1/2" Approx. ship weight: 23 lbs.



ELUH231712L

- ◆ Dimensions: 25-1/2" x 19-1/4" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 12", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

LKWOBG2317LSS **Cutting board**

LKCB2317HW*

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 26 lbs.


*1/2" sink reveal required for proper fit.

ELUH231712R



- Dimensions: 25-1/2" x 19-1/4" x 12"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 12", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

LKWOBG2317RSS

Cutting board LKCB2317HW*

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 26 lbs.


*1/2" sink reveal required for proper fit.

ELUH231712



- Dimensions: 25-1/2" x 19-1/4" x 12"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25-1/2" x 19-1/4" x 12", Single Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid LKWOBG2317SS

LKWODG25173

Cutting board

LKCB2317HW*

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 26 lbs.




ECTRU24179RTC

6

- Dimensions: 25-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size

Elkay Crosstown Stainless Steel 25-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit



(229mm)

R9-16" (15mm) **Includes:** Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories
Cutting board

LKCBF17HW

Ship dims: 30-7/16" x 26-1/16" x 10-1/16"


Approx. ship weight: 36 lbs.

ECTRU24179RT



- Dimensions: 25-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 30" minimum cabinet size

Elkay Crosstown Stainless Steel 25-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink



Optional Accessories Bottom grid

CTXBG2215

Drain

LKDD LK35

Ship dims: 32-11/16" x 25-9/16" x 10-13/16"

Approx. ship weight: 31 lbs.


ECTSRAD25226TBG



• Dimensions: 25" x 22" x 6"

- ♦ 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size

Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD25226T Sink, CTXBG2115

Bottom Grid

ADA Compliant

Optional Accessories
Drain

LKAD35

LK35

Ship dims: 33" x 24-1/2" x 13"


Approx. ship weight: 24 lbs.



ECTSR25229TBG

- ◆ Dimensions: 25" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 30" minimum cabinet size

Elkay Crosstown Stainless Steel 25" x 22" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR25229T Sink, CTXBG2115

Bottom Grid

Optional Accessories

Drain LKDD LK35


Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.

ELUH2118PD



- Dimensions: 23-5/8" x 21-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 7-1/2", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid LKWOBG2118SS

Cutting board

CB2213

Rinsing basket

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 14 lbs.

ELUH2118DBG



- ◆ Dimensions: 23-5/8" x 21-1/4" x 7-1/2"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦ 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 23-5/8" x 21-1/4" x 7-1/2", Single Bowl Undermount Sink



Includes: ELUH2118 sink, LKWOBG2118SS

bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB2213*

Rinsing basket

LKWERBSS

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.





- Dimensions: 23-5/8" x 21-1/4" x 7-1/2"
- ♦ 18 gauge
- ◆ Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 7-1/2", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2118SS

Cutting board CB2213*

Rinsing basket LKWERBSS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 14 lbs.


*1/2" sink reveal required for proper fit.

ELUH211810PD



- Dimensions: 23-5/8" x 21-1/4" x 10"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid LKWOBG2118SS Cutting board

CB2213
Rinsing basket

LKWERBSS

Drain LKPDVR18B

LKPDVR18B LKDS99

LKDS99 LKDS35


Ship dims: 30-11/16" x 26-1/4" x 14" **Approx. ship weight:** 19 lbs.

ELUH211810DBG



- ◆ Dimensions: 23-5/8" x 21-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 10", Single Bowl Undermount Sink Kit



Includes: ELUH211810 sink,

LKWOBG2118SS bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB2213*

Rinsing basket

LKWERBSS

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 19 lbs.





- Dimensions: 23-5/8" x 21-1/4" x 10"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-5/8" x 21-1/4" x 10", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2118SS
Cutting board

CB2213*
Rinsing basket

LKWERBSS **Drain** LK99


Ship dims: 30-11/16" x 26-1/4" x 14" **Approx. ship weight:** 19 lbs.

*1/2" sink reveal required for proper fit.

PLAUH2115

- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom
- ◆ 27" minimum cabinet size

Elkay Pursuit Stainless Steel 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Laundry Sink



Special Note: Made with Type 316 Stainless

Steel

Made in USA

Optional Accessories

Bottom grid LKWOBG2115SS

Cutting board CB1516

Drain

LK335

LK372

Ship dims: 19-9/16" x 9-13/16" x 29-7/16"

Approx. ship weight: 15 lbs.




PLAUH211510



- Dimensions: 23-1/2" x 18-1/4" x 10"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 27" minimum cabinet size

Elkay Pursuit Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Laundry Sink



Special Note: Made with Type 316 Stainless

Stee

Made in USA

Optional Accessories

Bottom grid

LKWOBG2115SS

Cutting board

CB1516*

Drain

LK335

LK372

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 18 lbs.


*1/2" sink reveal required for proper fit.

ELUH2115PD



- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- ◆ 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 27" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG2115SS

Cutting board

CB1516*

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 20 lbs.


*1/2" sink reveal required for proper fit.

ELUH2115DBG



- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Sink Kit



Includes: ELUH2115 sink, LKWOBG2115SS

bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1516*

Ship dims: 19-9/16" x 9-13/16" x 29-7/16"


Approx. ship weight: 20 lbs.





- Dimensions: 23-1/2" x 18-1/4" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 7-1/2", Single Bowl Undermount Sink



Made in USA

Models also available with ADA depths

Optional Accessories

. Bottom grid

LKWOBG2115SS

Cutting board

CB1516*

Drain LK99

Ship dims: 19-9/16" x 9-13/16" x 29-7/16"

Approx. ship weight: 14 lbs.


*1/2" sink reveal required for proper fit.

ELUH211510PD



- ◆ Dimensions: 23-1/2" x 18-1/4" x 10"
- ◆ 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer. **Built in USA**

Optional Accessories

Bottom grid

LKWOBG2115SS **Cutting board**

CB1516*

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 22 lbs.


*1/2" sink reveal required for proper fit.

ELUH211510DBG



- Dimensions: 23-1/2" x 18-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Sink Kit



Includes: ELUH211510 sink, LKWOBG2115SS bottom grid, LK99 drain

Built in USA

Optional Accessories Cutting board

CB1516*


Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 23 lbs.



- ◆ Dimensions: 23-1/2" x 18-1/4" x 10"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 10", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG2115SS
Cutting board
CB1516*
Drain

LK99 **Ship dims:** 30-11/16" x 26-1/4" x 14" **Approx. ship weight:** 17 lbs.


*1/2" sink reveal required for proper fit.

ELUH211512



- Dimensions: 23-1/2" x 18-1/4" x 12"
- ♦ 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 23-1/2" x 18-1/4" x 12", Single Bowl Undermount Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG2115SS **Cutting board**

CB1516*

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 18 lbs.

*1/2" sink reveal required for proper fit.

EFU211510TC

- Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- ◆ Polished Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Special Note: Zero radius sink features tight corners.

Optional Accessories

Cutting board LKCBF2115HW

Ship dims: 30-7/16" x 26-1/16" x 12-1/16"

Approx. ship weight: 34 lbs.




EFRU211510T



- Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink





Optional Accessories Bottom grid

CTXOBG1914

Drain LKDD LK35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8"


Approx. ship weight: 28 lbs.

EFRU2115TC



- ◆ Dimensions: 23-1/2" x 18-1/4" x 8"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board LKCBF2115HW

Ship dims: 30-7/16" x 26-1/16" x 12-1/16"

Approx. ship weight: 29 lbs.


EFRU211510TC



- ◆ Dimensions: 23-1/2" x 18-1/4" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink Kit

(203mm)





Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board

LKCBF2115HW

Ship dims: 30-7/16" x 26-1/16" x 10-1/16"

Approx. ship weight: 32 lbs.




EFRU2115T



- Dimensions: 23-1/2" x 18-1/4" x 8"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 23-1/2" x 18-1/4" x 8", **Single Bowl Undermount Sink**





Optional Accessories

Bottom grid

CTXOBG1914

Drain LKDD

LK35


Ship dims: 19-15/16" x 12-13/16" x 29-7/8" Approx. ship weight: 24 lbs.

ECTRU21179TC



- Dimensions: 22-1/2" x 18-1/2" x 9"
- ♦ 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 27" minimum cabinet size

Elkay Crosstown Stainless Steel 22-1/2" x 18-1/2" x 9", Single Bowl **Undermount Sink Kit**



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board LKCBF17HW

Ship dims: 30-7/16" x 26-1/16" x 12-1/16"

Approx. ship weight: 30 lbs.




ECTRU21179T



- Dimensions: 22-1/2" x 18-1/2" x 9"
- ♦ 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 27" minimum cabinet size

Elkay Crosstown Stainless Steel 22-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink



Optional Accessories

Bottom grid

CTXBG1915

Drain

LKDD LK35

Ship dims: 30" x 25-9/16" x 10-13/16"


Approx. ship weight: 25 lbs.

PLAFRU191610



- ◆ Dimensions: 21-1/2" x 18-1/2" x 10"
- ♦ 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 27" minimum cabinet size

Elkay Pursuit Stainless Steel 21-1/2" x 18-1/2" x 10", Single Bowl Undermount Laundry Sink



Special Note: Made with Type 316 Stainless

Steel

Optional Accessories

Cutting board

LKCBF1916HW **Drain**

LK335 LK372

Ship dims: 19-15/16" x 12-13/16" x 29-7/8"


Approx. ship weight: 28 lbs.

EFRU191610T



- Dimensions: 21-1/2" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 21-1/2" x 18-1/2" x 10" Single Bowl Undermount Sink



Optional Accessories Bottom grid

CTXBG1815

Drain

LKDD

I K35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8"


Approx. ship weight: 27 lbs.





- Dimensions: 21-1/2" x 18-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 10", Single Bowl Undermount Sink Kit



Made in USA Optional Accessories Cutting board

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

Drain

LK99

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 16 lbs.


*1/2" sink reveal required for proper fit.

ELUH191612



- Dimensions: 21-1/2" x 18-1/2" x 12"
- ♦ 18 gauge
- ◆ Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 12", Single Bowl Undermount Sink



Made in USA Optional Accessories

Cutting board

CBS1316*

Rinsing basket

LKWRB1418SS

Drain

Ship dims: 30-11/16" x 26-1/4" x 14"

Approx. ship weight: 17 lbs.


*1/2" sink reveal required for proper fit.

ELUH1814PD



- ◆ Dimensions: 20-1/2" x 16-1/2" x 7-7/8"
- 18 gauge
- ◆ Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 20-1/2" x 16-1/2" x 7-7/8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Cutting board

CBS1418*

Rinsing basket

LKWRB1418SS

Drain

LKPDVR18B

LKDS99


LKDS35

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 17 lbs.

- Dimensions: 20-1/2" x 16-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 20-1/2" x 16-1/2" x 7-7/8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Cutting board
CBS1418*
Rinsing basket

LKWRB1418SS **Drain** LK99

Ship dims: 20-13/16" x 9-5/16" x 27-15/16"

Approx. ship weight: 13 lbs.


*1/2" sink reveal required for proper fit.

ECTRU17179TC



- Dimensions: 18-1/2" x 18-1/2" x 9"
- ♦ 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- ◆ Sound deadening: Sound Guard
- 24" minimum cabinet size

Elkay Crosstown Stainless Steel 18-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink Kit



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories
Cutting board
LKCBF17HW


Ship dims: 26-1/16" x 24" x 10-1/16" **Approx. ship weight:** 30 lbs.

ECTRU17179T



- Dimensions: 18-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 24" minimum cabinet size

Elkay Crosstown Stainless Steel 18-1/2" x 18-1/2" x 9", Single Bowl Undermount Sink



Optional Accessories
Bottom grid

CTXBG1515

Drain

LKDD

LK35

Ship dims: 25-9/16" x 25-9/16" x 10-13/16"

Approx. ship weight: 25 lbs.




ELUH1616DBG



- Dimensions: 18-1/2" x 18-1/2" x 7-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 18-1/2" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH1616 sink, LKWOBG1616SS

bottom grid, LK99 drain

Built in USA

Optional Accessories Cutting board

CB1713*
CBS1316*
Rinsing basket
LKWRB1316SS

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 19 lbs.


*1/2" sink reveal required for proper fit.

ELUH1616



- Dimensions: 18-1/2" x 18-1/2" x 7-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 18-1/2" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG1616SS

Cutting board CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 12 lbs.


*1/2" sink reveal required for proper fit.

ELUH16FBDBG



- Dimensions: 18-3/8" x 18-3/8" x 8"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Sink Kit



Includes: ELUH16FB sink, LKWRBG16SS

bottom grid, LK99 drain

Built in USA

Optional Accessories Rinsing basket

LKWRBG16SS

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.




ELUH16FB



- Dimensions: 18-3/8" x 18-3/8" x 8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWRBG16SS
Rinsing basket

LKWRBG16SS **Drain**

LK99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"


Approx. ship weight: 15 lbs.

ELUH16



- Dimensions: 18-3/8" x 18-3/8" x 8"
- 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 24" minimum cabinet size

Elkay Asana Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Bathroom Sink



Made in USA Optional Accessories Drain

LK36


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 11 lbs.

PODUH141810



- Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Pursuit Stainless Steel 16-1/2" x 20-1/2" x 9-7/8", Single Bowl Undermount Outdoor Sink



Special Note: Made with Type 316 Stainless

Steel

Made in USA

Optional Accessories

Bottom grid LKWOBG1418SS

Cutting board CBS1418

Rinsing basket

LKWRB1418SS

Drain

LK335

LK372

Ship dims: 26-1/4" x 24-1/4" x 12-1/2" **Approx. ship weight:** 13 lbs.




ELUH1418PD



- Dimensions: 16-1/2" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 7-7/8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG1418SS **Cutting board**

CBS1418*

Rinsing basket

LKWRB1418SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 17 lbs.


*1/2" sink reveal required for proper fit.

ELUH1418DBG



- ◆ Dimensions: 16-1/2" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH1418 sink, LKWOBG1418SS

bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CBS1418*

Rinsing basket LKWRB1418SS

Ship dims: 23-5/16" x 9-13/16" x 23-3/16"

Approx. ship weight: 17 lbs.


*1/2" sink reveal required for proper fit.

ELUH1418



- ◆ Dimensions: 16-1/2" x 20-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 7-7/8", Single Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG1418SS

Cutting board

CBS1418*

Rinsing basket

LKWRB1418SS

Drain

Ship dims: 23-5/16" x 9-13/16" x 23-3/16"

Approx. ship weight: 16 lbs.




ELUH141810PD



- Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 9-7/8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid LKWOBG1418SS

Cutting board CBS1418*

Rinsing basket

LKWRB1418SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 26-1/4" x 24-1/4" x 14" **Approx. ship weight:** 15 lbs.


*1/2" sink reveal required for proper fit.

ELUH141810DBG



- Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- ♦ 18 gauge
- ◆ Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 9-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH141810 sink, LKWOBG1418SS bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CBS1418*

Rinsing basket LKWRB1418SS

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 17 lbs.


*1/2" sink reveal required for proper fit.

ELUH141810



- ◆ Dimensions: 16-1/2" x 20-1/2" x 9-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 9-7/8", Single Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG1418SS

Cutting board

CBS1418*

Rinsing basket

LKWRB1418SS

Drain LK99

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 17 lbs.




SCF16FBSH



- ◆ Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Hammered Mirror



Optional Accessories Bottom grid LKWRBG14SS Drain LK99

Ship dims: 25-3/16" x 9-5/8" x 22-13/16"


Approx. ship weight: 14 lbs.

SCF16FBSM



- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- ◆ 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Mirror



Optional Accessories

Bottom grid LKWRBG14SS

Drain LK99

Ship dims: 25-11/16" x 9-7/8" x 22-5/8"


Approx. ship weight: 10 lbs.

SCF16FBSR



- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Rugged Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Rugged Textured



Optional Accessories Bottom grid LKWRBG14SS

Drain LK99

Ship dims: 26-1/8" x 22-1/2" x 9-5/8"

Approx. ship weight: 9 lbs.




EFU131610TC



- Dimensions: 16" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- ◆ Sound deadening: Sound Guard
- ◆ 21" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 16" x 18-1/2" x 10", **Single Bowl Undermount Sink Kit**



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Special Note: Zero radius sink features tight corners.

Optional Accessories Cutting board

LKCBF1316HW **Ship dims:** 26-1/16" x 24" x 12-1/16"


Approx. ship weight: 24 lbs.

EFU131610T



- Dimensions: 16" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 21" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 16" x 18-1/2" x 10", **Single Bowl Undermount Sink**



Special Note: Zero radius sink features

tight corners.

Optional Accessories Bottom grid

CTXBG1214

Drain

LKDD LK35

Ship dims: 17-15/16" x 12-3/16" x 26-7/8"


Approx. ship weight: 19 lbs.

EFRU131610T



- Dimensions: 16" x 18-1/2" x 10"
- 16 gauge
- Polished Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 21" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 16" x 18-1/2" x 10", **Single Bowl Undermount Sink**



Optional Accessories Bottom grid

CTXBG1214

Drain

LKDD

LK35

Ship dims: 17-15/16" x 26-7/8" x 12-3/16"

Approx. ship weight: 20 lbs.




ELUH1316PDBG



- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit with Perfect Drain



Includes: ELUH1316PD sink, one LKWOBG1316SS bottom grid, one LKPD1

Perfect Drain and strainer.

Built in USA

Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 16 lbs.

*1/2" sink reveal required for proper fit.




ELUH1316PD



- Dimensions: 16" x 18-1/2" x 7-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- ◆ 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Models also available with ADA depths

Optional Accessories

Bottom grid LKWOBG1316SS

Cutting board

CB1613* CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"

Approx. ship weight: 13 lbs.


*1/2" sink reveal required for proper fit.

ELUH1316DBG



- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH1316 sink, LKWOBG1316SS

bottom grid, LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket LKWRB1316SS

Ship dims: 19-5/16" x 9-5/16" x 24-15/16"

Approx. ship weight: 15 lbs.


*1/2" sink reveal required for proper fit.



ELUH1316

- Dimensions: 16" x 18-1/2" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 7-7/8", **Single Bowl Undermount Sink**



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

Elkay Stainless Steel 16" x 18" x 7-1/2", Single Bowl Undermount

I K99

Ship dims: 19-5/16" x 9-5/16" x 24-15/16"

Approx. ship weight: 12 lbs.

*1/2" sink reveal required for proper fit.

SCUH1416SH

Bar Sink CB1516 (457mm) (406mm)



7-1/2" (191mm)

Optional Accessories

Cutting board

Rinsing basket

LKWERBSS

Drain

I K99

Ship dims: 26-1/8" x 22-1/2" x 9-5/8"

Approx. ship weight: 10 lbs.

ECTSR15159TBG

• Hammered Mirror finish 3-1/2" (89mm) drain opening

21" minimum cabinet size


18 gauge

bottom

Sound deadening: Full spray sides and

- Dimensions: 15" x 15" x 9"
- 18 gauge
- Polished Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size
- Features: Slim Rim

Elkay Crosstown Stainless Steel 15" x 15" x 9", Single Bowl Dual **Mount Sink Kit**



Includes: ECTSR15159T Sink, CTXBG118

Bottom Grid

Optional Accessories

Drain LKDD LK35

Ship dims: 33" x 24-1/2" x 13" Approx. ship weight: 19 lbs.




ELUH1212PD



- ◆ Dimensions: 14-1/2" x 14-1/2" x 7"
- 18 gauge
- Lustrous Satin finish
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 7", Single Bowl Undermount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer. **Built in USA**

Optional Accessories

Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 23-11/16" x 19-15/16" x 12-

11/16"


Approx. ship weight: 13 lbs.

ELUH1212



- Dimensions: 14-1/2" x 14-1/2" x 7"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 7", Single Bowl Undermount Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Cutting board

CB912*

Rinsing basket

LKWRB1209SS

Drain

I K99

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"

Approx. ship weight: 10 lbs.


*1/2" sink reveal required for proper fit.

ELUH129DBG



- ◆ Dimensions: 14-1/2" x 11-3/4" x 7"
- 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-1/2" x 11-3/4" x 7", Single Bowl Undermount Bar Sink Kit



Includes: ELUH129 sink, LKWBG1209SS

bottom grid, LK36 drain

Built in USA

Optional Accessories

Cutting board

CB912*

Rinsing basket

LKWRB1209SS

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"

Approx. ship weight: 9 lbs.

*1/2" sink reveal required for proper fit.




ELUH129



- Dimensions: 14-1/2" x 11-3/4" x 7"
- 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-1/2" x 11-3/4" x 7", **Single Bowl Undermount Bar Sink**



Made in USA **Optional Accessories Bottom grid** LKWBG1209SS

Cutting board CB912*

Rinsing basket

LKWRB1209SS

Drain

LK36

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"

Approx. ship weight: 7 lbs.


*1/2" sink reveal required for proper fit.

ELUH12FBDBG



- Dimensions: 14-3/8" x 14-3/8" x 6"
- ◆ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Sink Kit



Includes: ELUH12FB sink, LKWRBG12SS bottom grid, LK99 drain

ADA Compliant Built in USA

Ship dims: 24-1/4" x 19-3/4" x 9-1/2"


Approx. ship weight: 9 lbs.

ELUH12FB



- Dimensions: 14-3/8" x 14-3/8" x 6"
- 18 gauge
- Lustrous Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-3/8" x 14-3/8" x 6", **Single Bowl Undermount Sink**



ADA Compliant Made in USA **Optional Accessories Bottom** grid LKWRBG12SS Drain LK99 LKAD35

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"

Approx. ship weight: 10 lbs.




ELUH12



- Dimensions: 14-3/8" x 14-3/8" x 6"
- ♦ 18 gauge
- Lustrous Satin finish
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 18" minimum cabinet size

Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK36

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"


Approx. ship weight: 9 lbs.

ELUH1113DBG



- Dimensions: 14-1/4" x 15-3/4" x 5-15/16"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 14-1/4" x 15-3/4" x 5-15/16", Single Bowl Undermount Sink Kit



Includes: ELUH1113 sink, LKWOBG1113SS bottom grid, LK99 drain ADA Compliant Built in USA


Ship dims: 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.

ELUH1113



- Dimensions: 14-1/4" x 15-3/4" x 5-15/16"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 14-1/4" x 15-3/4" x 5-15/16", Single Bowl Undermount Sink



ADA Compliant Made in USA Optional Accessories Bottom grid

LKWOBG1113SS **Drain**

LK99 LKAD35

Ship dims: 23-1/2" x 19-3/4" x 8-1/2"

Approx. ship weight: 8 lbs.




SCUH1212SH



- Dimensions: 14-1/8" x 14-1/8" x 6-1/2"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- ♦ 18" minimum cabinet size

Elkay Stainless Steel 14-1/8" x 14-1/8" x 6-1/2", Single Bowl Undermount Bar Sink



Optional Accessories
Drain
LK99


Ship dims: 26-1/8" x 8-3/4" x 23-3/8" **Approx. ship weight:** 8 lbs.

ELUH1116DBG



- Dimensions: 14" x 18-1/2" x 7-7/8"
- ♦ 18 gauge
- ◆ Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦ 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink Kit



Includes: ELUH1116 sink, LKWOBG1116SS bottom grid, LK99 drain

Built in USA

Ship dims: 19-5/16" x 9-5/16" x 24-15/16"


Approx. ship weight: 14 lbs.

ELUH1116



- Dimensions: 14" x 18-1/2" x 7-7/8"
- ♦ 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 7-7/8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG1116SS

Drain

Drain LK99

Ship dims: 19-5/16" x 9-5/16" x 24-15/16"

Approx. ship weight: 11 lbs.




ELUH1317DBG



- Dimensions: 14" x 17-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14" x 17-1/2" x 7-1/2", **Single Bowl Undermount Sink Kit**





Includes: ELUH1317 sink, LKWOBG1115SS

bottom grid, LK99 drain

Built in USA

Ship dims: 18-13/16" x 9-11/16" x 21-3/16"


Approx. ship weight: 13 lbs.

ELUH1317



- ◆ Dimensions: 14" x 17-1/2" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14" x 17-1/2" x 7-1/2", **Single Bowl Undermount Sink**



Made in USA **Optional Accessories Bottom grid** LKWOBG1115SS Drain

LK99

Ship dims: 18-13/16" x 9-11/16" x 21-3/16"


Approx. ship weight: 11 lbs.

ECTRU12179TC



- Dimensions: 13-1/2" x 18-1/2" x 9"
- 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ◆ 18" minimum cabinet size

Elkay Crosstown Stainless Steel 13-1/2" x 18-1/2" x 9", Single Bowl **Undermount Bar Sink Kit**



Includes: Custom fit bottom grid, deep strainer drain, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay

protective cloth bag. **Optional Accessories Cutting board**

LKCBF17HW

Ship dims: 26-1/16" x 24" x 12-1/16"


Approx. ship weight: 22 lbs.



ECTRU12179T

- Dimensions: 13-1/2" x 18-1/2" x 9"
- ♦ 18 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ♦ 18" minimum cabinet size

Elkay Crosstown Stainless Steel 13-1/2" x 18-1/2" x 9", Single Bowl Undermount Bar Sink



Optional Accessories

Bottom grid

CTXBG1015

Drain LKDD

LK35

Ship dims: 20-11/16" x 25-9/16" x 10-13/16"


Approx. ship weight: 17 lbs.

ECTSR13169TBG



- Dimensions: 13" x 16" x 9"
- ♦ 18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 18" minimum cabinet size
- ◆ Features: Slim Rim

Elkay Crosstown Stainless Steel 13" x 16" x 9", Single Bowl Dual Mount Sink Kit





Includes: ECTSR13169T Sink, CTXBG99

Bottom Grid

Optional Accessories

Drain LKDD LK35

Ship dims: 19-15/16" x 23-11/16" x 10-

1/16"


Approx. ship weight: 15 lbs.

SCUH1012SH



- Dimensions: 12" x 14" x 6-1/2"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- ◆ 15" minimum cabinet size

Elkay Stainless Steel 12" x 14" x 6-1/2", Single Bowl Undermount Bar Sink



Optional Accessories
Cutting board

CB912

Drain LK99

Ship dims: 12" x 14" x 6-1/2" Approx. ship weight: 6 lbs.




EFRU718T

Elkay Crosstown 16 Gauge Stainless Steel 10" x 20-1/2" x 6", Single Bowl Undermount Sink




- Dimensions: 10" x 20-1/2" x 6"
- ♦ 16 gauge
- Polished Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 15" minimum cabinet size



ADA Compliant
Optional Accessories
Bottom grid
CTXBG617
Drain
LKAD35
LK35

Ship dims: 26" x 10" x 9" Approx. ship weight: 11 lbs.









TIGHT CORNERS AND CROSS BREAKS

Flat bottom offers more space inside, and means glassware is less likely to tip over. The slightly rounded corners make the sink easy to clean, while the creased accent lines in the bowl give the sink a professional appearance.



WORKSTATION SINK

The innovative built-in sink ledge was designed to streamline kitchen tasks with our customers' needs in mind. Effortlessly go from meal prep to cleaning up by sliding accessories along the ledge.

CROSSTOWN

DURABLE

Premium 16- and 18-gauge thickness stainless steel for longlasting durability and performance.

CUSTOM BOTTOM GRIDS

Bottom grids are custom sized to cover the bottom of specific Elkay sink bowls.

Available in select models.



Sound-deadening material minimizes sound and vibration for a quieter time at the sink.



TIGHT CORNERS (ZERO AND 15 MM)

The combination of tight corners, a flat bottom and creased accent lines offer a geometric design ideal for any decor.

ULTRATHIN SLIM RIM™

Install sink as a top mount or undermount; ultra thin, flat rim virtually eliminates the barrier between sink and counter for a clean look. Available on select models.


Shown: ECTSRO33229RTBG2



ECTRUF32179RC

- ◆Dimensions: 35-7/8" x 20-1/4" x 9"
- ♦18 gauge
- **♦**Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", 60/40 Double Bowl Farmhouse Sink Kit



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.


Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 47 lbs.

ECTRUFA32179C



- ◆Dimensions: 35-7/8" x 20-1/4" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Aqua Divide

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Equal Double Bowl Farmhouse Sink Kit with Aqua Divide



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.


Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 47 lbs.

ECTRUF32179R



- Dimensions: 35-7/8" x 20-1/4" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", 60/40 Double Bowl Farmhouse Sink



Optional Accessories


Drain LKDD LK35 LK99S

Ship dims: 38-3/4" x 28-3/8" x 11-1/4" **Approx. ship weight:** 42 lbs.

DLSR272210PD

- Dimensions: 27" x 22" x 10"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size
- Features: Perfect Drain, Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

u anner.

Built in USA

Optional Accessories

Bottom grid

LKWBG2416SS

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB2416SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 25 lbs.

ECTRU24169RTWC



- •Dimensions: 25-1/2" x 18-1/2" x 9"
- •18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Workstation

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 25-1/2" x 18-1/2" x 9" Single Bowl Undermount Sink Kit



Includes: CTXBG2214 bottom grid, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, LKDD drain

Ship dims: 30-1/8" x 25-13/16" x 12-7/8"


Approx. ship weight: 43 lbs.

EFU211510T



- Dimensions: 23-1/2" x 18-1/4" x 10"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •27" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 23-1/2" x 18-1/4" x 10" Single Bowl Undermount Sink



Special Note: Zero radius sink features tight corners.

Optional Accessories

Bottom grid

CTXOBG1914

Drain

LKDD LK35

Ship dims: 19-15/16" x 12-13/16" x 29-7/8"

Approx. ship weight: 30 lbs.




CTXF234179C



- •Dimensions: 35-7/8" x 20-5/16" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Interchangeable Apron

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink Kit for Interchangeable Apron



Includes: CTXF234179 sink, CTXFBG1316 grid, CTXFBG1816 grid, two LKDD drains **Special Note:** Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Drain LK99S LK35


Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 56 lbs.

CTXFA34179C



- •Dimensions: 35-7/8" x 20-5/16" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Aqua Divide, Interchangeable Apron

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink Kit with Aqua Divide for Interchangeable Apron



Includes: CTXFA34179 sink, two CTXFBG1516 grids, two LKDD drains Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron

feature sold separately.

Optional Accessories Drain LK99S LK35

Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 55 lbs.




CTXF234179



- Dimensions: 35-7/8" x 20-5/16" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Interchangeable Apron

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink for Interchangeable Apron



Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Bottom grid

CTXFBG1816

CTXFBG1316

Drain

LKDD

LK99S

LK35


Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 49 lbs.

CTXFA34179



- Dimensions: 35-7/8" x 20-5/16" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Aqua Divide, Interchangeable Apron

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-5/16" x 9" Double Bowl Farmhouse Sink with Aqua Divide for Interchangeable Apron



Special Note: Apron(s) for Crosstown Farmhouse Sink with Interchangeable Apron feature sold separately.

Optional Accessories

Bottom grid

CTXFBG1516

Drain

LKDD

LK99S

LK35


Ship dims: 39-1/2" x 24" x 12" **Approx. ship weight:** 47 lbs.



EFRUFF23417DBG

- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" **Double Bowl Tall Farmhouse Sink Kit**



Includes: EFRUFF23417 sink, CTXFBG1316 bottom grid, CTXFBG1816 bottom grid, two LKDD deep strainer drains


Ship dims: 40" x 25" x 12" Approx. ship weight: 59 lbs.

EFRUFFA3417DBG



- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Aqua Divide

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" **Equal Double Bowl Tall Farmhouse Sink Kit with Aqua Divide**



Includes: EFRUFFA3417 sink, two CTXFBG1516 bottom grids, two LKDD deep strainer drains


Ship dims: 40" x 25" x 12" Approx. ship weight: 59 lbs.

EFRUFF23417



- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" **Double Bowl Tall Farmhouse Sink**



Optional Accessories

Bottom grid

CTXFBG1316

CTXFBG1816

Drain

LKDD

LK35

I K99

Ship dims: 40" x 25" x 12"


Approx. ship weight: 45 lbs.



EFRUFFA3417

- Dimensions: 35-7/8" x 20-1/4" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Aqua Divide

Elkay Crosstown 16 Gauge Stainless Steel 35-7/8" x 20-1/4" x 9" Equal Double Bowl Tall Farmhouse Sink with Aqua Divide



Optional Accessories

Bottom grid

CTXFBG1516

Drain

LKDD

LK35 LK99

Ship dims: 40" x 25" x 12"


Approx. ship weight: 45 lbs.

ECTSRO33229RTBG



- •Dimensions: 33" x 22" x 9"
- •18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Slim Rim

Elkay Crosstown 18 Gauge Stainless Steel 33" x 22" x 9", 60/40 Double Bowl Dual Mount Sink Kit



Includes: ECTSRO33229RT sink, CTXBG1415

Grid, CTXBG1216 Grid

Optional Accessories

Drain LKDD


LK35 **Ship dims:** 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.

EFRUAQ31169TWC



- Dimensions: 31-1/2" x 18-1/2" x 9"
- •16 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size

Elkay Crosstown 16 Gauge Workstation Stainless Steel, 31-1/2" x 18-1/2" x 9" Equal Double Bowl Sink Kit with Aqua Divide



Includes: Two CTXBG1314 bottom grids, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, two LKDD drains

Ship dims: 37-3/16" x 25-13/16" x 12-1/2" **Approx. ship weight:** 51 lbs.




ECTRUAQ31169TWC

Elkay Crosstown 18 Gauge Workstation Stainless Steel, 31-1/2" x 18-1/2" x 9" Equal Double Bowl Sink Kit with Aqua Divide



- Dimensions: 31-1/2" x 18-1/2" x 9"
- •18 gauge
- Polished Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Workstation



Includes: Two CTXBG1314 bottom grids, LKC0717SS colander, LKCB1217AC Cutting Board, LKDR1317RU drying rack, LKDR0717SS drying rack, two LKDD drains


Ship dims: 37-3/16" x 25-13/16" x 12-1/2" **Approx. ship weight:** 46 lbs.



ELUHF3320DBG

- ◆Dimensions: 33" x 20-1/2" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- **♦**3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 7-7/8", Equal Double Bowl Farmhouse Sink Kit



Includes: ELUHF3320 sink, one

LKWOBG1316SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Cutting board

CB1613* CB1713* CBS1316*

Rinsing basket


LKWRB1316SS \$21

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 33 lbs.

ELUHF3320

- ◆Dimensions: 33" x 20-1/2" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 7-7/8", Equal Double Bowl Farmhouse Sink



Made in USA

Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713* CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 31 lbs.

ELUHF332010DBG



- ♦Dimensions: 33" x 20-1/2" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size



Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 10", Equal Double Bowl Farmhouse Sink Kit

Includes: ELUHF332010 sink, one LKWOBG1316SS bottom grid, one LK99

drain **Built in USA**

Optional Accessories

Cutting board

CB1613*

CB1713* CBS1316*

Rinsing basket

LKWRB1316SS

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 26 lbs.



ECTRUFA32179

Bowl Farmhouse Sink with Aqua Divide (119mm) **Optional Accessories** 17" (432mm) Drain

- ◆Dimensions: 35-7/8" x 20-1/4" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Aqua Divide



Special Note: Aqua Divide height: 4-11/16"

LKDD LK35

Elkay Crosstown Stainless Steel 35-7/8" x 20-1/4" x 9", Equal Double


LK99S

Ship dims: 38-3/4" x 28-3/8" x 11-1/4" Approx. ship weight: 42 lbs.

ELUHF332010

- ◆Dimensions: 33" x 20-1/2" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 20-1/2" x 10", Equal **Double Bowl Farmhouse Sink**



Made in USA **Optional Accessories**

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.

Optional Accessories

Bottom grid

CTXBG1414 CTXBG1014

Drain LKDD


LK35

EFU471810DBT

Elkay Crosstown 16 Gauge Stainless Steel, 47-1/4" x 18-1/2" x 10", 60/40 Double Bowl Undermount Sink with Drainboard



- ◆Dimensions: 47-1/4" x 18-1/2" x 10"
- ♦16 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦51" minimum cabinet size



1-1/2" (38mm)

Ship dims: 21-15/16" x 12-13/16" x 46-3/8" Approx. ship weight: 47 lbs. 1/2" (13mm)


10" (254mm)

ELUH4221LDBG

Elkay Lustertone Classic Stainless Steel, 41-1/2" x 20-1/2" x 9-1/2", 40/60 Double Bowl Undermount Sink Kit



- ◆Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size



Includes: ELUH4221L sink, one LKWOBG1618SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Cutting board

CB1713* CBS1316*

Ship dims: 48-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 40 lbs.



ELUH4221L

- ◆Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 41-1/2" x 20-1/2" x 9-1/2", 40/60 Double Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG1618SS

Cutting board

CB1713*

CBS1316*

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 38 lbs.

ELUH4221RDBG



- ◆Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦45" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 41-1/2" x 20-1/2" x 9-1/2", 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH4221R sink, one LKWOBG1618SS bottom grid, one LK99 drain

Built in USA

Optional Accessories Cutting board

CB1713* CBS1316*

Ship dims: 48-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 40 lbs.

ELUH4221R



- ◆Dimensions: 41-1/2" x 20-1/2" x 9-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 41-1/2" x 20-1/2" x 9-1/2", 60/40 Double Bowl Undermount Sink



Sink Made in USA

Optional Accessories
Bottom grid
LKWOBG1618SS
Cutting board
CB1713*
CBS1316*
Drain
LK99

Ship dims: 48-11/16" x 26-1/4" x 12-1/2" **Approx. ship weight:** 38 lbs.




ELUH3621LDBG



- ◆Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 36-1/4" x 21-1/8" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink Kit



Includes: ELUH3621L sink, one LKWOBG2118SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1113SS **Cutting board**

CB2213*

Ship dims: 44-7/8" x 26-1/4" x 10-1/2"

Approx. ship weight: 26 lbs.

ELUH3621L

Elkay Lustertone Classic Stainless Steel, 36-1/4" x 21-1/8" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink



- ◆Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

15-3/4" (400mm) (17mm) (18-5/8" (473mm) (18-5/8" (473mm) (153mm) (151/16" (151mm) (151mm) (151mm) (151mm)

Made in USA

Optional Accessories

Bottom grid

LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl)

Cutting board

CB2213*

Drain LK99


Ship dims: 44-7/8" x 26-1/4" x 10-1/2"

Approx. ship weight: 21 lbs.

ELUH3621RDBG

- ◆Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 36-1/4" x 21-1/8" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH3621R sink, one LKWOBG2118SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1113SS **Cutting board**

CB2213*

Ship dims: 44-7/8" x 26-1/4" x 10-1/2"


Approx. ship weight: 26 lbs.



ELUH3621R

- Dimensions: 36-1/4" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink



Made in USA **Optional Accessories Bottom grid**

LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl)

Cutting board

CB2213*

Drain

LK99


Ship dims: 44-7/8" x 26-1/4" x 10-1/2" Approx. ship weight: 21 lbs.

ELUH362110LDBG



- Dimensions: 36-1/4" x 21-1/8" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 40/60 Double Bowl Undermount Sink Kit



Includes: ELUH362110L sink, one LKWOBG2118SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid LKWOBG1113SS

Cutting board

CB2213*


Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 31 lbs.

ELUH362110L



- ◆Dimensions: 36-1/4" x 21-1/8" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 40/60 Double Bowl Undermount Sink



Made in USA **Optional Accessories Bottom** grid

LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl)

Cutting board

CB2213* Drain

LK99

Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 26 lbs.




ELUH362110RDBG



- ◆Dimensions: 36-1/4" x 21-1/8" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH362110R sink, one LKWOBG2118SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1113SS

Cutting board


CB2213*

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 31 lbs.

ELUH362110R

- Dimensions: 36-1/4" x 21-1/8" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 36-1/4" x 21-1/8" x 10", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG2118SS (large bowl) LKWOBG1113SS (small bowl)

Cutting board

CB2213*

Drain

LK99


Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 27 lbs.

ELUH361710DBG



- ◆Dimensions: 35-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink Kit



Includes: ELUH361710 sink, one LKWOBG1616SS bottom grid, one LK99 drain

uranı

Built in USA

Optional Accessories

Cutting board

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 32 lbs.




\$187

ELUH361710

- ◆Dimensions: 35-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 10", **Equal Double Bowl Undermount Sink**



Made in USA **Optional Accessories Bottom grid**

LKWOBG1616SS

Cutting board CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain LK99


Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 27 lbs.

ELUH3520LDBG



- ◆Dimensions: 35-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-1/4" x 20-1/2" x 9-7/8", Offset 40/60 Double Bowl Undermount Sink Kit



Includes: ELUH3520L sink, one LKWOBG2018SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1116SS

Cutting board


CBS1418*

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 34 lbs.

ELUH3520L

- ◆Dimensions: 35-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 35-1/4" x 20-1/2" x 9-7/8", Offset 40/60 Double Bowl Undermount Sink



Made in USA

Optional Accessories Bottom grid

LKWOBG2018SS (large bowl) LKWOBG1116SS (small bowl)

Cutting board

CBS1418*

Drain

LK99

Ship dims: 44-7/8" x 26-1/4" x 14" Approx. ship weight: 32 lbs.




ELUH3520RDBG

20-1/2" (52 mm) 18" (457mm) - 1-3/4" R (44mm) 20" (508mr)

- Dimensions: 35-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-1/4" x 20-1/2" x 9-7/8", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH3520R sink, one LKWOBG2018SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1116SS

Cutting board


CBS1418*

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 34 lbs.

ELUH3520R

- ◆Dimensions: 35-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 35-1/4" x 20-1/2" x 9-7/8", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG2018SS (large bowl) LKWOBG1116SS (small bowl)

Cutting board

CBS1418*

Drain

LK99


Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 29 lbs.



ECTSRAD33226TBG

- ♦Dimensions: 33" x 22" x 6"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Slim Rim

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids Optional Accessories

Drain LKDD LK35


Ship dims: 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.


ECTSR33229TBG



- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5, FR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Slim Rim

Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit





Includes: ECTSR33229TBG Sink, two

CTXBG1315 Bottom Grids
Optional Accessories

Drain

LKDD LK35


Ship dims: 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.



ECTSRA33229TBG

- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ♦Features: Aqua Divide

Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit with Aqua Divide



Includes: ECTSRA33229TBG Sink, CTXBG1315 Bottom Grid

Optional Accessories

Bottom grid

CTXBG1315

Drain

LKDD LK35

Ship dims: 38" x 24-1/2" x 10-13/16"

Approx. ship weight: 34 lbs.

LKHSR2509RPD

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", 60/40 Double Bowl Dual Mount Sink with Perfect Drain



- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2L, 2R, 3 faucet holes
- **♦**3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain, Slim Rim

22" (559mm) (83mm) (83mm) (130mm) (132mm) (17-11/16 (449mm) (470mm) (10-11/2* (229mm) (229mm) (229mm) (338mm) (338mm) (349mm) (449mm) (457mm) (279mm) (279mm) (279mm) (279mm) (444mm) (440mm)

Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1819SS (left bowl)

LKWOBG1118SS (right bowl)

Cutting board

LKCB1520LUHW

LKCB1520LTHW

Drain

LKPDVR18B


LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 23 lbs.


LKHSR33229PD

22° (559mm) 18.5/16° (465mm) R3-1/4° (83mm) 12-1/2° (318mm)



- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆Available in 1, 2L, 2R, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain, Slim Rim

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1520LSS (left bowl)

LKWOBG1520RSS (right bowl)

Cutting board

LKCB1520LUHW

LKCB1520LTHW

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 23 lbs.




ELUH31229RPD

Elkay Lustertone Classic Stainless Steel 32-3/4" x 21" x 9", 60/40 Double Bowl Undermount Sink with Perfect Drain



- ◆Dimensions: 32-3/4" x 21" x 9"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain





Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1819SS (left bowl)

LKWOBG1118SS (right bowl)

Rinsing basket

LKWRB1819SS (left bowl)

Drain

LKPDVR18B LKDS99

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 21 lbs.

ECTRUD31199LDBG

Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink Kit with Water Deck



- ◆Dimensions: 32-1/2" x 20-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, S2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Water Deck



Includes: ECTRUD31199L sink, GFOBG1619SS bottom grid, GFOBG1416SS bottom grid, two LK35 drains

Ship dims: 40" x 27-9/16" x 10-13/16" **Approx. ship weight:** 43 lbs.




ECTRUD31199L



- ◆Dimensions: 32-1/2" x 20-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Water Deck

Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink with Water Deck



Optional Accessories

Drain LKDD LK35


Ship dims: 40" x 27-9/16" x 10-13/16"

Approx. ship weight: 38 lbs.

ECTRUD31199RDBG



- ♦Dimensions: 32-1/2" x 20-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, S2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ♦Features: Water Deck



Includes: ECTRUD31199R sink, GFOBG1619SS bottom grid, GFOBG1416SS bottom grid, two LK35 drains


Ship dims: 40" x 27-9/16" x 10-13/16" **Approx. ship weight:** 43 lbs.

ECTRUD31199R

Elkay Crosstown Stainless Steel 32-1/2" x 20-1/2" x 9", Offset Double Bowl Undermount Sink with Water Deck



- Dimensions: 32-1/2" x 20-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ♦Available in 1, 2, 3 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Water Deck



Optional Accessories Drain

LKDD

LK35

Ship dims: 40" x 27-9/16" x 10-13/16" **Approx. ship weight:** 38 lbs.




EAQDUH3118

Elkay Lustertone Classic Stainless Steel 32-1/2" x 18-1/8" x 8", Equal Double Bowl Undermount Sink with Aqua Divide



- ◆Dimensions: 32-1/2" x 18-1/8" x 8"
- ♦19 gauge
- **♦**Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Full spray sides and bottom with Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Aqua Divide



Optional Accessories Cutting board

CB1713

Rinsing basket

LKWRB1414SS

Drain

LK99


Ship dims: 37-1/2" x 24" x 10-1/8" **Approx. ship weight:** 24 lbs.

ELUH3219DBG

Elkay Lustertone Classic Stainless Steel 32-1/4" x 18-1/4" x 7-3/4", 30/70 Double Bowl Undermount Sink Kit



- ◆Dimensions: 32-1/4" x 18-1/4" x 7-3/4"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size



Includes: ELUH3219 sink, one

LKWBG2115SS bottom grid, one LK99 drain

Special Note: Reversible design, sink can be rotated so small bowl is on the left or right

Built in USA

Optional Accessories

Cutting board

CB1516*

CB816* CBS715*

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 24 lbs.

ELUH3219

Elkay Lustertone Classic Stainless Steel 32-1/4" x 18-1/4" x 7-3/4", 30/70 Double Bowl Undermount Sink



- ◆Dimensions: 32-1/4" x 18-1/4" x 7-3/4"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size



Special Note: Reversible design, sink can be rotated so small bowl is on the left or right

Made in USA

Optional Accessories

Bottom grid

LKWBG2115SS (large bowl)

Rinsing basket

LKWRB2115SS (large bowl)

LKWRB715SS (small bowl)

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.



EFRU321910T

- ◆Dimensions: 32-1/4" x 18-1/4" x 10"
- ♦16 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 32-1/4" x 18-1/4" x 10" 30/70 Double Bowl Undermount Sink



Special Note: Reversible design, sink can be rotated so small bowl is on the left or right

Optional Accessories

Bottom grid

CTXBG1914

CTXBG614

Drain

LKDD

LK35

Ship dims: 19-15/16" x 12-13/16" x 38-5/8"

Approx. ship weight: 40 lbs.

ELUHAQD3218

Elkay Lustertone Classic Stainless Steel 32-1/16" x 18-1/2" x 8", Equal Double Bowl Undermount Sink with Aqua Divide



- ◆Dimensions: 32-1/16" x 18-1/2" x 8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ♦Features: Aqua Divide

18-1/2* (470mm) 16-1/2* (419mm) 16-1/2* (419mm) 16-1/2* (419mm) 16-1/2* (419mm) 16-1/2* (219mm) 16-1/2* (219mm

15-11/16" (400mm)

Optional Accessories

Bottom grid

LKWOBG1416SS

Cutting board

LKCB1216HW*

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 22 lbs.

ELUHAQD32179

Elkay Lustertone Classic Stainless Steel 32-1/16" x 18-1/2" x 9", 40/60 Double Bowl Undermount Sink with Aqua Divide



- ◆Dimensions: 32-1/16" x 18-1/2" x 9"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Aqua Divide



Special Note: Reversible design, sink can be rotated so large bowl is on the left or right

Optional Accessories

Bottom grid

LKWOBG1716SS (large bowl)

LKWBG1216SS (small bowl)

Cutting board

LKCB1216HW*

Rinsing basket

LKWRB1716SS (large bowl)

LKWRB1216SS (small bowl)

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 22 lbs.



ELUH3232

- ◆Dimensions: 32" x 32" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 32" x 32" x 7-7/8", Equal Double Bowl Corner Sink



Made in USA Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket LKWRB1316SS

Drain

LK99

Ship dims: 28-15/16" x 53-13/16" x 10-

11/16"


Approx. ship weight: 35 lbs.

ELUH3116DBG

Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 7-1/2", Equal Double Bowl Undermount Sink Kit



- ◆Dimensions: 31-3/4" x 16-1/2" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size



Includes: ELUH3116 sink, one

LKWBG1414SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

. Cutting board

CB1613* \$133.00

Rinsing basket

LKWRB1414SS \$218.00


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 22 lbs.

ELUH3116

- ♦Dimensions: 31-3/4" x 16-1/2" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 7-1/2", Equal Double Bowl Undermount Sink



Made in USA

Optional Accessories

Bottom grid

LKWBG1414SS

Cutting board CB1613*

Rinsing basket

LKWRB1414SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.



ELUH3221LDBG

- Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 31-1/2" x 21-1/8" x 7-1/2", 30/70 Offset Double Bowl Undermount Sink Kit



Includes: ELUH3221L sink, one LKWOBG2118SS bottom grid, one LK99 drain

Built in USA Optional Accessories Cutting board

CB2213 (large bowl) **Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 25 lbs.

ELUH3221L

Elkay Lustertone Classic Stainless Steel, 31-1/2" x 21-1/8" x 7-1/2", 30/70 Offset Double Bowl Undermount Sink



- ◆Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size



Made in USA **Optional Accessories**

Bottom grid

LKWOBG2118SS (large bowl)

Cutting board

CB2213 (large bowl)

Rinsing basket

LKWRB715SS (small bowl)

Drain LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 18 lbs.

ELUH3221RDBG

- Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 31-1/2" x 21-1/8" x 7-1/2", Offset 70/30 Double Bowl Undermount Sink Kit



Includes: ELUH3221R sink, one LKWOBG2118SS bottom grid, one LK99

drain **Built in USA**

Optional Accessories

Cutting board

CB2213 (large bowl)

\$243.

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 25 lbs.



ELUH3221R

- ◆Dimensions: 31-1/2" x 21-1/8" x 7-1/2"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 7-1/2", Offset 70/30 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

LKWOBG2118SS (large bowl)

Cutting board CB2213 (large bowl)

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.

ELUH322110LDBG



- ◆Dimensions: 31-1/2" x 21-1/8" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", 30/70 Offset Double Bowl Undermount Sink Kit



Includes: ELUH322110L sink, one LKWOBG2118SS bottom grid, one LK99 drain

arain

Built in USA

Optional Accessories

Cutting board

CB2213 (large bowl)

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 28 lbs.

ELUH322110L



- ◆Dimensions: 31-1/2" x 21-1/8" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", 30/70 Offset Double Bowl Undermount Sink



Made in USA
Optional Accessories

Bottom grid

LKWOBG2118SS (large bowl)

Cutting board

CB2213 (large bowl)

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.



ELUH322110RDBG

- ◆Dimensions: 31-1/2" x 21-1/8" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", Offset 70/30 Double Bowl Undermount Sink Kit



Includes: ELUH322110R sink, one LKWOBG2118SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Cutting board

CB2213 (large bowl)

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 28 lbs.

ELUH322110R

Elkay Lustertone Classic Stainless Steel 31-1/2" x 21-1/8" x 10", Offset 70/30 Double Bowl Undermount Sink



- ◆Dimensions: 31-1/2" x 21-1/8" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

21-1/8" (537mm) (117mm) (14-5/8" (422mm) (14-1/8" (359mm) (14-1/8" (800mm) (14-1/4" (141mm) (15-5/8" (15-5/

Made in USA

Optional Accessories

Bottom grid

LKWOBG2118SS (large bowl)

Cutting board

CB2213 (large bowl)

Drain LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 20 lbs.

ECTRU32179LTC

- ◆Dimensions: 31-1/2" x 18-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 40/60 Double Bowl Undermount Sink Kit



15-1/2" (394mm) **Includes:** Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board

LKCBF17HW

Ship dims: 37-1/2" x 26-1/16" x 10-1/16"

Approx. ship weight: 43 lbs.




ECTRU32179RTC

0

- ◆Dimensions: 31-1/2" x 18-1/2" x 9"
- ♦18 gauge
- **♦**Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 60/40 Double Bowl Undermount Sink Kit



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board

LKCBF17HW

Ship dims: 37-1/2" x 26-1/16" x 10-1/16"


Approx. ship weight: 43 lbs.

ECTRU32179LT



- ◆Dimensions: 31-1/2" x 18-1/2" x 9"
- ♦18 gauge
- **♦**Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 40/60 Double Bowl Undermount Sink



R9-16° (229mm) (394mm)

Optional Accessories

Bottom grid

CTXBG1015

CTXBG1515

Drain

LKDD LK35

Ship dims: 38-9/16" x 25-3/16" x 10-13/16"


Approx. ship weight: 38 lbs.

ECTRU32179RT



- ◆Dimensions: 31-1/2" x 18-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", 60/40 Double Bowl Undermount Sink



Optional Accessories

Bottom grid

CTXBG1015

CTXBG1515

Drain LKDD

LKUU LK35

Ship dims: 38-9/16" x 25-3/16" x 10-13/16"


Approx. ship weight: 38 lbs.



ECTRU31179TC

- ◆Dimensions: 31-1/2" x 18-1/2" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Equal Double Bowl Undermount Sink Kit



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories Cutting board

LKCBF17HW

Ship dims: 37-1/2" x 26-1/16" x 10-1/16"


Approx. ship weight: 43 lbs.

ECTRU31179T



- ◆Dimensions: 31-1/2" x 18-1/2" x 9"
- ♦18 gauge
- **♦**Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown Stainless Steel 31-1/2" x 18-1/2" x 9", Equal Double Bowl Undermount Sink



Optional Accessories

Bottom grid

CTXBG1316

Drain

LKDD LK35

Ship dims: 38-9/16" x 25-3/16" x 10-13/16"


Approx. ship weight: 38 lbs.

ELUH322010PD



- ◆Dimensions: 31-1/4" x 20" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 9-7/8", Double Bowl Undermount Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1418SS

Cutting board

CBS1418*

Rinsing basket

LKWRB1418SS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 35 lbs.



ELUH322010

- ◆Dimensions: 31-1/4" x 20" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 9-7/8", Equal Double Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
LKWOBG1418SS
Cutting board
CBS1418*

Rinsing basket LKWRB1418SS

Drain LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 32 lbs.

ELUH3220PD

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-7/8", Double Bowl Undermount Sink with Perfect Drain



- Dimensions: 31-1/4" x 20" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid LKWOBG1418SS

Cutting board

CBS1418*

Rinsing basket

LKWRB1418SS

Drain

LKPDVR18B

LKDS99


LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 32 lbs.

ELUH3220

- ◆Dimensions: 31-1/4" x 20" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size



Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-7/8", Equal Double Bowl Undermount Sink

Made in USA Optional Accessories

LKWOBG1418SS

Cutting board

Bottom grid

CBS1418*

Rinsing basket

LKWRB1418SS

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 25 lbs.




ELUH3120LPDBG

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink Kit w/Perfect Drain



- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain



Includes: ELUH3120LPD sink, one LKWOBG1418SS bottom grid, two LKPD1

Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1316SS (small bowl)

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 32 lbs.

ELUH3120LPD

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink w/ Perfect Drain



- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1418SS (large bowl)

LKWOBG1316SS (small bowl)

Rinsing basket

LKWRB1418SS (large bowl)

LKWRB1316SS (small bowl)

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.




ELUH3120RPDBG

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink Kit w/Perfect Drain



- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain



Includes: ELUH3120RPD sink, one LKWOBG1418SS bottom grid, two LKPD1

Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1316SS (small bowl)

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 31 lbs.

ELUH3120RPD

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Double Bowl Undermount Sink w/ Perfect Drain



- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1418SS (large bowl)

LKWOBG1316SS (small bowl)

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

LKWRB141633

Drain

LKPDVR18B


LKDS99 LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.

ELUH3120LDBG

- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Offset Double Bowl Undermount Sink Kit



Includes: ELUH3120L sink, one

LKWOBG1418SS bottom grid, one LK99 $\,$

drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS LKWRB1316SS


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 27 lbs.

ELUH3120L

- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 9-7/8", Offset Double Bowl Undermount Sink



Made in USA

Optional Accessories

Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 27 lbs.

ELUH3120RDBG



- ♦Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Offset Double Bowl Undermount Sink Kit



Includes: ELUH3120R sink, one

LKWOBG1418SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1316SS

\$155

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS LKWRB1316SS

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 27 lbs.



ELUH3120R

- ◆Dimensions: 31-1/4" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 9-7/8", Offset Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 22 lbs.

ELUH3119LDBG

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink Kit



- ◆Dimensions: 31-1/4" x 20" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

17-1/2* (445mm) 15" (127mm) 1-1/2" (381mm) 3" R (709mm) 1-1/2" (445mm) 17-1/2" (445mm) 17-1/2" (445mm) 17-1/2" (445mm) 17-1/2" (191mm) 1-3/4" R (191mm) 15" (191mm)

Includes: ELUH3119L sink, one LKWOBG1617SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1115SS

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 26 lbs.

ELUH3119L

6

- Dimensions: 31-1/4" x 20" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 40/60 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl)

Drain


Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.



ELUH3119RDBG

- ◆Dimensions: 31-1/4" x 20" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH3119R sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1115SS

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 26 lbs.

ELUH3119R

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 7-1/2", Offset 60/40 Double Bowl Undermount Sink



- ♦Dimensions: 31-1/4" x 20" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size

20° (508mm) 17-1/2° (445mm) 31-1/4° (191mm) 15° (381mm) 15° (381mm)

Made in USA Optional Accessories Bottom grid

LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl)

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 21 lbs.

ELUH311910LDBG

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 40/60 Double Bowl Undermount Sink Kit



- ◆Dimensions: 31-1/4" x 20" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size



Includes: ELUH311910L sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Bottom grid

LKWOBG1115SS

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 25 lbs.




ELUH311910L

6

- ◆Dimensions: 31-1/4" x 20" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 40/60 Double Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid

LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl)

Drain LK99


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 21 lbs.

ELUH311910RDBG



- ♦Dimensions: 31-1/4" x 20" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 60/40 Double Bowl Undermount Sink Kit



Includes: ELUH311910R sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA Optional Accessories

Bottom grid LKWOBG1115SS


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 25 lbs.

ELUH311910R



- ♦Dimensions: 31-1/4" x 20" x 10"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20" x 10", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG1617SS (large bowl) LKWOBG1115SS (small bowl)

Rinsing basket

LKWRB1115SS (small bowl)

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 21 lbs.




ELUH3121L

18° (457mm) 1-34° R (44mm) 4-1/2° (114mm) 1-34° R

- ◆Dimensions: 30-3/4" x 21" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 21" x 9-7/8", Offset 40/60 Double Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid

LKWOBG1116SS (small bowl)

Rinsing basket

LKWRB1418SS (large bowl)

LKWRB1116SS (small bowl)

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

\$20

Approx. ship weight: 25 lbs.

ELUH3121R

Elkay Lustertone Classic Stainless Steel 30-3/4" x 21" x 9-7/8", Offset 60/40 Double Bowl Undermount Sink



- ◆Dimensions: 30-3/4" x 21" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

21* (483mm) (114mm) (457mm) (457mm) (406mm) (406mm) (406mm) (2551mm) (2551mm) (381mm)

Made in USA Optional Accessories Bottom grid

LKWOBG1116SS

Cutting board

CB1713* \$139.

CBS1316*

Rinsing basket

LKWRB1418SS

LKWRB1116SS **Drain**

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.

EFU311810TC

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink Kit



- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories

Cutting board

LKCBF1316HW

Ship dims: 37-1/2" x 26-1/16" x 12-1/16"

Approx. ship weight: 42 lbs.




EFU311810T

0

- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink



Optional Accessories Bottom grid CTXBG1214 Drain

Drain LKDD LK35


Ship dims: 34-1/4" x 22-1/8" x 11-7/8" **Approx. ship weight:** 37 lbs.

EFRU311810TC



- Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink Kit



Includes: Two custom fit bottom grids, two deep strainer drains, Bar Keeper's Friend cleanser, microfiber towel, all packed in an Elkay protective cloth bag.

Optional Accessories
Cutting board
LKCBF1316HW


Ship dims: 37-1/2" x 26-1/16" x 12-1/16" **Approx. ship weight:** 47 lbs.

EFRU311810T



- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦16 gauge
- ◆Polished Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size

Elkay Crosstown 16 Gauge Stainless Steel, 30-3/4" x 18-1/2" x 10" Equal Double Bowl Undermount Sink




Optional Accessories
Bottom grid
CTXBG1214
Drain
LKDD
LK35

Ship dims: 19-15/16" x 12-13/16" x 38-5/8" **Approx. ship weight:** 42 lbs.

ELUH3118PD

- Dimensions: 30-3/4" x 18-1/2" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 7-7/8", Double Bowl Undermount Sink w/ Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 27 lbs.

ELUH3118DBG

Elkay Lustertone Classic Stainless Steel, 30-3/4" x 18-1/2" x 7-7/8", **Equal Double Bowl Undermount Sink Kit**



- ◆Dimensions: 30-3/4" x 18-1/2" x 7-7/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

18-1/2" (470mm) (406mm) 1-3/4" R (44mm) 13-1/2" 13-1/2" (343mm) 30-3/4" 1-3/4" R (44mm) (200mm) 14-3/4"

Includes: ELUH3118 sink, one

LKWOBG1316SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316* **Rinsing basket**

LKWRB1316SS


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 25 lbs.

ELUH3118

- ◆Dimensions: 30-3/4" x 18-1/2" x 7-7/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- **♦**3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 7-7/8", **Equal Double Bowl Undermount Sink** Made in USA



Models also available with ADA depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 17 lbs.



ELUH311810PD

- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", **Double Bowl Undermount Sink with Perfect Drain**



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 28 lbs.

ELUH311810DBG



- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", **Equal Double Bowl Undermount Sink Kit**



Includes: ELUH311810 sink, one LKWOBG1316SS bottom grid, one LK99

drain

Built in USA

Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 27 lbs.

ELUH311810

- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- ◆Lustrous Satin finish
- **♦**3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", **Equal Double Bowl Undermount Sink**



Made in USA **Optional Accessories**

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain


LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 28 lbs.

ELUH311810LDBG

- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink Kit



Includes: ELUH311810L sink, one LKWOBG1316SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 27 lbs.

ELUH311810L

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink



- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

13-1/2" (470mm) 1-3/4" R (44mm) 13-1/2" (343mm) 30-3/4" (781mm) 1-3/4" R (44mm) 13-1/2" (200mm) 1-3/4" R (44mm) 14-3/4" (781mm)

Made in USA
Optional Accessories

Bottom grid

LKWOBG1316SS

Cutting board

CB1613*

CB1713* CBS1316*

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 23 lbs.

ELUH311810RDBG

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink Kit



- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size



Includes: ELUH311810R sink, one LKWOBG1316SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 27 lbs.



ELUH311810R

- ◆Dimensions: 30-3/4" x 18-1/2" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 10", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid LKWOBG1316SS

Cutting board CB1613*

CB1613* CB1713*

CBS1316*

Rinsing basket

LKWRB1316SS

Drain

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.

ELUH272010RDBG

Elkay Lustertone Classic Stainless Steel 26-3/4" x 20" x 10", Offset 70/30 Double Bowl Undermount Sink Kit



- ◆Dimensions: 26-3/4" x 20" x 10"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦30" minimum cabinet size

(508mm) (127mm 17-1/2" 14-1/8" (445mm) (359mm) R3" √ (76mm) (406mm) (178mm) 26-3/4" (679mm) 5-9/16" (141mm) (254mm) R1-3/4" (44mm) 🔪 12-3/4"

Includes: ELUH272010R sink, one LKWOBG1617SS bottom grid, one LK99 drain

Built in USA

Optional Accessories

Cutting board

CB1713 (large bowl)

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 26 lbs.

ELUH272010R

Elkay Lustertone Classic Stainless Steel 26-3/4" x 20" x 10", Offset 70/30 Double Bowl Undermount Sink Made in USA



- ◆Dimensions: 26-3/4" x 20" x 10"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆30" minimum cabinet size



Optional Accessories
Bottom grid
LKWOBG1617SS
Cutting board
CB1713 (large bowl)
Drain
LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 21 lbs.



ELUH4020DBG

- ◆Dimensions: 40" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 40" x 20-1/2" x 9-7/8", Triple Bowl Undermount Sink Kit



Includes: ELUH4020 sink, one LKWOBG1418SS bottom grid, one LKWOBG1316SS bottom grid, two LK99

drains

Built in USA

Optional Accessories

Cutting board

CBS1418*

CB816*

CBS715*

CB1613*

CB1713*

CBS1316*

Rinsing basket LKWRB1418SS

LKWKD141033

LKWRB1316SS

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 38 lbs.

ELUH4020

Elkay Lustertone Classic Stainless Steel 40" x 20-1/2" x 9-7/8", Triple Bowl Undermount Sink



- ◆Dimensions: 40" x 20-1/2" x 9-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size

20-1/2" (127mm) (127mm

Made in USA Optional Accessories

Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Rinsing basket

LKWRB1418SS (left bowl) LKWRB715SS (center bowl) LKWRB1316SS (right bowl)

Drain

LK99


Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 32 lbs.

ELUH3920DBG

Elkay Lustertone Classic Stainless Steel 39-1/2" x 20" x 10", Triple Bowl Undermount Sink Kit



- ◆Dimensions: 39-1/2" x 20" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size



Includes: ELUH3920 sink, one LKWOBG1617SS bottom grid, one LKWOBG1115SS bottom grid, two LK99 drains

Built in USA

Optional Accessories Cutting board

CB1713 (large bowl)

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 38 lbs.




ELUH3920

Elkay Lustertone Classic Stainless Steel 39-1/2" x 20" x 10", Triple Bowl Undermount Sink



- ◆Dimensions: 39-1/2" x 20" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦45" minimum cabinet size



Made in USA Optional Accessories Bottom grid

LKWOBG1617SS (large bowl) LKWOBG1115SS (medium bowl)

Cutting board CB1713 (large bowl)

Drain LK99

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 30 lbs.





REPAIRABLE FINISH

Our Lustrous Satin finish features a rich, uniform grain.

STAINLESS STEEL CONSTRUCTION

Highest quality, 18-gauge thickness stainless steel for long-lasting durability and performance.

EXCLUSIVELY ELKAY

The edgeless design of our Perfect Drain eliminates the gap around the drain for a cleaner, more hygienic sink. Food and waste go right down the drain.

Available on select models.



LUSTROUS SATIN

A brightly polished rim around the top of the bowl provides a striking crowning touch. Available on select models.

EASY MAINTENANCE

Clean using ordinary, mild dish detergent and a soft cloth.

BEAUTIFUL AND DURABLE

A Lustertone Classic sink looks as great on day 3,000 as it does on day one. Light scratches, which occur with everyday use, naturally blend into the finish with time.

LUSTERTONE CLASSIC





LUSTROUS SATIN

This striking uniform finish is scratch resistant to heavy-duty use. Deep scratches are repairable with an Elkay stainless steel restoration kit. The fine linear grain reflects light evenly for high shine. Available on Lustertone Classic sinks.




S60194



- ◆ Dimensions: 60" x 25" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦ 60" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 60" x 25" x 7-1/2", Single Bowl Sink Top



Made in USA Extended Lead Time Optional Accessories Cutting board CB1713

CBS1316 **Rinsing basket**LKWRB1418SS


Drain LK99

Ship dims: 63-11/16" x 14-3/16" x 28-5/8" **Approx. ship weight:** 60 lbs.

S4819L

- Dimensions: 48" x 25" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- ♦ 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 48" x 25" x 7-1/2", Single Bowl Sink Top



Made in USA
Optional Accessories

Cutting board

CB1713 CBS1316

Rinsing basket

LKWRB1418SS LKWERBSS

Drain

LK99


Ship dims: 51-11/16" x 14-3/16" x 28-5/8" **Approx. ship weight:** 50 lbs.



S4819R

- Dimensions: 48" x 25" x 7-1/2"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 48" x 25" x 7-1/2", Single Bowl Sink Top



Made in USA Optional Accessories Cutting board CB1713 CBS1316

Rinsing basket

LKWRB1418SS LKWERBSS

Drain LK99

Ship dims: 51-11/16" x 14-3/16" x 28-5/8"


Approx. ship weight: 50 lbs.

ILR5422DD

(559mm) (559mm) (406mm)

- Dimensions: 54" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 57" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 54" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories Bottom grid

LKWBG2115SS

Cutting board CB1713

CBS1316

Drain LK99

Ship dims: 53-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 40 lbs.



ILR4322L

- ◆ Dimensions: 43" x 22" x 7-5/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



Made in USA
Optional Accessories
Bottom grid
LKWBG2115SS
Cutting board
CB1713
CBS1316


Drain LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 29 lbs.

ILR4322R

- Dimensions: 43" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦ 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories

LKWBG2115SS Cutting board CB1713 CBS1316 Drain

Bottom grid

Drain LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 29 lbs.




ILGR4322L



- Dimensions: 43" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10", Single Bowl Drop-in Sink with Drainboard



Made in USA
Optional Accessories
Bottom grid
LKWOBG2115SS
Cutting board
CB1516
Drain
LK99


Ship dims: 48-11/16" x 26-1/4" x 12-1/2" **Approx. ship weight:** 32 lbs.

ILGR4322R



- Dimensions: 43" x 22" x 10"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦ 48" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10", Single Bowl Drop-in Sink with Drainboard



Made in USA
Optional Accessories
Bottom grid
LKWOBG2115SS
Cutting board
CB1516
Drain


Ship dims: 48-11/16" x 26-1/4" x 12-1/2" **Approx. ship weight:** 32 lbs.



ILR3322L

- ◆ Dimensions: 33" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



Made in USA
Optional Accessories
Cutting board
CB1713

CB1/13

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.

ILR3322R

- Dimensions: 33" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size
- Features: Drainboard

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories

Cutting board

CB1713 CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 23 lbs.

LRS3322



- ◆ Dimensions: 33" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 20 lbs.



LRS3322PD

- •Dimensions: 33" x 22" x 7-5/8"
- •18 gauge
- •Lustrous Satin finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB2816SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.



DLRS332210PD

- •Dimensions: 33" x 22" x 10"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB2816SS

LKWERBSS

Drain

LKPDVR18B

LKDS99


LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 26 lbs.

LR2521PD

- Dimensions: 25" x 21-1/4" x 7-7/8"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •30" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 7-7/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516

Rinsing basket

LKWRB2115SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 19 lbs.

DLR252110PD

- •Dimensions: 25" x 21-1/4" x 10-1/8"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- •30" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 10-1/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516

Rinsing basket

LKWRB2115SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14" Approx. ship weight: 21 lbs.

LMR2013

Elkay Lustertone Classic Stainless Steel 19-1/2" x 13" x 6-1/8", Single **Bowl Drop-in Bar Sink**





- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •24" minimum cabinet size

7-1/2" (330mm) (191mm) 3" R _ (76mm) 15-3/4" (400mm) 19-1/2" (495mm)

6-1/8" (156mm) 1-3/4" R **ADA Compliant** Made in USA

Optional Accessories

Cutting board

CB816

CBS715

Drain LK99

Ship dims: 23-1/2" x 19-3/4" x 8-1/2"


Approx. ship weight: 8 lbs.

LR1522

• Dimensions: 15" x 22" x 7-5/8"

- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 22" x 7-5/8", Single **Bowl Drop-in Sink**



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1116SS

Rinsing basket

LKWRB1116SS

Drain

LK99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 12 lbs.



LTR632210

- •Dimensions: 63" x 22" x 10-1/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •66" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 63" x 22" x 10-1/8", Triple **Bowl Drop-in Sink**



Made in USA **Optional Accessories Cutting board**

CB1713 CBS1316

Rinsing basket

LKWRB1418SS

LKWERBSS

Drain

LK99

Ship dims: 73-3/4" x 26-1/4" x 12-1/2" Approx. ship weight: 44 lbs.

LCR4322

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-7/8", Triple **Bowl Drop-in Sink**



- •Dimensions: 43" x 22" x 7-7/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •48" minimum cabinet size

127mm 22" (559mm) (127mm) 5" (127mm) 18" (457mm) 9-1/4"_ (235mm) ___14"__ (356mm) ___14"__ (356mm) 43" -(1092mm) 6-1/8" (156mm) 10-7/8"____ (276mm) 10-7/8"___ (276mm)

Made in USA **Optional Accessories**

Cutting board

CBS1418 CB912

Rinsing basket

LKWRB1418SS

LKWERBSS

LKWRB1209SS

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 28 lbs.

LMR3322

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", 30/70 **Double Bowl Drop-in Sink**



- •Dimensions: 33" x 22" x 7-7/8"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Made in USA **Optional Accessories Bottom** grid

LKWBG2115SS (large bowl)

Cutting board

CB1516 (large bowl)

CB816 (small bowl)

CBS715 (small bowl)

Rinsing basket

LKWRB2115SS (large bowl)

LKWERBSS (large bowl)

LKWRB715SS (small bowl)

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 21 lbs.




DLRS332210



- Dimensions: 33" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Single Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG2816SS
Cutting board
CB1713
CBS1316

CBS1316 **Drain** LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 28 lbs.

DLRS332212



- Dimensions: 33" x 22" x 11-5/8"
- ◆ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 11-5/8", Single Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG2816SS

Cutting board

CB1713 CBS1316 **Drain**

LK99


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 22 lbs.

ECTSRS33229TBG



- Dimensions: 33" x 22" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5, FR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- 36" minimum cabinet size

Elkay Crosstown Stainless Steel 33" x 22" x 9", Single Bowl Dual Mount Sink Kit





Includes: ECTSRS33229T Sink, CTXBG2915

Bottom Grid

Optional Accessories

Drain LKDD LK35


Ship dims: 38" x 24-1/2" x 10-13/16" **Approx. ship weight:** 34 lbs.



PSRS3322

- ◆ Dimensions: 33" x 22" x 7-1/4"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 22" x 7-1/4", Single Bowl Dropin Sink



Made in USA Optional Accessories Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316 **Drain**

LK99

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 16 lbs.

LR3122PD



- Dimensions: 31" x 22" x 7-5/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 31" x 22" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 24 lbs.

LR3122



- Dimensions: 31" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31" x 22" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 19 lbs.

DLR312210PD

- ◆ Dimensions: 31" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 31" x 22" x 10-1/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 26 lbs.

DLR312210

Elkay Lustertone Classic Stainless Steel 31" x 22" x 10-1/8", Single Bowl Drop-in Sink



- ◆ Dimensions: 31" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

22" 16" (559mm) (406mm) 1-3/4" R (44mm) 1-3/4" R (44mm) 10-1/8" (257mm)

Made in USA
Optional Accessories
Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 22 lbs.

DLR312212

- Dimensions: 31" x 22" x 11-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31" x 22" x 11-5/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 22 lbs.




PSR3122

Elkay Celebrity Stainless Steel 31" x 22" x 7-1/8", Single Bowl Dropin Sink



- ◆ Dimensions: 31" x 22" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- ◆ Available in 1, 2, 3, 4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA Optional Accessories

Bottom grid

LKWBG2816SS

Cutting board

CB1713

CBS1316

Drain LK99

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 17 lbs.

CR3122

Elkay Celebrity Stainless Steel 31" x 22" x 6-7/8", Single Bowl Dropin Sink



- Dimensions: 31" x 22" x 6-7/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- ◆ Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA

Optional Accessories

Cutting board

CB1516

Rinsing basket

LKWERBSS

Drain LK99

Ship dims: 26-1/4" x 10-1/2" x 37-3/4"


Approx. ship weight: 15 lbs.

LSR2722

Elkay Lustertone Classic Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink



- ♦ Dimensions: 27" x 22" x 8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Slim Rim



Made in USA Optional Accessories

Bottom grid

LKWBG2416SS

Cutting board CB1713

CBS1316

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 25 lbs.



DLSR272210

- ♦ Dimensions: 27" x 22" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- ◆ Features: Slim Rim

Elkay Lustertone Classic Stainless Steel 27" x 22" x 10", Single Bowl Dual Mount Sink



Made in USA Optional Accessories

Bottom grid LKWBG2416SS

Cutting board

CB1713

CBS1316

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.

LR2522PD



- Dimensions: 25" x 22" x 8-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 22" x 8-1/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 19 lbs.



LR2522

- Dimensions: 25" x 22" x 8-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 22" x 8-1/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 15 lbs.

DLR252210PD



- ◆ Dimensions: 25" x 22" x 10-3/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 22" x 10-3/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer. **Built in USA**

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 22 lbs.

DLR252210



- ◆ Dimensions: 25" x 22" x 10-3/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 22" x 10-3/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516 **Drain**

LK99


Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 18 lbs.

PLA252212

- Dimensions: 25" x 22" x 12-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 30" minimum cabinet size

Elkay Pursuit Stainless Steel 25" x 22" x 12-1/8", Single Bowl Dropin Laundry Sink



Special Note: Made with Type 316 Stainless

Steel

Made in USA

Optional Accessories

Bottom grid LKWBG2115SS

Cutting board CB1516

Drain LK335 LK372


Ship dims: 30-11/16" x 26-1/4" x 14" **Approx. ship weight:** 19 lbs.

DLR252212



- Dimensions: 25" x 22" x 12-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 22" x 12-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board

CB1516

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 19 lbs.

ECTSR25229TBG



- Dimensions: 25" x 22" x 9"
- ♦ 18 gauge
- Polished Satin finish
- Available in 1, 2, 3, 4, 5 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- ◆ Sound deadening: Sound Guard
- 30" minimum cabinet size

Elkay Crosstown Stainless Steel 25" x 22" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR25229T Sink, CTXBG2115

Bottom Grid

Optional Accessories

Drain LKDD

LK35


Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.



PSR2522

- ◆ Dimensions: 25" x 22" x 7-1/2"
- 20 gauge
- Brushed Satin finish
- ◆ Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 22" x 7-1/2", Single Bowl Dropin Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG2115SS
Cutting board
CB1516
Drain

LK99


Ship dims: 23-5/16" x 9-13/16" x 31-3/16" **Approx. ship weight:** 14 lbs.

CR2522



- Dimensions: 25" x 22" x 7"
- ♦ 20 gauge
- Brushed Satin finish
- ◆ Available in 1, 2, 3, 4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 22" x 7", Single Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid
GBG2115SS
Cutting board
CB1516
Drain


Ship dims: 30-11/16" x 26-1/4" x 9-1/2" **Approx. ship weight:** 14 lbs.

DCR252210



- ◆ Dimensions: 25" x 22" x 10-1/4"
- ♦ 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Stainless Steel 25" x 22" x 10-1/4", Single Bowl Drop-in Laundry Sink



Made in USA Optional Accessories Bottom grid LKWBG2115SS

Cutting board

CB1516 **Drain** LK99

Ship dims: 23-5/16" x 12-1/16" x 31-7/16"


Approx. ship weight: 14 lbs.



DCR252212

- Dimensions: 25" x 22" x 12-1/4"
- ♦ 20 gauge
- Brushed Satin finish
- Available in 1, 3, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Stainless Steel 25" x 22" x 12-1/4", Single Bowl Drop-in Sink



Made in USA Optional Accessories

. Bottom grid

LKWBG2115SS

Cutting board

CB1516

Drain

LK99


Ship dims: 30-11/16" x 26-1/4" x 14" **Approx. ship weight:** 20 lbs.

LR2521



- Dimensions: 25" x 21-1/4" x 7-7/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 7-7/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board CB1516

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 15 lbs.

DLR252110



- Dimensions: 25" x 21-1/4" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 10-1/8", Single Bowl Drop-in Sink



Made in USA

Optional Accessories

Bottom grid

LKWBG2115SS

Cutting board CB1516

Drain

LK99

Ship dims: $30-11/16" \times 26-1/4" \times 12-1/2"$


Approx. ship weight: 18 lbs.



PSR2521

- Dimensions: 25" x 21-1/4" x 7-1/2"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 7-1/2", Single Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG2115SS
Cutting board
CB1516
Drain

LK99


Ship dims: 23-5/16" x 9-13/16" x 31-3/16" **Approx. ship weight:** 13 lbs.

GECR2521L



- Dimensions: 25" x 21-1/4" x 5-3/8"
- 20 gauge
- ◆ Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant
Made in USA
Optional Accessories
Cutting board
CB1516
Drain
LK99


Ship dims: 30-11/16" x 26-1/4" x 9-1/2" **Approx. ship weight:** 11 lbs.

GECR2521R



- ◆ Dimensions: 25" x 21-1/4" x 5-3/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant
Made in USA
Optional Accessories
Cutting board
CB1516
Drain
LK99


Ship dims: $30-11/16" \times 26-1/4" \times 9-1/2"$ **Approx. ship weight:** 11 lbs.



GECR2521

- Dimensions: 25" x 21-1/4" x 5-3/8"
- 20 gauge
- Brushed Satin finish
- ◆ Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Bottom grid

LKWOBG2115SS

Cutting board

CB1516

Drain

LK99


Ship dims: 30-11/16" x 26-1/4" x 9-1/2"

Approx. ship weight: 11 lbs.

CR2521

- Dimensions: 25" x 21-1/4" x 6-7/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Elkay Celebrity Stainless Steel 25" x 21-1/4" x 6-7/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board

CB1516

Rinsing basket

LKWERBSS **Drain**

LK99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 14 lbs.

LR2222



- Dimensions: 22" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 22" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.



DLR222210

- Dimensions: 22" x 22" x 10-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 22" x 10-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board

CB1713 CBS1316

Rinsing basket

LKWRB1418SS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 15 lbs.

DLR222212



- Dimensions: 22" x 22" x 12-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 22" x 12-1/8", Single Bowl Drop-in Sink



Made in USA
Optional Accessories

Cutting board

CB1713 CBS1316

CBS1316
Rinsing basket

LKWRB1418SS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 17 lbs.

LR2219PD



- ◆ Dimensions: 22" x 19-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4 faucet holes
- ◆ 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer. **Built in USA**

Optional Accessories

Cutting board

CBS1418

Rinsing basket LKWRB1418SS

Drain

LKPDVR18B

LKDS99

LKDS35 \$34.70

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 18 lbs.





- Dimensions: 22" x 19-1/2" x 7-5/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Cutting board

CBS1418

Rinsing basket

LKWRB1418SS

Drain

LK99

Ship dims: 20-13/16" x 9-5/16" x 27-15/16"


Approx. ship weight: 13 lbs.

DLR221910PD



- Dimensions: 22" x 19-1/2" x 10-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 10-1/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Cutting board

CBS1418

Rinsing basket

LKWRB1418SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 16 lbs.

DLR221910



- Dimensions: 22" x 19-1/2" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 10-1/8", Single Bowl Drop-in Sink



Made in USA

Optional Accessories

Cutting board

CBS1418

Rinsing basket

LKWRB1418SS

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 14 lbs.



PSR2219

- Dimensions: 22" x 19-1/2" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- ◆ Available in 1, 2, 3, 4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 27" minimum cabinet size

Elkay Celebrity Stainless Steel 22" x 19-1/2" x 7-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board CBS1418

Rinsing basket LKWRB1418SS

Drain LK99

Ship dims: 20-13/16" x 9-5/16" x 27-15/16"


Approx. ship weight: 11 lbs.


ESE202010



- Dimensions: 20" x 20" x 10-1/8"
- ♦ 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Celebrity Stainless Steel 20" x 20" x 10-1/8", Single Bowl Drop-in Laundry Sink





Made in USA Optional Accessories

Bottom grid LKWBG1415SS

Cutting board

CB1516

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 21-5/16" x 12-1/16" x 26-7/16"


Approx. ship weight: 12 lbs.

LR2022



- Dimensions: 19-1/2" x 22" x 7-5/8"
- ♦ 18 gauge
- ◆ Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 14 lbs.

DLR202210



- Dimensions: 19-1/2" x 22" x 10-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 10-1/8", Single Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 14 lbs.

LR1919PD



- Dimensions: 19-1/2" x 19" x 7-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 7-1/2", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"


Approx. ship weight: 17 lbs.

LR1919



- ◆ Dimensions: 19-1/2" x 19" x 7-1/2"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 7-1/2", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 20-13/16" x 9-5/16" x 27-15/16"

Approx. ship weight: 13 lbs.




DLR191910PD



- ◆ Dimensions: 19-1/2" x 19" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 24" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 10-1/8", Single Bowl Drop-in Laundry Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer. **Built in USA**

Optional Accessories

Bottom grid LKWBG1316SS

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99


LKDS35

Ship dims: 26-1/4" x 24-1/4" x 14" Approx. ship weight: 16 lbs.

DLR191910

- Dimensions: 19-1/2" x 19" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 10-1/8", **Single Bowl Drop-in Laundry Sink**



Made in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"


Approx. ship weight: 14 lbs.

PLA191910



- Dimensions: 19-1/2" x 19" x 10-3/16"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 24" minimum cabinet size

Elkay Pursuit Stainless Steel 19-1/2" x 19" x 10-3/16", Single Bowl **Drop-in Laundry Sink**



Special Note: Made with Type 316 Stainless

Made in USA

Optional Accessories

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK335 LK372

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"


Approx. ship weight: 14 lbs.

LR1918



- Dimensions: 19" x 18" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19" x 18" x 7-5/8", Single **Bowl Drop-in Sink**



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1116SS

Drain


Ship dims: 19-5/16" x 9-5/16" x 24-15/16"

Approx. ship weight: 10 lbs.

PSR1918

- Dimensions: 19" x 18" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Elkay Celebrity Stainless Steel 19" x 18" x 7-1/8", Single Bowl Dropin Sink



Made in USA **Optional Accessories**

Bottom grid

LKWBG1116SS

Drain

LK99

Ship dims: 19-5/16" x 9-5/16" x 24-15/16"


Approx. ship weight: 9 lbs.



LR1722PD

- Dimensions: 17" x 22" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 22" x 7-5/8", Single Bowl Drop-in Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer. **Built in USA**

Optional Accessories

Bottom grid LKWBG1316SS

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 18 lbs.

LR1722

- Dimensions: 17" x 22" x 7-5/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 22" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 23-5/16" x 9-13/16" x 23-3/16"

Approx. ship weight: 13 lbs.




DLR172210PD



- Dimensions: 17" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- 3-3/8" (86mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 22" x 10-1/8", Single **Bowl Drop-in Sink with Perfect Drain**



Includes: One LKPD1 Perfect Drain and strainer.

Built in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 30-11/16" x 26-1/4" x 14"


Approx. ship weight: 17 lbs.

DLR172210



- Dimensions: 17" x 22" x 10-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 22" x 10-1/8", Single **Bowl Drop-in Sink**



Made in USA **Optional Accessories**

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 15 lbs.

CR1721



- ◆ Dimensions: 17" x 21-1/4" x 6-7/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size

Elkay Celebrity Stainless Steel 17" x 21-1/4" x 6-7/8", Single Bowl **Drop-in Sink**



Made in USA **Optional Accessories Bottom grid**

LKWBG1415SS

Rinsing basket

LKWERBSS Drain

LK99


Ship dims: 23-5/16" x 9-13/16" x 23-3/16"

Approx. ship weight: 10 lbs.



- ◆ Dimensions: 17" x 20" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 20" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1414SS

Cutting board

CB1613

Rinsing basket

LKWRB1414SS

Drain

LK99

Ship dims: 21-5/16" x 9-5/16" x 22-15/16"


Approx. ship weight: 12 lbs.

DLR172010



- Dimensions: 17" x 20" x 10-1/8"
- ♦ 18 gauge
- ◆ Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 20" x 10-1/8", Single Bowl Drop-in Sink



Made in USA

Optional Accessories

Bottom grid

LKWBG1414SS

Cutting board

CB1613

Rinsing basket

LKWRB1414SS

Drain

LK99

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"


Approx. ship weight: 14 lbs.

PSR1720



- Dimensions: 17" x 20" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Celebrity Stainless Steel 17" x 20" x 7-1/8", Single Bowl Dropin Sink



Made in USA

Optional Accessories

Bottom grid

LKWBG1414SS

Cutting board

CB1613

Rinsing basket

LKWRB1414SS

Drain LK99

Ship dims: 21-5/16" x 9-5/16" x 22-15/16"


Approx. ship weight: 10 lbs.





- ◆ Dimensions: 17" x 16" x 7-5/8"
- ♦ 18 gauge
- Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 16" x 7-5/8", Single Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Rinsing basket

LKWRB1209SS

Drain

LK99

Ship dims: 17-5/16" x 8-13/16" x 22-15/16"


Approx. ship weight: 8 lbs.

DLR17161<u>0</u>



- Dimensions: 17" x 16" x 10-1/8"
- ♦ 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 16" x 10-1/8", Single Bowl Drop-in Sink



Made in USA

Optional Accessories

Rinsing basket

LKWRB1209SS

Drain LK99

Ship dims: 26-1/4" x 24-1/4" x 12-1/2"


Approx. ship weight: 12 lbs.

PSR1716



- Dimensions: 17" x 16" x 7-1/8"
- ♦ 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- ♦ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Elkay Celebrity Stainless Steel 17" x 16" x 7-1/8", Single Bowl Dropin Sink



Made in USA

Optional Accessories

Rinsing basket

LKWRB1209SS

Drain

LK99


Ship dims: 17-5/16" x 8-13/16" x 22-15/16"

Approx. ship weight: 7 lbs.



- Dimensions: 15" x 17-1/2" x 7-5/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 7-5/8", Single Bowl Drop-in Bar Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain

LK99

Ship dims: 18-13/16" x 9-11/16" x 21-3/16"


Approx. ship weight: 10 lbs.

DLR151710



- Dimensions: 15" x 17-1/2" x 10"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 10", Single Bowl Drop-in Sink



Made in USA

Optional Accessories

Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain LK99

Ship dims: 23-1/2" x 19-3/4" x 12-1/2"


Approx. ship weight: 12 lbs.

PSR1517



- Dimensions: 15" x 17-1/2" x 7-1/8"
- 20 gauge
- Brushed Satin finish
- ♦ Available in 1, 2, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Celebrity Stainless Steel 15" x 17-1/2" x 7-1/8", Single Bowl Drop-in Bar Sink



Made in USA

Optional Accessories Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain LK99

Ship dims: 18-13/16" x 9-11/16" x 21-3/16"


Approx. ship weight: 8 lbs.



ECTSR15159TBG

- Dimensions: 15" x 15" x 9"
- 18 gauge
- Polished Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sound Guard
- ♦ 18" minimum cabinet size
- ◆ Features: Slim Rim

Elkay Crosstown Stainless Steel 15" x 15" x 9", Single Bowl Dual Mount Sink Kit



Includes: ECTSR15159T Sink, CTXBG118

Bottom Grid

Optional Accessories

Drain LKDD LK35


Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 19 lbs.

BLGR15151



- Dimensions: 15" x 15" x 6-1/2"
- 18 gauge
- Lustrous Satin finish
- Available in 1 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 15" x 6-1/2", Single Bowl Drop-in Bar Sink



ADA Compliant
Made in USA
Optional Accessories
Bottom grid
LKWOBG1111SS
Drain
LK36


Ship dims: 24-1/4" x 19-3/4" x 9-1/2" **Approx. ship weight:** 8 lbs.

BLR1560



- Dimensions: 15" x 15" x 6-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 15" x 6-1/8", Single Bowl Drop-in Bar Sink



ADA Compliant
Made in USA

Optional Accessories
Bottom grid

LKWBG1209SS **Cutting board**

CB912

Rinsing basket

LKWRB1209SS

Drain LK36

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"


Approx. ship weight: 7 lbs.



BPSR15

- ◆ Dimensions: 15" x 15" x 6-1/8"
- ♦ 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Celebrity Stainless Steel 15" x 15" x 6-1/8", Single Bowl Dropin Bar Sink



ADA Compliant Made in USA Optional Accessories

Bottom grid LKWBG1209SS

Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain LK36

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"


Approx. ship weight: 5 lbs.

BCR15



- Dimensions: 15" x 15" x 6-1/8"
- 20 gauge
- Brushed Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Celebrity Stainless Steel 15" x 15" x 6-1/8", Single Bowl Dropin Bar Sink



ADA Compliant Made in USA Optional Accessories Cutting board

CB912 **Drain** LK36

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"


Approx. ship weight: 6 lbs.

BLR15



- Dimensions: 15" x 15" x 7-1/8"
- 18 gauge
- Lustrous Satin finish
- Available in 1, 2, 3, MR2 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 15" x 7-1/8", Single Bowl Drop-in Bar Sink



Made in USA Optional Accessories

Bottom grid LKWBG1209SS

Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain LK36

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"


Approx. ship weight: 7 lbs.



SCF16FBSH

- ◆ Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Hammered Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Hammered Mirror



Optional Accessories
Bottom grid
LKWRBG14SS
Drain
LK99

Ship dims: 25-3/16" x 9-5/8" x 22-13/16"


Approx. ship weight: 14 lbs.

SCF16FBSM



- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Mirror finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Mirror



Optional Accessories

Bottom grid LKWRBG14SS

Drain LK99

Ship dims: 25-11/16" \times 9-7/8" \times 22-5/8"


Approx. ship weight: 10 lbs.

SCF16FBSR



- Dimensions: 16-3/8" x 16-3/8" x 7"
- 18 gauge
- Rugged Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom
- 21" minimum cabinet size

Elkay Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bar Sink Rugged Textured



Optional Accessories Bottom grid LKWRBG14SS

Drain LK99

Ship dims: 26-1/8" x 22-1/2" x 9-5/8"

Approx. ship weight: 9 lbs.







+

Drain placement provides more usable space on the bottom of the sink and in the cabinet below. *Available on select models.*

LUSTERTONE CLASSIC

REPAIRABLE FINISH

Our lustrous satin finish features a rich, uniform grain.

STAINLESS STEEL CONSTRUCTION

Highest quality, 18-gauge thickness stainless steel for long-lasting durability and performance.

EXCLUSIVELY ELKAY®

The edgeless design of our Perfect Drain® eliminates the gap around the drain for a cleaner, more hygienic sink. Food and waste go right down the drain.

Available on select models.



Shown: LKHSR2509RPD2R

HIGHLIGHTED SATIN

A brightly polished rim around the top of the bowl provides a striking crowning touch.

Available on select models.

EASY MAINTENANCE

Clean using ordinary, mild dish detergent and a soft cloth.

BEAUTIFUL AND DURABLE

A Lustertone™ Classic sink looks as great on day 3,000 as it does on day one. Light scratches, which occur with everyday use, naturally blend into the finish with time.




LTR632210



- •Dimensions: 63" x 22" x 10-1/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •66" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 63" x 22" x 10-1/8", Triple Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWERBSS

Drain

LK99

Ship dims: 73-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 44 lbs.

LCR4322

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-7/8", Triple Bowl Drop-in Sink



- •Dimensions: 43" x 22" x 7-7/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •48" minimum cabinet size



Made in USA Optional Accessories

Cutting board

CBS1418 CB912

Rinsing basket

LKWRB1418SS

LKWERBSS

LKWRB1209SS

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 28 lbs.

LMR3322

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", 30/70 Double Bowl Drop-in Sink



- •Dimensions: 33" x 22" x 7-7/8"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size



Made in USA
Optional Accessories
Bottom grid

LKWBG2115SS (large bowl)

Cutting board

CB1516 (large bowl)

CB816 (small bowl)

CBS715 (small bowl)

Rinsing basket

LKWRB2115SS (large bowl)

LKWERBSS (large bowl)

LKWRB715SS (small bowl)

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 21 lbs.



LFGR3322

- •Dimensions: 33" x 22" x 10"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Sides and Bottom pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10", Offset 60/40 Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG1116SS

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWERBSS

LKWRB1116SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 25 lbs.

STLR3322LPD

- •Dimensions: 33" x 22" x 10-1/8"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.



STLR3322RPD

- •Dimensions: 33" x 22" x 10-1/8"
- •18 gauge
- Lustertone finish
- •3-3/8" (86mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size
- Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

LKWERBSS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.

STLR3322L



- •Dimensions: 33" x 22" x 10-1/8"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG1316SS **Cutting board**

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

LKWERBSS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.

STLR3322R

- Dimensions: 33" x 22" x 10-1/8"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG1316SS **Cutting board**

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

LKWERBSS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 23 lbs.




BPSR2317

Elkay Celebrity Stainless Steel 23" x 17" x 6-1/8", Equal Double Bowl Drop-in Sink



- •Dimensions: 23" x 17" x 6-1/8"
- •20 gauge
- Brilliant Satin finish
- •2" (51mm) drain opening
- •Sound deadening: Bottom only pads
- •27" minimum cabinet size



ADA Compliant
Made in USA
Optional Accessories
Bottom grid
LKWBG1209SS
Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain LK36

Ship dims: 26-1/4" x 24-1/4" x 9-1/2"


Approx. ship weight: 12 lbs.



D66294

- ◆Dimensions: 66" x 25" x 7-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦66" minimum cabinet size
- ◆Features: Drainboard

Elkay Lustertone Classic Stainless Steel 66" x 25" x 7-1/2", Equal Double Bowl Sink Top



Made in USA Extended Lead Time Optional Accessories Cutting board

CB1613

CB1713

CBS1316

Drain LK99

Ship dims: 75-11/16" x 14-3/16" x 28-5/8"


Approx. ship weight: 65 lbs.

ILR6622DD



- ◆Dimensions: 66" x 22" x 7-5/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦69" minimum cabinet size
- ◆Features: Drainboard

Elkay Lustertone Classic Stainless Steel 66" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99


Ship dims: 73-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 50 lbs.

ILGR5422L



- ◆Dimensions: 54" x 22" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦57" minimum cabinet size
- ♦Features: Drainboard

Elkay Lustertone Classic Stainless Steel 54" x 22" x 10", Offset Double Bowl Drop-in Sink with Drainboard



Made in USA

Optional Accessories

Bottom grid

LKWOBG1418SS (small bowl) LKWOBG1616SS (large bowl)

Cutting board

CBS1418 CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LK99

Ship dims: 53-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 40 lbs.




ILGR5422R



- ◆Dimensions: 54" x 22" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦ Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆57" minimum cabinet size
- ◆Features: Drainboard

Elkay Lustertone Classic Stainless Steel 54" x 22" x 10", Offset Double Bowl Drop-in Sink with Drainboard



Made in USA Optional Accessories Bottom grid

LKWOBG1418SS (small bowl)

LKWOBG1616SS (large bowl)

Cutting board

CBS1418

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LK99


Ship dims: 53-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 40 lbs.

ILR4822L

- ♦Dimensions: 48" x 22" x 7-5/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦51" minimum cabinet size
- ♦Features: Drainboard

Elkay Lustertone Classic Stainless Steel 48" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink with Drainboard



Made in USA
Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain LK99

Ship dims: 53-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 35 lbs.

ILR4822R



- ♦Dimensions: 48" x 22" x 7-5/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ◆51" minimum cabinet size
- ◆Features: Drainboard

Elkay Lustertone Classic Stainless Steel 48" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink with Drainboard



Made in USA
Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain LK99


Ship dims: 53-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 35 lbs.



- ◆Dimensions: 43" x 22" x 7-5/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦48" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 43" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA
Optional Accessories
Cutting board

CB1713 CBS1316

Rinsing basket

LKWRB1418SS

Drain

LK99


Ship dims: 48-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 26 lbs.

DLR432210



- ♦Dimensions: 43" x 22" x 10-1/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦48" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Cutting board

CB1713

CBS1316

Rinsing basket LKWRB1418SS

Drain

Drair

LK99


Ship dims: 48-11/16" x 26-1/4" x 12-1/2" **Approx. ship weight:** 33 lbs.

DLR432212



- ◆Dimensions: 43" x 22" x 12-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦48" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 43" x 22" x 12-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Cutting board CB1713

CBS1316

Rinsing basket

LKWRB1418SS

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 14"


Approx. ship weight: 33 lbs.

PSR4322



- ◆Dimensions: 43" x 22" x 7-1/8"
- ♦20 gauge
- ♦Brushed Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦48" minimum cabinet size

Elkay Celebrity Stainless Steel 43" x 22" x 7-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Cutting board

CB1713 CBS1316

Rinsing basket

LKWRB1418SS

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

CR4322

Elkay Celebrity Stainless Steel 43" x 22" x 6-7/8", Equal Double Bowl Drop-in Sink



- ◆Dimensions: 43" x 22" x 6-7/8"
- ♦20 gauge
- ◆Brushed Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦48" minimum cabinet size

22* (559mm) 15-3/4* (400mm) 19* (483mm) 43* (1082mm) (175mm) (175mm) (175mm)

Made in USA
Optional Accessories
Cutting board
CB1516

Rinsing basket

LKWERBSS

Drain LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 21 lbs.

LFGR3722

Elkay Lustertone Classic Stainless Steel 37" x 22" x 10", Offset 60/40 Double Bowl Drop-in Sink



- ◆Dimensions: 37" x 22" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦ Available in 1, 2, 3 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size



Made in USA
Optional Accessories
Bottom grid
LKWOBG2018SS (large bowl)
LKWOBG1116SS (small bowl)
Cutting board
CBS1418
Drain

LK99


Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.



LGR3722

- ◆Dimensions: 37" x 22" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 37" x 22" x 10", Offset Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWOBG1418SS (small bowl) LKWOBG1616SS (large bowl)

Cutting board

CBS1418 CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain


LK99

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 28 lbs.

LR3722

- ♦Dimensions: 37" x 22" x 7-5/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 37" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Cutting board

CB1713 CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 44-7/8" x 26-1/4" x 10-1/2"


Approx. ship weight: 24 lbs.

DLR372210



- ♦Dimensions: 37" x 22" x 10-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦42" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 37" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA
Optional Accessories

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 44-7/8" x 26-1/4" x 14" **Approx. ship weight:** 29 lbs.



ECTSR33229TBG

15° (127mm) (15mm) (15mm) (14-3/4° (14-3/4°)

33" (838mm) R9/16 (15mm) 9" (229mm)

> 15-3/4" (400mm)

Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit

Includes: ECTSR33229TBG Sink, two CTXBG1315 Bottom Grids Optional Accessories Drain

Drain LKDD LK35

Ship dims: 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.


- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- ♦Polished Satin finish
- ♦Available in 1, 2, 3, 4, 5, FR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ♦Features: Slim Rim


ECTSRAD33226TBG



- ♦Dimensions: 33" x 22" x 6"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Slim Rim

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl Dual Mount ADA Sink Kit





Includes: ECTSRAD33226T Sink, two CTXBG1315 Bottom Grids

Optional Accessories

Drain LKDD LK35


Ship dims: $38" \times 24-1/2" \times 13"$ Approx. ship weight: 34 lbs.



ECTSRA33229TBG

- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆Features: Aqua Divide

Elkay Crosstown Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink Kit with Aqua Divide



Includes: ECTSRA33229TBG Sink, CTXBG1315 Bottom Grid

Optional Accessories

Bottom grid CTXBG1315

Drain

LKDD LK35

Ship dims: 38" x 24-1/2" x 10-13/16"


Approx. ship weight: 34 lbs.

LR250



- ◆Dimensions: 33" x 22" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", Offset Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CBS1418

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain


LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

LR250L

- ◆Dimensions: 33" x 22" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 7-7/8", Offset Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CBS1418

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS **Drain**

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 21 lbs.

LGR3322

- ◆Dimensions: 33" x 22" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦ Available in 1, 2, 3, 4 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10", Offset **Double Bowl Drop-in Sink**



Made in USA **Optional Accessories**

Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Cutting board

CBS1418

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 25 lbs.

LKHSR2509RPD

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", 60/40 Double **Bowl Dual Mount Sink with Perfect Drain**



- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2L, 2R, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain, Slim Rim

5-3/16" (132mm) R3-1/4" (83mm) 22" (559mm) 18-1/2" (470mm) R2" (51mm) 11" (279mm) 9" (229mm) R1-3/4" (44mm) (267mm) 15-3/4" (400mm)

Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWOBG1819SS (left bowl) LKWOBG1118SS (right bowl)

Cutting board

LKCB1520LUHW

LKCB1520LTHW

Drain

LKPDVR18B

LKDS99


LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 23 lbs.

STCR3322L

- ◆Dimensions: 33" x 22" x 10-1/4"
- ♦20 gauge
- **Brushed Satin finish**
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 22" x 10-1/4", Equal Double **Bowl Drop-in Sink**



Made in USA **Optional Accessories**

Bottom grid

LKWBG1415SS

Cutting board

CB1516

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 23-5/16" x 12-1/16" x 39-7/16"


Approx. ship weight: 18 lbs.



STCR3322R

- ◆Dimensions: 33" x 22" x 10-1/4"
- ♦20 gauge
- **Brushed Satin finish**
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 22" x 10-1/4", Equal Double Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid

LKWBG1415SS

Cutting board

CB1516

Rinsing basket

LKWRB1316SS

Drain LK99

Ship dims: 23-5/16" x 12-1/16" x 39-7/16"


Approx. ship weight: 18 lbs.

LKHSR33229PD

Elkay Lustertone Classic Stainless Steel 33" x 22" x 9", Equal Double Bowl Dual Mount Sink with Perfect Drain



- ◆Dimensions: 33" x 22" x 9"
- ♦18 gauge
- ◆Lustrous Satin finish
- ♦ Available in 1, 2L, 2R, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- **Sound deadening: Sides and Bottom pads**
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain, Slim Rim



Includes: Two LKPD1 Perfect Drains and

strainers. **Built in USA**

Optional Accessories

Bottom grid

LKWOBG1520LSS (left bowl) LKWOBG1520RSS (right bowl)

Cutting board

LKCB1520LUHW

LKCB1520LTHW

Drain

LKPDVR18B

LKDS99

LKDS35

Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 23 lbs.


LR3322PD

22° (559mm)



- ◆Dimensions: 33" x 22" x 8-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-3/8" (86mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 8-1/8", Equal Double Bowl Drop-in Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and

strainers. **Built in USA**

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B


LKDS99 LKDS35

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"



- ♦Dimensions: 33" x 22" x 8-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 8-1/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.

DLR332210PD

- ♦Dimensions: 33" x 22" x 10-1/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

Built in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LKPDVR18B

LKDS99

LKDS35


Ship dims: 37-3/4" x 26-1/4" x 14" **Approx. ship weight:** 30 lbs.

DLR332210



- ◆Dimensions: 33" x 22" x 10-1/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 25 lbs.



DLR332212

- ◆Dimensions: 33" x 22" x 12-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 12-1/8", Equal **Double Bowl Drop-in Sink**



Made in USA **Optional Accessories Bottom** grid LKWBG1316SS

Cutting board

CB1613

CB1713 CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 14" Approx. ship weight: 25 lbs.

PSR3322

Elkay Celebrity Stainless Steel 33" x 22" x 7-1/2", Equal Double Bowl **Drop-in Sink**



- ♦Dimensions: 33" x 22" x 7-1/2"
- ◆20 gauge
- **♦**Brushed Satin finish
- ♦ Available in 1, 2, 3, 4 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size



Made in USA **Optional Accessories**

Bottom grid

LKWBG1316SS **Cutting board**

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

I K99


Ship dims: 23-5/16" x 9-13/16" x 38-15/16"

Approx. ship weight: 20 lbs.

CR3322

- ◆Dimensions: 33" x 22" x 7"
- ♦20 gauge
- **Brushed Satin finish**
- ♦ Available in 1, 2, 3, 4 faucet holes
- **♦**3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 22" x 7", Equal Double Bowl **Drop-in Sink**



Made in USA **Optional Accessories**

Bottom grid

LKWBG1415SS

Cutting board

CB1516

Rinsing basket

LKWERBSS

Drain

LK99


Ship dims: 23-5/16" x 8-15/16" x 38-15/16"

Approx. ship weight: 16 lbs.

LR3321

- ◆Dimensions: 33" x 21-1/4" x 7-7/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sides and Bottom pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 21-1/4" x 7-7/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 22 lbs.

PSR3321

Elkay Celebrity Stainless Steel 33" x 21-1/4" x 7-1/2", Equal Double Bowl Drop-in Sink



- ◆Dimensions: 33" x 21-1/4" x 7-1/2"
- ♦20 gauge
- ◆Brushed Satin finish
- ♦ Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size



Made in USA

Optional Accessories

Bottom grid

LKWBG1316SS

Cutting board

CB1613

CB1713 CBS1316

Rinsing basket

LKWRB1316SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 20 lbs.

GECR3321

- ◆Dimensions: 33" x 21-1/4" x 5-3/8"
- ♦20 gauge
- ♦Brushed Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 21-1/4" x 5-3/8", Equal Double Bowl Drop-in Sink



ADA Compliant Made in USA

Optional Accessories

Bottom grid

LKWOBG1415SS

Cutting board

CB1516

Rinsing basket

LKWRB1316SS

Drain

LK99

Ship dims: 23-5/16" x 8-15/16" x 38-15/16"


Approx. ship weight: 14 lbs.



CR3321

- ◆Dimensions: 33" x 21-1/4" x 6-7/8"
- ♦20 gauge
- **Brushed Satin finish**
- ◆Available in 1, 2, 3, 4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 21-1/4" x 6-7/8", Equal Double Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG1415SS

Cutting board CB1516

Rinsing basket

LKWERBSS **Drain**

LK99


Ship dims: 23-5/16" x 8-15/16" x 38-15/16"

Approx. ship weight: 15 lbs.

LR3319

- ◆Dimensions: 33" x 19-1/2" x 7-5/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1414SS

Cutting board

CB1613

Rinsing basket

LKWRB1414SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 20 lbs.

DLR331910

- Dimensions: 33" x 19-1/2" x 10-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Bottom grid

LKWBG1414SS

Cutting board

CB1613

Rinsing basket

LKWRB1414SS

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 23 lbs.

PSR3319



- ◆Dimensions: 33" x 19-1/2" x 7-1/8"
- ♦20 gauge
- ◆Brushed Satin finish
- ◆Available in 1, 2, 3, 4 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Celebrity Stainless Steel 33" x 19-1/2" x 7-1/8", Equal Double Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid

LKWBG1414SS

Cutting board CB1613

Rinsing basket

LKWRB1414SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.

LR2922

- ◆Dimensions: 29" x 22" x 7-5/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 29" x 22" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

LKWBG1116SS **Drain**

LK99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 17 lbs.

LR2918



- ◆Dimensions: 29" x 18" x 7-5/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 29" x 18" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA

Models also available with ADA depths

Optional Accessories

Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain

LK99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 16 lbs.



DLR291810

- ♦Dimensions: 29" x 18" x 10"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 29" x 18" x 10", Equal Double Bowl Drop-in Sink



Made in USA
Optional Accessories
Cutting board
CB912

Rinsing basket LKWRB1209SS

Drain LK99

Ship dims: 37-3/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 16 lbs.

LR2519



- ◆Dimensions: 25" x 19-1/2" x 7-5/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 7-5/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories Rinsing basket

LKWRB1209SS

Drain

LK99

Ship dims: 23-5/16" x 9-13/16" x 31-3/16"


Approx. ship weight: 15 lbs.

DLR251910



- ◆Dimensions: 25" x 19-1/2" x 10-1/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 10-1/8", Equal Double Bowl Drop-in Sink



Made in USA Optional Accessories

Rinsing basket

LKWRB1209SS

Drain

Ship dims: 30-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 23 lbs.




LTR542210



Dimensions: 54" x 22" x 10-1/8" 18 gauge Lustrous Satin finish Available in 1, 2, 3, 4, 6 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 57" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 54" x 22" x 10-1/8", Triple Bowl Drop-in Sink



Made in USA
Optional Accessories
Cutting board
CB1713
CBS1316
Rinsing basket
LKWRB1316SS

Drain LK99

Ship dims: 53-11/16" x 26-1/4" x 12-1/2"


Approx. ship weight: 33 lbs.

LTR4622



Dimensions: 46" x 22" x 7-5/8" 18 gauge Lustrous Satin finish Available in 1, 2, 3, 4, 6 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 51" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 46" x 22" x 7-5/8", Triple Bowl Drop-in Sink



Made in USA
Optional Accessories
Bottom grid
LKWBG1316SS
Cutting board
CB1613
CB1713
CBS1316
Rinsing basket
LKWRB1316SS
Drain

LK99
Ship dims: 53-11/16" x 26-1/4" x 10-1/2"
Approx. ship weight: 29 lbs.



LGR4322

Elkay Lustertone Classic Stainless Steel 43" x 22" x 10", Triple Bowl Drop-in Sink



Dimensions: 43" x 22" x 10" 18 gauge Lustrous Satin finish Available in 1, 2, 3, 4 faucet holes 3-1/2" (89mm), 3-1/2" (89mm) drain opening Sound deadening: Sides and Bottom

48" minimum cabinet size

(1559mm)

18"
(457mm)

134" R
(444mm)

1356mm)

134" R
(199mm)

134" R
(356mm)

134" R
(305mm)

Made in USA Optional Accessories

Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Cutting board

CBS1418

CB816

CBS715

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 12-1/2"

Approx. ship weight: 32 lbs.

PSMR4322

Elkay Celebrity Stainless Steel 43" x 22" x 7-1/8", Triple Bowl Dropin Sink



Dimensions: 43" x 22" x 7-1/8" 20 gauge Brushed Satin finish Available in 3, 4 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 48" minimum cabinet size

(127mm) (305mm) (355mm) (355mm) (356mm) (356mm

Made in USA Optional Accessories Cutting board

CBS1418

CB912

Rinsing basket

LKWRB1418SS

LKWRB1209SS

Drain

LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 20 lbs.

CMR4322

Elkay Celebrity Stainless Steel 43" x 22" x 7", Triple Bowl Drop-in Sink




Dimensions: 43" x 22" x 7" 20 gauge Brushed Satin finish Available in 1, 2, 3, 4 faucet holes 3-1/2" (89mm) drain opening Sound deadening: Bottom only pads 48" minimum cabinet size



Made in USA
Optional Accessories
Cutting board
CB912
Drain
LK99

Ship dims: 48-11/16" x 26-1/4" x 10-1/2" **Approx. ship weight:** 23 lbs.









HAVE THE BEST OF BOTH WORLDS

Sinks with Aqua Divide™ offer flexibility. The low center wall allows pan handles to extend over the center. Use it as two separate bowls or fill the sink high with water to wash larger items across both bowls.



PERFECT DRAIN

Elkay's innovative Perfect Drain® eliminates seams and gaps around the drain, for a cleaner, more hygienic sink.

QUARTZ LUXE

SUPERIOR STRENGTH


Made of natural quartz sand, the hardest component of granite, these durable sinks are impact resistant to your toughest sink tasks.

NATURALLY QUIET

Thick material absorbs noise when working at the sink.

RICH HUES

UV-stable color won't fade.



STAIN AND SMUDGE RESISTANT

Silky surface resists stains and smudges, making the sink easy to clean.

HYGIENE PROTECTION

Rounded, microfine quartz particles allow for an ultrasmooth, nonporous surface that resists dirt, food and stains.

HEAT SAFE

Sink is heat proof to 535° F to protect surface from hot cookware.

Shown: ELXHU3220RCH0



ELXRU13322

Elkay Quartz Luxe 33" x 18-7/16" x 9-7/16", Single Bowl **Undermount Sink**




• Dimensions: 33" x 18-7/16" x 9-7/16"

mist (SM)

- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size

(RT)





Optional Accessories Bottom grid LKOBG2915SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 55 lbs.

ELXU2522

(PA)


Elkay Quartz Luxe 24-5/8" x 18-1/2" x 9-1/2", Single Bowl **Undermount Sink**



- Dimensions: 24-5/8" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening







Optional Accessories Bottom grid

LKOBG2217SS

Cutting board

LKCBEG2217HW

Rinsing basket

LKWRB2217SS

Drain

LKQS35

LKQD35

LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16" Approx. Ship Weight: 41 lbs.




ELX1616

Elkay Quartz Luxe 15-3/4" x 15-3/4" x 7-11/16", Single Bowl Dual **Mount Bar Sink**







Optional Accessories Bottom grid LKOBG1616SS **Rinsing basket** LKWRB1209SS Drain LKQS35 LKQD35 LK99

Ship Dims: 20" x 20" x 12-11/16" Approx. Ship Weight: 18 lbs.


ELXHU3322R

Elkay Quartz Luxe 33" x 22" x 10", Offset 60/40 Double Bowl **Undermount Sink with Aqua Divide**



- Dimensions: 33" x 22" x 10"
- •3-1/2" (89mm) drain opening
- •36" minimum cabinet size





Optional Accessories Bottom grid

LKOBG1618SS (left bowl) LKOBG1115SS (right bowl)

Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 57 lbs.



ELXU3322

Elkay Quartz Luxe 33" x 18-1/2" x 9-1/2", Equal Double Bowl **Undermount Sink**



- Dimensions: 33" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening



16-7/16 (411mm 14-1/4" (362mm) 14-1/4" -(362mm) 9-1/2" (241mm) 8-13/16" (223mm) 15-13/16" (402mm)

Optional Accessories

Bottom grid

LKOBG1516SS

Cutting board

LKCBEG1516HW

Rinsing basket

LKWRB1516SS

Drain

LKQS35

LKQD35 LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16"

Approx. Ship Weight: 58 lbs.

ELXR13322

Elkay Quartz Luxe 33" x 20-7/8" x 9-7/16", Single Bowl Drop-in Sink



- Dimensions: 33" x 20-7/8" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size







(CN)






(MA)







Optional Accessories

Bottom grid

LKOBG2915SS

Drain

LKOS35

LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16"

Approx. Ship Weight: 57 lbs.

ELX2522

Elkay Quartz Luxe 25" x 22" x 9-1/2", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 30" minimum cabinet size





(CH)






(CN)



(PA)







1-1/2" (38mm) Diameter Faucet Holes on 4" (102mm) Centers are Pre-Scored Installer can punch up to 5 faucet holes.

Optional Accessories

Bottom grid

LKOBG2217SS **Cutting board**

LKCBEG2217HW

Rinsing basket

LKWRB2217SS

Drain

LKQS35

LKQD35

LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16" Approx. Ship Weight: 43 lbs.



ELXH3322R

Elkay Quartz Luxe 33" x 22" x 10", Offset 60/40 Double Bowl **Drop-in Sink with Aqua Divide**





1-1/2" (38mm) Diameter Faucet Holes on 4" (102mm) Centers are Pre-Scored. Installer can punch up to 4 faucet holes. 1-3/4" (45mm) 4-9/16 4-5/16* (110mm) 19-5/16" (491mm) (838mm) 5" (127mm) 15-3/16" (386mm)

Optional Accessories Bottom grid

LKOBG1618SS (left bowl) LKOBG1115SS (right bowl)

Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 62 lbs.

ELX3322

Elkay Quartz Luxe 33" x 22" x 9-1/2", Equal Double Bowl Drop-in Sink



- Dimensions: 33" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size





(CH)




(CN)





Caviar Charcoal Chestnut Parchment Ricotta (PA)



Optional Accessories

Bottom grid

LKOBG1516SS

Cutting board

LKCBEG1516HW

Rinsing basket

LKWRB1516SS

Drain

LKQS35

LKQD35

LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16" Approx. Ship Weight: 62 lbs.




ELGRU13322C

Elkay Quartz Classic 33" x 18-7/16" x 9-7/16", Single Bowl Undermount Sink Kit



- Dimensions: 33" x 18-7/16" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size





Includes: ELGRU13322 Sink, LKOBG2915SS Bottom Grid, LKQS35 Drain, LKCLKIT Cleaning Kit

▼ Ships in multiple boxes.

Ship Dims: 37-5/8" x 44" x 16-1/16" **Approx. Ship Weight:** 60 lbs.

ELGRU13322

Elkay Quartz Classic 33" x 18-7/16" x 9-7/16", Single Bowl Undermount Sink




- Dimensions: 33" x 18-7/16" x 9-7/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size

White

(WH)

Putty (PT)





Optional Accessories Bottom grid LKOBG2915SS Drain

LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 45 lbs.




ELGU2522C

Elkay Quartz Classic 24-5/8" x 18-1/2" x 9-1/2", Single Bowl **Undermount Sink Kit**



- Dimensions: 24-5/8" x 18-1/2" x 9-1/2"
- •3-1/2" (89mm) drain opening
- •30" minimum cabinet size





Includes: ELGU2522 Sink, LKOBG2217SS Bottom Grid, LKQS35 Drain, LKCLKIT Cleaning Kit

▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB2217SS

Ship Dims: 29-3/4" x 44" x 16-1/16" Approx. Ship Weight: 46 lbs.


ELGU2522

Elkay Quartz Classic 24-5/8" x 18-1/2" x 9-1/2", Single Bowl **Undermount Sink**



- Dimensions: 24-5/8" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening
- •30" minimum cabinet size





Optional Accessories

Bottom grid LKOBG2217SS

Cutting board

LKCBEG2217HW

Rinsing basket

LKWRB2217SS

Drain

LKQS35

LKQD35

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16"

Approx. Ship Weight: 41 lbs.



ELG1616C

Elkay Quartz Classic 15-3/4" x 15-3/4" x 7-11/16", Single Bowl **Dual Mount Bar Sink Kit**



- Dimensions: 15-3/4" x 15-3/4" x 7-11/16"
- 3-1/2" (89mm) drain opening
- •21" minimum cabinet size










Grey-stone (GS) Mocha White (MC) (WH)



Includes: ELG1616 Sink, LKOBG1616SS Bottom Grid, LKQS35 Drain, LKCLKIT

Cleaning Kit

▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB1209SS

Ship Dims: 20" x 34" x 10" Approx. Ship Weight: 22 lbs.

ELG1616


Elkay Quartz Classic 15-3/4" x 15-3/4" x 7-11/16", Single Bowl **Dual Mount Bar Sink**



- Dimensions: 15-3/4" x 15-3/4" x 7-11/16"
- 3-1/2" (89mm) drain opening

(WH)





Optional Accessories Bottom grid LKOBG1616SS Rinsing basket LKWRB1209SS Drain LKQS35 LKQD35 LK99

Ship Dims: 20" x 20" x 10" Approx. Ship Weight: 18 lbs.



ELGHU3322RC

Elkay Quartz Classic 33" x 22" x 10", Offset 60/40 Double Bowl **Undermount Sink Kit with Aqua Divide**



- Dimensions: 33" x 22" x 10"
- •3-1/2" (89mm) drain opening
- •36" minimum cabinet size
- Features: Aqua Divide







Mocha White (MC) (WH)

19-5/16" (490mm) 4-5/16" (110mm 13-1/8" (333mm) 10" (254mm) 1 5" (127mm)

Includes: ELGHU3322R Sink, LKOBG1618SS Bottom Grid, LKOBG1115SS Bottom Grid, LKQS35 Drain, LKQD35 Drain, LKCLKIT Cleaning Kit

▼ Ships in multiple boxes.

Ship Dims: 37-5/8" x 43" x 16-1/16" Approx. Ship Weight: 64 lbs.


ELGHU3322R

Elkay Quartz Classic 33" x 22" x 10", Offset 60/40 Double Bowl **Undermount Sink with Aqua Divide**



- Dimensions: 33" x 22" x 10"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size
- Features: Aqua Divide





Optional Accessories Bottom grid

LKOBG1618SS (large bowl) LKOBG1115SS (small bowl)

Drain LKQS35 LKQD35

LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 57 lbs.



ELGU3322C

Elkay Quartz Classic 33" x 18-1/2" x 9-1/2", Equal Double Bowl **Undermount Sink Kit**




- Dimensions: 33" x 18-1/2" x 9-1/2"
- 3-5/8" (92mm) drain opening
- 36" minimum cabinet size











Includes: ELGU3322 Sink, Two LKOBG1516SS Bottom Grids, LKQS35 Drain, LKQD35 Drain, LKCLKIT Cleaning Kit **▼** Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB1516SS

Ship Dims: 37-11/16" x 41" x 16-1/16" Approx. Ship Weight: 66 lbs.


ELGU3322

Elkay Quartz Classic 33" x 18-1/2" x 9-1/2", Equal Double Bowl **Undermount Sink**



- Dimensions: 33" x 18-1/2" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size





Optional Accessories

Bottom grid LKOBG1516SS

Cutting board

LKCBEG1516HW

Rinsing basket

LKWRB1516SS

Drain

LKQS35

LKQD35

LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16"

Approx. Ship Weight: 52 lbs.

Putty

White (WH)



ELGR13322

Elkay Quartz Classic 33" x 20-7/8" x 9-7/16", Single Bowl Drop-in Sink



- Dimensions: 33" x 20-7/8" x 9-7/16"
- 3-1/2" (89mm) drain opening



1-1/2" (38mm) Diameter Faucet Holes on 4" (102mm) Centers are Pre-Scored. Installer can punch up to 5 faucet holes. 20-7/8" (530mm) 5" (127mm) 16-5/16' (414mm) 33" (838mm) 9-7/16" (240mm)

Optional Accessories Bottom grid LKOBG2915SS Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 57 lbs.

ELG2522C


(WH)

Elkay Quartz Classic 25" x 22" x 9-1/2", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- 30" minimum cabinet size





Includes: ELG2522 Sink, LKOBG2217SS Bottom Grid, LKQS35 Drain, LKCLKIT Cleaning Kit

▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB2217SS

Ship Dims: 29-3/4" x 41" x 16-1/16" Approx. Ship Weight: 48 lbs.



ELG2522

Elkay Quartz Classic 25" x 22" x 9-1/2", Single Bowl Drop-in Sink



22" (559mm)

16-7/16" (417mm)

9-1/2" (241mm)

- Dimensions: 25" x 22" x 9-1/2"



• 3-5/8" (92mm) drain opening Mocha 1-1/2" (38mm) Diameter Faucet Holes on 4" (102mm) Centers are Pre-Scored.
Installer can punch up to 5 faucet holes. **Optional Accessories** 2-3/16" (56mm) **Bottom grid** 5" (127mm)

25" (635mm)

LKOBG2217SS **Cutting board**

LKCBEG2217HW

Rinsing basket

LKWRB2217SS

Drain

LKQS35

LKQD35

LK99

Ship Dims: 29-3/4" x 26-3/4" x 16-1/16"

Approx. Ship Weight: 43 lbs.

ELGH3322R

White (WH)

Putty

(PT)


Elkay Quartz Classic 33" x 22" x 10", Offset 60/40 Double Bowl **Drop-in Sink with Aqua Divide**



- Dimensions: 33" x 22" x 10"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size

(WH)





Optional Accessories Bottom grid LKOBG1618SS (large bowl) LKOBG1115SS (small bowl) Drain LKQS35 LKQD35 LK99

Ship Dims: 37-5/8" x 26-3/4" x 16-1/16" Approx. Ship Weight: 62 lbs.



ELG3322


Elkay Quartz Classic 33" x 22" x 9-1/2", Equal Double Bowl Dropin Sink



- Dimensions: 33" x 22" x 9-1/2"
- 3-1/2" (89mm) drain opening
- •36" minimum cabinet size

(WH)





Optional Accessories

Bottom grid

LKOBG1516SS

Cutting board

LKCBEG1516HW

Rinsing basket

LKWRB1516SS

Drain

LKQS35

LKQD35

LK99

Ship Dims: 37-11/16" x 26-3/4" x 16-1/16"

Approx. Ship Weight: 62 lbs.









CHOOSE YOUR DESIGN

Farmhouse sinks can be installed with either a traditional flat front or with a decorative band at the top.



WORKSTATION

Built-in ledge lets you work over the sink, saving precious counter space.

FIRECLAY

DURABLE

Baked at high temperatures for long-lasting durability that is scratch and stain resistant.

DRAIN FITTINGS

Elkay offers drains specially designed for fireclay sinks. (LK99FC or LK999FC)

REVERSIBLE DESIGN

Farmhouse sinks can be installed with a traditional flat front or a decorative band feature at the top.



QUIET

Thick material naturally minimizes sound for a quieter time at the sink.

BEAUTIFULLY FINISHED

Smooth surface is easy to clean.

FARMHOUSE STYLE

Beautifully finished sink material is revealed because there is no cabinet to cover the front of the sink. It adds a stylish design element to the kitchen.

Available in select models.

Shown: SWUF28179WH




SWUF28179C

Elkay Fireclay 30" x 19-15/16" x 9-1/8", Single Bowl Farmhouse Sink Kit



- Dimensions: 30" x 19-15/16" x 9-1/8"
- 3-1/2" (89mm) drain opening
- 27" minimum cabinet size





Includes: SWUF28179 Sink, LKBG2616SS Bottom Grid, LK99FC Drain, LKCLKIT

Cleaning Kit

▼ Ships in multiple boxes.

Ship Dims: 35" x 41" x 14" Approx. Ship Weight: 84 lbs.

SWUF28179

Elkay Fireclay 30" x 19-15/16" x 9-1/8", Single Bowl Farmhouse Sink




- Dimensions: 30" x 19-15/16" x 9-1/8"
- 3-1/2" (89mm) drain opening
- 33" minimum cabinet size







White



Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories Bottom grid LKBG2616SS

Drain LK99FC LK99FCS

Ship Dims: 35" x 24" x 14" Approx. Ship Weight: 97 lbs.



SWUF2520WHC

Elkay Fireclay 24-7/16" x 19-11/16" x 9-1/8" Single Bowl **Farmhouse Sink Kit, White**



- Dimensions: 24-7/16" x 19-11/16" x 9-1/8"
- 3-1/2" (89mm) drain opening
- 27" minimum cabinet size



White (WH)

24-7/16" (620mm) 18-1/4" (464mm) 19-11/16" (500mm) 23" (584mm) 9-1/8" (232mm) 10-1/8" (257mm)

Includes: SWUF2520WH Sink, LKBG2217SS Bottom Grid, LK99FC Drain, LKCLKIT

Cleaning Kit

▼ Ships in multiple boxes.

Ship Dims: 34-3/16" x 41-3/8" x 13-13/16"

Approx. Ship Weight: 82 lbs.


SWUF2520

Elkay Fireclay 24-7/16" x 19-11/16" x 9-1/8" Single Bowl **Farmhouse Sink**



- Dimensions: 24-7/16" x 19-11/16" x 9-1/8"
- •3-1/2" (89mm) drain opening
- •27" minimum cabinet size





Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories Bottom grid

LKBG2217SS

Drain LK99FC

LK99FCS

Ship Dims: 34-3/16" x 24-7/16" x 13-13/16"

Approx. Ship Weight: 77 lbs.




SWU1517WHC

Elkay Fireclay 16-7/16" x 18-15/16" x 9-1/16" Single Bowl **Undermount Bar Sink Kit, White**



- Dimensions: 16-7/16" x 18-15/16" x 9-1/16"
- 3-1/2" (89mm) drain opening
- •21" minimum cabinet size





Includes: SWU1517WH Sink, LKOBG1315SS Bottom Grid, LK99FC Drain, LKCLKIT

Cleaning Kit

▼ Ships in multiple boxes.

Ship Dims: 23-3/16" x 37-15/16" x 13-13/16"

Approx. Ship Weight: 50 lbs.

SWU1517


- Dimensions: 16-7/16" x 18-15/16" x 9-
- 3-1/2" (89mm) drain opening
- •21" minimum cabinet size





Biscuit White (WH)

Elkay Fireclay 16-7/16" x 18-15/16" x 9-1/16" Single Bowl **Undermount Bar Sink**



Optional Accessories Bottom grid LKOBG1315SS Drain

LK99FC LK99FCS

Ship Dims: 23-3/16" x 21-3/16" x 13-13/16"

Approx. Ship Weight: 55 lbs.



SWUF32189WHC

Elkay Fireclay 33" x 19-15/16" x 9", Equal Double Bowl Farmhouse Sink Kit, White



- Dimensions: 33" x 19-15/16" x 9"
- •3-1/2" (89mm) drain opening
- •36" minimum cabinet size



White (WH)

19-15/16* (506mm) 18-18* (460mm) 19-15/14* (387mm) 33* (383mm) 10-18* (229mm) (257mm) 4-16-18* (409mm)

Includes: SWUF32189WH Sink, Two LKBG1417SS Bottom Grids, Two LK99FC

Drains, LKCLKIT Cleaning Kit ▼ Ships in multiple boxes.

Optional Accessories Rinsing basket LKWRB1518SS

Ship Dims: 38-1/2" x 46" x 19" **Approx. Ship Weight:** 122 lbs.


SWUF32189

Elkay Fireclay 33" x 19-15/16" x 9", Equal Double Bowl Farmhouse Sink



- Dimensions: 33" x 19-15/16" x 9"
- •3-1/2" (89mm) drain opening
- •36" minimum cabinet size





Special Note: Sink is reversible offering the option of a traditional flat front or a decorative band feature

Optional Accessories
Bottom grid
LKBG1417SS
Rinsing basket
LKWRB1518SS

Drain LK99FC LK99FCS

Ship Dims: 38-1/2" x 26" x 19" **Approx. Ship Weight:** 115 lbs.



SWUF3320

Elkay Fireclay 33" x 19-15/16" x 9-3/16" 60/40 Double Bowl Farmhouse Workstation Sink with Aqua Divide




- Dimensions: 33" x 19-15/16" x 9-3/16"
- 3-1/2" (89mm) drain opening
- 36" minimum cabinet size
- Features: Aqua Divide Workstation





Biscuit White (BI) (WH)



Includes: SWUF3320 sink, one LKCB1217HW cutting board.

Special Note: Sink is reversible offering the

option of a traditional flat front or a

decorative band feature

Optional Accessories Bottom grid LKBG1115SS

LKBG1715SS **Drain**

LK99FC

Ship Dims: 38-1/2" x 26" x 19" **Approx. Ship Weight:** 123 lbs.





ELUH1811

Elkay Asana Stainless Steel 19-1/2" x 13-5/16" x 6-1/4", Single Bowl Undermount Bathroom Sink




◆Dimensions: 19-1/2" x 13-5/16" x 6-1/4"

♦Lustrous Satin finish

♦18 gauge

- ◆1-1/2" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size



Includes: LKF293 overflow Assembly Built in USA Optional Accessories Drain LK174 LKAD174


Ship dims: 23-5/16" x 19-9/16" x 9-1/16"

Approx. ship weight: 8 lbs.

ELUH16LV

- ◆Dimensions: 18-3/8" x 18-3/8" x 8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦1-1/2" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Asana Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Undermount Bathroom Sink



Includes: LKF299 overflow Assembly Made in USA Optional Accessories Drain LK174 LKAD174

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 13 lbs.




ELUH1511

0

- ♦Dimensions: 18" x 14" x 6"
- ♦18 gauge
- **♦**Lustrous Satin finish
- **1-1/2**" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

Elkay Asana Stainless Steel 18" x 14" x 6", Single Bowl Undermount Bathroom Sink



Includes: LKF293 overflow Assembly

ADA Compliant Built in USA

Optional Accessories

Drain LK174 LKAD174

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"


Approx. ship weight: 7 lbs.

SCF1611SH



- ◆Dimensions: 17" x 12" x 6-1/2"
- ♦18 gauge
- ◆Hammered Mirror finish
- ◆1-1/2" (38mm) drain opening
- ◆Sound deadening: Full spray sides and bottom
- ♦21" minimum cabinet size

Elkay Asana Stainless Steel 17" x 12" x 6-1/2", Single Bowl Dual Mount Bathroom Sink



Includes: overflow Assembly ADA Compliant Optional Accessories Drain

LK174

Ship dims: 23-5/8" x 8-5/8" x 14-3/16"


Approx. ship weight: 8 lbs.

SCF16SH



- ◆Dimensions: 16-3/8" x 16-3/8" x 7"
- ♦18 gauge
- ♦Hammered Mirror finish
- **1-1/2**" (38mm) drain opening
- ◆Sound deadening: Full spray sides and bottom
- ◆21" minimum cabinet size

Elkay Asana Stainless Steel 16-3/8" x 16-3/8" x 7", Single Bowl Dual Mount Bathroom Sink



Includes: overflow Assembly
Optional Accessories
Drain
LK174


Ship dims: 16-1/4" x 16-1/4" x 7" **Approx. ship weight:** 8 lbs.



ELUH12LV

- ◆Dimensions: 14-3/8" x 14-3/8" x 6"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆1-1/2" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Bathroom Sink



Includes: LKF295 overflow Assembly **ADA Compliant**

ADA Compliant Built in USA

Optional Accessories

Drain LK174 LKAD174

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"


Approx. ship weight: 6 lbs.


LLVR2117



- ◆Dimensions: 20-3/8" x 16-7/8" x 6-1/4"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, CS3 faucet holes
- ◆1-1/2" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Asana Stainless Steel 20-3/8" x 16-7/8" x 6-1/4", Single Bowl Drop-in Bathroom Sink





Includes: LKF293 overflow Assembly

ADA Compliant Built in USA

Optional Accessories

Drain LK174

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"


Approx. ship weight: 9 lbs.

LLVR1916



- ◆Dimensions: 19-5/8" x 16-11/16" x 6"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, CS3 faucet holes
- ◆1-1/2" (38mm) drain opening
- Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Asana Stainless Steel 19-5/8" x 16-11/16" x 6", Single Bowl Drop-in Bathroom Sink



Includes: LKF293 overflow Assembly

ADA Compliant Built in USA

Optional Accessories

Drain LK174 LKAD174

Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 12 lbs.




LLVR19



- ◆Dimensions: 19" x 19" x 7"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆Available in 1, 2, 3, CS3 faucet holes
- ◆1-1/2" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Asana Stainless Steel 19" x 19" x 7", Single Bowl Drop-in Bathroom Sink



Includes: LKF296 overflow Assembly Made in USA Optional Accessories Drain LK174


Ship dims: 26-1/4" x 24-1/4" x 9-1/2" **Approx. ship weight:** 10 lbs.

PSLVR1917



- ♦Dimensions: 19" x 17" x 6-1/8"
- ♦20 gauge
- ♦Brushed Satin finish
- ♦Available in 1, 2, 3 faucet holes
- **1-1/2**" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Celebrity Stainless Steel 19" x 17" x 6-1/8", Single Bowl Dropin Bathroom Sink



Includes: LKF294 overflow Assembly

ADA Compliant Built in USA

Ship dims: 23-5/16" x 19-9/16" x 10-1/16"


Approx. ship weight: 10 lbs.

PSLVR1917LO



- ◆Dimensions: 19" x 17" x 6-1/8"
- ♦20 gauge
- ◆Brushed Satin finish
- ◆Available in 1, 2, 3 faucet holes
- **1-1/2**" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Celebrity Stainless Steel 19" x 17" x 6-1/8", Single Bowl Dropin Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK174LO

Ship dims: 23-5/16" x 19-9/16" x 10-1/16"

Approx. ship weight: 8 lbs.




RLLVR16



- ◆Dimensions: 18-3/8" x 18-3/8" x 8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- **1-1/2**" (38mm) drain opening
- ◆Sound deadening: Sides only pads
- ♦24" minimum cabinet size

Elkay Asana Stainless Steel 18-3/8" x 18-3/8" x 8", Single Bowl Dropin Bathroom Sink



Includes: LKF299 overflow Assembly

Made in USA

Optional Accessories

Drain LK174 LKAD174

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"


Approx. ship weight: 13 lbs.

LLVR1310



- ◆Dimensions: 16" x 12-1/2" x 5-13/16"
- ♦18 gauge
- **◆**Lustrous Satin finish
- **1-1/2**" (38mm) drain opening
- ◆Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

Elkay Asana Stainless Steel 16" x 12-1/2" x 5-13/16", Single Bowl Drop-in Bathroom Sink



Includes: LKF293 overflow Assembly

ADA Compliant Built in USA

Optional Accessories

Drain LK174 LKAD174

Ship dims: 23-1/2" x 19-3/4" x 8-1/2"


Approx. ship weight: 7 lbs.

RLLVR12



- ◆Dimensions: 14-3/8" x 14-3/8" x 6"
- ♦18 gauge
- **♦**Lustrous Satin finish
- **1-1/2**" (38mm) drain opening
- Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Dropin Bathroom Sink



Includes: LKF295 overflow Assembly

ADA Compliant Built in USA

Optional Accessories

Drain LK174 LKAD174

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"


Approx. ship weight: 7 lbs.



RLR12

- ◆Dimensions: 14-3/8" x 14-3/8" x 6"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆2" (51mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Asana Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Dropin Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK36

Ship dims: 23-5/16" x 19-9/16" x 9-1/16"


Approx. ship weight: 6 lbs.

RLR9



- ◆Dimensions: 11-3/8" x 11-3/8" x 4-3/4"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ♦2" (51mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦15" minimum cabinet size

Elkay Asana Stainless Steel 11-3/8" x 11-3/8" x 4-3/4", Single Bowl Drop-in Bathroom Sink



ADA Compliant Made in USA Optional Accessories Drain LK36

Ship dims: 18-3/4" x 17-1/2" x 10-1/2"

Approx. ship weight: 7 lbs.



DRAINS AND ACCESORIES









KEEP MESSES OUT OF THE WAY

Drain includes a removable, 2-1/4" extra deep strainer basket to catch food scraps. A handle allows for easy removal of basket and minimizes contact with scraps. Durable stainless steel cover fits securely over drain opening to fill sink with water for soaking and cleaning dishes.



COLOR MATCHED

Coordinate your drain or strainer to match the color of your Elkay Quartz sink. Available in standard 3-1/2" drain fitting and in Perfect Drain®.

DRAINS



Shown: ECTRU31179TC



Waste Fittings	s: For 3-1/2" Drain Openings (4-1/2" top diameter)	
Model	Description	Image
LK18	Elkay 3-1/2" Drain Nickel Plated Brass Body, Strainer and Tailpiece	
LK18B	Elkay 3-1/2" Drain Type 304 Stainless Steel Body, Strainer and Tailpiece	
LK2	Elkay 3-1/2" Drain with Rubber Stopper	
LK20	Elkay 3-1/2" Drain with Removable 13" (11-1/2" assembled) Standpipe 13" Rubber Stopper	
LK335	Elkay 3-1/2" Drain Fitting Type 316 Stainless Steel Body, Strainer Basket with rubber seal and Tailpiece	6
LK35	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	Val
LK35B	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK35L	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket Tailpiece and Elbow	
LK36	Elkay Drain Fitting 2" Nickel Plated Brass Body with Deep Stainless Steel Strainer Basket	
LK372	Elkay 3-1/2" Drain Type 316 Stainless Steel Body, Strainer and Tailpiece	
LK373	Elkay 3-1/2" Drain with Removable Standpipe 6-5/8" (5-1/4" assembled) with "O" ring rubber stopper	-
LK58	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Stainless Steel Strainer Basket and Rubber Seal	



LK99	Elkay Deluxe 3-1/2" Drain Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	8 345
LK99FC	Elkay Deluxe Drain 3-1/2" Type 304 Stainless Steel Body for Fireclay Sinks	129
LK99FCS	Elkay Deluxe Drain Kit with Satin Finish 3-1/2 Type 304 Stainless Steel Body for Fireclay Sinks	
LK99S	Elkay Deluxe 3-1/2" Drain with Satin Finish Type 304, Stainless Steel Body Strainer Basket Rubber Seal and Tailpiece	
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	10
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	
LKADOS	Elkay 3-1/2" Drain Fitting Chrome Plated Brass Offset Tailpiece	
LKD35AS	Elkay 3-1/2" Drain Fitting Antique Steel Finish Disposer Flange and Removable Strainer	
LKDD	Elkay 3-1/2" Drain Fitting, Deep Strainer Basket	
LKDS35	Elkay 3-1/2" Disposal Stopper / Strainer for use with Perfect Drain or InSinkErator® Disposal Satin Finish	
LKDS99	Elkay 3-1/2" Disposal Stopper / Strainer for use with, InSinkErator® Disposal Chrome Polished Stainless Steel	
LKPD1	Elkay Perfect Drain Fitting Type 304 Stainless Steel Body, and Strainer	



LKPDAD18B	Elkay Perfect Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	
LKPDQ1CR	Elkay Perfect Drain Fitting Type 304 Stainless Steel Body, and Strainer Chrome	**
LKPDQ1LS	Elkay Perfect Drain Fitting Type 304 Stainless Steel Body, and Strainer Lustrous Steel	
LKPDQD1BK	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Black	
LKPDQD1CA	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Caviar	
LKPDQD1CH	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Charcoal	
LKPDQD1CN	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Chestnut	
LKPDQD1GS	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Greystone	
LKPDQD1JB	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Jubilee	
LKPDQD1MA	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Maraschino	
LKPDQD1MC	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Mocha	
LKPDQD1MT	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Mint Creme	



LKPDQD1PA	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Parchment	
LKPDQD1RT	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Ricotta	
LKPDQD1SM	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper Silvermist	
LKPDQD1WH	Elkay Quartz Perfect Drain 3-1/2" Polymer Disposer Flange with Removable Basket Strainer and Rubber Stopper White	
LKPDQSBK	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Black	
LKPDQSBQ	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Bisque	
LKPDQSCA	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Caviar	3/2
LKPDQSCH	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Charcoal	
LKPDQSCN	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Chestnut	
LKPDQSGR	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Greige	
LKPDQSGS	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Greystone	
LKPDQSGY	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Dusk Gray	



	·	
LKPDQSJB	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Jubilee	
LKPDQSMA	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Maraschino	We have
LKPDQSMC	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Mocha	
LKPDQSMT	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Mint Creme	*
LKPDQSPA	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Parchment	*
LKPDQSPT	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Putty	*
LKPDQSRT	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Ricotta	
LKPDQSSM	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper Silvermist	
LKPDQSWH	Elkay Quartz Perfect Drain 3-1/2" Removable Polymer Basket Strainer and Rubber Stopper White	*
LKPDVR18B	Elkay Perfect Drain Chrome Plated Brass Body, Vandal-resistant Strainer and LKADOS Tailpiece	
LKQD35BK	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Black	
LKQD35BQ	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Bisque	THE PARTY OF THE P



	1	
LKQD35CA	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Caviar	
LKQD35CH	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Charcoal	
LKQD35CN	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Chestnut	
LKQD35GR	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Greige	
LKQD35GS	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Greystone	THE PROPERTY OF THE PARTY OF TH
LKQD35GY	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Dusk Gray	
LKQD35JB	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Jubilee	THE STATE OF THE S
LKQD35MA	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Maraschino	The state of the s
LKQD35MC	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Mocha	
LKQD35MT	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Mint Creme	The state of the s
LKQD35PA	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Parchment	The state of the s
LKQD35PT	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Putty	A STATE OF THE PARTY OF THE PAR



LKQD35RT	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Ricotta	Simulation of the state of the
LKQD35SM	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper Silvermist	THE PARTY OF THE P
LKQD35WH	Elkay Polymer 3-1/2" Disposer Flange with Removable Basket Strainer and Rubber Stopper White	Marina
LKQS35BK	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Black	
LKQS35BQ	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Bisque	(THE STATE OF THE
LKQS35CA	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Caviar	
LKQS35CH	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Charcoal	
LKQS35CN	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Chestnut	
LKQS35GR	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Greige	
LKQS35GS	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Greystone	
LKQS35GY	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Dusk Gray	
LKQS35JB	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Jubilee	



LKQS35MA	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Maraschino	
LKQS35MC	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Mocha	
LKQS35MT	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Mint Crème	
LKQS35PA	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Parchment	(m. viii)
LKQS35PT	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Putty	The state of the s
LKQS35RT	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Ricotta	The state of the s
LKQS35SM	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper Silvermist	The state of the s
LKQS35WH	Elkay Polymer Drain Fitting with Removable Basket Strainer and Rubber Stopper White	Charles of the Charle
LKS35AS	Elkay 3-1/2" Drain Fitting Antique Steel Finish Body and Basket with Rubber Stopper	
LKVR18	Elkay 3-1/2"Drain Nickel Plated Brass Body, Vandal-resistant Strainer and Tailpiece	
LKVR18-CU	Elkay 3-1/2" Drain CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	



Waste Fittings:	For 2"-2-3/8" Drain Openings	
Model	Description	Image
LK337	Elkay Drain Fitting 2" Type 316 Stainless Steel Body, Grid Strainer and Tailpiece	
LK8	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Tailpiece	
LK9	Elkay Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece	



Waste Fittings:	For 1-1/2" to 1-3/4" Drain Openings (For Lavatory sinks 2-1/4" top diameter)	
Model	Description	Image
LK174	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	
LK174-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	
LK174LO	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	480 480
LK174LO-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	
LK175	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with, Rubber Stopper Ring and Chain	
LK290	Elkay 3-1/2" Drain Fitting Center Outlet for Triple Bowl Sinks with Offset Center Drain	
LK52	Elkay Drain Fitting Center Outlet for Double Bowl Sinks	-1-
LK53	Elkay Drain Fitting End Outlet for Double Bowl Sinks	
LK60	Elkay Drain Fitting Center Outlet for Triple Bowl Sinks with Aligned Drains	
LK76	Elkay Drain Fitting end Outlet for Triple Bowl Sinks with Aligned Drains	
LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	



Installation ha	rdware	
Model	Description	Image
LK350	Elkay Extra Long Sink Screwdriver	
LK363	Elkay Installation Extra Long Screws and Clips, set of 14	7
LK364	Elkay Installation Extra Long Screws, set of 14	1
LK463	Elkay Installation Hex Head Screws Hex Nuts, and Clips	
LKUCLIP8	Elkay Sink Installation Undermount Bracket Clips - set of 8	
LKUMSK25	Elkay Sink Installation Undermount Support Kit 25" Long Rails	The state of the s
LKUMSK36	Elkay Sink Installation Undermount Support Kit 36" Long Rails	

Faucet hole cov	Faucet hole covers		
Model	Description	Image	
LK125A	Elkay Stainless Steel 1-5/8" Snap-in Faucet Hole Cover Brushed Finish		
LK126	Elkay Stainless Steel 1-3/4" Bolt-on Faucet Hole Cover Brushed Finish		



Cleaner		
Model	Description	Image
LK34	Elkay Stainless Steel Sink Restoration Kit	40
LKCLKIT	Elkay Sink Cleaning Kit	
LKEG250	Elkay Quartz 8 ounce Rejuvenator	T A

Glass Filler			
Model		Description	Image
LK1110	Elkay Glass Filler		7



Bottom grids w	ith center drain opening	
Model	Description	Image
CTXBG1014	Elkay Crosstown Stainless Steel 9-7/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG118	Elkay Crosstown Stainless Steel 11" x 8-1/4" x 1-1/4" Bottom Grid	
CTXBG1414	Elkay Crosstown Stainless Steel 14-3/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG1914	Elkay Crosstown Stainless Steel 19-3/8" x 14-1/8" x 1-1/4" Bottom Grid	
CTXBG614	Elkay Crosstown Stainless Steel 6-1/4" x 14-1/2" x 1-1/4" Bottom Grid	
CTXBG617	Elkay Crosstown Stainless Steel 6-1/4" x 16-3/4" x 1-1/4" Bottom Grid	
CTXBG99	Elkay Crosstown Stainless Steel 9" x 9-1/4" x 1-1/4" Bottom Grid	
LKBG1115SS	Elkay Stainless Steel 10-7/16" x 14-9/16" x 1-5/16" Bottom Grid	
LKBG1417SS	Elkay Stainless Steel 14" x 16-5/8" x 1-3/8" Bottom Grid	
LKBG1715SS	Elkay Stainless Steel 16-3/4" x 14-9/16" x 1-5/16" Bottom Grid	
LKBG2217SS	Elkay Stainless Steel 21-1/4" x 16-9/16" x 1-3/8" Bottom Grid	
LKBG2616SS	Elkay Stainless Steel 26-3/4" x 16-9/16" x 1-3/8" Bottom Grid	



LKWBG1116SS	Elkay Stainless Steel 10-1/2" x 15" x 1" Bottom Grid	
LKWBG1209SS	Elkay Stainless Steel 11" x 8" x 1" Bottom Grid	
LKWBG1216SS	Elkay Stainless Steel 10-1/8" x 14-1/4" x 1-1/8" Bottom Grid	
LKWBG1316SS	Elkay Stainless Steel 12-1/2" x 15" x 1" Bottom Grid	
LKWBG1414SS	Elkay Stainless Steel 13" x 13" x 1" Bottom Grid	
LKWBG1415SS	Elkay Stainless Steel 12" x 13-1/2" x 1" Bottom Grid	
LKWBG1419SS	Elkay Stainless Steel 11-1/2" x 16-1/2" x 1-1/8" Bottom Grid	
LKWBG1719SS	Elkay Stainless Steel 15" x 16-1/2" x 1-1/8" Bottom Grid	
LKWBG2115SS	Elkay Stainless Steel 20" x 14-3/4" x 1" Bottom Grid	
LKWBG2416SS	Elkay Stainless Steel 23" x 15" x 1-1/8" Bottom Grid	
LKWBG2816SS	Elkay Stainless Steel 26-1/2" x 14-13/16" x 1" Bottom Grid	
LKWRBG12SS	Elkay Stainless Steel 11" x 11" x 1" Bottom Grid	



LKWRBG14SS	Elkay Stainless Steel 13" x 13" x 1" Bottom Grid	
LKWRBG16SS	Elkay Stainless Steel 15" x 15" x 1" Bottom Grid	



Bottom grids w	ith offset drain opening	
Model	Description	Image
CTXBG1015	Elkay Crosstown Stainless Steel 10-1/2"x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG1116	Elkay Crosstown Stainless Steel 11-1/4" x 16-1/4" x 1-1/4" Bottom Grid	
CTXBG1214	Elkay Crosstown Stainless Steel 11-7/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG1215	Elkay Crosstown Stainless Steel 12-1/2" x 14-1/2" x 1-1/4" Bottom Grid	
CTXBG1216	Elkay Crosstown Stainless Steel 12" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG1314	Elkay Crosstown Stainless Steel 12-3/4" x 14-1/4" x 1-1/4" Bottom Grid	
CTXBG1315	Elkay Crosstown Stainless Steel 13-1/2" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG1316	Elkay Crosstown Stainless Steel 13" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG1415	Elkay Crosstown Stainless Steel 14-1/2" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG1417	Elkay Crosstown Stainless Steel 14-1/2" x 17-1/2" x 1-1/4" Bottom Grid	
CTXBG1515	Elkay Crosstown Stainless Steel 15-1/2" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG1616	Elkay Crosstown Stainless Steel 16-1/4" x 16-1/4" x 1-1/4" Bottom Grid	



CTXBG1815	Elkay Crosstown Stainless Steel 17-3/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG1915	Elkay Crosstown Stainless Steel 19-1/2" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG2115	Elkay Crosstown Stainless Steel 21" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG2214	Elkay Crosstown Stainless Steel 22-1/4" x 14-1/4" x 1-1/4" Bottom Grid	
CTXBG2215	Elkay Crosstown Stainless Steel 22-1/2" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG2614	Elkay Crosstown Stainless Steel 26-3/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG2814	Elkay Crosstown Stainless Steel 28-1/4" x 14-1/4" x 1-1/4" Bottom Grid	
CTXBG2815	Elkay Crosstown Stainless Steel 28-1/2" x 15-1/2" x 1-1/4" Bottom Grid	
CTXBG2914	Elkay Crosstown Stainless Steel 28-7/8" x 14-3/8" x 1-1/4" Bottom Grid	
CTXBG2915	Elkay Crosstown Stainless Steel 29" x 15-1/4" x 1-1/4" Bottom Grid	
CTXBG2916	Elkay Crosstown Stainless Steel 29-1/4" x 16-1/4" x 1-1/4" Bottom Grid	
CTXBG3416	Elkay Crosstown Stainless Steel 33-1/2" x 15-1/2" x 1-1/4" Bottom Grid	



CTXFBG1316	Elkay Crosstown Stainless Steel 13-1/8" x 16-1/8" x 1-1/4" Bottom Grid	
CTXFBG1516	Elkay Crosstown Stainless Steel 15-5/8" x 16-1/8" x 1-1/4" Bottom Grid	
CTXFBG1816	Elkay Crosstown Stainless Steel 18-1/8" x 16-1/8" x 1-1/4" Bottom Grid	
CTXFBG3316	Elkay Crosstown Stainless Steel 33-1/8" x 16-1/8" x 1-1/4" Bottom Grid	
CTXOBG1914	Elkay Crosstown Stainless Steel 19-3/8" x 14-1/8" x 1-1/4" Bottom Grid	
EBG1010	Elkay Stainless Steel 10-1/4" x 10-1/4" x 1-1/4" Bottom Grid	
EBG1214	Elkay Stainless Steel 11-7/8" x 14-3/8" x 1-1/4" Bottom Grid	
EBG1216	Elkay Stainless Steel 12-1/4" x 16-1/4" x 1-1/4" Bottom Grid	
EBG1315	Elkay Stainless Steel 12-3/4" x 15-1/4" x 1-1/4" Bottom Grid	
EBG1414	Elkay Stainless Steel 14" x 14" x 1-1/4" Bottom Grid	
EBG1914	Elkay Stainless Steel 19-1/4" x 14" x 1-1/4" Bottom Grid	
EBG2815	Elkay Stainless Steel 28-1/4" x 15-1/4" x 1-1/4" Bottom Grid	



GFOBG1416SS	Elkay Stainless Steel 13" x 15" x 11/16" Bottom Grid	
GFOBG1619SS	Elkay Stainless Steel 15" x 18" x 11/16" Bottom Grid	
LKOBG1016SS	Elkay Stainless Steel 9-5/8" x 14-5/8" x 1" Bottom Grid	
LKOBG1114SS	Elkay Stainless Steel 10-5/8" x 13-9/16" x 1" Bottom Grid	
LKOBG1115SS	Elkay Stainless Steel 11" x 14-5/8" x 1" Bottom Grid	
LKOBG1216SS	Elkay Stainless Steel 10-5/16" x 14" x 1-1/4" Bottom Grid	
LKOBG1315SS	Elkay Stainless Steel 11-13/16" x 14-3/16" x 1-5/16" Bottom Grid	
LKOBG1415SS	Elkay Stainless Steel 12-3/4" x 14-1/2" x 1" Bottom Grid	
LKOBG1417LSS	Elkay Stainless Steel 12-1/4" x 15-1/16" x 1-1/4" Bottom Grid	
LKOBG1417RSS	Elkay Stainless Steel 12-1/4" x 15-1/16" x 1-1/4" Bottom Grid	
LKOBG1516SS	Elkay Stainless Steel 12" x 13-3/4" x 1-1/4" Bottom Grid	
LKOBG1518SS	Elkay Stainless Steel 12" x 15-3/4" x 1-1/4" Bottom Grid	



LKOBG1616SS	Elkay Stainless Steel 11-1/2" x 11-1/2" x 1" Bottom Grid	
LKOBG1617SS	Elkay Stainless Steel 15-11/16" x 15-1/2" x 1" Bottom Grid	
LKOBG1618SS	Elkay Stainless Steel 15-1/16" x 17-3/16" x 1" Bottom Grid	
LKOBG1717SS	Elkay Stainless Steel 16-5/8" x 16-5/8" x 1" Bottom Grid	
LKOBG1718SS	Elkay Stainless Steel 15" x 15-15/16" x 1-1/4" Bottom Grid	
LKOBG2118SS	Elkay Stainless Steel 20-1/8" x 17-1/2" x 1" Bottom Grid	
LKOBG2217SS	Elkay Stainless Steel 19-13/16" x 13-13/16" x 1-1/4" Bottom Grid	
LKOBG2715SS	Elkay Stainless Steel 27-1/4" x 15" x 1-3/8" Bottom Grid	
LKOBG2915SS	Elkay Stainless Steel 27-1/2" x 13-1/2" x 1-1/4" Bottom Grid	
LKOBG3014SS	Elkay Stainless Steel 14-7/16" x 29-15/16" x 1-1/4" Bottom Grid	
LKOBG3015SS	Elkay Stainless Steel 30-1/4" x 15" x 1-3/8" Bottom Grid	
LKOBG3016RSS	Elkay Stainless Steel 28-1/4" x 14-5/16" x 1-1/4" Bottom Grid	



LKOBG3017RSS	Elkay Stainless Steel 27-9/16" x 15-1/8" x 1-1/4" Bottom Grid	
LKOBG3315SS	Elkay Stainless Steel 33-1/4" x 15" x 1-3/8" Bottom Grid	
LKWOBG1111SS	Elkay Stainless Steel 10-1/2" x 10-1/2" x 1" Bottom Grid	
LKWOBG1113SS	Elkay Stainless Steel 10" x 12" x 1" Bottom Grid	
LKWOBG1115SS	Elkay Stainless Steel 14" x 10-1/2" x 1" Bottom Grid	
LKWOBG1116SS	Elkay Stainless Steel 10-1/2" x 15" x 1" Bottom Grid	
LKWOBG1118SS	Elkay Stainless Steel 10" x 16-11/16" x 1-1/8" Bottom Grid	
LKWOBG1316SS	Elkay Stainless Steel 12-1/2" x 15" x 1" Bottom Grid	
LKWOBG1415SS	Elkay Stainless Steel 12" x 13-1/2" x 1" Bottom Grid	
LKWOBG1416SS	Elkay Stainless Steel 12-1/2" x 14-3/8" x 1-1/8" Bottom Grid	
LKWOBG1418SS	Elkay Stainless Steel 13" x 17" x 1" Bottom Grid	
LKWOBG1520LSS	Elkay Stainless Steel 13-1/2" x 17-5/16" x 1-1/8" Bottom Grid	



LKWOBG1520RSS	Elkay Stainless Steel 13-1/2" x 17-1/4" x 1-1/8" Bottom Grid	
LKWOBG1616SS	Elkay Stainless Steel 15" x 15" x 1" Bottom Grid	
LKWOBG1617SS	Elkay Stainless Steel 14-5/8" x 16-1/8" x 1" Bottom Grid	
LKWOBG1618SS	Elkay Stainless Steel 14-5/8" x 16-5/8" x 1" Bottom Grid	
LKWOBG1716SS	Elkay Stainless Steel 14-1/4" x 14-1/4" x 1-1/8" Bottom Grid	
LKWOBG1819SS	Elkay Stainless Steel 17" x 17-1/2" x 1-1/8" Bottom Grid	
LKWOBG2018SS	Elkay Stainless Steel 19" x 17" x 1" Bottom Grid	
LKWOBG2115SS	Elkay Stainless Steel 20" x 14-3/4" x 1" Bottom Grid	
LKWOBG2118SS	Elkay Stainless Steel 18-3/4" x 16-5/8" x 1" Bottom Grid	
LKWOBG2317LSS	Elkay Stainless Steel 22" x 15-3/4" x 1-1/8" Bottom Grid	91
LKWOBG2317RSS	Elkay Stainless Steel 22" x 15-3/4" x 1-1/8" Bottom Grid	
LKWOBG2317SS	Elkay Stainless Steel 22" x 15-3/4" x 1-1/8" Bottom Grid	



LKWOBG2416SS	Elkay Stainless Steel 23" x 15" x 1-1/8" Bottom Grid	
LKWOBG2816SS	Elkay Stainless Steel 26-1/2" x 14-13/16" x 1" Bottom Grid	
LKWROBG15SS	Elkay Stainless Steel 14" x 14" x 1" Bottom Grid	



Rinsing baskets		
Model	Description	Image
LKWERBSS	Elkay Stainless Steel 15-3/8" x 12-3/8" x 5-7/16" Rinsing Basket	
LKWRB1209SS	Elkay Stainless Steel 8" x 11" x 7" Rinsing Basket	
LKWRB1316SS	Elkay Stainless Steel 12-1/2" x 15" x 7" Rinsing Basket	
LKWRB1414SS	Elkay Stainless Steel 13" x 13" x 7" Rinsing Basket	
LKWRB1418SS	Elkay Stainless Steel 13" x 17" x 7" Rinsing Basket	
LKWRB1516SS	Elkay Stainless Steel 11-7/8" x 13-13/16" x 6-15/16" Rinsing Basket	
LKWRB1518SS	Elkay Stainless Steel 12-1/16" x 15-13/16" x 7-1/16" Rinsing Basket	
LKWRB2217SS	Elkay Stainless Steel 19-13/16" x 13-13/16" x 6-15/16" Rinsing Basket	
LKWUCSS	Elkay Stainless Steel 3-1/2" x 5-1/8" x 4-3/8" Utensil Caddy	

Colander		
Model	Description	Image
LKC0717SS	Elkay Crosstown Stainless Steel 16-7/8" x 6-3/4" x 3-1/8" Colander with Wood Handles	
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander	



Cutting boards		
Model	Description	Image
CB1516	Elkay Hardwood 15" x 16-3/4" x 3/4" Cutting Board	
CB1613	Elkay Hardwood 16-3/4" x 13-1/2" x 1" Cutting Board	
CB1713	Elkay Hardwood 13-1/2" x 17" x 1" Cutting Board	
CB2213	Elkay Hardwood 21-13/16" x 19-1/4" x 3/4" Cutting Board	
CB816	Elkay Hardwood 8-1/2" x 16-3/4" x 3/4" Cutting Board	
CB912	Elkay Hardwood 12-7/8" x 10-1/8" x 1" Cutting Board	
CBS1316	Elkay Hardwood 14-1/2" x 17" x 3/4" Cutting Board	
CBS1418	Elkay Hardwood 15" x 19" x 3/4" Cutting Board	
CBS715	Elkay Hardwood 8-3/8" x 16-13/16" x 3/4" Cutting Board	
LKCB1216HW	Elkay Hardwood 14-1/2" x 17-5/16" x 1" Cutting Board	
LKCB1217AC	Elkay Acacia Hardwood 12" x 16-7/8" x 1" Cutting Board	
LKCB1217HW	Elkay Hardwood 12-1/2" x 17-3/8" x 1-1/2" Cutting Board	



LKCBF1316HW	Elkay Hardwood 13-1/4" x 16-7/8" x 1" Cutting Board	
LKCBF1418HW	Elkay Hardwood 13-3/4" x 18-3/4" x 1" Cutting Board	
LKCBF1616HW	Elkay Hardwood 15-1/2" x 16-7/8" x 1" Cutting Board	12
LKCBF17HW	Elkay Crosstown Hardwood 18" x 9-3/4" x 3/4" Cutting Board	
LKCBF1916HW	Elkay Hardwood 18-1/2" x 16-7/8" x 1" Cutting Board	
LKCBF2115HW	Elkay Hardwood 20-1/2" x 16-5/8" x 1" Cutting Board	
LKCBF2816HW	Elkay Hardwood 27-1/2" x 16-7/8" x 1" Cutting Board	131
LKCBF718HW	Elkay Hardwood 8-1/2" x 19" x 1" Cutting Board	0

Drying Rack		
Model	Description	Image
LKDR0717SS	Elkay Crosstown Stainless Steel 16-7/8" x 6-3/4" x 4-1/4" Drying Rack with Wood Handles	
LKDR1317RU	Elkay Crosstown Black Silicone 11-7/8" x 16-3/4" x 3/8" Drying Rack	



Dart Canyon Ac	ccessory	
Model	Description	Image
CTXBG2513R	Elkay Dart Canyon Stainless Steel 24-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXBG2813R	Elkay Dart Canyon Stainless Steel 27-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXBG3113R	Elkay Dart Canyon Stainless Steel 30-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXC0712	Elkay Dart Canyon Stainless Steel 6-7/16" x 11-7/8" x 2-1/2" Colander	
CTXDC0606	Elkay Dart Canyon Stainless Steel 5-1/8" x 5-1/4" x 7/8" Bottom Grid Drain Cover	
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander	
LKCB1223LWN	Elkay Dart Canyon Hardwood 12" x 22-1/2" x 1" Cutting Board	




Interchangeabl	e Aprons	
Model	Description	Image
СТХАСР	Elkay Crosstown Stainless Interchangeable Apron, Champagne	
CTXAFCGL	Elkay Crosstown Fireclay Interchangeable Apron, Glacier	
CTXAGT	Elkay Crosstown Stainless Interchangeable Apron, Graphite	
CTXAPL	Elkay Crosstown Stainless Interchangeable Apron, Platinum	
CTXASC	Elkay Crosstown Stainless Interchangeable Apron, Scarlet	
CTXASN	Elkay Crosstown Stainless Interchangeable Apron, Sunset	
CTXASP	Elkay Crosstown Stainless Interchangeable Apron, Sapphire	

Remote Chiller		
Model	Description	Image
ERS11Y	Elkay Remote Chiller, Non-Filtered 1 GPH	THILLIA DRINGNESS ADMINISTRA









ADA COMPLIANT

Select models are ADA compliant when properly installed.



HOW LOW CAN YOU GO

When it comes to gauge, the lower the number, the thicker the stainless steel. A sink constructed of 18-gauge stainless steel is more resistant to denting than a 23-gauge sink.

DAYTON®

FLEXIBLE INSTALLATION

Dual mount sinks offer the flexibility to install the sink as a drop-in or undermount.

Available on select models.

SINK REVEAL

Sinks are finished with a curved, revealed edge. When installing the sink under a countertop, you can install it with or without the edge showing, depending on your design preference and your functional needs.

SOUND DEADENING

Sound-deadening materials minimize sound and vibration for a quieter time at the sink.

QUALITY INSTALLATION

The U-Channel system offers a flexible and quality installation when installing a drop-in sink. Mounting clips can be placed inside the channel before dropping the sink into place. The clips can be slid into position and tightened where needed to close any gaps due to uneven floors or counters.



Shown: DPXSR23322




DXUH2816



- ◆ Dimensions: 30-1/2" x 18-1/4" x 8"
- ♦ 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 30-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GBG2816SS

Cutting board

CB1516*

Rinsing basket

LKWERBSS

Drain

D1125

Ship dims: 19-9/16" x 11-1/16" x 38-7/16"


Approx. ship weight: 15 lbs.

*1/2" sink reveal required for proper fit.

DCFU2816

- Dimensions: 30-1/2" x 18-1/4" x 8"
- 18 gauge
- Soft Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 30-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid

GBG2816SS

Drain

D1125

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 16 lbs.

DSESR12722

Dayton Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink



- Dimensions: 27" x 22" x 8"
- ◆ 18 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 30" minimum cabinet size
- Features: Slim Rim



Made in USA

Bottom grid

GBG2416SS

Cutting board

CB1713 (*when installed as

an undermount)

Optional Accessories

CBS1316 (*when installed as

an undermount)

Drain

D1125

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 25 lbs.



DXUH2416

- Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
GBG2416SS

Cutting board

CB1713

CBS1316*

Drain D1125

Ship dims: 19-11/16" x 9-15/16" x 32-5/8"


Approx. ship weight: 23 lbs.

DCFU2416



- ◆ Dimensions: 26-1/2" x 18-1/2" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 26-1/2" x 18-1/2" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GBG2416SS

Drain D1125

Ship dims: 23-5/16" x 9-13/16" x 33-5/16"


Approx. ship weight: 23 lbs.

DXUH2118



- Dimensions: 23-1/2" x 21-3/16" x 8"
- ♦ 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 21-3/16" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid GOBG2118SS

Cutting board

Cutting boa CB2213*

Rinsing basket

LKWERBSS

Drain

D1125

Ship dims: 23-5/16" x 12-1/16" x 31-7/16"


Approx. ship weight: 12 lbs.



DCFU2118

- Dimensions: 23-1/2" x 21-1/8" x 8"
- ♦ 18 gauge
- Soft Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 21-1/8" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
GOBG2118SS
Drain
D1125

Ship dims: 23-5/16" x 9-15/16" x 30-15/16"


Approx. ship weight: 12 lbs.

DXUH21189



- Dimensions: 23-1/2" x 21-1/8" x 9"
- 18 gauge
- Radiant Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 21-1/8" x 9", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
GOBG2118SS
Cutting board
CB2213*
Rinsing basket
LKWERBSS
Drain
D1125

Ship dims: 23-5/16" x 12-1/16" x 31-7/16"

Approx. ship weight: 14 lbs.


*1/2" sink reveal required for proper fit.

DXUH2115



- Dimensions: 23-1/2" x 18-1/4" x 8"
- ◆ 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
GBG2115SS
Cutting board
CB1516*
Drain
D1125

Ship dims: 23-3/8" x 12" x 31-1/2" **Approx. ship weight:** 10 lbs.




DCFU2115



- Dimensions: 23-1/2" x 18-1/4" x 8"
- ♦ 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 27" minimum cabinet size

Dayton Stainless Steel 23-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
GBG2115SS

Drain D1125

Ship dims: 23-5/16" x 9-15/16" x 30-15/16"


Approx. ship weight: 10 lbs.

DXUH1618



- Dimensions: 16-1/2" x 18-1/4" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size

Dayton Stainless Steel 16-1/2" x 18-1/4" x 8", Single Bowl Undermount Bar Sink



Made in USA Optional Accessories

Bottom grid GBG1415SS Cutting board

CB1516*
Rinsing basket

LKWRB1316SS **Drain** D1125

Ship dims: 19-9/16" x 11-1/16" x 22-11/16"

Approx. ship weight: 8 lbs.


*1/2" sink reveal required for proper fit.

DCFU1618



- Dimensions: 16-1/2" x 18-1/4" x 8"
- ◆ 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Dayton Stainless Steel 16-1/2" x 18-1/4" x 8", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Bottom grid
GBG1415SS
Drain

D1125

Ship dims: 23-5/16" x 9-13/16" x 22-3/16"


Approx. ship weight: 11 lbs.



DXUH1318

- Dimensions: 16" x 20-1/2" x 8"
- ♦ 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size

Dayton Stainless Steel 16" x 20-1/2" x 8", Single Bowl Undermount Bar Sink



Made in USA Optional Accessories Bottom grid GBG1318SS

Drain D1125

Ship dims: 23-5/16" x 12-1/16" x 23-15/16"


Approx. ship weight: 13 lbs.

DCFU1318



- Dimensions: 16" x 20-1/2" x 8"
- 18 gauge
- ◆ Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Dayton Stainless Steel 16" x 20-1/2" x 8", Single Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GBG1318SS

Drain D1125

Ship dims: 23-5/16" x 12-1/16" x 23-5/16"


Approx. ship weight: 10 lbs.

DXUH1210



- Dimensions: 14-1/2" x 12-1/2" x 6-1/2"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 18" minimum cabinet size

Dayton Stainless Steel 14-1/2" x 12-1/2" x 6-1/2", Single Bowl Undermount Bar Sink



Made in USA
Optional Accessories
Cutting board
CB912*

CB912³ **Drain**

D1125

Ship dims: 16-5/16" x 9-3/16" x 19-3/16"


Approx. ship weight: 6 lbs.



DCFU1210

- Dimensions: 14-1/2" x 12-1/2" x 6-1/2"
- 18 gauge
- ◆ Soft Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 18" minimum cabinet size

Dayton Stainless Steel 14-1/2" x 12-1/2" x 6-1/2", Single Bowl Undermount Sink



Made in USA
Optional Accessories
Drain
D1125

Ship dims: 16-5/16" x 9-3/16" x 19-3/16"


Approx. ship weight: 6 lbs.

DCFU12FB



- Dimensions: 14-3/8" x 14-3/8" x 6"
- ♦ 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 15" minimum cabinet size

Dayton Stainless Steel 14-3/8" x 14-3/8" x 6", Single Bowl Undermount Sink



ADA Compliant Made in USA Optional Accessories Drain

Ship dims: 18-5/16" x 7-13/16" x 20-15/16"


Approx. ship weight: 6 lbs.

DPXSR23322



- ♦ Dimensions: 33" x 22" x 8"
- 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size
- ◆ Features: Slim Rim

Dayton Stainless Steel 33" x 22" x 8", Equal Double Bowl Dual Mount Sink



Made in USA Optional Accessories

Bottom grid

GOBG1520LSS (left bowl) GOBG1520RSS (right bowl)

Cutting board

LKCB1520LTHW LKCB1520LUHW

Rinsing basket

LKWERBSS

Drain

D1125

Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 23 lbs.




DPXSR2250R

Dayton Stainless Steel 33" x 22" x 8", 60/40 Double Bowl Dual Mount Sink



- Dimensions: 33" x 22" x 8"
- 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Slim Rim



Made in USA Optional Accessories Bottom grid

GOBG1819SS (large bowl) GOBG1118SS (small bowl)

Cutting board

LKCB1520LTHW

LKCB1520LUHW

Drain

LK35

D1125

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 23 lbs.

DXUH312010L

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Undermount Sink



- Dimensions: 31-3/4" x 20-1/2" x 10"
- ♦ 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA Optional Accessories

Bottom grid

GBG1318SS (large bowl)

GBG1415SS (small bowl) **Cutting board**

CB1516*

Rinsing basket

LKWRB1316SS

Drain

D1125

Ship dims: 23-5/16" x 12-1/16" x 39-7/16"

Approx. ship weight: 18 lbs.


*1/2" sink reveal required for proper fit.

DXUH312010R

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Undermount Sink Made in USA



- Dimensions: 31-3/4" x 20-1/2" x 10"
- 18 gauge
- Radiant Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA Optional Accessories

Bottom grid

GBG1318SS (large bowl)

GBG1415SS (small bowl)

Cutting board

CB1516*

Rinsing basket LKWRB1316SS

Drain

D1125

Ship dims: 23-5/16" x 12-1/16" x 39-7/16"

Approx. ship weight: 18 lbs.


*1/2" sink reveal required for proper fit.



DCFU312010L

- Dimensions: 31-3/4" x 20-1/2" x 10"
- 18 gauge
- Soft Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GBG1318SS (large bowl)
GBG1415SS (small bowl)

Drain D1125


Ship dims: 23-5/16" x 12-1/16" x 39-7/16" **Approx. ship weight:** 20 lbs.

DCFU312010R



- Dimensions: 31-3/4" x 20-1/2" x 10"
- ♦ 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 31-3/4" x 20-1/2" x 10", Offset Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GBG1318SS (large bowl) GBG1415SS (small bowl)

Drain D1125

Ship dims: 23-5/16" x 12-1/16" x 39-7/16"


Approx. ship weight: 20 lbs.

DXUH3118



- Dimensions: 31-3/4" x 18-1/4" x 8"
- ♦ 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

Dayton Stainless Steel 31-3/4" x 18-1/4" x 8", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories

Bottom grid GBG1415SS

Cutting board CB1516*

Rinsing basket LKWRB1316SS

Drain D1125

Ship dims: 19-9/16" x 11-1/16" x 38-7/16"

Approx. ship weight: 17 lbs.

*1/2" sink reveal required for proper fit.




DCFU3118



- Dimensions: 31-3/4" x 18-1/4" x 8"
- 18 gauge
- Soft Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

Dayton Stainless Steel 31-3/4" x 18-1/4" x 8", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid GBG1415SS

Drain D1125

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 18 lbs.

DCFU31189



- Dimensions: 31-3/4" x 18-1/4" x 9"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 31-3/4" x 18-1/4" x 9", Equal Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GBG1415SS

Drain D1125

Ship dims: 23-5/16" x 12-1/16" x 39-7/16"


Approx. ship weight: 18 lbs.

DXUH3119L

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 40/60 Double Bowl Undermount Sink



- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Radiant Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size



Made in USA Optional Accessories Bottom grid

GOBG1617SS (large bowl) GOBG1115SS (small bowl)

Cutting board

CB1713* **Drain**

D1125 **Ship dims:** 21-13/16" x 11-1/16" x 37-3/16"

Approx. ship weight: 19 lbs.


*1/2" sink reveal required for proper fit.



DXUH3119R

- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Radiant Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 60/40 Double Bowl Undermount Sink



Made in USA Optional Accessories Bottom grid

GOBG1617SS (large bowl) GOBG1115SS (small bowl)

Cutting board

CB1713*

Drain

D1125

Ship dims: 21-13/16" x 11-1/16" x 37-3/16"

Approx. ship weight: 19 lbs.

*1/2" sink reveal required for proper fit.

DCFU3119L

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 40/60 Double Bowl Undermount Sink



- Dimensions: 31-1/4" x 20" x 8"
- ♦ 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

17-1/2" (445mm) 15" (381mm) 3" R (76mm) (445mm) 20" (508mm) (576mm) (292mm) 31-1/4" (794mm) 2-1/4" R (57mm) (203mm) (203mm)

Made in USA Optional Accessories

Bottom grid

GOBG1617SS (large bowl) GOBG1115SS (small bowl)

Drain D1125

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 19 lbs.

DCFU3119R

Dayton Stainless Steel 31-1/4" x 20" x 8", Offset 60/40 Double Bowl Undermount Sink



- Dimensions: 31-1/4" x 20" x 8"
- 18 gauge
- Soft Satin finish
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size



Made in USA
Optional Accessories
Bottom grid
GOBG1617SS (large bo

GOBG1617SS (large bowl) GOBG1115SS (small bowl)

Drain D1125

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"

Approx. ship weight: 19 lbs.




DSESR12722

Dayton Stainless Steel 27" x 22" x 8", Single Bowl Dual Mount Sink



- ♦ Dimensions: 27" x 22" x 8"
- ♦ 18 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size
- Features: Slim Rim



Made in USA

Optional Accessories

Bottom grid

GBG2416SS

Cutting board

CB1713 (*when installed as

an undermount)

CBS1316 (*when installed as

an undermount)

Drain D1125

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 25 lbs.


*1/2" sink reveal required for proper fit.

GE12522

Dayton Stainless Steel 25" x 22" x 5-3/8", Single Bowl Drop-in Sink



- ◆ Dimensions: 25" x 22" x 5-3/8"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



ADA Compliant Made in USA Optional Accessories

Cutting board

CB1516 **Drain**

D1125


Ship dims: $25" \times 8-1/8" \times 27"$ Approx. ship weight: 10 lbs.

GE12522L

Dayton Stainless Steel 25" x 22" x 5-3/8", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 5-3/8"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



ADA Compliant
Made in USA
Optional Accessories
Cutting board

CB1516 **Drain** D1125


Ship dims: $25" \times 8-1/8" \times 27"$ Approx. ship weight: 10 lbs.



GE12522R

- Dimensions: 25" x 22" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 25" x 22" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA **Optional Accessories Cutting board** CB1516

Drain D1125


Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.

K12522

Dayton Stainless Steel 25" x 22" x 6-1/16", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 6-1/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



ADA Compliant

Made in USA

Also available in 10 or 50 packs

Optional Accessories

Bottom grid GBG2115SS **Cutting board**

CB1516

Drain

D1125


Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 8 lbs.

D12522

Dayton Stainless Steel 25" x 22" x 6-9/16", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 30" minimum cabinet size



ADA Compliant Made in USA

Models also available with ADA depths Also available in 10 or 50 packs

Optional Accessories

Bottom grid GBG2115SS

Cutting board

CB1516

Drain D1125

Ship dims: 25" x 8-1/8" x 27" Approx. ship weight: 10 lbs.




DSE12522

Dayton Stainless Steel 25" x 22" x 8-1/16", Single Bowl Drop-in Sink



- ◆ Dimensions: 25" x 22" x 8-1/16"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



Made in USA

Also available in 10 or 40 packs

Optional Accessories

Bottom grid

GBG2115SS

Cutting board

CB1516

Drain

D1125

Ship dims: 23-5/16" x 9-15/16" x 30-15/16"


Approx. ship weight: 10 lbs.

DXR2522

Dayton Stainless Steel 25" x 22" x 8-3/16", Single Bowl Drop-in Sink



- Dimensions: 25" x 22" x 8-3/16"
- ♦ 18 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- ◆ 30" minimum cabinet size



Made in USA Optional Accessories

Bottom grid GBG2115SS

Cutting board

CB1516

Ship dims: 23-5/16" x 9-15/16" x 30-15/16"


Approx. ship weight: 18 lbs.

DPC1252210

Dayton Stainless Steel 25" x 22" x 10-1/4", Single Bowl Drop-in Sink Made in USA



- ♦ Dimensions: 25" x 22" x 10-1/4"
- 20 gauge
- Premium Highlighted Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 30" minimum cabinet size




Optional Accessories
Bottom grid
GBG2115SS
LKWBG2115SS
Cutting board
CB1516
Drain
D1125
Ship dims: 23-5/16" x 3

Ship dims: 23-5/16" x 12-1/16" x 31-7/16" **Approx. ship weight:** 17 lbs.

GE12521

- Dimensions: 25" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant
Made in USA
Optional Accessories
Cutting board
CB1516
Rinsing basket
LKWERBSS


Drain D1125

Ship dims: $25" \times 8-1/8" \times 27"$ Approx. ship weight: 10 lbs.

GE12521L

- Dimensions: 25" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant
Made in USA
Optional Accessories
Cutting board
CB1516
Rinsing basket

LKWERBSS **Drain**D1125


Ship dims: 25" x 8-1/8" x 27" **Approx. ship weight:** 10 lbs.

GE12521R



- Dimensions: 25" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 25" x 21-1/4" x 5-3/8", Single Bowl Drop-in Sink



ADA Compliant Made in USA Optional Accessories Cutting board

CB1516

Rinsing basket LKWERBSS


Drain D1125

Ship dims: $25" \times 8-1/8" \times 27"$ Approx. ship weight: 10 lbs.



- Dimensions: 25" x 21-1/4" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size

Dayton Stainless Steel 25" x 21-1/4" x 6-9/16", Single Bowl Drop-in Sink



ADA Compliant Made in USA

Models also available with ADA depths

Optional Accessories

Bottom grid

GBG2115SS

Cutting board

CB1516

Drain

D1125


Ship dims: $25" \times 8-1/8" \times 27"$ Approx. ship weight: 10 lbs.

DPC1202010



- Dimensions: 20" x 20" x 10-1/8"
- 20 gauge
- Premium Highlighted Satin finish
- Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 24" minimum cabinet size

Dayton Stainless Steel 20" x 20" x 10-1/8", Single Bowl Drop-in Laundry Sink



Made in USA

Optional Accessories

Bottom grid

GBG1415SS **Cutting board**

CB1516

Rinsing basket

LKWRB1316SS

Drain D1125

Ship dims: 31-1/4" x 26-1/4" x 12-1/2"


Approx. ship weight: 10 lbs.

D11721



- Dimensions: 17" x 21-1/4" x 6-1/2"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 21" minimum cabinet size

Dayton Stainless Steel 17" x 21-1/4" x 6-1/2", Single Bowl Drop-in Bar Sink



ADA Compliant

Made in USA

Optional Accessories

Bottom grid

GBG1415SS

Cutting board

CB1516

Drain

D1125

Ship dims: 24-5/16" x 7-13/16" x 20-3/16"


Approx. ship weight: 10 lbs.





- Dimensions: 17" x 19" x 6-3/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 21" minimum cabinet size

Dayton Stainless Steel 17" x 19" x 6-1/8", Single Bowl Drop-in Bar Sink



ADA Compliant Made in USA Optional Accessories Bottom grid GBG1414SS Drain

D1125


Ship dims: 24-5/16" x 7-13/16" x 20-3/16" **Approx. ship weight:** 9 lbs.

K11515



- Dimensions: 15" x 15" x 5-3/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Dayton Stainless Steel 15" x 15" x 5-3/16", Single Bowl Drop-in Bar



ADA Compliant

Made in USA

Also available in 10 or 50 packs

Optional Accessories Cutting board

CB912

Drain

D5018A


Ship dims: 16-15/16" x 6-13/16" x 17-3/8"

Approx. ship weight: 4 lbs.

D11515

- Dimensions: 15" x 15" x 5-3/16"
- ♦ 23 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 2" (51mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 18" minimum cabinet size

Dayton Stainless Steel 15" x 15" x 5-3/16", Single Bowl Drop-in Bar Sink



ADA Compliant

Made in USA

Also available in 10 or 50 packs

Optional Accessories

Cutting board

CB912

Drain D5018A


Ship dims: 16-15/16" x 6-13/16" x 17-3/8"

Approx. ship weight: 4 lbs.



- Dimensions: 15" x 15" x 5-3/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 18" minimum cabinet size

Dayton Stainless Steel 15" x 15" x 5-3/16", Single Bowl Drop-in Bar Sink



ADA Compliant Made in USA

Also available in 10 or 50 packs

Optional Accessories

Cutting board

CB912

Drain D1125

Ship dims: 16-15/16" x 6-13/16" x 17-3/8"


Approx. ship weight: 4 lbs.

GE23322

Dayton Stainless Steel 33" x 22" x 5-3/8", Equal Double Bowl Dropin Sink



- Dimensions: 33" x 22" x 5-3/8"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



ADA Compliant Made in USA

Optional Accessories

Cutting board

CB1516
Rinsing basket

LKWRB1316SS

Drain

D1125


Ship dims: 25" x 8-1/8" x 35" **Approx. ship weight:** 12 lbs.

K23322

Dayton Stainless Steel 33" x 22" x 6-1/16", Equal Double Bowl Drop-in Sink



- Dimensions: 33" x 22" x 6-1/16"
- 23 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size



ADA Compliant Made in USA

Also available in 10 or 50 packs

Optional Accessories

Bottom grid

GBG1415SS


Drain

D1125

Ship dims: 25" x 8-1/8" x 35" **Approx. ship weight:** 12 lbs.

- Dimensions: 33" x 22" x 6-9/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

Dayton Stainless Steel 33" x 22" x 6-9/16", Equal Double Bowl Drop-in Sink



ADA Compliant Made in USA

Also available in 10 or 50 packs

Optional Accessories

Bottom grid

GBG1415SS

Drain


D1125

Ship dims: 25" x 8-1/8" x 35" **Approx. ship weight:** 12 lbs.

DD23322

- Dimensions: 33" x 22" x 7-1/16"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 22" x 7-1/16", Equal Double Bowl Drop-in Sink



Made in USA

Also available in 10 or 50 packs

Optional Accessories

Bottom grid

GBG1415SS **Drain**

D1125


Ship dims: 25" x 8-1/8" x 35" **Approx. ship weight:** 13 lbs.

DPXSR23322



- ◆ Dimensions: 33" x 22" x 8"
- 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Slim Rim

Dayton Stainless Steel 33" x 22" x 8", Equal Double Bowl Dual Mount Sink



Made in USA Optional Accessories

Bottom grid

GOBG1520LSS (left bowl) GOBG1520RSS (right bowl)

Cutting board

LKCB1520LTHW

LKCB1520LUHW

Rinsing basket

LKWERBSS

Drain D1125

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.




DPXSR2250R

Dayton Stainless Steel 33" x 22" x 8", 60/40 Double Bowl Dual Mount Sink



- Dimensions: 33" x 22" x 8"
- ♦ 18 gauge
- Premium Highlighted Satin finish
- Available in 1, 2L, 2R, 3 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size
- Features: Slim Rim



Made in USA Optional Accessories Bottom grid

GOBG1819SS (large bowl) GOBG1118SS (small bowl)

Cutting board

LKCB1520LTHW

LKCB1520LUHW

Drain

LK35

D1125

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 23 lbs.

DSE23322

Dayton Stainless Steel 33" x 22" x 8-1/16", Equal Double Bowl Drop-in Sink



- ◆ Dimensions: 33" x 22" x 8-1/16"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA

Also available in 10 or 40 packs

Optional Accessories

Bottom grid

GBG1415SS

Drain D1125

Ship dims: 25" x 9-1/8" x 35"


Approx. ship weight: 14 lbs.

DXR250R

Dayton Stainless Steel 33" x 22" x 8-3/16", Offset Double Bowl Drop-in Sink



- Dimensions: 33" x 22" x 8-3/16"
- 18 gauge
- Satin finish
- Available in 1, 2, 3, 4, S2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size



Made in USA Optional Accessories

Bottom grid

GBG1318SS (large bowl) GBG1415SS (small bowl)

Cutting board

CB1516

Rinsing basket

LKWRB1316SS **Drain**

D1125

Ship dims: 23-5/16" x 9-13/16" x 38-15/16"


Approx. ship weight: 25 lbs.



DXR3322

- Dimensions: 33" x 22" x 8-3/16"
- 18 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Sides and Bottom pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 22" x 8-3/16", Equal Double Bowl Drop-in Sink




Made in USA
Optional Accessories
Bottom grid
GBG1415SS
Cutting board
CB1516
Rinsing basket

LKWRB1316SS **Ship dims:** 23-3/8" x 9-13/16" x 38-15/16" **Approx. ship weight:** 25 lbs.

GE23321

- Dimensions: 33" x 21-1/4" x 5-3/8"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 21-1/4" x 5-3/8", Equal Double Bowl Drop-in Sink




ADA Compliant
Made in USA
Optional Accessories
Cutting board
CB1516
Rinsing basket
LKWRB1316SS
Drain
D1125

Ship dims: 25" x 8-1/8" x 35" **Approx. ship weight:** 13 lbs.

D23321

- Dimensions: 33" x 21-1/4" x 6-9/16"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 21-1/4" x 6-9/16", Equal Double Bowl Drop-in Sink



ADA Compliant
Made in USA
Optional Accessories
Bottom grid
GBG1415SS
Drain
D1125

Ship dims: 25" x 8-1/8" x 35" **Approx. ship weight:** 12 lbs.




DSE23321

Dayton Stainless Steel 33" x 21-1/4" x 8-1/16", Equal Double Bowl Drop-in Sink



- Dimensions: 33" x 21-1/4" x 8-1/16"
- 20 gauge
- Elite Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA
Optional Accessories
Bottom grid
GBG1415SS
Drain
D1125

Ship dims: 25" x 9-1/8" x 35" **Approx. ship weight:** 18 lbs.

D23319

Dayton Stainless Steel 33" x 19" x 6-7/16", Equal Double Bowl Drop-in Sink



- Dimensions: 33" x 19" x 6-7/16"
- ♦ 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ◆ 36" minimum cabinet size

19" 14" (483mm) 33" (836mm) 33" (838mm) 15-1/4" (387mm)

ADA Compliant
Made in USA
Optional Accessories
Bottom grid
GBG1414SS
Drain
D1125


Ship dims: 21-5/16" x 7-7/16" x 35-5/16" **Approx. ship weight:** 10 lbs.

DSE23319

Dayton Stainless Steel 33" x 19" x 8", Equal Double Bowl Drop-in Sink



- ◆ Dimensions: 33" x 19" x 8"
- 20 gauge
- Elite Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size




Made in USA
Optional Accessories
Bottom grid
GBG1414SS

Ship dims: 25" x 9-1/8" x 35" **Approx. ship weight:** 13 lbs.



- Dimensions: 33" x 17" x 6"
- ♦ 22 gauge
- Satin finish
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size

Dayton Stainless Steel 33" x 17" x 6", Equal Double Bowl Drop-in Sink



Special Note: No faucet ledge

ADA Compliant Made in USA

Optional Accessories

Bottom grid GBG1414SS Drain D1125

Ship dims: 21-5/16" x 7-7/16" x 35-5/16"


Approx. ship weight: 12 lbs.

DE21732

Dayton Stainless Steel 31-7/8" x 31-7/8" x 7", Equal Double Bowl Corner Sink



- ◆ Dimensions: 31-7/8" x 31-7/8" x 7"
- 20 gauge
- Elite Satin finish
- Available in 3, 4 faucet holes
- ◆ 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 36" minimum cabinet size



Made in USA

Optional Accessories

Bottom grid

GBG1415SS

Cutting board

CB1516

Drain

LK35

D1125

Ship dims: 28-9/16" x 10-1/16" x 48-5/16"


Approx. ship weight: 19 lbs.

D22519

Dayton Stainless Steel 25" x 19" x 6-5/16", Equal Double Bowl Drop-in Sink



- Dimensions: 25" x 19" x 6-5/16"
- 22 gauge
- Satin finish
- Available in 1, 2, 3, 4, 5, MR2 faucet holes
- 3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- 30" minimum cabinet size



ADA Compliant Made in USA Optional Accessories Cutting board

CB912

Rinsing basket

LKWRB1209SS

Drain D1125

Ship dims: 20-5/16" x 8-13/16" x 31-11/16"

Approx. ship weight: 11 lbs.



Drains			
Model	Description Ima		
D1125	Dayton 3-1/2" Stainless Steel Drain with Removable Basket Strainer and Rubber Stopper		
D361125	Dayton 3-1/2" Stainless Steel Drain with Removable Basket Strainer and Rubber Stopper (sold in multiples of 36)		
D5018A	Dayton 2" Stainless Steel Drain with Removable Basket Strainer and Rubber Stopper		

Bottom grids		
Model	Description	Image
GBG1318SS	Dayton Stainless Steel 10-5/8" x 15-3/16" x 1" Bottom Grid	
GBG1414SS	Dayton Stainless Steel 11-1/16" x 11-1/16" x 1" Bottom Grid	
GBG1415SS	Dayton Stainless Steel 12-7/16" x 10-11/16" x 1" Bottom Grid	
GBG2115SS	Dayton Stainless Steel 17-1/2" x 12-1/4" x 1" Bottom Grid	
GBG2416SS	Dayton Stainless Steel 22-3/4" x 14-3/4" x 1" Bottom Grid	
GBG2816SS	Dayton Stainless Steel 25-7/16" x 13-3/8" x 1" Bottom Grid	
GOBG1115SS	Dayton Stainless Steel 8-7/8" x 12-7/16" x 1" Bottom Grid	
GOBG1118SS	Dayton Stainless Steel 9-3/4" x 16-7/16" x 1" Bottom Grid	



GOBG1415SS	Dayton Stainless Steel 12-1/8" x 13-15/16" x 1" Bottom Grid	
GOBG1520LSS	Dayton Stainless Steel 13-1/4" x 17-1/16" x 1" Bottom Grid	
GOBG1520RSS	Dayton Stainless Steel 13-1/4" x 17-1/16" x 1" Bottom Grid	
GOBG1617SS	Dayton Stainless Steel 13-7/16" x 15-1/16" x 1" Bottom Grid	
GOBG1819SS	Dayton Stainless Steel 16-3/4" x 17-1/4" x 1" Bottom Grid	
GOBG2115SS	Dayton Stainless Steel 19-1/16" x 13-3/4" x 1" Bottom Grid	
GOBG2118SS	Dayton Stainless Steel 18-1/4" x 16-1/16" x 1" Bottom Grid	
GOBG2816SS	Dayton Stainless Steel 26-1/8" x 13-15/16" x 1" Bottom Grid	



Table of Contents

Commercial Products		Water Coolers, Fountains and Water Dispensers C-35		
Product Overview C-1		and Water Dispensers Water Coolers	C-35	
Health Smart Solutions	C-1	EZ Green	C-36	
Drinking Water Products	C-4	EZ Hands-Free	C-37	
Coolers and Fountains	C-4 C-5	EZ nanus-ri ee	C-39	
ezH2O Liv Pro	C-6	Vandal Resistant	C-40	
		Vandal Resistant Green	C-45	
Outdoor Bottle Filling Stations and Fountains	C-7	Vandal Resistant Combination	C-43	
Filters	C-8		C-40	
Commercial Sinks	C-9	Mechanically Activated		
ADA Sinks	C-10	SwirlFlo Green	C-51	
Commercial Faucets	C-11	SwirlFlo	C-52	
Foodservice Products	C-12	Soft Sides	C-53	
Custom Stainless Solutions	C-13	Legacy Compact	C-55	
Drinking Water Customization	C-14	Legacy Deluxe Wall-Mount	C-56	
ezH2O Nameplate Customization	C-15	Legacy	C-58	
ezH2O Bottle Filling Stations	C-16	High Ambient	C-58	
ezH2O Bottle Filling Stations	C-16	Legacy Vandal-Resistant	C-59	
Č .		Legacy Floor Stantard Space-ette	C-60	
Cooler Combination	C-18	Legacy Fully Recessed	C-62	
Green	C-22	Legacy Standard Semi-Recessed	C-63	
Vandal Resistant	C-23	Legacy Deluxe	C-64	
Vandal Resistant Green	C-24	Legacy Sensor-Activated Deluxe	C-67	
Mechanical	C-25	Legacy Water-Cooled Deluxe	C-67	
ezH2O Liv Pro	C-27	Legacy Hot and Cold Service Deluxe	C-68	
Mechanical Surface Mount	C-29	Legacy Special Use	C-69	
Retrofit	C-29	Drinking Fountains	C-70	
Architectural Inwall Fountain with Integral Bottle Filler	C-30	Heavy-Duty Slimline Soft Sides	C-70	
Architectural Inwall Fountain	2 3 0	Slimline Soft Sides	C-72	
with Bottle Filling Station	C-31	Soft Sides	C-73	
Inwall	C-32	Soft Sides Premium Composite	C-75	
Architectural Retrofit	C-34	SwirlFlo	C-76	
		Legacy Fully Recessed	C-78	
		Legacy Simulated Semi-Recessed	C-78	
		Legacy Multistation Stainless Steel	C-79	
		Legacy Bracket	C-79	
		Legacy Countertop	C-80	

Water Chillers	C-80
Remote Water Chillers	C-81
High Ambient Remote	C-82
Outdoor Drinking Solutions	C-83
Outdoor Drinking Solutions	C-84
Outdoor Bottle Filling Stations	C-85
Outdoor Fountains	C-86
Stone Aggregate Fountains	C-87
Filtration and Accessories	C-88
Watersentry® Filters	C-89
ADA Sinks	C-101
ADA Sinks Commercial Sinks	C-101 C-133
Commercial Sinks	C-133
Commercial Sinks ADA Accessories	C-133 C-179
Commercial Sinks ADA Accessories General Use Sinks	C-133 C-179 C-183
Commercial Sinks ADA Accessories General Use Sinks Accessories	C-133 C-179 C-183 C-191
Commercial Sinks ADA Accessories General Use Sinks Accessories Classroom Sinks	C-133 C-179 C-183 C-191 C-196

Terms and Conditions Inside Back Cover









Health Smart Solutions

At Elkay, we take pride in providing commercial customers with solutions that can help better their facilities — making them healthier, safer.

Antimicrobial Copper Sinks

Our antimicrobial copper sinks are tough on germs, killing more than 99.9% of bacteria* within 2 hours. They're ideal for hospitals and medical centers, as well as other public spaces where hygiene is top of mind.

Touchless Handwashing Station

For washing hands on the go, look to our touchless handwashing station. With sensor-activated operation, your employees and guests never have to touch a thing.

Hands-free Faucets

With sensor-activated options, our faucets help keep scrub and hand wash stations sanitary.

Bottle Filling Stations

Our touchless bottle filling stations, many with lead-reducing filters, are also hygienic and provide cleaner water in offices, schools and airports.

ezH2O Liv Pro™

And for more convenient hydrating, our ezH2O Liv Pro can sit right in a conference room wall, making drinking water more accessible.

^{*}Testing demonstrates effective antibacterial activity against MRSA, Staphylococcus aureus, Enterobacter aerogenes, Pseudomonas aeruginosa, and E. coli O157:H7.



Hands-free Bottle Filling Stations



LZO8WSSK C-18



LZOTL8WSSK C-21



LZOOTL8WSSK C-18



LZWSSM C-27



LZWSM8K C-31

Hands-free Water Coolers



LZO8S C-37



LZO8L C-37



LZOSTL8SC C-37



LZOSTL8LC C-37



LZOOSTL8LC C-37



ENOBM8K C-51



ENOBM28K C-51



ENOBM28RAK C-52



EROM8K C-53



EROM28K C-52

Hands-free Water Dispensers



LBWDC00WHC C-26



LBWDC00BKC C-26

Hands-free Faucets



LKB721C C-204



LKB721CNC C-204



CuVerro® Antimicrobial Copper Sinks



LRAD252255-CU C-117



LRAD252155-CU C-118



LRAD222255-CU C-119



LRAD221955-CU C-120



LRAD202255-CU C-121



LRAD191955-CU C-122



LRAD191855-CU C-123



LRAD172255-CU C-124



LRAD152255-CU C-127

Scrub and Handwash Sinks



14-1C16X20-L-18X C-139



EWSF13026KWSC C-158



CHS1716C C-151



DRKR24119LC C-186



DRKR2517 C-182









Drinking Water Products

Our drinking water solutions are designed to meet your needs and exceed your expectations. Choose from a wide variety of bottle filling stations, water coolers, drinking fountains, water dispensers and remote chillers that comply with adult and child ADA standards.

Many of these products have the option to add WaterSentry® filters for cleaner, safer water. For an even more hygienic experience, go with a touchless unit.

Bottle Filling Stations

We continue to expand our ezH2O bottle filling station offerings to include innovative technology, such as automatic filter reset. This award-winning product line upholds our commitment to delivering cleaner water in a safer, more hygienic way through sustainable design. Many operate hands free and all provide a rapid fill of drinking water to quench thirst and minimize plastic bottle waste in the environment.

We have models for both indoor and outdoor applications. Whether you're looking for vandal resistant, mechanical activated or architectural design, you'll find just what you need among our large assortment of bottle filling stations.























This symbol means model is ADA compliant when properly installed. See specification sheet for details.

Coolers and Fountains

Elkay water coolers and drinking fountains come in a variety of styles. From standard design with enhanced hands-free operation to sleek, architectural SwirlFlo fountains, there's a model for any space. Many coolers can even be retrofitted – add a bottle filler or make them touchless by swapping out components with sensor-activated ones.

Most units offer our WaterSentry filters as options and our Flexi-Guard® Safety Bubblers, which feature an antimicrobial agent for an extra level of hygiene.

Water Dispensers

We have the perfect water dispenser to keep your employees and guests hydrated.

Our ezH2O Liv Pro provide fresh, filtered water on demand, reducing dependency on plastic water bottles.











Seamless Design



Filtered Water



Bottles Saved



Hands Free



In-wall Installation

ezH2O Liv Pro

This hands-free water dispenser is designed for commercial and hospitality environments such as lobbies and conference rooms. Say goodbye to ordering expensive cases of bottled water that take up precious storage space.

- Sleek glass and brushed stainless steel design that looks great in any space
- WaterSentry 3,000-gallon NSF-certified filter to reduce harmful contaminants
- Backlit LED Green Ticker displays number of plastic bottles saved from waste
- · Hands-free filling with automatic timed shut off to prevent accidental spills
- Fits within 16" OC 2" \times 4" studs near water and electrical; includes drip tray with optional drain connection
- Unit can be installed with or without chiller; various options, sold separately
- · Two color options: Aspen White or Midnight
- Filter box kit and remote filter cable included; install based on application











LK4405BF







LK4409BF



Type 316 Stainless Steel



Sealed Freeze Resistance



Quick Fill and Laminar Flow



Built Tough

Outdoor Tubular Bottle Filling Stations and Fountains

Our outdoor tubular bottle filling stations and drinking fountains offer attractive, long-lasting durability to withstand tough weather conditions. The strong exterior is made from Type 316 stainless steel — standard on all Elkay outdoor tubular models. They are built for busy areas such as parks, pools, golf courses, and school and work campuses. Multiple configurations available.



Custom outdoor solutions, including Pantone® colors* available.


^{*}Based on min. order quantity.



Filters

Elkay water filters provide cleaner, great tasting water for our bottle filling stations, water coolers, drinking fountains and water dispensers. All of our filters are made with activated carbon to improve taste and odor. Many also reduce contaminants such as lead. Our WaterSentry® filters are NSF certified to NSF/ANSI 42 and 53 for reduction of lead, Class 1 particulate, chlorine, taste and odor. Elkay filters are easy to connect and are self-contained replaceable cartridges, limiting exposure to contaminated media.

Most of our drinking water products are made in our Savanna, Illinois, plant, which is ISO 9001 registered.

















This symbol means model is ADA compliant when properly installed. See specification sheets for details.

Commercial Sinks

The name Elkay is synonymous with commercial-grade stainless steel sinks. We've been manufacturing quality stainless steel sinks for more than 100 years.

Elkay's ongoing commitment to superior quality, styling and functionality is evident. More than a century of experience at forming, welding, trimming and polishing goes into every sink we make. The breadth of our line allows you to select from features, sizes and gauges based on your specific needs.

Elkay stainless steel finishes provide superior bacterial cleanability and are easy to sanitize when compared to other sink materials.

From health care facilities, schools and stadiums to restaurants, airports and office buildings, we have the ideal sink for public and professional facilities:

- Service and utility
- Lavatory
- Scrub and hand wash
- · General use
- Classroom
- Custom
- Foodservice









ADA Sinks

Our ADA sinks work well in any commercial space, beyond restrooms. Not only do they make washing hands easier, they're stylish enough to complement any design.

Multifamily Housing

With heavy-duty stainless steel options and stain-resistant quartz models, our sinks are built to meet the everyday demands of residents and staff. A variety of bowl configurations and installation types offers options for in-unit kitchens, clubhouses and other common areas.

Assisted Living Centers

Ideal for seniors, ADA sinks accommodate those who have trouble reaching or are more comfortable sitting while working at the sink. They're great assets in residents' rooms and in common areas throughout the facility.

Dart Canyon™

Stylish and practical, Dart Canyon is our ADA farmhouse sink that provides better everyday solutions in commercial spaces. Used in the communities stated above, as well as in office lunchrooms, this workstation sink with built-in ledge makes cleaning and prepping much easier. Set soap and scrub pads on the shallow ledge at the front and use the extra-deep rear bowl for filling with large items. This sink goes beyond ADA compliance; it's great for multipurpose use and has a beautiful apron front.



LK535 Deck Mount, Single Hole LK800 Concealed Deck Mount, 8" LK801 Concealed Deck Mount, 8" with Side Spray LK804 Concealed Deck Mount, Fixed Spout, 8" LK804F Concealed Deck Mount, Fixed Spout, 8" Fancy

LK810 Exposed Deck Mount, 8" LK811 Exposed Deck Mount, 8" with Side Spray LK940 Wall Mount, 8" Chrome Finish LK943C Prerinse LK945 Wall Mount, 3"–8" Adjustable Centers

BASIC PART NUMBER*	TYPE OF SPOUT	SIZE OF SPOUT	TYPE AND SIZE OF HANDLE	WALL-MOUNT INLETS
LK402 Deck Mount,	AT Arc Tube	AT 08", 10", 12" or 14"	L2 Lever, 2", Two Piece	H 1/2" NPT Female Inlets
4" Dual Control	BP Bucket Hook Polished	BP 03" or 07"	L4 Lever, 4", One Piecet	S Shut-off Valve, 1/2"
LK403 Deck Mount, 4" Dual Control, with Pop up	BR Bucket Hook Rough	BR 03" or 07"	L7 Lever, 7", One Piecet	NPT Female Inlets
LK406 Exposed Deck Mount, 4"	CF Cast Fixed	CF 06"	T4 Wrist Blade,	T 2" Offset, 1/2" NPT Female Inlets
	DS Double Swing	DS 20"	4", Two Piece	remare miets
LK422 Deck Mount, 4" Single Control	GN Gooseneck	GN 04", 05" or 08"	T6 Wrist Blade, 6", Two Piece	
LK423 Deck Mount, 4"	HA High Arc	HA 08" or 10"		
Single Control, with Pop up	TS Tube Spout	TS 08"	† For LK422 and LK423 series only.	
LK500 Deck Mount, Single Hole	VS Vented Spout	VS 07"		








Commercial Faucets

*Based off of the waterway

Complete your Elkay sink with an Elkay faucet. We have the ideal faucet for every application.

- Foodservice
- Lavatory
- Classroom
- Scrub and hand wash
- General use
- Service and utility



Shown: LK406AT08T4

Interchangeable spouts available in many styles and sizes

ADA-compliant interchangeable handle options; wrist blade and lever

1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM inserts; key included for low-flow

Ceramic disc cartridge for long-lasting performance and ease of use

Durable and attractive polished chrome finish

Solid brass construction ensures longevity and NSF/ANSI 61 compliance





This symbol means model is ADA compliant when properly installed. See specification sheet for details.





Elkay has the ideal product for every foodservice application:

- Scullery sinks
- Utility sinks
- Mop and hand sinks
- Work tables



Foodservice Products


Why Elkay Foodservice products for plumbing wholesale? There are six key benefits.

- 1. Complementary line: Elkay foodservice products that are NSF certified, expand and supplement our other foodservice offerings to give you the products you need at competitive prices.
- 2. Lead times: Large product inventory allows us to serve customers quickly and hassle free.
- 3. One source: Whether you need one table or a complete kitchen, Elkay can serve all your needs.
- 4. Easy cleanup: Seamlessly welded, coved corners and die stamped to ensure proper drainage.
- 5. Certifications: NSF for foodservice application.
- 6. Quality: Durable products that our customers have come to expect.

Designed for kitchens in school cafeterias to five-star restaurants, we have a wide variety of scullery sink options:

Dependabilt™	Rigidbilt®	Weldbilt [®]
16 or 18 gauge	16 gauge	14 gauge
Type 300 stainless	Type 304 stainless	Type 304 stainless
12" or 14" deep	12-3/4" deep	14" deep
Prefinished material	Hand polished	Hand polished

How to read a scullery sink SKU







Custom Stainless Solutions

Can't find what you're looking for? Whether you need a sink modification or a custom sink, Elkay can help. We are America's No. 1 selling kitchen sink company. Put our experience to work for you.



Bowl Depth

304 TYPE 316 TYPE Steel

14 GAUGE



Gauge

Bowl Configuration

Sink Modifications

- $\boldsymbol{\cdot}$ Select SKUs from our catalog may be modified
- · Only die-drawn, machine-driven products
- 18 gauge; Type 304 or Type 316 stainless steel

Custom Fabrication

- Hand-fabricated sinks and sink tops for residential and commercial applications
- One piece seamlessly crafted to your specifications
- 14 or 16 gauge; Type 304 or Type 316 stainless steel

Download custom or modification forms at elkay.com/custom.











Drinking Water Product Customization

If you are looking for a drinking solution that is outside of our standard offerings, we can help you tailor an existing Elkay product to meet your unique specifications. Whether you want to change activation to fully touchless or create a unique triple fountain combination, our custom program will exceed your expectations.

Custom Product Capabilities and Colors:

- Unique stainless steel panels
- Multilevel cooler and fountain configurations
- · Vandal-resistant bubbler installation
- Sensor-activated modifications
- · Pantone® colors*

Please contact your sales team for complete details.

^{*}Based on min. order quantity.







ezH2O Nameplate Customization

All ezH2O bottle filling stations are customizable with university- or company-specific logos. Orders can include a combination of units (retrofit, in wall, ezH2O cooler combos, surface mounts).

Customization is available for orders of 10 units or more. Units ordered must be either all filtered or all non-filtered within the same order.

Creating Your Custom Nameplate:

- 1. Choose your Elkay bottle filling stations.
- 2. Send us your desired logo and Pantone® colors.
- 3. Elkay's custom team will handle the rest!

Please contact your sales team for complete details about available options in your region.





HANDS-FREE OPERATION

The touchless, sensor-activated bottle filler is designed for easy use. There's no need to hold the bottle; just place and fill.



MINIMAL SPLASHING

Bottle filler dispenses a clean, laminar flow of water so there is minimal splashing when filling reusable bottles and cups.



WATERSENTRY FILTER

Our WaterSentry® filters are NSF certified to NSF/ANSI 42 and 53 for reduction of lead, Class 1 particulate, chlorine, taste and odor.



SEE BOTTLES SAVED

Exclusive Green Ticker informs user of the number of 20 oz. plastic water bottles saved from waste by using refillable bottles at the bottle filling station.

ANTIMICROBIAL PROTECTION

Key plastic components on the unit have a special silver ion antimicrobial protection that inhibits the growth of mold and mildew.

REAL DRAIN

The basin includes a real drain system to help with drainage and eliminate standing water.

ezH2O® BOTTLE FILLING STATIONS











Cooler Combination Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Optional Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor use.







LZSTL8WSSK

Optional Accessories

LKAPREZL Cane Apron for EZ Gray 98551C Filter Mounting Cover (Gray Granite)

98568C Filter Mounting Cover (Stainless Steel)
MLP100 In Wall Carrier (Single)

MLP200 In Wall Carrier (Bi-Level)
WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter
FWF3000 WaterSentry Plus Filter System Kit


EVVF3000	water sentry Plus Filter System Kit
51300C	WaterSentry Plus Replacement Filter

Retro-fit models &	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZWSRK	-	•		•
EZWSRK	-			•

Single ezH2O with Dual Hands-Free Activation &				Cooler Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	
LZO8WSLK ▼	8.0	•	•		•	
LZO8WSSK▼	8.0	•		•	•	
EZO8WSLK ▼	8.0		•		•	
EZO8WSSK▼	8.0			•	•	



Versatile bi-level ezH2O with 2 H	Cooler	Cabinet	Bubbler		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOTL8WSLK ▼	8.0	•	•		•
LZOOTL8WSSK ▼	8.0	•		•	•
EZOOTL8WSLK ▼	8.0		•		•





LZO8WSLK



LZOOTL8WSLK

This products are available in 220V, contact your sales team for custom codes

EZOOTL8WSSK ▼



Single ezH2O cooler &			Cooler	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSVRS3K ⊗	8.0	•		•	220V/60Hz	
LZSDWSL2K ⊗	-	•	•		220V/50Hz	CE
LZSDWSL3K ⊗	-	•	•		220V/60Hz	
LZSDWSS2K ⊗	-	•		•	220V/50Hz	CE
LZSDWSS3K ⊗	-	•		•	220V/60Hz	
EZS8WSL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSL3K ⊘	8.0		•		220V/60Hz	
EZS8WSS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSS3K ⊗	8.0			•	220V/60Hz	
EZS8WSVRL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSVRL3K ⊗	8.0		•		220V/60Hz	
EZS8WSVRS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSVRS3K ⊗	8.0			•	220V/60Hz	

This products are available in 220V, contact your sales team for custom codes



ezH2O Water Cooler Combination Bottle Filling **Stations**

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated).
- Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000gal. filter).
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Includes exclusive Flexi-Guard safety bubbler, which provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.
- Power cord sold separately.







EZSTL8WSS2K

Versatile bi-level ezH2O cooler 🕏			Cooler Cabinet Light Gray Stainless Granite Steel			Global
Model	Chilled GPH	Filtered			Voltage	Compliance
LZSTL8WSL2K ⊘	8.0	•	•		220V/50Hz	CE
LZSTL8WSL3K ⊗	8.0	•	•		220V/60Hz	
LZSTL8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZSTL8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZSTL8WSS3KSA ⊘	8.0	•		•	220V/60Hz	SASO
LZSTL8WSVRL2K ⊘	8.0	•	•		220V/50Hz	CE
LZSTL8WSVRL3K ⊘	8.0	•	•		220V/60Hz	
LZSTL8WSVRS2K ♥ O	8.0	•		•	220V/50Hz	CE
LZSTL8WSVRS3K ⊗	8.0	•		•	220V/60Hz	
EZSTL8WSL2K ₺ 🛇	8.0		•		220V/50Hz	
EZSTL8WSL3K ₺ 🛇	8.0		•		220V/60Hz	
EZSTL8WSS2K ₺ 🛇	8.0			•	220V/50Hz	
EZSTL8WSS3K ₺ 🛇	8.0			•	220V/60Hz	
EZSTL8WSVRL2K ₺ 🛇	8.0		•		220V/50Hz	
EZSTL8WSVRL3K ₺ 🛇	8.0		•		220V/60Hz	
EZSTL8WSVRS2K ₺ 🛇	8.0			•	220V/50Hz	
EZSTL8WSVRS3K ℤ ⊗	8.0			•	220V/60Hz	

Single ezH2O cooler &			Cooler	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSL2K ⊗	8.0	•	•		220V/50Hz	CE
LZS8WSL3K ♥	8.0	•	•		220V/60Hz	
LZS8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZS8WSS2KWR ☒ ◊	8.0	•		•	220V/50Hz	CE, WRAS
LZS8WSS2QK ⊗	8.0	•		•	240V/50Hz	
LZS8WSS3K ⊘	8.0	•		•	220V/60Hz	
LZS8WSS3KSA ⊗	8.0	•		•	220V/60Hz	SASO
LZS8WSVRL2K ⊗	8.0	•	•		220V/50Hz	CE
LZS8WSVRL3K ⊗	8.0	•	•		220V/60Hz	
LZS8WSVRS2K ⊗	8.0	•		•	220V/50Hz	CE



Versatile bi-level ezH2O with 1 H	Cooler C	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOTL8WSLK ▼	8.0	•	•		•
LZOTL8WSSK▼	8.0	•		•	•
EZOTL8WSLK ▼	8.0		•		•
EZOTL8WSSK▼	8.0			•	•



Includes 1 Hands-Free Bubbler, 1 Hands-Free Bottle Filling Station, and 1 Push Bar Bubbler

LZOTL8WSLK

Single ezH2O &			Cooler (Cabinet	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZS8WSLK ▼	8.0	•	•		•	
LZS8WSSK ▼	8.0	•		•	•	
LZS8WSVRLK ▼	8.0	•	•			•
LZS8WSVRSK ▼	8.0	•		•		•
LZSDWSLK ▼	=	•	•		•	
LZSDWSSK ▼	=	•		•	•	
LZSDWSVRLK ▼	=	•	•			•
LZSDWSVRSK ▼	-	•		•		•
EZS8WSLK ▼	8.0		•		•	
EZS8WSSK ▼	8.0			•	•	
EZS8WSVRLK ▼	8.0		•			•
EZS8WSVRSK ▼	8.0			•		•
EZSDWSLK ▼	-		•		•	
EZSDWSSK ▼	-			•	•	
EZSDWSVRLK ▼	-		•			•
EZSDWSVRSK ▼	=			•		•

with Hands-Free Bottle Filling Station

Versatile bi-level ezH2O with Hands-free Bottle Filling Station*			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZSTL8WSLK ▼	8.0	•	•		•	
LZSTL8WSSK ▼	8.0	•		•	•	
LZSTL8WSVRLK ▼	8.0	•	•			•
LZSTL8WSVRSK ▼	8.0	•		•		•
LZSTLDDWSLK ▼	=	•	•		•	
LZSTLDDWSSK ▼	-	•		•	•	
LZSTLDDWSVRLK ▼	-	•	•			•
LZSTLDDWSVRSK ▼	-	•		•		•
EZSTL8WSLK ▼	8.0		•		•	
EZSTL8WSSK ▼	8.0			•	•	
EZSTL8WSVRLK ▼	8.0		•			•
EZSTL8WSVRSK ▼	8.0			•		•
EZSTLDDWSLK ▼	-		•		•	
EZSTLDDWSSK ▼	-			•	•	
EZSTLDDWSVRLK ▼	-		•			•
EZSTLDDWSVRSK ▼	-			•		•

^{*}Units can either be installed left-high and right-low or reversed to be right-high and left-low.

This products are available in 220V, contact your sales team for custom codes



Green Cooler Combo Bottle Filling Stations

- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec listed and badged to demonstrate a commitment to sustainability.
- Rated for indoor use.







LZSTLG8WSLK

Optional Accessories

LKAPREZL Cane Apron for EZ Gray MLP100 In Wall Carrier (Single) MLP200 In Wall Carrier (Bi-Level)

36292C Power Block for multistation BF stations WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Single green ezH2O &	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8WSLK ⊗	8.0	•	•	
LZSG8WSSK ⊗	8.0	•		•
EZSG8WSLK ⊘	8.0		•	
EZSG8WSSK ⊗	8.0			•

Versatile green bi-level ezH2O* 🕏	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8WSLK ⊗	8.0	•	•	
LZSTLG8WSSK ⊗	8.0	•		•
EZSTLG8WSLK ⊗	8.0		•	
EZSTLG8WSSK ⊗	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



Vandal-Resistant Bottle Filling Stations

- Ideal for heavy -use installations such as educational and indoor recreational facilities.
- Vandal-resistant, push -button activation for both the bottle filler and the water cooler.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is nec essary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fil I with minimal splash.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered models rated for indoor use. Non -filtered models rated for indoor/outdoor use.







VRCTL8WSK

Optional Accessories

98324C Cane Apron - stainless

36292C Power Block

WSF6000R2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Single vandal-resistant ezH2O 💍			
Model	Chilled GPH	Filtered	Green Ticker
LVRC8WSK ◊	8.0	•	•
LVRCDWSK ⊗	-	•	•
VRC8WSK ∅	8.0		•
VRCDWSK ⊗	-		•

Bi-level vandal-resistant ezH2O &					
Model	Chilled GPH	Filtered	Green Ticker		
LVRCTL8WSK ⊗	8.0	•	•		
LVRCTLDDWSK ⊗	-	•	•		
VRCTL8WSK ⊗	8.0		•		
VRCTLDDWSK ⊗	-		•		

Bi-level reverse vandal-resistant ezH2O &				
Model	Chilled GPH	Filtered	Green Ticker	
VRCTLR8WSK⊗	8.0		•	
VRCTLRDDWSK ⊗	-		•	



Vandal-Resistant Green Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use; vandal-resistant, push-button activation for the water cooler.
- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Vandal-resistant, StreamSaver bubblers feature chrome-plated integral hood guard to prevent contamination, tampering and reduce water usage.
- Rated for indoor use.







VRCGRN8WSK

Optional Accessories

98324C Cane Apron 36292C Power Block

WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Single vandal-resistant green ezH2O 🕏					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	
LVRCGRN8WSK ▼	8.0	•	•	•	
VRCGRN8WSK ▼	8.0		•	•	

Bi-level vandal-resistant green ezH2O 💍					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	
LVRCGRNTL8WSK ▼	8.0	•	•	•	
VRCGRNTL8WSK ▼	8.0		•	•	



Vandal-Resistant Water Cooler Combination Bottle Filling Stations

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- ◆ Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- ◆ Power cord sold separately.



LVRC8WS2KWR

Single cooler 🕏			Cooler Cabinet		Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRC8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRC8WS2KWR \S \O \ ▼	8.0	•	•	220V/50Hz	CE, WRAS
LVRC8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRC8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCDWS3K ⊘ ▼	-	•	•	220V/60Hz	
VRC8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRC8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCDWS3K ⊗ ▼	-		•	220V/60Hz	

Bi-level cooler &			Cooler Cabinet	Walta	Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRCTL8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRCTL8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRCTL8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCTLDDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCTLDDWS3K ∅ ▼	-	•	•	220V/60Hz	
VRCTL8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTL8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLR8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTLR8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLDDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCTLDDWS3K ⊘ ▼	-		•	220V/60Hz	
VRCTLRDDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCTLRDDWS3K ⊘ ▼	-		•	220V/60Hz	



Mechanical Combination Bottle Filling Stations

- Touchless, sensor-activated bottle filler, designed for easy use; mechanically-activated bubbler continues to supply water in service disruptions.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.







EMABFTL8WSSK

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant	\$141.00
98313C	Cane Apron for EMABF (Gray Granite)	\$223.00
98324C	Cane Apron for HAC HVR EMABF VRC (SS)	\$267.00
MLP100	In Wall Carrier (Single)	\$685.00
MLP200	In Wall Carrier (Bi-Level)	\$1,096.00
36292C	Power Block for multistation BF stations	\$33.60
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter	\$349.00
EWF3000	WaterSentry Plus Filter System Kit	\$121.00
51300C	W ntry Plus Replacement Filter	\$113.00
EWF172	WaterSentry VII Filter Kit	\$99.00

Retro-fit models 🕏			
Model	Chilled GPH	Filtered	Green Ticker
LMABFWS-RF	-	•	•
EMABFWS-RF	-		•

Single ezH2O &					
Model	Chilled GPH	Filtered	Green Ticker		
LMABF8WSLK ▼	8.0	•	•		
LMABF8WSSK ▼	8.0	•	•		
LMABFDWSLK ▼	=	•	•		
LMABFDWSSK ▼	-	•	•		
EMABF8WSLK ▼	8.0		•		
EMABF8WSSK ▼	8.0		•		
EMABFDWSLK ▼	-		•		
EMABFDWSSK ▼	-		•		

Bi-level ezH2O 🕏			
Model	Chilled GPH	Filtered	Green Ticker
LMABFTL8WSLK ▼	8.0	•	•
LMABFTL8WSSK ▼	8.0	•	•
LMABFTLDDWSLK ▼	-	•	•
LMABFTLDDWSSK ▼	-	•	•
EMABFTL8WSLK ▼	8.0		•
EMABFTL8WSSK ▼	8.0		•
EMABFTLDDWSLK ▼	-		•
EMABFTLDDWSSK ▼	-		•



ezH2O Liv Pro In-Wall Commercial Water Dispensers, Non-refrigerated

- SEAMLESS DESIGN: Install a filtered water dispenser in convenient commercial spaces such as waiting areas, conference rooms, lobbies and break rooms.
- IN-WALL INSTALLATION: Fits within the width and depth of two wall studs near water and electric; includes drip tray with optional drain connection.
- FILTERED WATER: NSF-certified filter reduces lead and harmful contaminants. Filter box and remote filter cable included; optional for install.
- FILTER STATUS LIGHTS: Colorful lights indicate when quick and easy filter changes are needed.
- BOTTLES SAVED: Backlit LED Green Ticker counts the number of disposable, single-use plastic bottles served without the plastic bottle waste.
- CONVENIENT AND SUSTAINABLE: Self-serve design allows people to help themselves to refreshing water in an environmentally friendly way.
- SENSOR ACTIVATED: Hands-free filling with automatic timed shut off to help prevent accidental spills and messes.
- CHIC STYLING: Glass-front and brushed stainless steel design looks great in any space; interactive lighting brightens when dispensing water.
- CHILLER OPTIONS: Unit can be installed with or without a chiller.
 Various options available, based on application; chiller sold separately.
- SAFETY LOCK: Optional setting prevents unsupervised use.







LBWDC00WHC

Optional Accessories

AP99 Access Panel 9" x 9" x 6"
ECF3000 WaterSentry Plus Commercial

Repl Filter

ER51Y Remote Chiller Non-Filtered 5

GPH

ER101Y Remote Chiller Non-Filtered 10

GPH

Filtered ezH2O Liv Pro 6				Glass	Color	
Model	Filtered Hands- Free Ambient Chilled GPH				Aspen White	Midnight
LBWDC00BKC	•	•	•	-		•
LBWDC00WHC	•	•	•	-	•	

Filter box and remote filter cable are included based on application.



Surface-Mount Bottle Filling Stations

- Touchless, sensor-activated design for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.

Surface mount &		
Model	Voltage	Filtered
LZWSSM	115V/60Hz	•
EZWSSM	115V/60Hz	



LZWSSM

Optional Accessories

ECH8 WSF6000R-2PK EWF3000 51300C Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Surface Mount Bottle Filling Stations

- Touchless, sensor-activation designed for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.



LZWSSMJO

Optional Accessories

ECH8 WSF6000R-2PK EWF3000 51300C Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Surface mount &					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSSMJO ⊗	-	•	•	220V/50-60Hz	
EZWSSMJO ⊗	-		•	220V/50-60Hz	CE



Mechanical Surface-Mount Bottle Filling Stations

- Mechanical push button designed for use in limited wall depth applications, for areas where electric is not available.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







EMASM

Optional Accessories

56192C Aqua Sentry Replacement Filter
ECH8GRN Remote Chiller 8 GPH GreenSpec
ECH8 Remote Chiller Non-Filtered 8 GPH

Mechanical surface mount 💰					
Model	Filtered	Green Ticker			
LMASMB	•	•			
EMASM					
EMASMB		•			

Retrofit Cooler Combo Bottle Filling Stations

- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated, if connected to a cooler) or 1.5 (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Styles available to retrofit with existing coolers.
- Real drain system eliminates standing water.
- Rated for indoor use.



LZWSRK



LMABFWS-RF

Optional Accessories

WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Retro-fit models 🕏		
Model	Filtered	Green Ticker
LMABFWS-RF	•	•
LZWSRK	•	•
EMABFWS-RF		•
EZWSRK		•



Architectural In-Wall Fountains With Integral Bottle Filling Stations

- Styles available that are integrated with both Soft Side and SwirlFlo style fountains.
- ◆ Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







LZWS-LRPBM28K

Optional Accessories

ACCESS12X38-5 Access Panel LKAPR1 Cane Apron 97258C Cane Apron

WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Single SwirlFlo fountain &			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-EDFPBM114K ▼	-	•	•
EZWS-EDFPBM114K ▼	-		•

Single SwirlFlo refrigerated fountain				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-LRPBM8K ▼	8.0	•	•	
EZWS-ERPBM8K ▼	8.0		•	

Bi-level Soft Sides fountain &			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-EDFP217K ▼	-	•	•
EZWS-EDFP217K ▼	-		•

Bi-level SwirlFlo fountain &			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-EDFPBM117K ▼	-	•	•
EZWS-EDFPBM117K ▼	-		•

Bi-level SwirlFlo refrigerated fountain &			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-LRPBM28K ▼	8.0	•	•
EZWS-ERPBM28K ▼	8.0		•



Architectural In-Wall Fountains With Bottle Filling Stations

- Styles available for pairing with choice of a SwirlFlo high efficiency or Soft Sides refrigerated fountain.
- Touchless, sensor activation designed for easy use (bottle filler); easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







EZWS-SS8K

Optional Accessories

ACCESS12X38-5 Access Panel 97258C Cane Apron LKAPR1 Cane Apron

WSF6000R-2PK Water Sentry Fresh CTO Replacement Filter EWF3000 Water Sentry Plus Filter System Kit Water Sentry Plus Replacement Filter

Single SwirlFlo green 🕏				
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency
LZWS-SFGRN8K ▼	8.0	•	•	•
EZWS-SFGRN8K ▼	8.0		•	•

Bi-Level SwirlFlo green &				
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency
LZWS-SFGRN28K ▼	8.0	•	•	•
EZWS-SFGRN28K ▼	8.0		•	•

Single Soft Sides 🕹			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-SS8K ▼	8.0	•	•
EZWS-SS8K ▼	8.0		•

Bi-level Soft Sides 🕏			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-SS28K ▼	8.0	•	•
EZWS-SS28K ▼	8.0		•



In-Wall Bottle Filling Stations

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







LZWSMDK

Optional Accessories

MFWS100 WSF6000R-2PK EWF3000 51300C Mounting Frame WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

In-wall recessed ezH2O 🕏							
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting		
LZWS8K ▼	8.0	•	•		Order MFWS100		
LZWSGRN8K ▼	8.0	•	•	•	Order MFWS100		
LZWSGRNM8K ▼	8.0	•	•	•			
LZWSM8K ▼	8.0	•	•				
LZWSDK ▼	-	•	•		Order MFWS100		
LZWSMDK ▼	-	•	•				
EZWS8K ▼	8.0		•		Order MFWS100		
EZWSGRN8K ▼	8.0		•	•	Order MFWS100		
EZWSGRNM8K ▼	8.0		•	•			
EZWSM8K ▼	8.0		•				
EZWSMDK ▼	-		•				

For pairing with SwirlFlo EDFPB fountains 🕏								
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting			
LZWS8PK ▼	8.0	•	•		Order MFWS100			
LZWSGRN8PK ▼	8.0	•	•	•	Order MFWS100			
LZWSGRNM8PK ▼	8.0	•	•	•				
LZWSM8PK ▼	8.0	•	•					
LZWSDPK ▼	-	•	•		Order MFWS100			
LZWSMDPK ▼	-	•	•					
EZWS8PK ▼	8.0		•		Order MFWS100			
EZWSGRN8PK ▼	8.0		•	•	Order MFWS100			
EZWSGRNM8PK ▼	8.0		•	•				
EZWSM8PK ▼	8.0		•					
EZWSMDPK ▼	-		•					

If pre-ordering the (MFWS100) mounting frame for EZWSMDK, follow with order for the bottle filler only as EZWSMDC. **If pre-ordering the (MFWS100) mounting frame for EZWSMDPK, follow with order for the bottle filler only as EZWSMDPC.



In-Wall Bottle Filling Stations

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.







LZWSMDJOK

In-wall recessed 🕏					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82K ⊘	8.0	•	•	220V/50Hz	CE
LZWSM82KWR ♥ O	8.0	•		220V/50Hz	CE, WRAS
LZWSM83K ⊗	8.0	•	•	220V/60Hz	
LZWSM83KSA ⊗	8.0	•	•	220V/60Hz	SASO
LZWSMDJOK ⊗	-	•	•	220V/50-60Hz	
EZWSM82K ⊘	8.0			220V/50Hz	CE
EZWSM83K ⅔ ⊗	8.0			220V/60Hz	
EZWSMDJOK ₺ 🛇	-			220V/50-60Hz	

For pairing with SwirlFlo EDFPB fountains &					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82PK ⊗	8.0	•	•	220V/50Hz	
LZWSM83PK ⊗	8.0	•	•	220V/60Hz	
LZWSMDJOPK ⊗	-	•	•	220V/50-60Hz	
EZWSM82PK ℤ ⊗	8.0			220V/50Hz	
EZWSM83PK ℤ ⊗	8.0			220V/60Hz	
EZWSMDJOPK ♥ ◊	-			220V/50-60Hz	



Retrofit Architectural Fountains

- Touchless, sensor activation (bottle filler) designed to retrofit with an existing refrigerated push-button fountain.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Ships with new top panel, frame and integral ezH2O station
- Real drain system eliminates standing water.
- Rated for indoor use.
- Bottle filler meets ADA guidelines for reach range; fountain meets ADA guidelines for wheelchair access.







EZWS-ERFP8-RF

Optional Accessories

ACCESS12X38-5 Access Panel LKAPR1 Cane Apron 97258C Cane Apron

WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Retrofit for existing Soft Sides bi-level refrigerated fountain &				
Model	Filtered	Green Ticker		
LZWS-ERFP8-RF	•	•		
EZWS-ERFP8-RF		•		

Retrofit for existing SwirlFlo bi-level refrigerated fountain &					
Model	Filtered	Green Ticker			
LZWS-ERPB8-RF	•	•			
EZWS-ERPB8-RF		•			

To meet full ADA compliance, building level must include a separate unit meeting standing person dimensions. For details visit www.ada.gov.











WATER COOLERS, FOUNTAINS AND WATER DISPENSERS

IN-WALL INSTALLATION

Fits within 16" OC 2" X 4" studs near water and electrical; includes drip tray with optional drain connection.

SENSOR ACTIVATED

Hands-free filling with automatic timed shut off to help prevent accidental spills and messes.

FILTERED WATER

The 3,000-gallon filter is certified to NSF 42 and 53 to reduce lead and harmful contaminants. Filter box and remote filter cable included; optional for install.



BOTTLES SAVED

Backlit LED Green Ticker counts the number of disposable, single-use plastic bottles served without the plastic bottle waste.

CONVENIENT AND SUSTAINABLE

Self-serve design allows people to help themselves to refreshing water in an environmentally friendly way.

CHILLER OPTIONS

Unit can be installed with or without a chiller. Various options available, based on application; chiller sold separately.



EZ Green Water Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec Listed and badged to demonstrate commitment to sustainability.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EZSG8L

Optional Accessories

98481C Bubbler Kit Water-Efficient VR
LKAPREZL Cane Apron
MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
28410C Wall Plate (Lo-Hi Bi-Level)

1000004539 Wall Plate (Hi-Lo Bi-Level) EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8L	8.0	•	•	
LZSG8S	8.0	•		•
EZSG8L	8.0		•	
EZSG8S	8.0			•

Versatile bi-level &	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8LC	8.0	•	•	
LZSTLG8SC	8.0	•		•
EZSTLG8LC	8.0		•	
EZSTLG8SC	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



EZ Hands-Free Water Coolers

- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Filtered units display filter status for easy notification of expiration.







LZOOSTL8LC

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron for EZ Gray
98551C	Filter Mounting Cover (Gray Granite)
98568C	Filter Mounting Cover (Stainless Steel)
MLP100	In Wall Carrier (Single)
MI P200	In Wall Carrier (Ri-Level)

RP2130 Wall Bezel Black
1000004539 Wall Plate (Hi-Lo Bi-Level)for EZ models

EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single ezH2O with Hands-Free A	Cooler (Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZO8L	8.0	•	•		•
LZO8S	8.0	•		•	•
LZODL	-	•	•		•
LZODS	-	•		•	•
EZO8L	8.0		•		•
EZO8S	8.0			•	•
EZODL	-		•		•
EZODS	-			•	•



LZO8S

with Hands-Free Bubbler

Versatile bi-level ezH2O with 2 H	Cooler (Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOSTL8LC	8.0	•	•		•
LZOOSTL8SC	8.0	•		•	•
EZOOSTL8LC	8.0		•		•
EZOOSTL8SC	8.0			•	•



Includes 2 Hands-Free Bubblers

Versatile bi-level ezH2O with 1 H	Cooler (Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOSTL8LC	8.0	•	•		•
LZOSTL8SC	8.0	•		•	•
EZOSTL8LC	8.0		•		•
EZOSTL8SC	8.0			•	•



LZOSTL8SC

Includes 1 Hands-Free Bubbler and 1 Push Bar Bubbler

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



EZ Hands-Free Water Coolers

- Units can either be installed left-high and rightlow or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Filtered units display filter status for easy notification of expiration.
- Power cord sold separately.







LZOSTL8S2JOC

Optional Accessories

97446C Bubbler Kit Vandal-Resistant
98501C Bubbler StreamSaver Flexi-Guard
LKAPREZL Cane Apron for EZ Gray
98551C Filter Mounting Cover (Gray Granite)

MLP200 In Wall Carrier (Bi-Level) RP2130 Wall Bezel Black

1000004539 Wall Plate (Hi-Lo Bi-Level)for EZ models 51299C WaterSentry VII Replacement Filter

Single ezH2O &			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite		Voltage	Compliance
LZO8L2JO ℤ ⊗	8.0	•	•		220V/50Hz	
LZO8L3JO ℤ ⊗	8.0	•	•		220V/60Hz	
LZO8S2JO \S \o	8.0	•		•	220V/50Hz	
LZO8S3JO ℤ ⊗	8.0	•		•	220V/60Hz	
EZO8S3JOSA ፮ ◊	8.0			•	220V/60Hz	SASO

Versatible bi-level 💍			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZOSTL8L2JOC ℤ ⊗	8.0	•	•		220V/50Hz	
LZOSTL8L3JOC ℤ ◊	8.0	•	•		220V/60Hz	
LZOSTL8S2JOC ♥ ◊	8.0	•		•	220V/50Hz	
LZOSTL8S3JOC ☒ ◎	8.0	•		•	220V/60Hz	
LZOSTL8S3JOCSA ☒ ◎	8.0	•		•	220V/60Hz	SASO
EZOSTL8S3JOCSA ☒ ◎	8.0			•	220V/60Hz	SASO



EZ Water Coolers

- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EZS8L

Optional Accessories

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR 98501C Bubbler StreamSaver Flexi-Guard

LKAPREZL Cane Apron LK1110 Glass Filler LK1114 Glass Filler

MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
98551C Mounting Cover (Gray Granite)
28410C Wall Plate (Lo-Hi Bi-Level)
1000004539 Wall Plate (Hi-Lo Bi-Level)
EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &		Cooler Cabinet		Bubbler		Glass Filler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Prepped
LZS8L	8.0	•	•		•		
LZS8LF ♥	8.0	•	•		•		•
LZS8S	8.0	•		•	•		
LZS8SF ⊘	8.0	•		•	•		•
LZSVR8L	8.0	•	•			•	
LZSVR8S	8.0	•		•		•	
LZSDL	-	•	•		•		
LZSDS	-	•		•	•		
EZS8L	8.0		•		•		
EZS8LF ⊘	8.0		•		•		•
EZS8S	8.0			•	•		
EZS8SF ⊘	8.0			•	•		•
EZSVR8L	8.0		•			•	
EZSVR8S	8.0			•		•	
EZSDL	-		•		•		
EZSDLF ⊘	-		•		•		•
EZSDS	-			•	•		



Versatile bi-level &			Cooler	Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Glass Filler Prepped
LZSTL8LC	8.0	•	•		•		
LZSTL8LFC ⊘	8.0	•	•		•		•
LZSTL8SC	8.0	•		•	•		
LZSTL8SFC ◊	8.0	•		•	•		•
LZSTLVR8LC	8.0	•	•			•	
LZSTLVR8SC	8.0	•		•		•	
LZSTLDDLC	-	•	•		•		
LZSTLDDSC	-	•		•	•		
EZSTL8LC	8.0		•		•		
EZSTL8LFC ⊘	8.0		•		•		•
EZSTL8SC	8.0			•	•		
EZSTL8SFC ◊	8.0			•	•		•
EZSTLVR8LC	8.0		•			•	
EZSTLVR8SC	8.0	•		•		•	
EZSTLDDLC	-		•		•		
EZSTLDDSC	-	•		•	•		

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



EZ Water Coolers

- Units can either be installed left-high and right-low or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.

8.0

8.0

• Power cord sold separately.





LZS8L2JO

LZSTL8L2JOC

SASO

CE

Optional Accessories

97446C Bubbler Kit Vandal-Resistant 98501C Bubbler StreamSaver Flexi-Guard LKAPREZL Cane Apron for EZ Gray

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"
MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)

1000004539 Wall Plate (Hi-Lo Bi-Level)for EZ models 51299C WaterSentry VII Replacement Filter

Single & **Cooler Cabinet** Glass Global Filler Voltage **Light Gray Stainless** Compliance Model **Chilled GPH Filtered Prepped** Granite Steel LZS8L2JO ℤ ⊗ 8.0 • 220V/50Hz LZS8L3JO ∑ ⊗ 8.0 • 220V/60Hz LZS8L3JOSA ℤ ⊙ 8.0 . 220V/60Hz SASO LZS8S2JO ℤ ⊗ 8.0 220V/50Hz 240V/50Hz LZS8S2QJO \S ♦ 8.0 LZS8S3JO ☒ ◎ 8.0 220V/60Hz • LZS8S3JOSA ☒ ◎ 8.0 • • 220V/60Hz SASO EZS8L2JO ☒ ◎ 8.0 220V/50Hz CE EZS8L3JO ⅔ ◎ 8.0 220V/60Hz EZS8LF2JO \$ ○ 8.0 220V/50Hz CE EZS8S2JO ☒ ◎ 8.0 220V/50Hz CE 8.0 EZS8S2QJO ♥ ◊ • 240V/50Hz EZS8S3JO ☒ ◎ 8.0 220V/60Hz

Versatile bi-level &			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8L2JOC ♥ O	8.0	•	•		220V/50Hz	
LZSTL8S2JOC ℤ ◎	8.0	•		•	220V/50Hz	
LZSTL8S3JOCSA ☒ ◎	8.0	•		•	220V/60Hz	SASO
EZSTL8L2JOC ☒ ◎	8.0		•		220V/50Hz	CE
EZSTL8S2JOC ♥ ◊	8.0			•	220V/50Hz	CE

EZS8S3JOSA ℤ ◎

EZS8SF2JO ℤ ⊗

220V/60Hz

220V/50Hz



Heavy-Duty Vandal-Resistant Water Coolers

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.







VRCHDTL8SC

Optional Accessories

98481C Bubbler Kit Water-Efficient VR LKAPRVRCHD Cane Apron for VRCHD Stainless Steel MLP100 In Wall Carrier (Single)

MLP200 In Wall Carrier (Bi-Level) RP2130 Wall Bezel Black EWF172 WaterSentry VII Filter Kit

WaterSentry VII Replacement Filter 51299C

Single &							
Model	Chilled GPH	Filtered					
LVRCHD8S	8.0	•					
LVRCHDDS	-	•					
VRCHD8S	8.0						
VRCHDDS	-						

Bi-level &						
Model	Chilled GPH	Filtered				
LVRCHDTL8SC	8.0	•				
LVRCHDTLDDSC	-	•				
VRCHDTL8SC	8.0					
VRCHDTLDDSC	-					



Heavy-Duty Vandal-Resistant Water Coolers

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Power cord sold separately.







LVRCHDTL82JOC

Optional Accessories

98481C Bubbler Kit Water-Efficient VR LKAPRVRCHD Cane Apron for VRCHD Stainless Steel LK1110

Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10" MLP100 In Wall Carrier (Single)

MLP200 In Wall Carrier (Bi-Level) Replacement

51299C Filter

75520C Vandal-Resistant Pinned T25 Torx Bit 75523C Vandal-Resistant Pinned T27 Torx Bit

Single &				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHD8S2JO ⊗	8.0	•	220V/50Hz	
LVRCHD8S2QJO ⊗	8.0	•	240V/50Hz	
LVRCHD8S3JO ⊗	8.0	•	220V/60Hz	
VRCHD8S2QJO ♥	8.0		240V/50Hz	
VRCHD8S3JO ⊗	8.0		220V/60Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF3JO ⊘	8.0		220V/60Hz	

Bi-level &				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHDTL8S2JOC ⊗	8.0	•	220V/50Hz	
LVRCHDTL8S3JOC ⊗	8.0	•	220V/60Hz	
VRCHD8S3JOSA ⊗	8.0		220V/60Hz	SASO
VRCHDTL8S2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8S3JOC ⊗	8.0		220V/60Hz	
VRCHDTL8S3JOCSA ⊗	8.0		220V/60Hz	SASO
VRCHDTL8SF2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8SF3JOC ⊗	8.0		220V/60Hz	



Vandal-Resistant Green Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant StreamSaver bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering. Lower-flow water-efficient water stream.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.



VRCGRNTL8C

Optional Accessories

98324C Cane Apron - stainless LK1110 Glass Filler LK1114 Glass Filler

MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &			
Model	Chilled GPH	Filtered	LK1110 Glass Filler
LVRCGRN8	8.0	•	
LVRCGRN8F	8.0	•	•
VRCGRN8	8.0		
VRCGRN8F	8.0		•

Bi-level &			
Model	Chilled GPH	Filtered	LK1110 Glass Filler
LVRCGRNTL8C	8.0	•	
LVRCGRNTL8FC	8.0	•	•
VRCGRNTL8C	8.0		
VRCGRNTL8FC	8.0		•



Vandal-Resistant Water Coolers

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.



VRC8S

Optional Accessories

98481C	Bubbler Kit Water-Efficient VR
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
75520C	Vandal-Resistant Pinned T25 Torx Bit
75523C	Vandal-Resistant Pinned T27 Torx Bit
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single &				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRC8S	8.0	•		
LVRCSC8S	8.0	•	•	
LVRCDS	-	•	•	
LVRCSCDS	-	•	•	
VRC8S	8.0			
VRCFR8S ◊	8.0			•
VRCSC8S	8.0		•	
VRCSCFR8S ♥	8.0		•	•
VRCDS	-			
VRCFRDS ⊗	-			•
VRCSCDS	-		•	

Bi-level &				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRCTL8SC	8.0	•		
LVRCTLSC8SC	8.0	•	•	
LVRCTLDDSC	-	•		
LVRCTLSCDDSC	-	•	•	
VRCTL8SC	8.0			
VRCTLFR8SC	8.0			•
VRCTLSC8SC	8.0		•	
VRCTLSCFR8SC ⊗	8.0		•	•
VRCTLDDSC	-			
VRCTLFRDDSC ⊗	-			•
VRCTLSCDDSC	-		•	



Bi-level reverse &				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
VRCTLR8SC	8.0			
VRCTLRFR8SC ⊗	8.0			•
VRCTLRSC8SC	8.0		•	
VRCTLRSCFR8SC ⊗	8.0		•	•
VRCTLRDDSC	-			
VRCTLRSCDDSC	-		•	



Vandal-Resistant Water Coolers

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- Power cord sold separately.



LVRC8S2JO

Optional Accessories

98481C	Bubbler Kit Water-Efficient VR
98324C	Cane Apron
EWF172	Filter Kit

MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
51299C Replacement Filter

Single &					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRC8S2JO ⊗	8.0	•		220V/50Hz	
LVRC8S3JO ⊗	8.0	•		220V/60Hz	
LVRC8S3JOSA ⊗	8.0	•		220V/60Hz	SASO
LVRCSC8S2JO ⊗	8.0	•	•	220V/50Hz	
LVRCSC8S3JO ⊗	8.0	•	•	220V/60Hz	
LVRCTL8S2JO ◊	8.0	•		220V/50Hz	
VRC8S2JO ◊	8.0			220V/50Hz	
VRC8S3JO ⊗	8.0			220V/60Hz	
VRC8S3JOSA ⊗	8.0			220V/60Hz	SASO
VRCSC8S2JO ◊	8.0		•	220V/50Hz	
VRCSC8S3JO ⊗	8.0		•	220V/60Hz	

Bi-level &					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRCTL8S2JOC ⊗	8.0	•		220V/50Hz	
LVRCTL8S2QJOC ♥ O	8.0	•		240V/50Hz	
LVRCTL8S3JO ⊗	8.0	•		220V/60Hz	
LVRCTL8S3JOC ⊗	8.0	•		220V/60Hz	
LVRCTLSC8S2JOC ◊	8.0	•	•	220V/50Hz	
LVRCTLSC8S3JOC ◊	8.0	•	•	220V/60Hz	
VRCTL8S2JOC ⊗	8.0			220V/50Hz	CE
VRCTL8S2QJOC ℤ ⊗	8.0			240V/50Hz	
VRCTL8S3JOC ⊗	8.0			220V/60Hz	
VRCTLSC8S2JOC ⊗	8.0		•	220V/50Hz	CE
VRCTLSC8S3JOC ◊	8.0		•	220V/60Hz	

Bi-level reverse 🕏					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
VRCTLR8S2JOC ⊗	8.0			220V/50Hz	
VRCTLR8S3JOC ⊗	8.0			220V/60Hz	
VRCTLRSC8S2JOC ⊗	8.0		•	220V/50Hz	
VRCTLRSC8S3JOC ⊗	8.0		•	220V/60Hz	



Mechanically Activated Water Coolers

- Classic design fits well in all building designs.
- Mechanical bubbler push bars continue to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EMABF8L

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant Bubbler Kit
98481C	Water-Efficient VR
98313C	Cane Apron for EMABF (Gray Granite)
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
RP2130	Wall Bezel Black
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single &			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LMABF8L	8.0	•	•		•	
LMABF8S	8.0	•		•	•	
LMABFVR8L	8.0	•	•			•
LMABFDL	-	•	•		•	
LMABFDS	-	•		•	•	
EMABF8L	8.0		•		•	
EMABF8S	8.0			•	•	
EMABFVR8L	8.0		•			•
EMABFVR8S	8.0			•		•
EMABFDL	-		•		•	
EMABFDS	-			•	•	
EMABFVRDL	-		•			•
EMABFVRDS	-			•		•

Bi-level 🕏			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LMABFTL8LC	8.0	•	•		•	
LMABFTL8SC	8.0	•		•	•	
LMABFTLVR8LC	8.0	•	•			•
LMABFTLVR8SC	8.0	•		•		•
LMABFTLDDLC	-	•	•		•	
EMABFTL8LC	8.0		•		•	
EMABFTL8SC	8.0			•	•	
EMABFTLVR8LC	8.0		•			•
EMABFTLVR8SC	8.0			•		•
EMABFTLDDLC	-		•		•	
EMABFTLDDSC	-			•	•	
EMABFTLVRDDLC	-		•			•
EMABFTLVRDDSC	-			•		•



Bi-level reverse &	Cooler	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
EMABFTLR8LC	8.0		•		•
EMABFTLR8SC	8.0			•	•
EMABFTLRDDLC	-		•		•
EMABFTLRDDSC	-			•	•

SwirlFlo Green Water Coolers

- High-performance compressor and insulation greatly reduce energy consumption.
- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard StreamSaver bubbler utilizes a pliable polyester elastomer to prevent accidental mouth injuries. Lower-flow water-efficient water stream.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.







LRPBGRNM8K

Optional Accessories

ACCESS12X38-5 Access Panel

98481C Bubbler Kit Water-Efficient VR 98501C Bubbler StreamSaver Flexi-Guard LKAPR1 Cane Apron

27267C Lower Back Panel Left Side Louvers

EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &			Bubbler		
Model	Chilled GPH	Filtered	Flex StreamSaver	VR	
LRPBGRNM8K ▼	7.5	•	•		
LRPBGRNMV8K ▼	7.5	•		•	
ERPBGRNM8K ▼	7.5		•		
ERPBGRNMV8K ▼	7.5			•	

Bi-level 💍	Bubbler			
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM28K ▼	7.5	•	•	
LRPBGRNMV28K ▼	7.5	•		•
ERPBGRNM28K ▼	7.5		•	
ERPBGRNMV28K ▼	7.5			•

Bi-level reverse &	Bubbler			
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM28RAK ▼	7.5	•	•	
LRPBGRNMV28RAK ▼	7.5	•		•
ERPBGRNM28RAK ▼	7.5		•	
ERPBGRNMV28RAK ▼	7.5	•		•



SwirlFlo Water Coolers

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.







ENOBM28K

Optional Accessories

ACCESS12X38-5 Access Panel for Architectural Fountains 98501C Bubbler 97446C Bubbler Kit Vandal-Resistant Bubbler Kit 98481C Water-Efficient VR LKAPR1 Cane Apron for SwirlFlo Gray 27267C Lower Back Panel Left Side Louvers Mounting Frame 18-3/4" x 12" x 37-3/4" MF100 Mounting Frame 37-1/2" x 12" x 37-1/2" MF200 EWF172 WaterSentry VII Filter Kit 51299C WaterSentry VII Replacement Filter

Single &			Bubbler		Includes	Due Oudewed	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Pre-Ordered Mounting
LRPB8K ▼	8.0	•		•			Order MF100
LRPBM8K ▼	8.0	•		•		•	
LRPBMV8K ▼	8.0	•			•	•	
ENOB8K ▼	8.0		•	•			Order MF100
ENOBM8K ▼	8.0		•	•		•	
ERPB8K ▼	8.0			•			Order MF100
ERPBM8K ▼	8.0			•		•	
ERPBMV8K ▼	8.0				•	•	
ERPBV8K ▼	8.0				•		Order MF100

Bi-level &			Bubbler		Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB28K ▼	8.0	•		•			Order MF200
LRPBM28K ▼	8.0	•		•		•	
LRPBMV28K ▼	8.0	•			•	•	
ENOB28K ▼	8.0		•	•			Order MF200
ENOBM28K ▼	8.0		•	•		•	
ERPB28K ▼	8.0			•			Order MF200
ERPBM28K ▼	8.0			•		•	
ERPBMV28K ▼	8.0				•	•	
ERPBV28K ▼	8.0				•		Order MF200



Bi-level reverse 🕏			Bub	bler	Includes	Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting
LRPB28RAK ▼	8.0	•		•			Order MF200
LRPBM28RAK ▼	8.0	•		•		•	
ENOB28RAK ▼	8.0		•	•			Order MF200
ENOBM28RAK ▼	8.0		•	•		•	
ERPB28RAK ▼	8.0			•			Order MF200
ERPBM28RAK ▼	8.0			•		•	
ERPBMV28RAK ▼	8.0				•	•	
ERPBV28RAK ▼	8.0				•		Order MF200

Soft Sides Water Coolers

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EROM28K

LCRSP8K

Optional Accessories

ACCESS12X38-5	Access Panel
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
97258C	Cane Apron for Contour/Soft Sides Black
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
27267C	Lower Back Panel Left Side Louvers
MF100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MFC100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MF200	Mounting Frame 37-1/2" x 12" x 37-1/2"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Slimline 🕏			Buk	bler	Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Flex	VR	Surface Mount	Mounting
LCRSP8K ▼	8.0	•	•			Order MFC100
LCRSPM8K ▼	8.0	•	•		•	
ECRSP8K ▼	8.0		•			Order MFC100
ECRSPM8K ▼	8.0		•		•	
ECRSPVR8K ▼	8.0			•		Order MFC100
ECRSPVRM8K ▼	8.0			•	•	



Single &				Dubbic.		IIICIGGCS		Dro Ordorod
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface	Pre-Ordered Mounting
LNFE8FK ⊘ ▼	8.0	•		•				Order MF100
LNFE8K ▼	8.0	•		•				Order MF100
LNFEM8FK ⊘ ▼	8.0	•		•		•	•	
LNFEM8K ▼	8.0	•		•			•	
LNFEM8VRK ▼	8.0	•			•		•	
ERFP8FK ⊘ ▼	8.0			•		•		Order MF100
ERFP8K ▼	8.0			•				Order MF100
ERFPM8K ▼	8.0			•			•	
ERFPVR8K ▼	8.0				•			Order MF100
ERFPVRM8K ▼	8.0				•		•	
ERO8K ▼	8.0		•	•				Order MF100
EROM8K ▼	8.0		•	•			•	

Bi-level 🕏				D 4 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5 5		Glass	Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Mounting
LNTE8FK ⊘ ▼	8.0	•		•		•		Order MF200
LNTE8K ▼	8.0	•		•				Order MF200
LNTEM8FK ⊘ ▼	8.0	•		•		•	•	
LNTEM8K ▼	8.0	•		•			•	
ERFP28FK ⊘ ▼	8.0			•		•		Order MF200
ERFP28K ▼	8.0			•				Order MF200
ERFPM28FK ⊗ ▼	8.0			•		•	•	
ERFPM28K ▼	8.0			•			•	
ERFPMVR28K ▼	8.0				•		•	
ERFPVR28K ▼	8.0				•			Order MF200
ERO28K ▼	8.0		•	•				Order MF200
EROM28K ▼	8.0		•	•			•	

Bi-level reverse &				Bubbler		Glass	Includes	Dro Ordorod
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Pre-Ordered Mounting
LNTE8RAK ▼	8.0	•		•				Order MF200
LNTEM8FRAK ⊘ ▼	8.0	•		•		•	•	
LNTEM8RAK ▼	8.0	•		•			•	
ERFP28RAK ▼	8.0			•				Order MF200
ERFPM28RAK ▼	8.0			•			•	
ERFPMVR28RAK ▼	8.0				•		•	
ERFPVR28RAK ▼	8.0				•			Order MF200
ERO28RAK ▼	8.0		•	•				Order MF200
EROM28RAK ▼	8.0		•	•			•	



Legacy Compact Water Coolers

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EWCA8L1Z

Optional Accessories

97446C	Bubbler Kit Vandal-Resista	nt
	and the second s	

LK1114 Gl	ass	Filler
-----------	-----	--------

LK1110 Glass Filler Chrome 2-1/2" x 10"
EWF172 WaterSentry VII Filter Kit
51299C WaterSentry VII Replacement Filter

Single		Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWCE4L1Z	4.0	•	•		
EWCA4L1Z	4.0		•		
EWCA8L1Z	8.0		•		
EWCA8S1Z	8.0			•	
EWCA14L1Z	14.0		•		
EWCA14S1Z	14.0			•	
EWCDAL	-		•		
EWCDAT ⊗	-				•

Legacy Compact Water Coolers

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EWCA4S3YJO

Optional Accessories

98501C Bubbler

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler Chrome 2-1/2" x 10"

LK1110 Glass Filler 51299C Replacement Filter

Single				Cooler Cab	inet	Glass		Global Compliance
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Voltage	
LWCE14LF3YJOSA ⊗	14.0	•	•			•	220V/60Hz	SASO
EWCA4S3YJO ⊗	4.0			•			220V/60Hz	
EWCA4S3YJOSA ⊗	4.0			•			220V/60Hz	SASO
EWCA8T2YJO ⊗	8.0				•		220V/50Hz	CE



Legacy Deluxe Wall-Mount Water Coolers

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Bi-level models provide comfortable service for children and adults.







EWTLA14LK

Optional Accessories

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler LK1110 Glass Filler Chrome 2-1/2" x 10" EWF172 WaterSentry VII Filter Kit WaterSentry VII Replacement Filter 51299C

Single		Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWAE8S1Z	8.0	•		•	
EWA4S1Z	4.0			•	
EWA8L1Z	8.0		•		
EWA8S1Z	8.0			•	
EWA14L1Z	14.0		•		
EWA14S1Z	14.0			•	
EWDAL	=		•		
EWDAS	-			•	
EWDAT ⊗	=				•

Bi-level		Cooler Cabinet
Model	Chilled GPH	Light Gray Granite
EWTLA14LK ▼	14.0	•



Legacy Deluxe Wall Mount Water Coolers

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Two-level models provide comfortable service for children and adults.
- Power cord sold separately.







LWTLA14S3K

Optional Accessories

98501C Bubbler

97446C Bubbler Kit Vandal-Resistant

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"

51299C Replacement Filter

Single			Cooler	Cabinet	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltage	Global Compliance
LWAE8LF2YJO ⊗	8.0	•	•		•	220V/50Hz	
LWAE20L3YJOSA ◊	20.0	•	•			220V/60Hz	SASO
LWAE20S3YJOSA ♥ O	20.0	•		•		220V/60Hz	SASO
EWA8S3YJOSA ⊗	8.0			•		220V/60Hz	SASO
EWA14N3YJOSA	14.0					220V/60Hz	SASO
EWA14S2YJO ◊	14.0			•		220V/50Hz	
EWA14S3YJOSA ⊗	14.0			•		220V/60Hz	SASO
EWA16N3YJOSA ⊗	16.0					220V/60Hz	SASO
EWA16S3YJOSA ⊗	16.0			•		220V/60Hz	SASO
EWA20N3YJOSA ⊗	20.0					220V/60Hz	SASO
EWA20S3YJOSA ◊	20.0			•		220V/60Hz	SASO

Bi-level			Cooler Cabinet	Valtara	Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LWTLA14S3K ⊗	14.0	•	•	220V/60Hz	



Legacy Water Coolers

- Barrier-free, ADA design meets adult ADA standards when properly installed.
- One-piece backsplash and basin polished to a satin finish.
- Light-touch controls on front and sides for easy operation.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- Several finishes available to complement any interior space.
- Rated for indoor use.



EHFSA8L1Z

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

6.		Cooler Cabi	Glass	LK109A		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Glass Filler
EHFSA8L1Z	8.0	•				
EHFSA8LF1Z ⊘	8.0	•				•
EHFSA8S1Z	8.0		•			
EHFSA8SF1Z ⊘	8.0		•			•
EHFSA8T1Z ⊘	8.0			•		
EHFSADL	-	•				
EHFSADLF ⊗	-	•			•	•
EHFSADS	-		•			
FHFSADT ⊗	-			•		

High Ambient Water Coolers

- Produces minimum of 9 GPH of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees F (50 degrees C) ambient operating temperature.
- Removable front panel offers easy accessibility to interior.
- Extra-deep basin minimizes splashing; with integral drain.
- Includes Heavy-Duty Vandal Resistant Bubbler.
- Stainless Steel cooler panel finish.
- Removable plumbing box allows for against the wall installation or installation as free standing cooler.
- Power cord sold separately.



EFA25S4JO

			Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFA25S4JO	9.0	•		•	220-240V/50Hz, 220-230V/60Hz	SASO



Legacy Outdoor Vandal-Resistant Water Cooler

- Wall mount barrier-free stainless steel water cooler is ADA compliant.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.



OHFAVR8S1Z

Optional Accessories

Bubbler Kit Water-Efficient VR





Legacy Floor Model Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



FD7003L1Z

Optional Accessories

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler Chrome 2-1/2" x 10" LK1110 Glass Filler

EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Standard		Cooler Cabinet				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Glass Filler Prepped
LFDE3T1Z ⊘	3.0	•			•	
LFDE10L1Z	10.0	•	•			
LFDE10LF1Z ⊗	10.0	•	•			•
LFDE10S1Z	10.0	•		•		
LFDE10SF1Z ⊗	10.0	•		•		•
LFDE10T1Z ◊	10.0	•			•	
LFDE10TF1Z ⊗	10.0	•			•	•
FD7003L1Z	3.0		•			
FD7003LF1Z ⊗	3.0		•			•
FD7003S1Z	3.0			•		
FD7003SF1Z ⊗	3.0			•		•
FD7003T1Z	3.0				•	
FD7003TF1Z ⊗	3.0				•	•
FD7005L1Z	5.0		•			
FD7005LF1Z ⊗	5.0		•			•
FD7005S1Z	5.0			•		
FD7005SF1Z ⊗	5.0			•		•
FD7005T1Z	5.0				•	
FD7005TF1Z ⊗	5.0				•	•
FD70010L1Z	10.0		•			
FD70010LF1Z ⊗	10.0		•			•
FD70010S1Z	10.0			•		
FD70010SF1Z ⊗	10.0			•		•
FD70010T1Z ⊗	10.0				•	
FD70010TF1Z ⊗	10.0				•	•
FD700DL	-		•			
FD700DS	-			•		
FD700DT ⊗	-				•	



Legacy Floor Model, Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



LFDE7003L2YJO

Optional Accessories

97446C Bubbler Kit Vandal-Resistant
LK1114 Glass Filler Chrome 2-1/2" x 10"
LK1110 Glass Filler
51299C Replacement Filter

	Cooler Cabinet			Cooler Cal	oinet	Class		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Glass Filler Prepped	Voltage	Global Compliance
LFDE10L2YJO ⊗	10.0	•	•				220V/50Hz	
LFDE10S2YJO ◊	10.0	•		•			220V/50Hz	
LFDE10SF3YJO ◊	10.0	•		•		•	220V/60Hz	
LFDE10SF3YJOSA ⊗	10.0	•		•		•	220V/60Hz	SASO
LFDE10T2YJO ◊	10.0	•			•		220V/50Hz	
FD7003L2YJO ◊	3.0		•				220V/50Hz	
FD7003L3YJO ◊	3.0		•				220V/60Hz	
FD7003L3YJOSA	3.0		•				220V/60Hz	SASO
FD7003LF2YJO ⊗	3.0		•			•	220V/50Hz	CE
FD7003S2YJO	3.0			•			220V/50Hz	CE
FD7003S3YJO	3.0			•			220V/60Hz	
FD7003S3YJOSA ⊗	3.0			•			220V/60Hz	SASO
FD7003SF2YJO ⊗	3.0			•		•	220V/50Hz	CE
FD7003T2YJO	3.0				•		220V/50Hz	CE
FD7003T3YJO ◊	3.0				•		220V/60Hz	
FD7003TF2YJO ⊗	3.0				•	•	220V/50Hz	CE
FD7005L2YJO	5.0		•				220V/50Hz	CE
FD7005L3YJO ◊	5.0		•				220V/60Hz	
FD7005LF2YJO	5.0		•			•	220V/50Hz	CE
FD7005S2YJO	5.0			•			220V/50Hz	CE
FD7005S3YJO	5.0			•			220V/60Hz	
FD7005S3YJOSA ⊗	5.0			•			220V/60Hz	SASO
FD7005SF2YJO	5.0			•		•	220V/50Hz	CE
FD7005T2YJO	5.0				•		220V/50Hz	CE
FD7005T3YJO ◊	5.0				•		220V/60Hz	
FD7005TF2YJO ⊗	5.0				•	•	220V/50Hz	CE
FD70010L2YJO	10.0		•				220V/50Hz	CE
FD70010L3YJO	10.0		•				220V/60Hz	
FD70010LF2Y O ⊗	10.0		•			•	220V/50Hz	CE
FD70010S2YJO	10.0			•			220V/50Hz	CE
FD70010S3YJO ⊗	10.0			•			220V/60Hz	
FD70010S3YJOSA ⊗	10.0			•			220V/60Hz	SASO
FD70010SF2YJO	10.0			•		•	220V/50Hz	CE
FD70010T2YJO ⊗	10.0				•		220V/50Hz	CE
FD70010T3YJO ⊗	10.0				•		220V/60Hz	
FD70010TF2YJO ⊗	10.0				•	•	220V/50Hz	CE



Legacy Fully Recessed Water Coolers

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional cup dispensers and glass fillers available.







EFRCM8CDK

Optional Accessories

97446C Bubbler Kit Vandal-Resistant
EWF172 WaterSentry VII Filter Kit
51299C WaterSentry VII Replacement Filter

Standard				1		
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Pre-Ordered Mounting
LJNE8FK ⊗ ▼	8.0	•	•			Order MB23AL
LJNE8K ▼	8.0	•				Order MB23AL
LJNEM8FK ⊘ ▼	8.0	•	•			
LJNEM8K ▼	8.0	•				
LJNE12K ▼	12.0	•				Order MB23AL
LJNEM12FK ⊗ ▼	12.0	•	•			
LJNEM12K ▼	12.0	•				
EFRC8CDK ▼	8.0			•		Order MF23A
EFRC8FK ⊘ ▼	8.0		•			Order MF23A
EFRC8K ▼	8.0					Order MF23A
EFRCM8CDK ▼	8.0			•		
EFRCM8FK ⊗ ▼	8.0		•			
EFRCM8K ▼	8.0					
EFRP8K ▼	8.0					
EFRPC8K ▼	8.0				•	Order MB234A and MB24
EFRPCM8K ▼	8.0				•	
EFRC12CDK ▼	12.0			•		Order MF23A
EFRC12K ▼	12.0					Order MF23A
EFRCM12CDK ▼	12.0			•		
EFRCM12K ▼	12.0					

ADA compliant &				
Model	Chilled GPH	Filtered	LK109A Glass Filler	Pre-Ordered Mounting
EHFRA7FK ⊘ ▼	8.0		•	Order MB30
EHFRA7K ▼	8.0			Order MB30
EHFRAM7K ▼	8.0			



Legacy Fully Recessed Water Coolers

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Optional cup dispensers and glass fillers available.
- Power cord sold separately.





EFRCM8CDK

Optional Accessories

97446C Bubbler Kit Vandal-Resistant

EWF172 Filter Kit

Standard							
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Voltage	Global Compliance
LJNE82FK ⊗	8.0	•	•			220V/50Hz	
LJNEM82K ⊗	8.0	•				220V/50Hz	
LJNEM83K ⊗	8.0	•				220V/60Hz	
LJNEM83KSA ⊘	8.0	•				220V/60Hz	SASO
LJNEM102QCDK ⊗	10.0	•				240V/50Hz	
LJNE122FK ⊗	12.0	•	•			220V/50Hz	
LJNEM122FK ⊘	12.0	•	•			220V/50Hz	
LJNEM122K ⊗	12.0	•				220V/50Hz	
LJNEM123K ⊗	12.0	•				220V/60Hz	
LJNEM123KSA ⊘	12.0	•				220V/60Hz	SASO
EFRC82K ⊘	8.0					220V/50Hz	
EFRC83K ⊘	8.0					220V/60Hz	
EFRCM82CDK ⊗	8.0			•		220V/50Hz	
EFRCM82FK ⊗	8.0		•			220V/50Hz	
EFRCM82K ⊗	8.0					220V/50Hz	
EFRCM82QCDK ⊗	8.0			•		240V/50Hz	
EFRCM83FK ⊗	8.0		•			220V/60Hz	
EFRCM83K ⊗	8.0					220V/60Hz	
EFRCM83KSA ⊘	8.0					220V/60Hz	SASO
EFRPCM82K ⊘	8.0				•	220V/50Hz	
EFRPM82K ⊗	8.0					220V/50Hz	
EFRC122K ⊗	12.0					220V/50Hz	
EFRC123K ⊗	12.0					220V/60Hz	
EFRCM122CDK ⊗	12.0			•		220V/50Hz	
EFRCM122FK ⊗	12.0		•			220V/50Hz	
EFRCM122FKWR ₺ 🛇	12.0		•			220V/50Hz	WRAS
EFRCM122K ⊗	12.0					220V/50Hz	
EFRCM123CDK ⊗	12.0			•		220V/60Hz	
EFRCM123FK ⊗	12.0		•			220V/60Hz	
EFRCM123K ⊗	12.0					220V/60Hz	
EFRPM122CDK ⊗	12.0			•		220V/50Hz	
EFRPM122K ⊗	12.0					220V/50Hz	



ADA Compliant 🕏				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
EHFRA72K ⊗	8.0		220V/50Hz	
EHFRA73K ⊗	8.0		220V/60Hz	
EHFSA8L2ZJO ◊	8.0		220V/50Hz	CE
EHFSA8L3ZJO ◊	8.0		220V/60Hz	
EHFSA8S2ZJO ⊗	8.0		220V/50Hz	CE
EHFSA8S3ZJO ⊗	8.0		220V/60Hz	

Legacy Simulated Semi-Recessed Water Coolers

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and attractive.
- Provides cold water without intruding into wall.



ESWA8L1Z

Optional Accessories

97446C Bubbler Kit Vandal-Resistant EWF172 WaterSentry VII Filter Kit

		Cooler Cabinet
Model	Chilled GPH	Stainless Steel
ESWA8S1Z	8.0	•



Legacy Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional foot pedal activation for hands-free use.



EFA8L1Z

Optional Accessories

97446C Bubbler Kit Vandal-Resistant
27521C Cooler Back Plate - Light Gray Granite
27520C Cooler Back Plate - Sandalwood
27519C Cooler Back Plate - Stainless
LK1114 Glass Filler
LK1110 Glass Filler Chrome 2-1/2" x 10"

EWF172 WaterSentry VII Filter Kit 51299C WaterSentry VII Replacement Filter

Single			Cooler Cabi	Glass				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Back Plate	Foot Pedal
LFAE8L1Z	8.0	•	•					
LFAE8LF1Z ⊗	8.0	•	•			•		
LFAE8S1Z	8.0	•		•				
LFAE8SF1Z ⊗	8.0	•		•		•		
LFAE8TF1Z ⊘	8.0	•			•	•		
LFAE14L1Z	14.0	•	•					
LFAE14S1Z	14.0	•		•				
LFAE14SF1Z ⊗	14.0	•		•		•		
LFAE20SF1Y ⊗	20.0	•		•		•		
EFA4L1Z	4.0		•					
EFA4LF1Z ⊗	4.0		•			•		
EFA4LFK1Z ⊘	4.0		•			•	•	
EFA4LFP1Z ⊘	4.0		•			•		•
EFA4LK1Z	4.0		•				•	
EFA4LP1Z ⊗	4.0		•					•
EFA4S1Z	4.0			•				
EFA4SFK1Z ⊗	4.0			•		•	•	
EFA4T1Z ⊗	4.0				•			
EFA4TF1Z ⊗	4.0				•	•		
EFA8L1110P ⊗	8.0		•					•
EFA8L1Z	8.0		•					
EFA8LF1Z ⊘	8.0		•			•		
EFA8LFK1Z ⊗	8.0		•			•	•	
EFA8LFP1Z ⊘	8.0		•			•		•
EFA8LFPK1Z ⊘	8.0		•			•	•	•
EFA8LK1Z	8.0		•				•	
EFA8LP1Z ⊘	8.0		•					•
EFA8S1110P ⊗	8.0			•				•
EFA8S1Z	8.0			•				
EFA8SF1Z ⊗	8.0			•		•		
EFA8SK1Z	8.0			•			•	
EFA8SP1Z ⊗	8.0			•				•
EFA8T1Z ⊘	8.0				•			
EFA8TF1Z ⊗	8.0				•	•		
EFA8TP1Z ⊗	8.0				•			•



Single				Cooler Cabi	net	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite Steel		Sandalwood	Filler Prepped	Back Plate	Foot Pedal
EFA14L1Z	14.0		•					
EFA14LF1Z ◊	14.0		•			•		
EFA14LFK1Z ⊘	14.0		•			•	•	
EFA14LFP1Z ⊘	14.0		•			•		•
EFA14LK1Z	14.0		•				•	
EFA14LP1Z ⊗	14.0		•					•
EFA14S1Z	14.0			•				
EFA14SF1Z ⊗	14.0			•		•		
EFA14SFP1Z ⊗	14.0			•		•		•
EFA14SP1Z ⊗	14.0			•				•
EFA14T1Z ⊗	14.0				•			
EFA16L1Y	16.0		•					
EFA16LF1Y ⊘	16.0		•			•		
EFA16LFK1Y ⊘	16.0		•			•	•	
EFA16LP1Y ⊗	16.0		•					•
EFA16S1Y	16.0			•				
EFA20L1Y	20.0		•					
EFA20LF1Y ⊘	20.0		•			•		
EFA20LFP1Y ⊗	20.0		•			•		•
EFA20LK1Y	20.0		•				•	
EFA20LP1Y ⊗	20.0		•					•
EFA20S1Y	20.0			•				
EFA20SF1Y ⊗	20.0			•		•		
EFA20SFK1Y ⊘	20.0			•		•	•	
EFA20SP1Y ⊗	20.0			•				•
EFA20SPK1Y ⊘	20.0			•				•
EFDAL	-		•					



Legacy Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Optional foot pedal activation for hands-free use.
- Power cord sold separately.



LFAE8L2YJO

Optional Accessories

97446C Bubbler Kit Vandal-Resistant
27521C Cooler Back Plate - Light Gray Granite
27519C Cooler Back Plate - Stainless

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"

51299C Replacement Filter

Single		Cooler			Cooler Cabinet Glass			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Foot Pedal	Voltage	Global Compliance
LFAE8L2YJO ⊗	8.0	•	•				220V/50Hz	
LFAE8S2YJO ♥	8.0	•		•			220V/50Hz	
LFAE20S3YJOSA ⊗	20.0	•		•			220V/60Hz	SASO
LFAE20SF3YJOSA ⊗	20.0	•		•	•		220V/60Hz	SASO
EFA8L2YJO ◊	8.0		•				220V/50Hz	CE
EFA8LF2YJO ⊗	8.0		•		•		220V/50Hz	CE
EFA8LFP2YJO ◊	8.0		•		•	•	220V/50Hz	CE
EFA8S2YJO ⊗	8.0			•			220V/50Hz	CE
EFA8S3YJOSA ⊗	8.0			•			220V/60Hz	SASO
EFA8SF2YJO ⊗	8.0			•	•		220V/50Hz	CE
EFA8SP2YJO ◊	8.0			•		•	220V/50Hz	CE
EFA14L2YJO ♥	14.0		•				220V/50Hz	
EFA14L3YJO ⊗	14.0		•				220V/60Hz	
EFA14S2YJO ⊗	14.0			•			220V/50Hz	
EFA14S3YJOSA ◊	14.0			•			220V/60Hz	SASO
EFA16L2YJO ⊗	16.0		•				220V/50Hz	
EFA16SFP2YJO ⊗	16.0			•	•	•	220V/50Hz	
EFA20L2YJO ⊗	20.0		•				220V/50Hz	
EFA20N3YJOSA ⊗	20.0						220V/60Hz	SASO
EFA20S2YJO ⊗	20.0			•			220V/50Hz	
EFA20S3YJOSA ⊗	20.0			•			220V/60Hz	SASO



Legacy Sensor-Activated Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.



EFOA8L1Z

Optional Accessories

Opt.0	550.105
97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler
LK1110	Glass Filler
EWF172	WaterSentry VII Filter Kit

Single	Cooler Cabinet			
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood
EFOA8L1Z	8.0	•		
EFOA8S1Z	8.0		•	

8.0

Legacy Water-Cooled Deluxe Water Coolers

EFOA8T1Z ⊗

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Optional foot pedal for hands-free use.



EFW16L1Z

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Single					
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Foot Pedal
EFW16L1Z	16.0	•			
EFW16LP1Z ⊗	16.0	•			•
EFW16S1Z	16.0		•		
EFW16T1Z ⊗	16.0			•	



Legacy Water-Cooled Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EFW16S2YJO

Optional Accessories

27517C	
97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler

Single		Cooler	Cabinet		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFW16S2YJO ⊗	12.0		•	220V/60Hz	
EFW16L2YJO ⊗	16.0	•		220V/50Hz	
EFW16N3YJOSA ◊	16.0			220V/60Hz	SASO
EFW16S3YJOSA ⊗	16.0		•	220V/60Hz	SASO

Legacy Hot and Cold Service Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Optional foot pedal activation for hands-free use.



EFHA8I1Z

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler
EWF172	WaterSentry VII Filter Kit

Single		Cooler	Cabinet	Glass Filler		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Prepped	Foot Pedal	
EFHA8L1Z ⊘	8.0	•				
EFHA8LF1Z ⊗	8.0	•		•		
EFHA8LFP1Z ⊘	8.0	•		•	•	
EFHA8LP1Z ⊘	8.0	•			•	
EFHA8S1Z ⊗	8.0		•			
EFHA8SFP1Z ⊘	8.0		•	•	•	
EFHA14L1Z ⊗	14.0	•				
EFHA14S1Z ⊘	14.0		•			



Legacy Hot and Cold Service Deluxe Water Coolers

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Power cord sold separately.



EFHFA8L2YJO

Optional Accessories

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler

Single			Cabinet	Class Fills		Clabal
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Voltage	Global Compliance
EFHA8L2YJO ⊗	8.0	•			220V/50Hz	
EFHA8S2YJO ⊗	8.0		•		220V/50Hz	
EFHFA8L2YJO ◊	8.0	•		•	220V/50Hz	
EFHFA8S2YJO ⊗	8.0		•	•	220V/50Hz	

Legacy Special Use Water Coolers

- Special use floor mount water coolers for specific installation and environmental needs.
- EFWC16S1Z consists of a 316 stainless steel cabinet and special coatings inside and out for extreme corrosion resistance.
- EFY8S1Z is a water cooled unit UL listed for use in hazardous locations (see Specification Sheet for specific flammable gas, dust, and debris certifications).
- Stainless steel finish is corrosion resistant and attractive.
- Rated for indoor use.







Optional Accessories

EWF172 WaterSentry VII Filter Kit

Single		Bub	bler
Model	Chilled GPH	Standard	VR
EFY8S1Z	8.0		•
EFWC16S1Z	16.0	•	



Heavy-Duty Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.





EHWIVI I /

Optional Accessories

ACCESS12X38-5 Access Panel for Architectural Fountains

AP99 Access Panel 9" x 9" x 6" 98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron for EHW Stainless Steel

EWF172 WaterSentry VII Filter Kit

An access panel is required when using the filter kit.

Single &	
Model	Freeze Resistant
EHWM14FPK ⊘ ▼	•
EHWM14C	

Bi-level 🕏	
Model	Freeze Resistant
EHWM17FPK ⊘ ▼	•
EHWM17C	



Heavy-Duty Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







EHWM217C

Optional Accessories

ACCESS12X38-5 Access Panel for Architectural Fountains

AP99 Access Panel 9" x 9" x 6" 98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron for EHW Stainless Steel

MPW200 In Wall Carrier (Bi-Level)
MPW101 In Wall Carrier (Single) WaterSentry VII

EWF172 Filter Kit

An access panel is required when using the filter kit.

Single &		Includes Surface	Pre-Ordered
Model	Freeze Resistant	Mount	Mounting
EHW214FPK ⊘ ▼	•		Order MPW101
EHWM214FPK ▼	•	•	
EHW214C			Order MPW101
EHWM214C		•	

Bi-level &		Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting	
EHW217FPK ⊘ ▼	•		Order MPW200	
EHWM217FPK ▼	•	•		
EHW217C			Order MPW200	
EHWM217C		•		

Bi-level reverse &		Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting	
EHW217FPRAK ⊘ ▼	•		Order MPW200	
EHWM217FPRAK ⊘ ▼	•	•		
EHW217RAC			Order MPW200	
EHWM217RAC		•		



Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.



ECDFPW314C

Optional Accessories

AP99 Access Panel 98481C Bubbler Kit Water-Efficient VR

LKAPR2 Cane Apron

EWF172 WaterSentry VII Filter Kit

6		Buk	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
ECDFPW314C	-	•		
ECDFPW314FPK ▼	-		•	•
ECDFPWVR314C	-		•	

Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive, safe product, while enhancing applications requiring child ADA compliance.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Power cord sold separately.



ECDFPW314C

Optional Accessories

 98501C
 Bubbler
 \$34.00

 97446C
 Bubbler Kit Vandal-Resistant
 \$134.00

 LK1110
 Glass Filler
 \$258.00

 51299C
 Replacement Filter
 \$88.00

					Global
Model	Chilled GPH	Filtered	VR	Voltage	Compliance
LCRSPM102QK ♥ 0	10.0	•	•	240V/50Hz	



Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







Optional Accessories

ACCESS12X38-5 Access Panel for Architectural Fountains

Access Panel 9" x 9" x 6" Bubbler Kit Water-Efficient VR 98481C

97258C Cane Apron for Contour/Soft Sides Black

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10" MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single)

Wall Plate EDFP210C/EDFP214C fountains WP2

EWF172 WaterSentry VII Filter Kit

Single short		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP210C	-	•		
EDFP210FPK ⊘ ▼	-		•	•

Single &		Bubbler		Freeze
Model	Chilled GPH	Flex	VR	Resistant
EDFP214C	-	•		
EDFP214FC ⊗	-	•		
EDFP214FPK ▼	-		•	•
EDFPVR214C	-		•	

Bi-level &		Bub	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP217C	-	•		
EDFP217FC	-	•		
EDFP217FPK ▼	-		•	•
EDFPVR217C	-		•	

Bi-level reverse &	Bubb	Freeze		
Model	Chilled GPH	Flex	VR	Resistant
EDFP217FPRAK ⊘ ▼	-		•	•
EDFP217RAC	-	•		
EDFPVR217RAC	-		•	



Soft Sides Drinking Fountains

- Contoured fountain provides an attractive and safe product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.







Optional Accessories

ACCESS12X38-5 Access Panel 9" x 9" x 6" 98501C Bubbler

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR

97258C Cane Apron for Contour/Soft Sides Black

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"
MPW200 In Wall Carrier (Bi-Level)
MPW101 In Wall Carrier (Single)
51299C Replacement Filter

Single &				Voltage	Global Compliance	
Model	Chilled GPH	Filtered	Flex	voitage	Global Compilance	
LNFE82K ⊘	8.0	•	•	220V/50Hz		
LNFEM82K ⊗	8.0	•	•	220V/50Hz		
LNFEM83K ⊘	8.0	•	•	220V/60Hz		
ERFP82K ⊗	8.0		•	220V/50Hz		
ERFPM82K ⊘	8.0		•	220V/50Hz		
EROM82K ⊗	8.0		•	220V/50Hz		

Bi-level &	Bubbler	Voltage	Global Compliance		
Model	Chilled GPH	Filtered	Flex	voitage	Global Compilance
LNTE82K ⊘	8.0	•	•	220V/50Hz	
LNTEM82K ⊘	8.0	•	•	220V/50Hz	
LNTEM83K ⊘	8.0	•	•	220V/60Hz	
ERFP282K ♦	8.0		•	220V/50Hz	
ERFPM282K ⊘	8.0		•	220V/50Hz	
EROM282K ⊗	8.0		•	220V/50Hz	



Soft Sides Premium Composite Drinking Fountains

- Durable and nonporous granite-like contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use, and appropriate for environments caustic to stainless steel.
- Freeze-resistant models extend outdoor usage season.







EDFP220RC

Optional Accessories

MPW101

AP99 Access Panel 9" x 9" x 6"

ACCESS12X38-5 Access Panel for Architectural Fountains

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler KitWater-Efficient VR MPW200 In Wall Carrier (Bi-Level)

In Wall Carrier (Single) WP2 Wall Plate EDFP210C/EDFP214C fountains

EWF172 WaterSentry VII Filter Kit

Single 🕏	Bubl	Freeze		
Model	Chilled GPH	Flex	VR	Resistant
EDFP214RC	-	•		
EDFPVR214RC \(\bigsize \)	-		•	
EDFPVR214RFPK \$ ○ ▼	-		•	•

Bi-level &	Bubbler	Freeze	
Model	Chilled GPH	VR	Resistant
EDFPVR217RC ∑	-	•	
EDFPVR217RFPK ⊘ ▼	-	•	•

Multistations &	Bubb	Freeze		
Model	Chilled GPH	Flex	VR	Resistant
EDFP220RC ℤ	=	•		
EDFPVR220RC \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	-		•	
EDFPVR320RC \(\bigsize \)	-		•	
EDFPVR320RFPK S ♥ ▼	-		•	•

Single short		Bubbler
Model	Chilled GPH	Flex
EDFP210RC ∑	=	•



SwirlFlo Drinking Fountains

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







EDFPB114C

Optional Accessories

AP99 Access Panel 9" x 9" x 6" ACCESS12X38-5 Access Panel for Architectural Fountains 98501C Bubbler StreamSaver Flexi-Guard Bubbler Kit Vandal-Resistant 97446C 98481C Bubbler Kit Water-Efficient VR LKAPR1 Cane Apron for SwirlFlo Gray In Wall Carrier (Bi-Level) MPW200 MPW101 In Wall Carrier (Single) ML100 In Wall Carrier Support Legs EWF172 WaterSentry VII Filter Kit

Single &			Bubbler		Bubbler Includes		Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting		
EDFPB114C			•			Order MPW101		
EDFPB114FPK ▼	•	•	•			Order MPW101		
EDFPBM114K ▼	•		•		•			
EDFPBMV114K ▼	•			•	•			
EDFPBV114C				•		Order MPW101		
EDFPBW114C	•		•			Order MPW101		
EDFPBW114FPK ⊘ ▼	•	•	•			Order MPW101		
EDFPBWM114C	•		•		•			
EDFPBWM114FPK ⊘ ▼		•	•		•			
EDFPBWMV114C	•			•	•			
EDFPBWV114C	•			•		Order MPW101		

Bi-level &	evel 🕏		Bub	bler	Includes	Pre-Ordered
Model	Back Plate	Freeze Resistant	Flex	VR Surfac Moun		Mounting
EDFPB117C	•		•			Order MPW200
EDFPB117FPK ▼	•	•	•			Order MPW200
EDFPBM117C	•		•		•	
EDFPBM117FPK ⊘ ▼	•	•	•		•	
EDFPBM117K ▼	•		•			Order MPW200
EDFPBMV117C	•			•	•	
EDFPBV117C	•			•		Order MPW200
EDFPBVM117FPK ⊗ ▼	•	•		•	•	
EDFPBVM117K ▼	•			•		



Bi-level reverse &		Bul	obler	Includes	Pre-Ordered	
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting
EDFPB117FPRAK ⊘ ▼	•	•	•			Order MPW200
EDFPB117RAC	•		•			Order MPW200
EDFPBM117FPRAK ⊗ ▼	•	•	•		•	
EDFPBM117RAC	•		•		•	
EDFPBM117RAK ▼	•		•			Order MPW200
EDFPBMV117RAC	•			•	•	
EDFPBV117RAC	•			•		Order MPW200
EDFPBVM117FPRAK ⊘ ▼	•			•	•	
EDFPBVM117RAK ▼	•			•		

SwirlFlo Drinking Fountains

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.





EDFPBM117C

EDFPB114C

Optional Accessories

ACCESS12X38-5 Access Panel 98501C Bubbler

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR LKAPR1 Cane Apron

EWF172 Filter Kit

27267C Lower Back Panel left side louvers

Bi-level &	Bubble				Includes	s	Global
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Compliance
LRPBM282K ⊗	8.0	•		•	•	220V/50Hz	
LRPBM282QK ⊗	8.0	•		•	•	240V/50Hz	
ENOBM282QK \S ♥	8.0		•	•	•	240V/50Hz	
ERPBM282K ⊗	8.0			•	•	220V/50Hz	
ERPBM83K ⊗	8.0			•	•	220V/60Hz	

Single &	ngle 🖔 Bubbler					es	Global
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Compliance
LRPBM82K ♥	8.0	•		•	•	220V/50Hz	
LRPBM82QK ⊗	8.0	•		•	•	240V/50Hz	
ENOBM82QK	8.0		•	•	•	240V/50Hz	
ERPBM283K ⊗	8.0			•	•	220V/60Hz	
ERPBM82K ⊗	8.0			•	•	220V/50Hz	



Bi-level reverse 💍			Bubbler	Includes		Global
Model	Chilled GPH	Filtered	Flex	Surface Mount	Voltage	Compliance
LRPBM282RAK ⊗	8.0	•	•	•	220V/50Hz	
ERPBM282RAK ⊘	8.0		•	•	220V/50Hz	
ERPBM283RAK ⊗	8.0		•	•	220V/60Hz	

Legacy Fully Recessed Drinking Fountains

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.







EDFBC212C

Optional Accessories

AP99 Access Panel 9" x 9" x 6" Bubbler 98501C StreamSaver Flexi-Guard 97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR

Standard		
Model	With Cuspidor	LK109A Glass Filler
EDFB12C		
EDFB12FC ⊗		•
EDFBC212C	•	

Cuspidor only	
Model	With Cuspidor
EDERC12PRC	•

Legacy Simulated Semi-Recessed Drinking Fountain

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and
- Flush wall mount provides a recessed appearance without extra wall work.



EDFP19C

Optional Accessories

AP99 Access Panel 9" x 9" x 6"
98501C Bubbler StreamSaver Flexi-Guard
97446C Bubbler Kit Vandal-Resistant
98481C Bubbler Kit Water-Efficient VR

Model	
EDFP19C	



Legacy Multistation Stainless Steel Drinking Fountains

- Unique stainless steel wall mount design provides service to multiple users at the same time.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.







EDF310C

Optional Accessories

97446C Bubl	oler Kit Vandal-Resistant
-------------	---------------------------

LK1110 Glass Fil


LK1114 Glass Filler Chrome 2-1/2" x 10" EWF172 WaterSentry VII Filter Kit

Two station	
Model	
EDF210C	

Three station
Model
EDF310C

Legacy Bracket Drinking Fountain

- Stainless steel bracket provides mounting to wall.
- 300 Series stainless steel basin resists corrosion.
- Equipped with one-piece, chrome-plated push-button bubbler.
- Mechanical bubbler continues to provide water when electrical service is interrupted.
- Includes removable chrome-plated strainer.
- Rated for indoor or outdoor use.





EDF15R



Legacy Countertop Drinking Fountains

- Attractive stainless steel modular drinking fountain can be installed into a surface of your choice.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Remote button allows flexible positioning of activation.
- Units with vandal-resistant bubblers are rated for indoor or outdoor use.







DRKR14C

Optional Accessories

97446C Bubbler Kit Vandal-Resistant LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10" EWF172 WaterSentry VII Filter Kit

Oval			Bubbler		
Model	Chilled GPH	Remote Pushbutton	Standard	Flex	VR
DRKR14C	-		•		
DRKR14RC	-	•		•	
DRKRV14RC	-	•			•

Circular		Bubbler
Model	Chilled GPH	Standard
DRKR10C	-	•

Water Chillers

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Available with a water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.





ECH8

Optional Accessories

PM3	Chiller Shelf 20" x 11" x 9-1/4"
PM4	Chiller Shelf 23-1/2" x 13" x 9-1/4"
EG2	Louvered Grill 21" x 1/2" x 28"
EG3	Louvered Grill 26" x 1/2" x 26-1/2"
EG1	Louvered Grill (SS) 21" x 1/2" x 28"

Model	Chilled GPH	Stations Served	Air-Cooled	Water Cooled
ERS11Y	1.0	1	•	
ER21Y	2.0	1	•	
ER51Y	5.0	1	•	
ECH8	8.0	2	•	
ECH8GRN	8.0	2	•	
ECP8	8.0	2	•	
ECU8	8.0	2	•	
ER101Y	10.0	2	•	
ER191	19.0	3	•	
ER301	30.0	3	•	
ERW321	32.0	3		•



Remote Water Chillers

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Power cord sold separately.





ECH82

Optional Accessories

PM3 Chiller Shelf 20" x 11" x 9-1/4"
PM4 Chiller Shelf 23-1/2" x 13" x 9-1/4"
EG2 Louvered Grill 21" x 1/2" x 28"
EG3 Louvered Grill 26" x 1/2" x 26-1/2"
EG1 Louvered Grill (SS) 21" x 1/2" x 28"

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ECH102Q ⊗	10.0		•	240V/50Hz	
ECH82WR S ♥	8.0	1	•	220V/50Hz	CE, WRAS
ERS12Y ◊	1.0	1	•	220V/50Hz	
ER22Y ⊗	2.0	1	•	220V/50Hz	CE
ER52Y ⊗	5.0	1	•	220V/50Hz	CE
ER53Y ⊗	5.0	1	•	220V/60Hz	
ECH82 ♦	8.0	1	•	220V/50Hz	CE
ECH82Q ♥ O	8.0	1	•	240V/50Hz	
ECH83	8.0	1	•	220V/60Hz	
ECH83SA ⊘	8.0	1	•	220V/60Hz	SASO
ECP82 ♥	8.0	1	•	220V/50Hz	
ECP82Q ⊗	8.0	1	•	240V/50Hz	
ECP83 ⊗	8.0	1	•	220V/60Hz	
ECP83SA ⊗	8.0	1	•	220V/60Hz	
ECU82 ♥	8.0	1	•	220V/50Hz	
ECU83 ◊	8.0	1	•	220V/60Hz	
ER102Y ◊	10.0	2	•	220V/50Hz	
ER103Y ◊	10.0	2	•	220V/60Hz	
ER192 ⊗	19.0	3	•	220V/50Hz	CE
ER193 ◊	19.0	3	•	220V/60Hz	
ER303 ◊	30.0	3	•	220V/60Hz	
ER302 ◊	30.0	3	•	220V/50Hz	



High Ambient Remote Water Chillers

- Produces minimum of 8 gallons per hour (30 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees (50 degrees C) ambient.
- When operated at standard rating conditions chiller produces 19 gallons per hour (72 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 80 degrees F (27 degrees C) inlet water and 90 degrees (32 degrees C) ambient.
- Installs directly under fountain or other application, or may be located in a service area to serve a remote outlet (within 15 feet recommended).
- Stainless steel finish.
- Power cord sold separately.



ER194H

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ER194H ፟፟፟፟፟	8.0	0	•	220- 240V/50Hz, 220- 230V/60Hz	SASO











OUTDOOR DRINKING SOLUTIONS

Multiple configurations available.

GSS CONTRACTOR OF THE PARTY OF

QUICK FILL AND LAMINAR FLOW

Quick fill rate is 1.0 GPM. Fills faster than a standard drinking fountain. Laminar flow produces a clean fill with minimal splashing.

VANDAL RESISTANT

Vandal-resistant push buttons, bubblers and screws.

TYPE 316 STAINLESS STEEL

Incorporates molybdenum for increased corrosion resistance. It's ideal for high-saline environments such as coastal regions and outdoor areas where deicing salts are common.

SEALED FREEZE RESISTANT

Freeze-resistant models feature completely enclosed and sealed valves to keep water safe from contamination.


Available in select models.

Shown: LK4420BF1UEVG



Outdoor Bottle Filling Stations

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Laminar flow provides clean fill with minimal splash.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.*







Optional Accessories

97890C Direct Bury Adaptor
LK4471LHB Locking Hose Bib
LK4471LHBEVG Locking Hose Bib Evergreen

Wall mount 🖔			
Model	Bottle Filling Stations	Bubbler Stations	Global Compliance
LK4405BF	1		
LK4405BFEVGWR ♥ O	1		WRAS
LK4408BF ⊗	1	1	
LK4409BF ⊗	1	1 Upper, 1 Lower	

Single station 💍		
Model	Bottle Filling Stations	Global Compliance
LK4400BF \(\bar{\alpha} \)	1	
LK4400BFEVGWR ♥ ○	1	WRAS
LK4410BF	1	

Dual station 🕏				
Model	Bottle Filling Stations	Bubbler Stations	Pet Fountain	Global Compliance
LK4420BF1L	1 (Low)	1 (Upper)		
LK4420BF1LDB ፮	1 (Low)	1 (Upper)	•	
LK4420BF1U ⊗	1 (Upper)	1 (Low)		
LK4420BF1UDB \\ \begin{align*} \beg	1 (Upper)	1 (Low)	•	



Triple station 🕏			
Model	Bottle Filling Stations	Bubbler Stations	Global Compliance
LK4430BF1L	1 (Low)	2 (Upper-Mid)	
LK4430BF1M	1 (Mid)	2 (Upper-Low)	
LK4430BF1U	1 (Upper)	2 (Mid-Low)	

^{*}Colors other than Evergreen are non-returnable. Freeze-resistant models are non-returnable. Additional models rated for outdoor use available.

Outdoor Fountains

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.*






Optional Accessories

LK4420DBEVG

97890C Direct Bury Adaptor LK4471LHB Locking Hose Bib



Wall mount single station &	
Model	Global Compliance
LK4405	

Wall mount double station 🕏	
Model	Global Compliance
LK4406 ⊗	

Single station		
Model	Pet Fountain	Global Compliance
LK4400 ፟፟፟፟		
LK4400DB ፟፟፟	•	
LK4410		



Dual station 🐧		
Model	Pet Fountain	Global Compliance
LK4420 ⊗		
LK4420DB ፮	•	

Stone Aggregate Fountains

- Attractive and durable stone aggregate finish withstands elements and complements any outdoor landscape.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze resistant system is located either below the frost line or in temperature controlled space.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.






Single station 🕏		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4590		
LK4590FR ♥	•	
LK4590SFR ⊗		•

Standard	
Model	
LK4591	

Wall mount &	
Model	Freeze Resistant
LK4593	
LK4593FR ⊘	•

Dual station &		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4595		
LK4595FR ⊗	•	
LK4595SFR ⊗		•









WATERSENTRY® FILTERS

Elkay's filter offerings are certified to NSF 53 and 42 for lead, class 1 particulate, chlorine, taste and odor reduction.

RUST



LEAD



CHLORINE





SEDIMENT



SUSPENDED MATTER



ODOR

Shown: 51300C



Vandal-resistant retrofit filtration kit

EF1500VRBC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

EF1500VRBMC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter and Filter Status Monitor

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

WaterSentry bottle filling station filters

51300C



WaterSentry Plus Replacement Filter (Bottle Fillers)

- Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.
- Filter should be replaced every 3,000 gallons or 1 year after installation.

51300C_3PK



WaterSentry Plus Replacement Filters (3-pack) (Bottle Fillers)

• Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.

51300C_12PK



WaterSentry® Plus Replacement Filters (12-pack) (Bottle Fillers)

- Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus
- Filter should be replaced every 3,000 gallons or 1 year after installation.

EWF3000



WaterSentry Plus Filter System Kit (Bottle Fillers)

- For use with ezH2O Bottle Fillers Order 51300C as replacement filter (available in multipacks).
- Filter should be replaced every 3,000 gallons or 1 year after installation.



WaterSentry cooler + fountain filters

51299C



WaterSentry VII Replacement Filter (Coolers + Fountains)

- Replacement filter for EWF172 WaterSentry VII systems in water coolers + fountains.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

EWF172



WaterSentry VII Filter Kit (Coolers + Fountains)

- For use with Coolers + Fountains Order 51299C as replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

LF2



Aqua Sentry Filter System Kit (Coolers + Fountains)

- In-Line filter for use with coolers + fountains Order 56192C as replacement filter.
- Filter should be replaced every 500 gallons or 6 months after installation.

56192C



Aqua Sentry Replacement Filter

- Replacement filter for LF2 filter system.
- Filter should be replaced every 500 gallons or 6 months after installation.

WaterSentry Water Dispenser, Bottle Filling Station and Cooler + Fountain filters

WSF6000R-2PK



WaterSentry Fresh 6000 CTO Filter - Replacement (2pack)

- Replacement filter for premium water dispensers.
 Optional for select bottle filling stations, coolers and fountains with WaterSentry systems.
- Filter should be replaced every 6,000 gallons or 1 year after installation.



Point-of-entry

EFC1150D-A



Central Water Filtration System, Plug Type A

• Removes 1200T for chlorine, taste, and odor. Removes 400T for lead, cadmium, copper, sulfate, and nitrite.

EFC1150D-B



Central Water Filtration System, Plug Type G

• Removes 1200T for chlorine, taste, and odor. Removes 400T for lead, cadmium, copper, sulfate, and nitrite.

ESR3100D-A



Central Water Softener, Plug Type A

• Removes scale causing minerals (Calcium and Magnesium).

Point-of-use

EFR2-CB-A



Compressed Carbon Block Filter

EFR2075D-A



Reverse Osmosis System, Plug Type A

• Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, virus, bacteria, inorganic compounds, and small molecule organic compounds.







Composite Filter

EFR2-RO75-A



Reverse Osmosis Membrane Filter

EFU23-A



- 3-Stage Undermount Ultra Filtration System
- Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, heavy metals, bacteria, and small molecule organic compounds.

FS33-A



Stainless Steel Dispensing Faucet

EFU23-MS-A



Carbon Block Filter

EFU23-PP-A



Polypropylene Filter

EFU23-UF-A



Ultrafiltration Filter

These products are only available in the Asia-Pacific area



Bacteria Reduction Replacement

WSP35000



35,000 Gallon Bacteria Water Filtration System

- This ultrafiltration system has a process that reduces particles and microorganisms of up to .2 microns. It also reduces odor, taste and chlorine.
- The system includes a connection head for the water supply. Also, a Quick-Connect head that allows easy installation and replacement of the cartridge.

WSP35000SR



Replacement Sediment Pre-Filter for the WSP35000

• Change filter every 12 months

WSP35000R



Replacement Carbon Block Filter for the WSP35000

• Change filter every 12 months

These products are only available in the Asia-Pacific area



ezH2O Hands Free Retrofit Kit				
Model	List Price	Description	Special Note	Image
1000005817		Elkay EZS/LZS to EZO Retrofit Kit	For use with refrigerated coolers only.	

WaterSentry filter mounting covers			
Model	Description	Special Note	Image
1000000887	Elkay Filter Mounting Cover Kit (L)	For use with EMABF and LMAF light gray granite vinyl models.	
98551C	WaterSentry Filter Mounting Cover (Gray Granite)	For use with EZ and LZ light gray granite vinyl models.	
98568C	WaterSentry Filter Mounting Cover (Stainless Steel)	For use with EZ and LZ stainless steel models.	
98669C	WaterSentry Filter Mounting Cover for EMABF, LMABF, VRC, and LVRC stainless steel models	For use with EMABF, LMABF, VRC, and LVRC stainless steel models.	

Access and decorative par	Access and decorative panels			
Model	Description	Special Note	Image	
1000004539	Accessory - Wall Plate (Hi-Lo Bi-Level) for EZ style bi-level models	For use with EZ style bi-level models.	b b	
28410C ⊗	Accessory - Wall Plate (Lo-Hi Bi-Level) for EZ style bi-level reverse models	For use with EZ style bi-level reverse models.		
28904C ⊗	Accessory - Wall Plate (Splash Guard) for EZ style models	For use with EZ style models.		
ACCESS12X38-5	Accessory - Stainless Steel Access Panel for Bi- Level Architectural Fountains	ACCESS12X38-5 can be installed above or below Bi-Level Architectural Fountains and Bi-Level Architectural Fountains with Integral Bottle Fillers.		
AP99	Elkay Access Panel 9" x 9" x 6"			



RP2130	Accessory - Wall Bezel Black		
WP2	Accessory - Wall Plate for EDFP210C and EDFP214C fountains	For use with EDFP210C and EDFP214C fountains.	

Additional accessories	Additional accessories			
Model	Description	Special Note	Image	
36292C	Accessory - Power Block for Multistation Bottle Filling Stations	For use with multistation bottle filling stations.	Ti letter	
75520C	Accessory - Vandal-Resistant Pinned T25 Torx Bit	For removing fasteners on vandal- resistant models.		
75523C	Accessory - Vandal-Resistant Pinned T27 Torx Bit	For removing fasteners on vandal- resistant models.		
98032C	Accessory - Vandal-Resistant Drain Kit for models with 1-1/4" drain openings	For use on models with 1-1/4" drain openings.		

Bubblers	Bubblers			
Model	Description	Special Note	Image	
92715C	Accessory - Bubbler Replacement Kit, Flexi- Guard		0	
97446C	Accessory - Bubbler Kit Vandal-Resistant		0	
98481C	Accessory - Bubbler Kit Water-Efficient Vandal- Resistant			
98501C	Elkay Bubbler - Stream Saver Flexi-Guard			



LK142 Elkay Push Button Bubbler

For use with Elkay EDF214WC ,DRKR, EDF15R, EFWC16 models.



Cane aprons			
Model	Description	Special Note	Image
97258C	Accessory - Cane Apron for Contour & Soft Sides Models Black	For use with the Soft Sides & Contour models.	V
98313C	Elkay Cane Apron for EMABF (Gray Granite)	For use with EMABF style models.	1
98324C	Accessory - Cane Apron for HAC, HVR, EMABF & VRC Models (Stainless)	For use with EMABF, VRC and VRCGRN models.	
LKAPR1	Elkay Cane Apron for SwirlFlo Gray	For use with SwirlFlo models.	
LKAPR2	Elkay Cane Apron for EHW Stainless Steel	For use with EHW(M) models.	5
LKAPREZL	Elkay Cane Apron for EZ Gray	For use with EZ style models.	
LKAPRVRCHD	Elkay Cane Apron for VRCHD Stainless Steel	For use with (L)VRCHD models.	

Glass fillers				
Model	Description	Special Note	Image	
98498C	Elkay Glass Filler Kit Chrome	For use with various Elkay models.		
LK109A	Elkay Glass Filler Chrome	Factory installed only.		



LK1110	Elkay Glass Filler	Ordered separately with glass filler prepped models.	7
LK1114	Elkay Glass Filler Chrome 2-1/2" x 10"	Ordered separately with glass filler prepped models.	

Mounting plates				
Model	Description	Special Note	Image	
MP20	Elkay Surface Mounting Plate RH 38-1/4" x 20- 1/8"	For use with EDFP217 and EDFP217FP bi-level models requiring additional support. Secures directly to a variety of load-bearing surfaces.		
MP20RA	Elkay Surface Mounting Plate LH 38-1/4" x 20-1/8"	For use with EDFP217RA and EDFP217FPRA reverse bi-level models requiring additional support. Secures directly to a variety of loadbearing surfaces.		

Mounting systems / in wa	ll carriers		
Model	Description	Special Note	Image
ML100	Accessory - In Wall Carrier Support Legs for MPW101, MPW200 or MPW201 mounting plates	For optional use with MPW101, MPW200 or MPW201 mounting plates.	
MLP100	Accessory - In Wall Carrier (Single) for single EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with single EZ, LZ, EMABF, LMABF, VRC, LVRC models.	I
MLP200	Accessory - In Wall Carrier (Bi-Level) for bi- level EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with bi-level EZ, LZ, EMABF, LMABF, VRC, LVRC models.	丑
MPW100	Accessory - In Wall Carrier (Single) for single OVL-II drinking fountains	For use with single OVL-II drinking fountains.	3
MPW101	Accessory - In Wall Carrier (Single) for EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models	For use with EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models.	
MPW200	Accessory - In Wall Carrier (Bi-Level) for EDFP217, EDFPB117 & EHW217 models	For use with EDFP217, EDFPB117 & EHW217 models.	1 7
MPW201	Accessory - In Wall Carrier (Bi-Level) for EDFP220 models	For use with EDFP220 models.	



Remote chillers optional accessories - shelves			
Model	Description	Special Note	Image
PM3	Elkay Chiller Shelf 20" x 11" x 9-1/4"	For use with ER5 and ER10 water chillers.	
PM4 ⊗	Elkay Chiller Shelf 23-1/2" x 13" x 9-1/4"	For use with ER19 and ERW20 water chiller.	

Remote chillers optional accessories - grills					
Model	Description	Special Note	Image		
EG1	Elkay Louvered Grill (Stainless Steel) 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.			
EG2 ⊗	Elkay Louvered Grill 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.			
EG3	Elkay Louvered Grill 26" x 1/2" x 26-1/2"	For use with ER5, ER10 and ER19 chillers.			

Mounting frames					
Model	Description	Special Note	Image		
MB232A ⊗	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EFRC models	4		
MB232AL ⊗	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel 220V	For use with 220V LJNE models			
MB23A	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EFRC models.			
MB23AL	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel	For use with 115V LJNE models.			
MB24	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with EFRPC models.			



MB30	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EHFRA models.	
MB302 ◊	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EHFRA models	
MF100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ENOB, ERFP, ERO, ERPB, LNFE, LRPB models.	
MF200	Elkay Mounting Frame 37-1/2" x 12" x 37-1/2"	For use with ENOB, ERFP, ERO, ERPB, LNTE, LRPB models.	
MFC100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ECRSP and LCRSP models.	
MFWS100	Accessory - Mounting Frame for in-wall ezH2O models	For use with in-wall ezH2O models.	
MFWS200	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural fountain combination units.	
MFWS210	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural cooler combination units.	
MFWSF100	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural fountain combination unit.	
MFWSF110	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural cooler combination unit.	
MFWSF120	Halsey Taylor Mounting Frame for HTHB(WF)- EBP-I models	For use with HTHB(WF)-EBP-I models.	
MFWSF130	Halsey Taylor Mounting Frame for HTHB(WF)- ER-I models	For use with HTHB(WF)-ER-I models.	8




ADA-COMPLIANT PRODUCTS

Elkay offers a full line of products that comply with the requirements as specified by the Americans with Disabilities Act (ADA). They provide better access for everyone, making them ideal for residential and commercial spaces. Multifamily housing, assisted living centers, handicap restrooms, schools and health care facilities are just some facilities that can benefit from ADA solutions.





ADA SINKS



OFFSET DRAIN

Rear offset drain creates barrier-free space under sink; optional for more room, but not ADA required. Center drain ADA compliant when properly installed.

OPEN SPACE


KNEE: Min. 27" from floor and 8" from countertop front edge. Slope 1" depth max. per 6" height. TOE: Min. 9" from floor and 17" min. from countertop front edge. Slope 1" depth max. per 6" height. FLOOR: 30" min. width.



ELDSSF36279DBG

- •Dimensions: 35-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Work Shelf, Workstation

Elkay Dart Canyon Stainless Steel 35-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink



Includes: ELDSSF36279 sink, CTXBG3113R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

ADA Compliant
Optional Accessories

Drain LKDD

Ship dims: 41-3/4" x 32-11/16" x 12-13/16"


Approx. ship weight: 69 lbs.

ELDSSF33279DBG



- Dimensions: 32-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •33" minimum cabinet size
- Features: Work Shelf. Workstation

Elkay Dart Canyon Stainless Steel 32-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink



Includes: ELDSSF33279 sink, CTXBG2813R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

ADA Compliant

Optional Accessories

Drain LKDD

Ship dims: 38-5/8" x 32-11/16" x 12-13/16"


Approx. ship weight: 65 lbs.



ELDSSF30279DBG

- •Dimensions: 29-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Work Shelf, Workstation

Elkay Dart Canyon Stainless Steel 29-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink



Includes: ELDSSF30279 sink, CTXBG2513R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

ADA Compliant

Optional Accessories

Drain LKDD

Ship dims: 36" x 32-11/16" x 12-13/16"


Approx. ship weight: 60 lbs.

ELUHAD141855



- Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA

Optional Accessories
Bottom grid

LKWOBG1418SS

Cutting board

CBS1418*

Rinsing basket

LKWRB1418SS LKWERBSS

Drain

LK99

LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-3/16"


Approx. ship weight: 11 lbs.

ELUHAD111655



- Dimensions: 14" x 18-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA

Optional Accessories

Bottom grid

LKWOBG1116SS

Drain

LK99

LKAD35

Ship dims: 23-1/2" x 19-3/4" x 8-1/2"

Approx. ship weight: 11 lbs.




LFRAD251955



- Dimensions: 25" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant
Made in USA
Optional Accessories
Cutting board
CB1516

Rinsing basket LKWERBSS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 18 lbs.

LRAD221955L



- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories

Cutting board

CBS1418

Rinsing basket

LKWRB1418SS

LKWERBSS **Drain**

I K99

LKAD35

Ship dims: 20-13/16" x 7-13/16" x 27-15/16"


Approx. ship weight: 13 lbs.

LRAD221955R



- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories

Cutting board

CBS1418

Rinsing basket

LKWRB1418SS

LKWERBSS

Drain

LK99

LKAD35

Ship dims: 20-13/16" x 7-13/16" x 27-15/16"

Approx. ship weight: 13 lbs.




LRAD191855L



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant
Made in USA
Optional Accessories
Rinsing basket
LKWRB1116SS
Drain

LK99 LKAD35

Ship dims: 19-5/16" x 7-13/16" x 25-15/16"


Approx. ship weight: 10 lbs.

LRAD191855R



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories

Rinsing basket

LKWRB1116SS **Drain**

LK99 LKAD35

Ship dims: 19-5/16" x 7-13/16" x 25-15/16"


Approx. ship weight: 10 lbs.

ELUHAD361855



- •Dimensions: 35-3/4" x 18-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •39" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Optional Accessories

Bottom grid

LKWOBG1616SS **Cutting board**

CB1713*

CBS1316*

Rinsing basket LKWRB1316SS

LKWERBSS

Drain

LK99

LKAD35

Ship dims: 44-7/8" x 26-1/4" x 10-1/2" **Approx. ship weight:** 27 lbs.




ELUHAD312055R



- Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 5-3/8", Offset Double Bowl Undermount ADA Sink



ADA Compliant Made in USA

Optional Accessories

Bottom grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

Cutting board

CBS1418*

CB1613*

CB1713*

CBS1316*

Rinsing basket

LKWRB1418SS

LKWERBSS

LKWRB1316SS

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 21 lbs.

LRAD372255

Elkay Lustertone Classic Stainless Steel 37" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



- Dimensions: 37" x 22" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •42" minimum cabinet size



ADA Compliant

Made in USA Optional Accessories

Bottom grid

LKWOBG1616SS

Cutting board

CB1713

CBS1316

Rinsing basket

LKWRB1316SS

LKWERBSS

Drain

LK99

Ship dims: 44-7/8" x 26-1/4" x 10-1/2"

Approx. ship weight: 24 lbs.




LRAD25055

Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Offset **Double Bowl Drop-in ADA Sink**



- •Dimensions: 33" x 22" x 5-1/2"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size



ADA Compliant Made in USA **Optional Accessories**

Bottom grid LKWOBG1316SS

Cutting board

CBS1418

CB1613 CB1713

CBS1316

Rinsing basket

LKWRB1418SS

LKWRB1316SS

LKWERBSS

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 8-1/2" Approx. ship weight: 21 lbs.



ELUHAD281655PD

- ◆Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ♦ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG2816SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99


Ship dims: 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 26 lbs.

ELUHAD281655

- ◆Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with 4-1/2" and 5" depths

Optional Accessories
Bottom grid

LKWOBG2816SS

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

ECTSRAD25226TBG



- ♦ Dimensions: 25" x 22" x 6"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦30" minimum cabinet size

Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid

ADA Compliant
Optional Accessories

Drain LKAD35 LK35

Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.



ELGUAD2519PD

- ◆Dimensions: 25" x 18-1/2" x 5-1/2"
- ◆3-5/8" (92mm) drain opening
- ♦30" minimum cabinet size
- ◆ Features: Perfect Drain










White (WH)

Elkay Quartz Classic 25" x 18-1/2" x 5-1/2", Undermount ADA Sink with Perfect Drain



Includes: One LKPDQ1CR Perfect Drain

and strainer.

Optional Accessories

Drain LKPDQ1LS


Ship dims: 29-1/4" x 26-1/4" x 11" Approx. ship weight: 32 lbs.

ELUHAD211555PD



- ◆Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size
- ♦ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain





Includes: One LKPD1 Perfect Drain and

strainer.

ADA Compliant

Built in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG2115SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 19 lbs.

ELUHAD211555



- ◆Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", **Single Bowl Undermount ADA Sink**





ADA Compliant Made in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG2115SS

Drain

LK99

LKAD35

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 12 lbs.



ELUHAD191655

- ◆Dimensions: 21-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant
Made in USA
Models are also available with
4-1/2" and 5" depths
Optional Accessories
Drain

Drain LK99 LKAD35

Ship dims: 30-11/16" x 26-1/4" x 8-1/2"


Approx. ship weight: 17 lbs.

ELUHAD161655



- Dimensions: 18-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 18-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant
Made in USA
Models are also available with
4-1/2" and 5" depths

Optional Accessories
Bottom grid

LKWOBG1616SS **Drain** LK99

LKAD35 hin dims: 26-1/4" x


Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 11 lbs.

ELUHAD141855PD



- ◆Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

. Bottom grid

LKWOBG1418SS

Drain

LKPDVR18B LKPDAD18B

LKDS99


Ship dims: 26-1/4" x 24-1/4" x 9-1/2" **Approx. ship weight:** 14 lbs.

ELUHAD141455PD



- ◆Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ♦ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Optional Accessories

Drain LKPDVR18B

LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"


Approx. ship weight: 15 lbs.

ELUHAD141455



- ◆Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with

4-1/2" and 5" depths

Optional Accessories

Drain LK99

LKAD35

Ship dims: 17-5/16" x 8-13/16" x 22-

15/16"


Approx. ship weight: 11 lbs.

ELUHAD131655PD



- ◆Dimensions: 16" x 18-1/2" x 5-3/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Drain

LKPDVR18B LKPDAD18B

LKDS99

Ship dims: 26-1/4" x 24-1/4" x 9-1/2"


Approx. ship weight: 13 lbs.



ELUHAD131655

- ◆Dimensions: 16" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ◆21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Drain LK99

LKAD35

Ship dims: 19-5/16" x 7-13/16" x 25-

15/16"


Approx. ship weight: 11 lbs.

ELUHAD121255



- Dimensions: 14-1/2" x 14-1/2" x 5-3/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with

4-1/2" and 5" depths

Optional Accessories

Drain LK99 LKAD35

Ship dims: 16-5/16" x 9-3/16" x 21-7/16"


Approx. ship weight: 9 lbs.

ELUHAD111655PD



- ◆Dimensions: 14" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Optional Accessories

Bottom grid LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-7/16" x 24-3/8" x 9-11/16"

Approx. ship weight: 15 lbs.



ELGUAD3319PD

- ◆Dimensions: 33" x 18-1/2" x 5-1/2"
- ◆3-5/8" (92mm) drain opening
- ♦36" minimum cabinet size
- ♦ Features: Perfect Drain









(WH)

18-1/2" (470mm) 16-3/16" (410mm) _ R1" (25mm)

with Perfect Drain

33" (838mm)

Elkay Quartz Classic 33" x 18-1/2" x 5-1/2", Undermount ADA Sink

Includes: Two LKPDO1CR Perfect Drains and strainers. **Optional Accessories** Drain


LKPDQ1LS

Ship dims: 37-1/8" x 26-1/4" x 11" Approx. ship weight: 42 lbs.

ECTSRAD33226TBG

- ◆Dimensions: 33" x 22" x 6"
- ♦18 gauge
- ◆ Polished Satin finish
- ◆ Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ♦ Features: Slim Rim

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl **Dual Mount ADA Sink Kit**



Includes: ECTSRAD33226T Sink, two

CTXBG1315 Bottom Grids **Optional Accessories**

Drain LKDD LK35


Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

ELUHAD321655



- ◆Dimensions: 31-3/4" x 16-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 5-3/8", **Equal Double Bowl Undermount ADA Sink**



ADA Compliant Made in USA

Models are also available with 4-1/2" and 5" depths

Optional Accessories Drain

LK99 LKAD35

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 21 lbs.



ELUHAD312055RPD

- ◆Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 5-3/8", Double Bowl Undermount ADA Sink w/Perfect Drain



Includes: Two LKPD1 Perfect Drains

and strainers.

ADA Compliant
Built in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG1418SS (large

bowl)

LKWOBG1316SS (small

bowl)

Drain

LKPDVR18B LKPDAD18B

LKDS99


Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

ELUHAD311855PD



- Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel, 30-3/4" x 18-1/2" x 5-3/8", Double Bowl Undermount ADA Sink w/Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99


Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

ELUHAD311855



- ♦ Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA

Models are also available with

4-1/2" and 5" depths

Optional Accessories

Bottom grid

LKWOBG1316SS

Drain

LK99

LKAD35

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 21 lbs.




LRAD312255



- ◆Dimensions: 31" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 31" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths

Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG2816SS

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 19 lbs.

LRAD312265PD



- ◆Dimensions: 31" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 31" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant

ADA Compliant

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG2816SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.

LRAD252255



- ♦ Dimensions: 25" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths

Quick-Clip Mounting System

Optional Accessories
Bottom grid
LKWOBG2115SS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 15 lbs.



LRAD252255-CU

- ◆ Dimensions: 25" x 22" x 5-1/2"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU


Ship dims: 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 15 lbs.

ECTSRAD25226TBG



- ♦ Dimensions: 25" x 22" x 6"
- ♦18 gauge
- ◆ Polished Satin finish
- ◆ Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦30" minimum cabinet size

Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant Optional Accessories

Drain LKAD35 LK35


Ship dims: 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.

LRAD252265PD



- ◆ Dimensions: 25" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG2115SS

Drain

LKPDVR18B LKPDAD18B LKDS99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.



ELGAD2522PD

- ◆Dimensions: 25" x 22" x 5-1/2"
- Available in Pre-scored for up to 5 faucet
- ◆3-5/8" (92mm) drain opening
- ♦30" minimum cabinet size
- ♦ Features: Perfect Drain










(MC)

Elkay Quartz Classic 25" x 22" x 5-1/2", Drop-in ADA Sink with **Perfect Drain**



Includes: One LKPDQ1CR Perfect Drain and strainer.

Optional Accessories

Drain LKPDQ1LS


Ship dims: 29-1/4" x 26-1/4" x 11" Approx. ship weight: 34 lbs.

LRAD252155



- ◆Dimensions: 25" x 21-1/4" x 5-1/2"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with

4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories Bottom grid

LKWOBG2115SS

Drain LK99

LKAD35


Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 15 lbs.

LRAD252155-CU



- ◆Dimensions: 25" x 21-1/4" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 25" x 21-1/4" x 5-1/2", Single **Bowl Drop-in ADA Sink**



ADA Compliant Made in USA Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths

Optional Accessories Drain LKVR18-CU


Ship dims: 30-11/16" x 26-1/4" x 8-1/2"



LRAD252165PD

- ◆Dimensions: 25" x 21-1/4" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG2115SS

Drain

LKPDVR18B LKPDAD18B LKDS99


Ship dims: 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.

LRAD222255

- ◆ Dimensions: 22" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Drain

LK99

LKAD35

Ship dims: 30-11/16" x 26-1/4" x 8-1/2"


Approx. ship weight: 14 lbs.

LRAD222255-CU



- ♦ Dimensions: 22" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 22" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths

Optional Accessories

Drain

LKVR18-CU

Ship dims: 30-11/16" x 26-1/4" x 8-1/2"

Approx. ship weight: 14 lbs.




LRAD221955



- Dimensions: 22" x 19-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System Optional Accessories

. Drain

LK99 LKAD35

Ship dims: 20-13/16" x 7-13/16" x 27-

15/16"


Approx. ship weight: 12 lbs.

LRAD221955-CU



- Dimensions: 22" x 19-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths

Optional Accessories
Drain
LKVR18-CU


Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.

LRAD202255



- Dimensions: 19-1/2" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant

Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories
Bottom grid

LKWOBG1616SS

Drain LK99

Ship dims: 30-11/16" x 26-1/4" x 8-1/2"

Approx. ship weight: 14 lbs.




LRAD202255-CU



- ◆Dimensions: 19-1/2" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 19-1/2" x 22" x 5-1/2", Single **Bowl Drop-in ADA Sink**



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths **Optional Accessories** Drain


Ship dims: 30-11/16" x 26-1/4" x 8-1/2" Approx. ship weight: 14 lbs.

LRAD202265PD



- ◆Dimensions: 19-1/2" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ♦ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

LKVR18-CU

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Bottom grid LKWOBG1616SS

Drain LKPDVR18B LKPDAD18B LKDS99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 18 lbs.

LRAD191955



- ◆Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 5-1/2", **Single Bowl Drop-in ADA Sink**



Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System **Optional Accessories** Drain LK99

LKAD35

ADA Compliant

Ship dims: 20-5/16" x 8-13/16" x 24-

15/16"

Approx. ship weight: 13 lbs.




LRAD191955-CU



- ◆Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant
Made in USA
Models are also available with
4", 4-1/2", 5", 6" and 6-1/2" depths
Optional Accessories
Drain
LKVR18-CU


Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.

LRAD191965PD



- ◆Dimensions: 19-1/2" x 19" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Drain LKPDVR18B LKPDAD18B LKDS99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 13 lbs.

PSRADQ191955L



- ◆Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦20 gauge
- ♦ Brushed Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆Features: Quick-Clip Mounting System

Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories

Drain LK99

Ship dims: 20-5/16" x 8-13/16" x 24-

15/16"


Approx. ship weight: 13 lbs.



PSRADQ191955R

- Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦20 gauge
- ♦ Brushed Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆ Features: Quick-Clip Mounting System

Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl **Drop-in ADA Sink**



ADA Compliant Made in USA **Optional Accessories** Drain LK99

Ship dims: 20-5/16" x 8-13/16" x 24-15/16"


Approx. ship weight: 13 lbs.

LRAD191855



- ◆Dimensions: 19" x 18" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single **Bowl Drop-in ADA Sink**



ADA Compliant Made in USA

Models are also available with

4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Drain

LK99

LKAD35

Ship dims: 19-5/16" x 7-13/16" x 25-

15/16"


Approx. ship weight: 10 lbs.

LRAD191855-CU



- ◆Dimensions: 19" x 18" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 19" x 18" x 5-1/2", Single Bowl **Drop-in ADA Sink**



ADA Compliant Made in USA Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths **Optional Accessories**

Drain LKVR18-CU

Ship dims: 26-1/4" x 24-1/4" x 8-1/2"


Approx. ship weight: 10 lbs.

LRAD191865PD



- ♦ Dimensions: 19" x 18" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 19" x 18" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Optional Accessories


Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 10 lbs.

LRAD172255

- ♦ Dimensions: 17" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories
Bottom grid

LKWOBG1316SS

Drain LK99

LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-

3/16"


Approx. ship weight: 13 lbs.

LRAD172255-CU



- ♦ Dimensions: 17" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 17" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths

Optional Accessories Drain

LKVR18-CU


Ship dims: 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.



LRAD172265PD

- ◆Dimensions: 17" x 22" x 6-1/2"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer

ADA Compliant Built in USA

Optional Accessories

Bottom grid LKWOBG1316SS

Drain LKPDVR18B

LKPDAD18B LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"


Approx. ship weight: 13 lbs.

LRAD172055



- ♦ Dimensions: 17" x 20" x 5-1/2"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 20" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Drain LK99 LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-

3/16"


Approx. ship weight: 12 lbs.

LRAD172065PD



- ◆ Dimensions: 17" x 20" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 20" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Optional Accessories

Drain

LKPDVR18B LKPDAD18B LKDS99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 12 lbs.



- ◆Dimensions: 17" x 16" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 17" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Drain

LK99 LKAD35

Ship dims: 17-5/16" x 8-13/16" x 22-

15/16"


Approx. ship weight: 8 lbs.

LRAD171665PD



- ◆Dimensions: 17" x 16" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 17" x 16" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant

Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Drain

LKPDVR18B

LKPDAD18B

LKDS99

Ship dims: 23-1/2" x 19-3/4" x 12-1/2"


Approx. ship weight: 8 lbs.

LRAD152255



- ◆Dimensions: 15" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths

Optional Accessories

Bottom grid

LKWOBG1116SS

Drain

LK99 LKAD35

Ship dims: 23-5/16" x 8-15/16" x 23-

3/16"


Approx. ship weight: 10 lbs.



LRAD152255-CU

- ◆Dimensions: 15" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 15" x 22" x 5-1/2", Single Bowl **Drop-in ADA Sink**



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths **Optional Accessories** Drain LKVR18-CU


Ship dims: 26-1/4" x 24-1/4" x 8-1/2" Approx. ship weight: 12 lbs.

LRAD152265PD



- ◆Dimensions: 15" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 15" x 22" x 6-1/2", Single **Bowl Drop-in ADA Sink with Perfect Drain**



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA Optional Accessories Bottom grid LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99


Ship dims: 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 12 lbs.

LRAD151755



- ◆Dimensions: 15" x 17-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with

5", 6" and 6-1/2" depths **Optional Accessories**

Drain

LK99 LKAD35

Ship dims: 20-13/16" x 7-13/16" x 21-

13/16"

Approx. ship weight: 10 lbs.




LRAD151765PD



- ◆Dimensions: 15" x 17-1/2" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with Quick-Clip Mounting System

Optional Accessories

Drain LKPDVR18B LKPDAD18B LKDS99

Ship dims: 23-5/16" x 19-9/16" x 10-


1/16"

Approx. ship weight: 10 lbs.

LRAD131655

- ◆Dimensions: 13" x 16" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories

Drain LK99 LKAD35


Ship dims: 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.

LRAD131655-CU



- ◆Dimensions: 13" x 16" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

Elkay CuVerro Antimicrobial Copper 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths

Optional Accessories Drain

LKVR18-CU

Ship dims: 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.




LRAD131665PD



- ◆Dimensions: 13" x 16" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 13" x 16" x 6-1/2", Single **Bowl Drop-in ADA Sink with Perfect Drain**



Includes: One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Drain

LKPDVR18B LKPDAD18B

LKDS99

Ship dims: 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 10 lbs.

ELGAD3322PD

- ♦ Dimensions: 33" x 22" x 5-1/2"
- ◆ Available in Pre-scored for up to 5 faucet
- ♦3-5/8" (92mm) drain opening
- ♦36" minimum cabinet size
- ◆ Features: Perfect Drain



(BK)








Mocha White (MC) (WH)

Elkay Quartz Classic 33" x 22" x 5-1/2", Drop-in ADA Sink with **Perfect Drain**



Includes: Two LKPDQ1CR Perfect


Drains and strainers. **Optional Accessories**

Drain LKPDQ1LS

Ship dims: 37-1/8" x 26-1/4" x 11" Approx. ship weight: 46 lbs.

- ◆Dimensions: 33" x 22" x 5-1/2"
- ♦18 gauge
- **◆**Lustrous Satin finish
- Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Equal **Double Bowl Drop-in ADA Sink**



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG1316SS

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 9-1/2"

Approx. ship weight: 23 lbs.

ECTSRAD33226TBG

- ◆Dimensions: 33" x 22" x 6"
- ♦18 gauge
- ◆ Polished Satin finish
- ♦ Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ◆ Features: Slim Rim

Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl **Dual Mount ADA Sink Kit**



Includes: ECTSRAD33226T Sink, two

CTXBG1315 Bottom Grids

Optional Accessories

Drain LKDD LK35


Ship dims: 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

LRAD332265PD



- ◆Dimensions: 33" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG1316SS

Drain

LKPDVR18B LKPDAD18B LKDS99


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.



- ◆Dimensions: 33" x 21-1/4" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 21-1/4" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths

Quick-Clip Mounting System

Optional Accessories
Bottom grid

LKWOBG1316SS

Drain

LK99


LKAD35

Ship dims: 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

LRAD331955

- ♦ Dimensions: 33" x 19-1/2" x 5-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 20 lbs.

LRAD331965PD



- ◆Dimensions: 33" x 19-1/2" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 6-1/2", Double Bowl Drop-in ADA Sink w/Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Drain

LKPDVR18B LKPDAD18B


LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 20 lbs.

- ◆Dimensions: 29" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 29" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG1116SS

Drain

LK99

LKAD35


Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.

LRAD292265PD

- ◆Dimensions: 29" x 22" x 6-1/2"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size
- ♦ Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 29" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG1116SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

Ship dims: 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 17 lbs.

LRAD291855



- ◆Dimensions: 29" x 18" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

Elkay Lustertone Classic Stainless Steel 29" x 18" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Drain

LK99 LKAD35

Ship dims: 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 16 lbs.

Approx. Simp weight. 16 ibs.





CUSTOM

Modify an Existing SKU




Shown: WNSF81362



Weldbilt Scullery Sinks

- Superior quality 14-gauge, Type 304 stainless steel.
- Designed to withstand the heavy-duty requirements of hotel, restaurant, cafeteria and other commercial kitchens.
- Sink compartments have welded 1/4" radius coved corner construction; ground smooth for easy cleaning.
- Channel rim design with 2" apron, slanting sanitary turn under and inward sloping rim to minimize spillage.
- 8" high, full-length, sloped backsplash resists grime and is 2" thick to allow for plumbing.
- Sink polished to a uniform Lustrous Satin finish.
- Sink compartment pitched to drain.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable, bullet-shaped stainless steel feet.
- Carries NSF International certification.



Optional Accessories

24" Detachable Drainboard

\$974.00

Single compartment - no drainboard								
Model	List Price Overall Overall Bowl Length Width Length							
WNSF81242	\$2,907.00	27"	27-1/2"	24"	24"			
WNSF81302	\$3,110.00	33"	27-1/2"	30"	24"			
WNSF81362	\$3,351.00	39"	27-1/2"	36"	24"			



Single compartment - left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124L2	\$4,102.00	49-1/2"	27-1/2"	24"	24"	24"
WNSF8130L2 ⅔ ⊗	\$4,194.00	55-1/2"	27-1/2"	30"	24"	24"
WNSF8136L2 🖫	\$4,437.00	61-1/2"	27-1/2"	36"	24"	24"



W	NS	FR'	124	12

Single compartment - right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8124R2	\$4,102.00	49-1/2"	27-1/2"	24"	24"	24"	
WNSF8130R2	\$4,194.00	55-1/2"	27-1/2"	30"	24"	24"	
WNSF8136R2 🖫	\$4,437.00	61-1/2"	27-1/2"	36"	24"	24"	



WNSF8124R2

Single compartment - left and right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8124LR2	\$5,180.00	72"	27-1/2"	24"	24"	24"
WNSF8130LR2 \ S \ \O	\$5,274.00	78"	27-1/2"	30"	24"	24"
WNSF8136LR2 🖫	\$5,527.00	84"	27-1/2"	36"	24"	24"





Weldbilt Scullery Sinks

Double compartment - no drainboard								
Model	List Price	Overall	Overall	Bowl	Bowl			
Model	LISCFFICE	Length	Width	Length	Width			
WNSF82302 ☒ ◎	\$4,223.00	33"	27-1/2"	15"	24"			
WNSF82362 ፮	\$4,458.00	39"	27-1/2"	18"	24"			
WNSF82422 ₺ 🛇	\$4,709.00	45"	27-1/2"	21"	24"			
WNSF82482 \$	\$4,933.00	51"	27-1/2"	24"	24"			
WNSF82542 ₺ 🛇	\$5,268.00	57"	27-1/2"	27"	24"			
WNSF82602 🖫	\$5,565.00	63"	27-1/2"	30"	24"			



Double compartment - left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230L2 ☒ ◊	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"
WNSF8236L2 ☒ ◎	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"
WNSF8248L2 ☒ ◎	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"
WNSF8254L2 ☒ ◊	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"
WNSF8260L2 ☒ ◎	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"



Double compartment - right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8230R2 ፮	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"	
WNSF8236R2 ∑	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"	
WNSF8248R2 🖫	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"	
WNSF8254R2 ☒ ◊	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"	
WNSF8260R2 ☒ ◊	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"	



Double compartment - left and right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
WNSF8230LR2 🖁	\$6,387.00	78"	27-1/2"	15"	24"	24"
WNSF8236LR2 ☒ ◎	\$6,626.00	84"	27-1/2"	18"	24"	24"
WNSF8248LR2 🖁	\$7,107.00	96"	27-1/2"	24"	24"	24"
WNSF8254LR2 🖫	\$7,430.00	105"	27-1/2"	27"	24"	24"
WNSF8260LR2 🖫	\$7,723.00	108"	27-1/2"	30"	24"	24"



Triple compartment - no drainboard								
Model	List Price	Overall	Overall	Bowl	Bowl			
Widdei	LIST PITCE	Length	Width	Length	Width			
WNSF83454 \$	\$5,901.00	48"	27-1/2"	15"	24"			
WNSF83544 \$	\$6,407.00	57"	27-1/2"	18"	24"			
WNSF83604 ₺ 🛇	\$6,702.00	63"	27-1/2"	20"	24"			
WNSF83724 \$	\$7,267.00	75"	27-1/2"	24"	24"			



WNSF83544



Weldbilt Scullery Sinks

Triple compartment - left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8345L4 🖁 🛇	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"	
WNSF8354L4 🖁 🛇	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"	
WNSF8372L4 ₺ 🛇	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"	



Triple compartment - right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8345R4 ₺ 🛇	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"	
WNSF8354R4 🖫	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"	
WNSF8372R4 🖁 🛇	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"	



WNSF8345R4

Triple compartment - left and right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8345LR4 🖫	\$8,070.00	93"	27-1/2"	15"	24"	24"	
WNSF8354LR4 🖫	\$8,567.00	102"	27-1/2"	18"	24"	24"	
WNSF8360LR4 🖫	\$8,860.00	108"	27-1/2"	20"	24"	24"	
WNSF8372LR4 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	\$9,430.00	120"	27-1/2"	24"	24"	24"	



WNSF8345LR4

FOODSERVICE

ELKAY

Rigidbilt Scullery Sinks

- 16-gauge, Type 304 stainless steel.
- Large die-drawn sink compartments pitched to drain.
- Seamless drawn 3-1/2" radius coved corners.
- Exposed surfaces blended into a Lustrous Satin finish.
- Steel channel-reinforced drainboards have a conical shaped pitch for drainage.
- 8" high, full-length backsplash with 45-degree sloped top to resist dirt and grime.
- 2" thick backsplash to allow for plumbing.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs with cross-brace supports.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage.

\$3,833.00

Single compartment - no drainboard								
Model	Bowl Length	Bowl Width						
RNSF81182	\$2,359.00	27"	29-3/4"	18"	24"			
RNSF81242 \$2,542.00 33" 29-3/4" 24" 24"								



RNSF81182

Single compartment - left and right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
RNSF8118LR2 \∑ \O	\$3,304.00	57"	29-3/4"	18"	24"	19-1/2"
RNSF8124LR2 🖫	\$3,877.00	63"	29-3/4"	24"	24"	19-1/2"



Double compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
DNICE83363	\$3 177 NN	//7 ₋ 1///"	20-3//"	18"	24"	7 1		

59-1/4"



RNSF82362

Double compartment - left and right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
RNSF8236LR2	\$4,394.00	77-1/4"	29-3/4"	18"	24"	19-1/2"
RNSF8248LR2 \∑ \O	\$5,489.00	89-1/4"	29-3/4"	24"	24"	19-1/2"

29-3/4"

24"

24"



RNSF8236LR2

RNSF82482 💈 ◊



Rigidbilt Scullery Sinks

Triple compartment - no drainboard									
Model List Price Overall Overall Bowl Bowl Length Width Length Wid									
RNSF83544 ∑ ⊗	\$4,136.00	67-1/2"	29-3/4"	18"	24"				
RNSF83724 ₺ 🛇	\$5,015.00	85-1/2"	29-3/4"	24"	24"				



RNSF83544

Triple compartment - left and right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
RNSF8354LR4	\$5,456.00	97-1/2"	29-3/4"	18"	24"	19-1/2"
RNSF8372LR4 \∑	\$6,911.00	115-1/2"	29-3/4"	24"	24"	19-1/2"





RNSF8354LR4

FOODSERVICE

ELKAY

- 16 Gauge 300 Series Stainless Steel Construction
- 10", 12" or 14" deep bowls with 3/4" coved corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 9"or 10" backsplash with tile ledge for easy installation.





1 Compartment - 12" deep bowl									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
1C18X18-0X	\$1,081.00	23"	23-3/4"	18"	18"				
1C18X24-0X	\$1,128.00	23"	29-3/4"	18"	24"				
1C24X24-0X	\$1,315.00	29"	29-3/4"	24"	24"				



1 Compartment - 12" deep bowl, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
1C18X18-L-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"	
1C24X24-L-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"	



1C1	8X24-	L-18X
-----	-------	-------

1 Compartment - 12" deep bowl, right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
1C18X18-R-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"
1C24X24-R-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"



1C18X24-R-18X

1 Compartment - 12" deep bowl, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
1C18X18-2-18X	\$1,523.00	54"	29-3/4"	18"	18"	18"	
1C18X24-2-24X	\$1,784.00	66"	29-3/4"	18"	24"	24"	
1C24X24-2-24X	\$2,115.00	72"	29-3/4"	24"	24"	24"	



1C18X18-2-18X

1 Compartment - 14" deep bowl										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
14-1C16X20-0X	\$1,072.00	21"	25-3/4"	16"	20"					
14-1C18X24-0X	\$1,206.00	23"	29-3/4"	18"	24"					
14-1C22X22-0X	\$1,242.00	27"	27-3/4"	22"	22"					
14-1C24X24-0X	\$1,293.00	29"	29-3/4"	24"	24"					



14-1C16X20-0X



1 Compartment - 14" deep bowl, left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
14-1C16X20-L-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"			
14-1C18X24-L-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"			



1	4-1	1C1	6X20-	L-18X
---	-----	-----	-------	-------

1 Compartment - 14" deep bowl, right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
14-1C16X20-R-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"			
14-1C18X24-R-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"			



14-1C16X20-R-18X

1 Compartment - 14" deep bowl, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-1C16X20-2-18X	\$1,606.00	52"	25-3/4"	16"	20"	18"		



14-1C16X20-2-18X

2 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
2C18X18-0X	\$1,620.00	43"	23-3/4"	18"	18"				
2C18X24-0X	\$1,682.00	43"	29-3/4"	18"	24"				
2C24X24-0X	\$2,101.00	55"	29-3/4"	24"	24"				



2C18X24-0X

2 Compartments - 12" deep bowls, left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
2C18X18-L-18X	\$1,847.00	58-1/2"	23-3/4"	18"	18"	18"			
2C18X18-L-24X	\$2,003.00	64-1/2"	23-3/4"	18"	18"	24"			



2C18X24-L-18X

2 Compartments - 12" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
2C18X18-2-18X	\$2,174.00	74"	23-3/4"	18"	18"	18"			
2C18X18-2-24X	\$2,306.00	86"	23-3/4"	18"	18"	24"			
2C18X24-2-18X	\$2,185.00	74"	29-3/4"	18"	24"	18"			
2C24X24-2-24X	\$2,879.00	98"	29-3/4"	24"	24"	24"			



2C18X24-2-18X



2 Compartments - 14" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
14-2C16X20-0X	\$1,625.00	39"	25-3/4"	16"	20"				
14-2C18X24-0X	\$1,916.00	43"	29-3/4"	18"	24"				



2 Compartments - 14" deep bowls, left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
14-2C18X24-L-18X	\$2,133.00	58-1/2"	29-3/4"	18"	24"	18"			



2 Compartments - 14" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
14-2C16X20-2-18X	\$2,115.00	70"	25-3/4"	16"	20"	18"			
14-2C18X24-2-18X	\$2,379.00	74"	29-3/4"	18"	24"	18"			
14-2C24X24-2-24X	\$2,949.00	98"	29-3/4"	24"	24"	24"			



3 Compartments - 10" deep bowls							
Model List Price Overall Overall Bowl Bowl Length Width Length Width							
3C10X14-0X	\$1,615.00	39"	19-3/4"	10"	14"		
3C12X16-0X	\$1,651.00	45"	21-3/4"	12"	16"		



3 Compartments - 12" deep bowls							
Model List Price Overall Overall Bowl Bowl Length Width Length Width							
3C18X18-0X	\$2,129.00	63"	23-3/4"	18"	18"		
3C18X24-0X	\$2,334.00	63"	29-3/4"	18"	24"		



3 Compartments - 10" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C10X14-L-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"	



3C10X14-L-12X



3 Compartments - 10" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C10X14-R-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"	



3C10X14-R-12X

3 Compartments - 10" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C10X14-2-12X	\$1,869.00	58"	19-3/4"	10"	14"	12"	
3C10X14-2-16X	\$1,942.00	66"	19-3/4"	10"	14"	16"	
3C12X16-2-12X	\$2,129.00	64"	21-3/4"	12"	16"	12"	
3C12X16-2-16X	\$2,146.00	72"	21-3/4"	12"	16"	16"	



3C10X14-2-12X

3 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C16X20-2-18X	\$2,599.00	88"	25-3/4"	16"	20"	18"	
3C18X18-2-18X	\$2,868.00	94"	23-3/4"	18"	18"	18"	
3C18X18-2-24X	\$2,633.00	106"	29-3/4"	18"	18"	24"	
3C18X24-2-18X	\$3,061.00	94"	29-3/4"	18"	24"	18"	
3C18X24-2-24X	\$3,195.00	106"	29-3/4"	18"	24"	24"	
3C24X24-2-24X	\$3,368.00	124"	29-3/4"	24"	24"	24"	



3C18X24-2-18X

3 Compartments - 14" deep bowls								
Model	List Price	Bowl Width						
14-3C16X20-0X	\$2,093.00	57"	25-3/4"	16"	20"			
14-3C18X24-0X	\$2,311.00	63"	29-3/4"	18"	24"			
14-3C24X24-0X	\$2,930.00	81"	29-3/4"	24"	24"			



3 Compartments - 14" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-3C16X20-L-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"	



14-3C16X20-L-18X

3 Compartments - 14" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-3C16X20-R-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"	



14-3C16X20-R-18X




3 Compartments - 14" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-3C16X20-2-18X	\$2,639.00	88"	25-3/4"	16"	20"	18"		
14-3C16X20-2-24X	\$2,954.00	100"	25-3/4"	16"	20"	24"		
14-3C18X24-2-18X	\$3,120.00	94"	29-3/4"	18"	24"	18"		
14-3C18X24-2-24X	\$3,251.00	104"	29-3/4"	18"	24"	24"		
14-3C20X20-2-20X	\$3,089.00	106"	25-3/4"	20"	20"	20"		
14-3C24X24-2-24X	\$2,750.00	124"	29-3/4"	24"	24"	24"		



14-3C16X20-2-18X



- 18 Gauge 300 Series Stainless Steel Construction
- 11", 12" or 14" deep bowls with 3/4" coved corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 8" or 9" backsplash with tile ledge for easy installation.



1 Compartment - 11" deep bowl							
Model	Model List Price			Bowl Length	Bowl Width		
SE1C18X18-0X	\$949.00	23"	23-3/4"	18"	18"		
SE1C24X24-0X	\$1,212.00	29"	29-3/4"	24"	24"		



1 Compartment - 11" deep bowl, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
SE1C18X18-L-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"	



1 Compartment - 11" deep bowl, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
SE1C18X18-R-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"	



1 Compartment - 12" deep bowl							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
E1C16X20-0X	\$712.00	21"	25-3/4"	16"	20"		
E1C20X20-0X	\$1,041.00	25"	25-3/4"	20"	20"		
E1C24X24-0X	\$1,223.00	29"	29-3/4"	24"	24"		



1 Compartment - 12" deep bowls							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
B1C18X18X	\$974.00	21"	21-1/2"	18"	18"		
B1C18X21X	\$982.00	21"	24-1/2"	18"	21"		
B1C24X24X	\$1,147.00	27"	27-1/2"	24"	24"		





1 Compartment - 12" deep bowl, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E1C16X20-L-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"	
E1C20X20-L-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"	
E1C24X24-L-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"	



1 Compartment - 12" deep bowl, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E1C16X20-R-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"	
E1C20X20-R-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"	
E1C24X24-R-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"	



- 1	C1	CVA	n n	101/
- 1	()	6X2)-K-	- I X X

1 Compartment - 14" deep bowl							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
S1C18X18-0X	\$996.00	23"	23-3/4"	18"	18"		
S1C24X24-0X	\$887.00	29"	29-3/4"	24"	24"		



1 Compartment - 14" deep bowl, left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S1C18X18-L-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"



1 Compartment - 14" deep bowl, right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S1C18X18-R-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"



S1C18X18-R-18X

1 Compartment - 14" deep bowl, left and right drainboards						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
S1C18X18-2-18X	\$1,386.00	54"	23-3/4"	18"	18"	18"



S1C18X18-2-18X



2 Compartments - 11" deep bowls, left and right drainboards						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SE2C18X18-2-18X	\$1,928.00	72"	23-3/4"	18"	18"	18"



SE2C18x18-2-18X

2 Compartments - 12" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
B2C18X21X	\$1,568.00	39"	24-1/2"	18"	21"			
B2C24X24X	\$1,802.00	51"	27-1/2"	24"	24"			
E2C16X20-0X	\$1,125.00	39"	25-3/4"	16"	20"			
E2C20X20-0X	\$1,640.00	47"	25-3/4"	20"	20"			
E2C24X24-0X	\$1,830.00	55"	29-3/4"	24"	24"			



E2C16X20-0X

2 Compartments - 12" deep bowls, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E2C16X20-L-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"		



E2C16X20-L-18X

2 Compartments - 12" deep bowls, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E2C16X20-R-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"		



E2C16X20-R-18X

2 Compartments - 14" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S2C18X18-L-18X	\$1,691.00	56-1/2"	26-3/4"	18"	18"	18"	



S2C18X18-L-18X

2 Compartments - 14" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S2C18X18-2-18X	\$1,797.00	72"	23-3/4"	18"	18"	18"	



S2C18X18-2-18X

2 Compartments - 12" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E2C16X20-2-18X	\$1,369.00	70"	25-3/4"	16"	20"	18"		
E2C20X20-2-20X	\$2,112.00	82"	25-3/4"	20"	20"	20"		
E2C24X24-2-24X	\$2,543.00	98"	29-3/4"	24"	24"	24"		



E2C16X20-2-18X



3 Compartments - 11" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SE3C18X18-2-18X	\$2,467.00	90"	23-3/4"	18"	18"	18"		
SE3C24X24-2-24X	\$2,940.00	120"	29-3/4"	24"	24"	24"		



SE3C18x18-2-18X

3 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
B3C12X21X	\$1,836.00	39"	24-1/2"	12"	21"				
B3C18X21X	\$1,525.00	57"	24-1/2"	18"	21"				
E3C16X20-0X	\$1,419.00	57"	25-3/4"	16"	20"				
E3C24X24-0X	\$2,244.00	81"	29-3/4"	24"	24"				



	_	0,	`~	, ,	/١

3 Compartments - 12" deep bowls, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E3C16X20-L-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"		



E3C16X20-L-18X

3 Compartments - 12" deep bowls, right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E3C16X20-R-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"		



E3C16X20-R-18X

3 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E3C16X20-2-18X	\$1,734.00	88"	25-3/4"	16"	20"	18"	
E3C20X20-2-20X	\$2,641.00	104"	25-3/4"	20"	20"	20"	
E3C24X24-2-24X	\$3,198.00	124"	29-3/4"	24"	24"	24"	



3 Compartments - 14" deep bowls, left and right drainboards								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
S3C18X18-2-18X	\$2,583.00	90"	23-3/4"	18"	18"	18"		
S3C24X24-2-24X	\$2,429.00	120"	29-3/4"	24"	24"	24"		



S3C18X18-2-18X



Hand Wash Sinks, Pedestal Mount & Wall Mount

- 18 Gauge 300 Series Stainless Steel Construction
- Easy to clean and sanitize.
- 1-1/2" drain opening.
- NSF certified.

Splash mounted basic								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EHS-14X	\$453.00	14"	16-1/2"	10"	12"			
EHS-18X	\$468.00	18"	14-1/2"	14"	10"			
SEHS-17X	\$228.00	17"	15"	14"	10"			



EHS-14X

Splash mounted with knee valve								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EHS-18-KVX	\$1,888.00	18"	14-1/2"	14"	10"			



EHS-18-KVX

Splash mounted with pedestal base and foot valve								
Model	Overall Width	Bowl Length	Bowl Width					
EHS-14-PEDX	\$2,931.00	14"	16-1/2"	10"	12"			
EHS-18-PEDX	\$2,123.00	18"	14-1/2"	14"	10"			



EHS-14-PEDX

Splash mounted with side splashes								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EHS-18-SSX	\$440.00	18"	14-1/2"	14"	10"			



EHS-18-SSX

Splash mounted with side splashes, lever waste, overflow, and p-trap								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EHS-18-SDX	\$1,224.00	18"	14-1/2"	14"	10"			



EHS-18-SDX



Hand Wash Sinks, Pedestal Mount & Wall

Splash mounted with soap and towel dispenser								
Model	Model List Price Overall Overall Bowl Bowl Length Width Length Wi							
EHS-18-STDX	\$1,551.00	18"	14-1/2"	14"	10"			



EHS-18-STDX

300 Series Stainless Steel Drop-in Sinks

- 18 Gauge 300 Series Stainless Steel Construction
- 3-1/2" drain opening.
- Strainer and faucet included.
- NSF certified.

1 Compartment - 10" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
DI-1C-101410X	\$605.00	13-1/2"	19-1/2"	10"	14"			



DI-1C-101410X

1 Compartment - 6" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
DI10126X	\$663.00	12"	16-3/4"	10"	12"				



3 Compartments - 1	3 Compartments - 10" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
DI-3C-101410X	\$949.00	37"	19-1/2"	10"	14"					



D1-3C-101410

Floor Service Sinks

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"



FLR-3X

FOODSERVICE



Floor Service Sinks

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"



FLR-3X



Work Tables Standard Series

- 16 Gauge 304 Series Stainless Steel Construction
- Two galvanized hat channels per table.
- 1-5/8" heavy gauge tubing with fully adjustable 1" feet.
- Available with under shelf or cross bracing.
- Tables are shipped knocked down.
- Work tables larger than 72" have 6 legs.
- Backsplash models are 4" with 1" return.
- Carries NSF certification for foodservice application.

		1
		36" (914mm)
		(914mm)
岀	Side view	<u> </u>

Flat top with stainless steel cross brace and legs						
List Price	Overall Length	Overall Width				
\$1,404.00	84"	30"				
	List Price	List Price Overall Length				



Flat top with stainless steel under shelf and legs						
Model	List Price	Overall Length	Overall Width			
WT24S36-STSX	\$617.00	36"	24"			
WT24S48-STSX	\$730.00	48"	24"			
WT24S60-STSX	\$897.00	60"	24"			
WT24S72-STSX	\$1,065.00	72"	24"			
WT30S120-STSX	\$1,935.00	120"	30"			
WT30S48-STSX	\$774.00	48"	30"			
WT30S60-STSX	\$968.00	60"	30"			
WT30S72-STSX	\$1,078.00	72"	30"			
WT30S84-STSX	\$1,329.00	84"	30"			





Wash Lavatory Sinks, Rectangular **Compartment**

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 22" x 19" x 10".
- Bowl dimensions 16" x 11-1/2" x 5-1/2".
- 1-3/4" coved corners, 2-1/2" high backsplash, and 2-1/2" apron front and sides.
- Front and side decks with raised rim.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.





ELVWO2219SACC

ELV2219 series &						
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
ELV22191	\$1,617.00					1
ELV22193	\$1,617.00					3
ELV2219CS3	\$1,617.00					CS3
ELV2219SACC ▼	\$2,442.00				•	1
ELV2219SACMC ▼	\$2,578.00		•		•	1
ELV2219SACTMC ▼	\$2,757.00			•	•	1
ELVWO22191	\$1,659.00	•				1
ELVWO22193	\$1,659.00	•				3
ELVWO2219CS3	\$1,659.00	•				CS3
ELVWO2219SACC ▼	\$2,484.00	•			•	1
ELVWO2219SACMC ▼	\$2,620.00	•	•		•	1
ELVWO2219SACTMC ▼	\$2,798.00	•		•	•	1

^{*}Includes LKB721C sensor faucet and AC/battery power.

LAVATORY



Wash Lavatory Sinks, Oval Compartment

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 18" x 17-1/16" x 5-13/16".
- Bowl dimensions 13-5/8" x 10-1/8" x 5-13/16".
- Anti-splash rim.
- 5-1/2" high backsplash.
- 2" wide apron.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 1-5/8" drain opening.
- Furnished with stainless steel wall support brackets.

ELV1817 &		
Model	List Price	Holes
ELV18173	\$1,525.00	3
ELV1817CS3	\$1,525.00	CS3



ELV1817CS3

ELKAY

Wheelchair Wash Lavatory Sinks

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 19" x 23" x 9".
- Bowl dimensions 13-1/2" x 16" x 4".
- Uniform Lustrous Satin finish.
- 1-3/4" coved corners, 2-1/2" apron, front and sides, and 2-1/2" high backsplash.
- Wide top deck with raised rim.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.


Sensor faucet packages	ė.			
Model	List Price	Overflow	Faucet*	Holes
WCL1923OSDC	\$2,200.00		•	3
WCLWO1923OSDC	\$2,244.00	•	•	3





WCLWO1923OSDC

Sensor faucet kits &						
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
WCL1923OSDSACC ▼	\$2,147.00				•	1
WCL1923OSDSACMC ▼	\$2,284.00		•		•	1
WCL1923OSDSACTMC ▼	\$2,461.00			•	•	1
WCLWO1923OSDSACC ▼	\$2,192.00	•			•	1
WCLWO1923OSDSACMC ▼	\$2,327.00	•	•		•	1
WCLWO1923OSDSACTMC ▼	\$2,505.00	•		•	•	1



Sink only &			
Model	List Price	Overflow	Holes
WCL1923OSD1	\$1,323.00		1
WCL1923OSD3	\$1,323.00		3
WCLWO1923OSD1	\$1,365.00	•	1
WCLWO1923OSD3	\$1,365.00	•	3





WCL1923OSDC

WCLWO1923OSDSACC



Multiple Station Urinals

- 14-gauge, Type 304 stainless steel.
- Welded seamless 1/4" coved corners.
- Full-length sloping backsplash with flush pipe.
- 1-1/2" wide top channel rims with 2" flat front apron.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with continuous-length wall hanger and integral stainless steel mounting "Z" brackets.
- Exposed surfaces polished to a Satin finish; easy to clean and sanitize.
- Designed for use with any water control flush valve, time valve or tank.
- Easy to clean and sanitize.
- LK177 strainer included.

With exposed flush pipe						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EU4814C ⅔ ⊗	\$3,789.00	48"	14"	46-1/2"	11"	
EU6014C 🖫	\$4,060.00	60"	14"	58-1/2"	11"	



EU4814C

With integral hood					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EUH4814C ∑	\$4,245.00	48"	14"	46-1/2"	11"
EUH6014C 🖫	\$4,528.00	60"	14"	58-1/2"	11"



EUH4814C

SCRUB AND HAND WASH

ELKAY

Surgeon's Lavatory Sinks With Instrument Trays

- 16-gauge, Type 304 stainless steel.
- Sink dimensions 28" x 20" x 14".
- Bowl dimensions 14" x 14" x 7-1/2".
- Integral instrument tray dimensions 3-3/4" x 14".
- 1-3/4" coved corners.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with stainless steel support brackets.
- Mounts 1-1/2" from wall.
- 2" drain opening.
- Easy to clean and sanitize.













ESLV2820W6C wristblade faucet packages Grid **List Price** Model Faucet* **Holes** Drain ESLV2820W6C ₺ ▼ \$4,532.00

^{*}Includes faucet LK940GN05T6H.

Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
ESLV2820SACC ▼	\$5,034.00			•	•	1	
ESLV2820SACMC ♥	\$5,170.00	•		•	•	1	
ESLV2820SACTMC \∑ ▼	\$5,348.00		•	•	•	1	

^{*}Includes LKB721C sensor faucet and AC/battery power.

Foot control package			
Model	List Price	Grid Drain	Holes
ESLV2820FC ▼	\$5,492.00	•	1

Includes LK398C foot control and LK396A spout.

Knee control package				
Model	List Price	Grid Drain Holes		
ESLV2820KC ▼	\$5,867.00	•	1	

Includes LK397C knee control and LK396A spout.





ESLV2820SACC



Surgeon's Lavatory Sinks With Instrument Trays

Sink only				
Model	List Price	Holes		
ESLV28201 ፮	\$4,145.00	1		
ESLV28203 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	\$4,145.00	3		



ESLV28201



Wall Scrub Sinks 25" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 25" x 19-1/2" x 10-1/2".
- Bowl dimensions 22" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support
- 6" high, full-length backsplash.

4" wristblade faucet packages			
Model	List Price	Faucet*	Holes
EWS2520W4C ▼	\$2,501.00	•	2

^{*}Includes faucet LK940GN05T4H.



6" wristblade faucet packages			
Model	List Price	Faucet*	Holes
EWS2520W6C ▼	\$2,511.00	•	2

^{*}Includes faucet LK940GN05T6H.



Sensor faucet packages					
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes
EWS2520SACC ▼	\$3,029.00			•	1
EWS2520SACMC ▼	\$3,166.00	•		•	1
EWS2520SACTMC ▼	\$3,344.00		•	•	1

^{*}Includes LKB722C sensor faucet and AC/battery power.

Foot control package			
Model	List Price	Holes	
EWS2520FC ▼	\$3,493.00	1	

Includes LK398C foot control and LK396 spout.





EWS2520SACC



Wall Scrub Sinks 25" x 19-1/2"

Knee control package		
Model	List Price	Holes
EWS2520KC ▼	\$3,656.00	1

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS25201	\$2,102.00	1
EWS25202	\$2,102.00	2



EWS25202



Wall Scrub Sinks 31" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 31" x 19-1/2" x 10-1/2".
- Bowl dimensions 28" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.
- 6" high, full-length backsplash.

4" wristblade faucet packages					
Model	List Price Faucet*				
EWS3120W4C ▼	\$2,636.00	•	2		

^{*}Includes faucet LK940GN05T4H.



6" wristblade faucet packages					
Model	List Price Faucet* Ho				
EWS3120W6C ▼	\$2,646.00	•	2		

^{*}Includes faucet LK940GN05T6H.



Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
EWS3120SACC ▼	\$3,165.00			•	1	
EWS3120SACMC ▼	\$3,300.00	•		•	1	
EWS3120SACTMC ▼	\$3,480.00		•	•	1	

^{*}Includes LKB722C sensor faucet and AC/battery power.

Foot control package		
Model	List Price	Holes
EWS3120FC ▼	\$3,628.00	1

Includes LK398C foot control and LK396A spout.





EWS3120SACC



Wall Scrub Sinks 31" x 19-1/2"

Knee control package		
Model	List Price	Holes
EWS3120KC ▼	\$4,016.00	1

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS31201	\$2,238.00	1
EWS31202	\$2,238.00	2



EWS31202

SCRUB AND HAND WASH

ELKAY

Wall Scrub Sinks, Wall Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger and integral stainless steel support brackets.







CHS1716LRSSACTMC

Lever faucet package						
Model	List Price	Faucet*	Side Splashes	Holes		
CHS1716C	\$1,236.00	•		2		
CHS1716LRSC ▼	\$1,802.00	•	•	2		





CHS1716LRSC

Sensor faucet packages						
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Side Splashes	Holes
CHS1716LRSSACC ▼	\$2,445.00			•	•	1
CHS1716LRSSACMC ▼	\$2,590.00	•		•	•	1
CHS1716LRSSACTMC ▼	\$2,782.00		•	•	•	1
CHS1716SACC ▼	\$1,823.00			•		1
CHS1716SACMC ▼	\$1,970.00	•		•		1
CHS1716SACTMC ▼	\$2,155.00		•	•		1



^{*}Includes LKB722C sensor faucet and AC/battery power.

Sink only			
Model	List Price	Side Splashes	Holes
CHS17161	\$779.00		1
CHS17162	\$779.00		2
CHS1716LRS1	\$1,243.00	•	1
CHS1716LRS2	\$1,243.00	•	2



CHS17162



SCRUB AND HAND WASH

Hand Wash Sinks, Pedestal Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 43".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- Easy to clean and sanitize.
- 2" drain opening.
- 36" floor to rim.
- Stainless steel pedestal.

Foot control packages				
Model	List Price	Grid Drain	Side Splashes	Holes
CHSP1716C	\$1,618.00	•		1
CHSP1716LRSC ▼	\$1,992.00	•	•	1

Includes LK399A foot control and LK395A spout.







Sensor faucet packages								
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Side Splashes	Holes	
CHSP1716LRSSACC ▼	\$2,480.00			•	•	•	1	
CHSP1716LRSSACMC ▼	\$2,627.00	•		•	•	•	1	
CHSP1716LRSSACTMC ▼	\$2,816.00		•	•	•	•	1	
CHSP1716SACC ▼	\$1,945.00			•	•		1	
CHSP1716SACMC ▼	\$2,091.00	•		•	•		1	
CHSP1716SACTMC ℤ ▼	\$2,281.00		•	•	•		1	



^{*}Includes LKB722C sensor faucet and AC/battery power.



Hand Wash Sinks, Wall Mount

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Inverted edge on sink rim.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger support bracket.

Lever faucet package			
Model	List Price	Faucet*	Holes
CHSB1716C	\$659.00	•	2

^{*}Includes faucet LKB400.



CHSB1716C

Sink only		
Model	List Price	Holes
CHSB17162	\$529.00	2



CHSB17162



Single Station Wash Sinks With Right Drainboard

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 49-1/2" x 24" x 18".
- Bowl dimensions 18" x 20-1/2" x 10". Drainboard 30" x 20-1/2".
- 1/4" radius vertical and horizontal coved corners with 1-1/2" rolled rims.
- 8" high, full-length backsplash with 45-degree sloped top.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Easy to clean and sanitize.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Wristblade faucet packages						
Model	List Price	Faucet*	Grid Drain	Holes		
ESS4924RW4C 🖁 ⊘ 🔻	\$4,972.00	•	•	2		
ESS4924RW6C \$ ○ ▼	\$4,981.00	•	•	2		



ESS4924RW4C

^{*}Includes faucet LK940GN08T4H.

Sensor faucet packages								
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
ESS4924RSACC ℤ ▼	\$5,497.00			•	•	1		
ESS4924RSACMC ♥ ▼	\$5,633.00	•		•	•	1		
ESS4924RSACTMC ♥ ▼	\$5,811.00		•	•	•	1		



*Includes LKB722C sensor faucet and AC/battery power.

Foot control package			
Model	List Price	Grid Drain	Holes
ESS4924RFC ₺ ▼	\$5,960.00	•	1

Includes LK398C foot control and LK395A spout.



ESS4924RFC

Knee control package			
Model	List Price	Grid Drain	Holes
ESS4924RKC ₹ ▼	\$6,349.00	•	1

Includes LK397C knee control and LK395A spout.



ESS4924RKC



Single Station Wash Sinks With Right Drainboard

Sink only							
Model	List Price	Holes					
ESS4924R1 🖁	\$4,570.00	1					
ESS4924R2 ⅔ ⊗	\$4,570.00	2					



ESS4924R2

Sink only without backsplash					
Model	List Price				
ESS4220R	\$3,612.00				





Multiple Station Wash Sinks

- 14-gauge, Type 304 stainless steel.
- 1/4" coved corners.
- 1-1/2" wide inward sloping top channel rims with 2" flat apron.
- 10" high, full-length backsplash.
- Square rim corners.
- 3-1/2" drain opening.
- Exposed surfaces are blended by hand to a uniform Lustrous finish.
- Furnished with wall hanger and stainless steel support brackets.

48" two station wash sinks						
Model	List Price	Holes				
EWMA48202	\$3,602.00	2				
EWMA48204	\$3,602.00	4				



Sink dimensions 48" x 20" x 25-3/4". Bowl dimensions 45" x 16-1/2" x 8".

EWMA48204

48" two station wash sinks with wristblade faucet package							
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
EWMA4820C ▼	\$4,316.00			•		4	
EWMA4820SACC ▼	\$5,373.00			•	•	1	
EWMA4820SACMC ▼	\$5,644.00	•		•	•	1	
EWMA4820SACTMC ▼	\$6,002.00		•	•	•	1	



*Includes two LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks						
List Price	Holes					
\$3,932.00	3					
\$3,932.00	6					
	List Price \$3,932.00					



Sink dimensions 60" x 20" x 25-3/4". Bowl dimensions 57" x 16-1/2" x 8".


EWMA60203

60" three station wash sinks with wristblade faucet package							
Model	List Price Mechanical Thermostatic Mixing Valve Mixing Valve Faucet*		Grid Drain	Holes			
EWMA6020C ▼	\$4,962.00			•		6	
EWMA6020SACMC ▼	\$7,142.00	•		•	•	1	
EWMA6020SACTMC ▼	\$7,678.00		•	•	•	1	



^{*}Includes three LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks with sensor faucet package						
Model	List Price	Faucet*	Grid Drain	Holes		
EWMA6020SACC ▼	\$6,734.00	•	•	1		





EWMA6020SACTMC

SCRUB AND HAND WASH



Multiple Station Wash Sinks

72" three station wash sinks					
Model List Price Holes					
EWMA72203	\$4,263.00	3			
EWMA72206	\$4,263.00	6			



Sink dimensions 72" x 20" x 25-3/4". Bowl dimensions 69" x 16-1/2" x 8".

72" three station wash sinks with wristblade faucet package						
Model	List Price	Faucet*	Holes			
EWMA7220C ▼	\$5,293.00	•	6			



^{*}Includes three LK940GN05T4H faucets and one LK18B drain.

EWMA7220C

72" three station wash sinks with sensor faucet packages								
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
EWMA7220SACC ▼	\$7,064.00			•	•	1		
EWMA7220SACMC ▼	\$7,474.00	•		•	•	1		
EWMA7220SACTMC ▼	\$8,008.00		•	•	•	1		



^{*}Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain.

96" four station wash sinks						
Model	List Price	Holes				
EWMA96204	\$5,022.00	4				
EWMA96208	\$5,022.00	8				



Sink dimensions 96" x 20" x 25-3/4". Bowl dimensions 93" x 16-1/2" x 8".

96" four station wash sinks with wristblade faucet						
package						
Model	List Price	Faucet*	Holes			
EWMA9620C ▼	\$6,367.00	•	8			



^{*}Includes four LK940GN05T4H faucets and one LK18B drain.

EWMA9620C

96" four station wash sinks with sensor faucet packages								
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
EWMA9620SACC ▼	\$8,686.00			•	•	1		
EWMA9620SACMC ▼	\$9,230.00	•		•	•	1		
EWMA9620SACTMC ▼	\$9,942.00		•	•	•	4		



^{*}Includes four LKB722 sensor faucets, AC/battery power, and one LK18B drain.



Knee Operated Wash Sinks

- 16-gauge, Type 304 stainless steel.
- Knee-operated water and soap push panels.
- Exposed surfaces are polished to a Satin finish.
- Latched front panel.
- User-adjustable water temperature valve.
- Full-length backsplash.
- 3-1/2" drain opening.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.

Single compartment with knee operated soap and water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF13026KWSC 🛮	\$10,853.00	30"	23"	26"	16-1/4"	

Includes LK394A spout and LK18B drain.



EWSF13026KWSC

Single compartment with knee operated water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF13026KWC 🖫	\$9,608.00	30"	23"	26"	16-1/4"	

Includes LK394A spout and LK18B drain.

Double compartment with knee operated soap and water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF26026KWC 🖫	\$11,739.00	60"	23"	26"	16-1/4"	

Includes two LK394A spouts and two LK18B drains.



20020000

Double compartment with knee operated water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF26026KWSC 💈	\$12,789.00	60"	23"	26"	16-1/4"	

Includes two LK394A spouts and two LK18B drains.

Triple compartment with knee operated soap and water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF39026KWC 🖫	\$13,860.00	90"	23"	28"	16-1/4"	

Includes three LK394A spouts and three $\overline{\text{LK18B}}$ drains.



EWSF39026KWC

Triple compartment with knee operated water						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF39026KWSC 🖫	\$15,435.00	90"	23"	28"	16-1/4"	

Includes three LK394A spouts and three LK18B drains.



Sensor-Operated Wash Sinks

- 16-gauge, Type 304 stainless steel.
- Keyed access door(s) to hide plumbing.
- 4" high, full-length backsplash.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Coved corners.
- Wall hanger.
- Full enclosure.
- Exposed surfaces are polished to a uniform Lustrous
- 3-1/2" drain opening.
- Double and triple compartment models include removable clear acrylic partitions.

Single compartment sensor faucet package							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF13026SACC ▼	\$6,880.00	30"	23"	26"	16-1/4"		

Includes LKB721C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.



EWSF13026SACC

ADA compliant single compartment sensor faucet package &						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSFAD13620SACC ▼	\$8,784.00	33"	16-13/16"	33"	16-1/2"	

Includes LKB722C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.



F\M/SEA	D1362	nsacc

Single compartment sink							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF130261	\$5,531.00	30"	23"	26"	16-1/4"		



EWSF130261

ADA compliant single compartment sink						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSFAD136201	\$7,878.00	33"	16-13/16"	33"	16-1/2"	



EWSFAD136201



Sensor-Operated Wash Sinks

Double compartment sensor faucet package						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF26026SACC ▼	\$8,924.00	60"	23"	28"	16-1/4"	



EWSF26026SACC

Double compartment sink						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF260262	\$6,233.00	60"	23"	28"	16-1/4"	



EWSF260262

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

Triple compartment sensor faucet package						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF39026SACC ▼	\$11,521.00	90"	23"	28"	16-1/4"	



Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

EWSF39026SACC

Triple compartment sink						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF390263	\$7,485.00	90"	23"	28"	16-1/4"	



EWSF390263



Wall Service Sinks

- 14-gauge, Type 304 stainless steel.
- 1-3/4" coved corners.
- 1-1/2" rolled rims.
- 12" high, full-length backsplash.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Cross arm faucet packages						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
ESS2118C ▼	\$2,633.00	21"	17-1/2"	18"	14"	
ESS2319C ▼	\$2,647.00	23"	18-1/2"	20"	15"	
ESS2520C ▼	\$2,779.00	25"	19-1/2"	22"	16"	





ESS2520C

Lever Faucet Packages								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
ESSB2118C ▼	\$2,741.00	21"	17-1/2"	18"	14"			

Includes faucet LK940BR03L2H.



ESSB2520C

ESSB Lever faucet packages								
Model	Overall Length	Overall Width	Bowl Length	Bowl Width				
ESSB2319C ▼	\$2,756.00	23"	18-1/2"	20"	15"			
ESSB2520C ▼	\$2,888.00	25"	19-1/2"	22"	16"			

Includes faucet LK940BR03L2H.



ESSB2520C

ESSW Lever faucet packages								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
ESSW2118C ▼	\$2,687.00	21"	17-1/2"	18"	14"			
ESSW2319C ▼	\$2,805.00	23"	18-1/2"	20"	15"			
ESSW2520C ▼	\$2.833.00	25"	19-1/2"	22"	16"			

Includes faucet LKB940C.



ESSW2319C

SERVICE AND UTILITY



Wall Service Sinks

Sink only								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
ESS21182	\$2,063.00	21"	17-1/2"	18"	14"			
ESS23192	\$2,077.00	23"	18-1/2"	20"	15"			
ESS25202	\$2,208.00	25"	19-1/2"	22"	16"			



ESS23192

SERVICE AND UTILITY

ELKAY

Floor Service Sinks

- 16-gauge, Type 304 stainless steel.
- Eliminates high lifting of heavy containers.
- Fits into closet corners and limited work spaces.
- 1-3/4" coved corners.
- Apron on three sides.
- Top has 5/32" raised rims.
- Exposed surfaces are polished to a Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with wall hanger.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EFS2523C	\$2,168.00	25"	23"	20-1/16"	17-15/16"
EFS3321C	\$2,296.00	33"	21"	28"	16"





EFS2523C

Back And Side Panels For Floor Service Sinks

- For use on EFS model floor sinks.
- 18-gauge, Type 304 stainless steel.
- 1/2" returns on all sides.
- Furnished with concealed wall hangers.
- Protects walls from splashing.
- Easy to clean and sanitize.

Model	List Price	Overall Length	Overall Width
EFSBP25	\$238.00	25"	12"
EFSBP33	\$290.00	33"	12"
EFSSP21	\$207.00	20-3/8"	12"
EFSSP23	\$221.00	22-3/8"	12"




EFSBP33

SERVICE AND UTILITY

ELKAY

Sturdibilt Scullery Sinks

- 14-gauge, Type 304 stainless steel.
- Square corner welded compartment construction.
- Distinctive channel rim design with 2" apron minimizes spillover.
- 14" deep compartments.
- 8" high, full-length backsplash with 45-degree slope to resist grime.
- Sink compartments pitched to drain.
- 3-1/2" drain opening.
- Sink polished to a uniform Lustrous Satin finish.
- Sink supported on (4) LK251 stainless steel adjustable tubular legs.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.



Optional Accessories

SSD24 24" Detachable Drainboard

\$974.00

Single compartment - no drainboard								
Model	List Price	Overall	Overall	Bowl	Bowl			
		Length	Width	Length	Width			
SS81242	\$2,582.00	27"	27-1/2"	24"	24"			
SS81302	\$2,682.00	33"	27-1/2"	30"	24"			
SS81362	\$2,890.00	39"	27-1/2"	36"	24"			



Single compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8124L2	\$3,633.00	49-1/2"	27-1/2"	24"	24"	24"		
SS8130L2 ⅔ ⊗	\$3,734.00	55-1/2"	27-1/2"	30"	24"	24"		
SS8136L2 ⅔ ◊	\$3,960.00	61-1/2"	27-1/2"	36"	24"	24"		



SS	81	24	2

Single compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8124R2	\$3,633.00	49-1/2"	27-1/2"	24"	24"	24"		
SS8130R2 ⅔ ◊	\$3,734.00	55-1/2"	27-1/2"	30"	24"	24"		
SS8136R2 ∑ ⊗	\$3,960.00	61-1/2"	27-1/2"	36"	24"	24"		



SS8124R2

Single compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8124LR2 🖫	\$4,680.00	72"	27-1/2"	24"	24"	24"		
SS8130LR2 ⅔ ⊗	\$4,778.00	78"	27-1/2"	30"	24"	24"		
SS8136LR2 🖫	\$5,004.00	84"	27-1/2"	36"	24"	24"		





Sturdibilt Scullery Sinks

Double compartment - no drainboard									
Model	List Price	Overall	Overall	Bowl	Bowl				
Woder	LIST FIICE	Length	Width	Length	Width				
SS82302 🖫	\$3,421.00	33"	27-1/2"	15"	24"				
SS82362 ፮	\$3,646.00	39"	27-1/2"	18"	24"				
SS82422 🖫	\$3,871.00	45"	27-1/2"	21"	24"				
SS82482 🖫	\$4,115.00	51"	27-1/2"	24"	24"				
SS82542 ₺ O	\$4,410.00	57"	27-1/2"	27"	24"				
SS82602 🖫	\$4,687.00	63"	27-1/2"	30"	24"				



Double compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8230L2 🖫	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"		
SS8236L2 🖫	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"		
SS8248L2 ⅔ ◎	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"		
SS8254L2 ⅔ ◊	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"		
SS8260L2 ⅔ ⊗	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"		



Double compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8230R2 ☒ ◎	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"		
SS8236R2 ፯	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"		
SS8248R2 ∑	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"		
SS8254R2 ☒ ◎	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"		
SS8260R2 ☒ ◎	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"		



Double compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8230LR2 ∑	\$5,543.00	78"	27-1/2"	15"	24"	24"		
SS8236LR2 ፮	\$5,770.00	61-1/2"	27-1/2"	18"	24"	24"		
SS8248LR2 ☒ ◎	\$6,222.00	96"	27-1/2"	24"	24"	24"		
SS8254LR2 ☒ ◎	\$6,502.00	102"	27-1/2"	27"	24"	24"		
SS8260LR2 ☒ ◎	\$6,779.00	108"	27-1/2"	30"	24"	24"		



Triple compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
SS83454 🖫	\$4,751.00	48"	27-1/2"	15"	24"			
SS83544 🖫	\$5,171.00	57"	27-1/2"	18"	24"			
SS83604 ⅔ ⊗	\$5,439.00	63"	27-1/2"	20"	24"			
SS83724 ⅔ ⊗	\$5,983.00	75"	27-1/2"	24"	24"			



SS83454



Sturdibilt Scullery Sinks

Triple compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8345L4 ⅔ ⊗	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"		
SS8354L4 ⅔ ◊	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"		
SS8372L4 ⅔ ◊	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"		



Triple compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8345R4 ₺ 🛇	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"		
SS8354R4 ☒ ◎	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"		
SS8360LR4 ⅔ ⊗	\$7,541.00	108"	27-1/2"	20"	24"	24"		
SS8372R4 ☒ ◎	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"		



Triple compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8345LR4 🖫	\$6,872.00	93"	27-1/2"	15"	24"	24"		
SS8354LR4 ፟ S ⊗	\$7,266.00	102"	27-1/2"	18"	24"	24"		
SS8372LR4 🖫	\$8,068.00	120"	27-1/2"	24"	24"	24"		







Waste Fittings	Waste Fittings: For 3-1/2" Drain Openings (4-1/2" top diameter)							
Model	Description	Image						
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece							
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	N						
LKADOS	Elkay 3-1/2" Drain Fitting Chrome Plated Brass Offset Tailpiece	1						

Waste Fittings: For 1-1/2" to 1-3/4" Drain Openings (For Lavatory sinks 2-1/4" top diameter)						
Model	Description	Image				
LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow					
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	7				



	Dart Canyon Accessory							
Model	Description	Image						
CTXBG2513R	Elkay Dart Canyon Stainless Steel 24-1/2" x 13" x 4-3/8" Reversible Bottom Grid							
CTXBG2813R	Elkay Dart Canyon Stainless Steel 27-1/2" x 13" x 4-3/8" Reversible Bottom Grid							
CTXBG3113R	Elkay Dart Canyon Stainless Steel 30-1/2" x 13" x 4-3/8" Reversible Bottom Grid							
CTXC0712	Elkay Dart Canyon Stainless Steel 6-7/16" x 11-7/8" x 2-1/2" Colander	**						
CTXDC0606	Elkay Dart Canyon Stainless Steel 5-1/8" x 5-1/4" x 7/8" Bottom Grid Drain Cover							
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander							
LKCB1223LWN	Elkay Dart Canyon Hardwood 12" x 22-1/2" x 1" Cutting Board							




LRAD291865PD



- ♦ Dimensions: 29" x 18" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size
- ◆Features: Perfect Drain

Elkay Lustertone Classic Stainless Steel 29" x 18" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



Includes: Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

Optional Accessories

Drain

LKPDVR18B LKPDAD18B

LKDS99

Ship dims: 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 16 lbs.





GENERAL USE SINKS





CuVerro Antimicrobial Copper Lavatory Sinks

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.
- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.





ELUH9-CU LLVR1916CS3-CU

Undermount					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH9-CU \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	11-3/8"	11-3/8"	4-3/4"	9"	9"
ELUH12-CU 🖫	14-3/8"	14-3/8"	6"	12"	12"
ELUH16-CU 🖫	18-3/8"	18-3/8"	8"	16"	16"

Undermount with overflow							
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width		
ELUH12LV-CU 🖫	14-3/8"	14-3/8"	6"	12"	12"		
ELUH16LV-CU 🖫	18-3/8"	18-3/8"	8"	16"	16"		

Drop-in with overflow &						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LLVR1916-CU	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3



CuVerro Antimicrobial Copper Drop-in Sinks

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.
- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.





53-CU DLR2022103-CU

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316-CU ፮	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1522-CU ፟፟፟፟	15"	22"	7-5/8"	11-1/2"	16"	1, 2, 3, MR2
LR1722-CU Տ	17"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
DLR172210-CU 🕏	17"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
LR1918-CU ፮	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2, OS4
LR1919-CU ፟፟፟፟	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
DLR191910-CU 🕏	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2, OS4
LR2022-CU ಔ	19-1/2"	22"	7-5/8"	16"	16"	1, 2, 3, MR2, OS4
DLR202210-CU 🖫	19-1/2"	22"	10-1/8"	16"	16"	1, 2, 3, MR2, OS4
LR2219-CU ፟፟፟፟	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR221910-CU 🕏	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, 5, MR2
LR2222-CU 🖫	22"	22"	7-5/8"	19"	16"	1, 2, 3, 4, 5, MR2

Stainless Steel Undermount Sinks

- 18-gauge, Type 304 stainless steel.
- Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH1316	16"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH2115	23-1/2"	18-1/4"	7-1/2"	21"	15-3/4"
ELUH211510	23-1/2"	18-1/4"	10"	21"	15-3/4"
ELUH281610	30-1/2"	18-1/2"	10"	28"	16"







Double bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH3118	30-3/4"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH311810	30-3/4"	18-1/2"	10"	13-1/2"	16"
ELUH3120L	31-1/4"	20-1/2"	9-7/8"	13-1/2"	16"
ELUH3120R	31-1/4"	20-1/2"	9-7/8"	14"	18"





ELUH3118

ELUH3120R

Hospitality sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12	14-3/8"	14-3/8"	6"	12"	12"
ELUH12FB	14-3/8"	14-3/8"	6"	12"	12"
ELUH16	18-3/8"	18-3/8"	8"	16"	16"
ELUH16FB	18-3/8"	18-3/8"	8"	16"	16"





ELUH12

ELUH16FB

Lavatory sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV	14-3/8"	14-3/8"	6"	12"	12"
ELUH1511	18"	14"	6"	15-1/2"	11-3/8"
ELUH16LV	18-3/8"	18-3/8"	8"	16"	16"





ELUH12LV

ELUH1511



Stainless Steel Drop-in Sinks

- 18-gauge, Type 304 stainless steel.
- Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1517	15"	17-1/2"	7-5/8"	12"	12"	1, 2, 3, MR2
DLR151710	15"	17-1/2"	10"	12"	12"	1, 2, 3, MR2
LR1716	17"	16"	7-5/8"	14"	10"	1, 2, 3, MR2
LR1720	17"	20"	7-5/8"	14"	14"	1, 2, 3, MR2
LR1918	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2
LR1919	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2
DLR191910	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2
LR2219	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, MR2
DLR221910	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, MR2
LR2522	25"	22"	8-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252212	25"	22"	12-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252210	25"	22"	10-3/8"	21"	15-3/4"	1, 2, 3, 4, MR2





DLR1517103

DLR1919103



Double bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR3319	33"	19-1/2"	7-5/8"	14"	14"	1, 2, 3, 4, MR2
LR3321	33"	21-1/4"	7-7/8"	13-1/2"	16"	1, 2, 3, 4, MR2
LR3322	33"	22"	8-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2
DLR332210	33"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2



LR33214

Triple bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LTR4622	46"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, 4, 6
LTR542210	54"	22"	10-1/8"	16"	16"	1, 2, 3, 4, 6



Stainless Steel Drop-in Specialty Sinks

- 16-gauge, Type 316 stainless steel.
- Buffed Satin finish.
- 1-3/16" flat rim with crimped edges.
- Drain opening measures 1-1/2".



Specialty sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
CUPR4	6-3/8"	6-3/8"	4"	4"	4"
CUPR5	7-3/8"	7-3/8"	4"	5"	5"
CUPR6	8-7/8"	8-7/8"	5"	6-1/2"	6-1/2"



Stainless Steel Drop-in Lavatory Sinks

- Type 304 stainless steel.Drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.





1

18 gauge sinks with Lustrous Satin finish								
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options		
RLLVR12	14-3/8"	14-3/8"	6"	12"	12"			
LLVR1310	16"	12-1/2"	5-13/16"	13-5/8"	10-1/8"			
RLLVR16	18-3/8"	18-3/8"	8"	16"	16"			
LLVR19	19"	19"	7"	14"	14"	1, 2, 3, CS3		
LLVR1916	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3		





LLVR1310 RLLVR12

20 gauge sink with Brushed Satin finish &						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
PSLVR1917	19"	17"	6-1/8"	16"	11-1/2"	1, 2, 3



PSLVR1917CS3



Waste fittings f	or 3-1/2" drain openings (4-1/2" top diameter)	
Model	Description	Image
LK173	Elkay Adjustable P-Trap with Cast Iron Enameled Inside	
LK18	Elkay 3-1/2" Drain Nickel Plated Brass Body, Strainer and Tailpiece	
LK18B	Elkay 3-1/2" Drain Type 304 Stainless Steel Body, Strainer and Tailpiece	
LK2	Elkay 3-1/2" Drain with Rubber Stopper	03
LK20	Elkay 3-1/2" Drain with Removable 13" (11-1/2" assembled) Standpipe 13" Rubber Stopper	
LK24RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with 1-1/2" OD Tailpiece	
LK25RT	Elkay 3-1/2 Drain Fitting Rotary Lever Operated with 2" OD Tailpiece	
LK27	Elkay 3-1/2" Drain Fitting Lever Operated	
LK335	Elkay 3-1/2" Drain Fitting Type 316 Stainless Steel Body, Strainer Basket with rubber seal and Tailpiece	
LK35	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK35B	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece	
LK372	Elkay 3-1/2" Drain Type 316 Stainless Steel Body, Strainer and Tailpiece	



LK86RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK87RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK99	Elkay Deluxe 3-1/2" Drain Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	
LK99S	Elkay Deluxe 3-1/2" Drain with Satin Finish Type 304, Stainless Steel Body Strainer Basket Rubber Seal and Tailpiece	
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	7
LKVR18	Elkay 3-1/2"Drain Nickel Plated Brass Body, Vandal-resistant Strainer and Tailpiece	
LKVR18-CU	Elkay 3-1/2" Drain CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	

For 2" - 2-3/8" drain opening			
Model	Description	Image	
LK177	Elkay 2" Drain Fitting Chrome Plated Brass Beehive Strainer		
LK337	Elkay Drain Fitting 2" Type 316 Stainless Steel Body, Grid Strainer and Tailpiece		
LK8	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Tailpiece		



Elkay Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece LK9

For 1-1/2" to 1-3/4" drain openings (for lavatory sinks 2-1/4" top diameter)				
Model	Description	Image		
LK174	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	altr.		
LK174-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	₩.		
LK174LO	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	3500 4 11 11		
LK174LO-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	(f)		
LK175	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with, Rubber Stopper Ring and Chain			
LK290	Elkay 3-1/2" Drain Fitting Center Outlet for Triple Bowl Sinks with Offset Center Drain			
LK52	Elkay Drain Fitting Center Outlet for Double Bowl Sinks			
LK53	Elkay Drain Fitting End Outlet for Double Bowl Sinks			
LK60	Elkay Drain Fitting Center Outlet for Triple Bowl Sinks with Aligned Drains			
LK76	Elkay Drain Fitting end Outlet for Triple Bowl Sinks with Aligned Drains	Î		



LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	*
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	%

Installation hard		
Model	Description	Image
LK350	Elkay Screwdriver with Extra Long 10-1/4" Shank	
LK363	Elkay Installation Extra Long Screws and Clips, set of 14	-
LK364	Elkay Installation Extra Long Screws, set of 14	Î
LK463	Elkay Installation Hex Head Screws Hex Nuts, and Clips	-
LKUCLIP8	Elkay Sink Installation Undermount Bracket Clips - set of 8	
LKUMSK25	Elkay Sink Installation Undermount Support Kit 25" Long Rails	
LKUMSK36	Elkay Sink Installation Undermount Support Kit 36" Long Rails	

Cleaner			
Model	Description	Image	
LK34	Elkay Stainless Steel Sink Restoration Kit		



For EFS floor sink				
Model	Description	Image		
LK43	Elkay Drain Fitting 5-1/2" Stainless Steel Dome / Flat Grid Strainer			

Miscellaneous		
Model	Description	Image
LK402	Elkay 36" Black Heavy Duty Rubber Hose with Standard Female Faucet Hose Connection on One End	()
LK403	Elkay Mop Holder, 3 Station Wall Mount	10 10 16
LK404	Elkay Stainless Steel Hose Hanger	
LK80 Z	Elkay Stainless Steel Soap Dish for Back / Wall Mounting, 3-1/2" x 6"	
SSD24 \$	Elkay Sturdibilt 24" Detachable Drainboard	7





CLASSROOM SINKS









Lustertone Classic Classroom Sinks, Double Bowl

- 18-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces are hand blended to a Lustrous Highlighted Satin finish.
- Recessed bowls and faucet deck.
- 5/32" raised rim.
- 3-1/2" drain opening on large bowl.
- 2" drain opening on small bowl.
- LRAD models comply with ADA requirements.

Sink kits include LKD2439C faucet, LK1141A bubbler, LK35 strainer, and LK8 drain fitting **Left Bowl Right Bowl** Additional Model List Price **Overall Dimensions Hole Options Dimensions Dimensions** Depths DRKAD371755LC Ω \$2,722.00* 37-1/4" x 17" x 5-1/2" 9-1/4" x 12" x 5-3/8" 16" x 11-1/2" x 3-1/2" 4 Λ DRKAD371755RC Ω \$2,722.00* 37-1/4" x 17" x 5-1/2" 16" x 11-1/2" x 5-3/8" 9-1/4" x 12" x 3-1/2" 4 ٨ DRKR3717RC \$2,744.00 37-1/4" x 17" x 7-5/8" 16" x 11-1/2" x 7-1/2" 9-1/4" x 12" x 3-1/2" 4





DRKAD371755LC

DRKAD371755RC

Sink only					
	_		T		T
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options
DD///D07/755/ / 0	+4 F00 001	07.4/4" 47" 5.4/0"			
DRKAD371755L4 Ω	\$1,508.00*	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD371755R4 Ω	\$1,508.00*	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR3717L4	\$1,477.00*	37-1/4" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR3717R4	\$1,477.00*	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4





DRKR3717L4

DRKR3717R4

[^]Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



Lustertone Classic Double Ledge Sinks, Single Bowl

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD251755C Ω	\$1,954.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	4	٨		
DRKAD311955C ⊗ Ω	\$1,934.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	4	٨		
DRKR2517C ⊗	\$1,859.00	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	4			
DRKR3119C ⊗	\$2,088.00	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	4			



DRKAD251755C

Sink kits include LKD2432C faucet, LK1141A bubbler, LKJ35 strainer						
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options		
DRKRC2220C ⊗	\$1,890.00	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4		



DRKRC2220C

	Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, EWF172 water filter &					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options		
DRKAD251765FC 🖫	\$2,076.00*	25" x 17" x 6-1/2"	16" x 13-1/2" x 6-3/8"	4		



DRKAD251765FC



Lustertone Classic Double Ledge Sinks, Single Bowl

Sink only					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD251755 Ω	\$832.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	٨
DRKAD311955 Ω	\$1,045.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	٨
DRKR2517 Ω	\$793.00*	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	2, 2FRM, 2LM, 4, FR4	٨
DRKR3119 Ω	\$995.00*	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	2, 2FRM, 2LM, 4	٨



[^]Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



Lustertone Classic Rear and Side Ledge Sinks, Single Bowl

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer.							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD222055C Ω	\$1,973.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	4	٨		
$DRKR2220C \otimes \Omega$	\$1,736.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4			



DRKAD222055C

Sink only							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD222055 Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^		
DRKAD222055L Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	٨		
DRKAD222055R Ω	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^		
DRKAD252255 Ω	\$991.00*	25" x 22" x 5-1/2"	16" x 19" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	^		
DRKAD252255L Ω	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^		
DRKAD252255R Ω	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^		
DRKR2220	\$811.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	2, 2FRM, 2LM, 4			
DRKR2220L	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4			
DRKR2220R	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4			
DRKR2522	\$944.00*	25" x 22" x 7-5/8"	16" x 19" x 7-1/2"	2, 2LM, 4			
DRKR2522L	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4			
DRKR2522R	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4			





DRKAD222055L4

DRKR2220R4

[^]Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



Lustertone Classic Single Ledge Sinks, Single Bowl

Sink only							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD221755 Ω	\$769.00*	22" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	1, 2	۸		
DRKR2217	\$732.00*	22" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	1, 2			



DRKAD2217552

^Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



Lustertone Classic Sink Sets

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, LK8 drain fitting							
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options		
DRKR23417LC	\$2,667.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4		
DRKR23417RC	\$2,667.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4		
DRKR24119LC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4		
DRKR24119RC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4		





DRKR23417LC

DRKR24119RC

Sink only					
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options
DRKAD2341755L4	\$1,512.00	34" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD2341755R4	\$1,512.00	34" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR23417L4	\$1,454.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR23417R4	\$1,454.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4
DRKR24119L4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4
DRKR24119R4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4



DRKR23417R4

DRKR24119L4



Lustertone Classic Triple Ledge Sinks, Single Bowl

Sink kit includes LKF413945RS faucet, LK1141A bubbler, LKAD35 strainer							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD282255LC ⊗	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	^		
DRKAD282255RC ⊗	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	٨		



DRKAD282255RC

Sink only &					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD282255	\$991.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	L, R	٨



[^]Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



Celebrity Classroom Sinks

- 20-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- PSDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	
PSDKR2517C	\$1,550.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2	



PSDKR2517C

Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
PSDKR2517VRC	\$1,640.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



PSDKR2517VRC

Sink only				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
PSDKAD251755	\$656.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2LM, 4
PSDKR2517	\$623.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2, 2LM, 4





Celebrity Classroom Sinks

- 20-gauge, Type 304 stainless steel.
- 3" corner radius
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- CDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKAD251765C	\$1,449.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517C	\$1,426.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKAD251765C

Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				141A
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKAD2517VRC	\$1,539.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517VRC	\$1,515.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKAD2517VRC

Sink kit includes LKD20858C faucet, LKJ35 drain, LK1141A bubbler				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKRC2517C	\$1,288.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2






Celebrity Classroom Sinks


Sink only				
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options
CDKAD251765	\$526.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2, 2LM, 4
CDKR2517	\$503.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2, 2LM, 4







FAUCETS







3" - 8" Adjustable Centers Wall Mount Faucet

- Available with arc tube, double swing, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets with 2" offset.



LK945 with arc tube spout 🥳				
Model	Spout Type	Handle Type		
LK945AT08L2T	8" Arc Tube	2" Lever Handle		
LK945AT08T4T	8" Arc Tube	4" Wristblade Handle		
LK945AT08T6T	8" Arc Tube	6" Wristblade Handle		
LK945AT10L2T	10" Arc Tube	2" Lever Handle		
LK945AT10T4T	10" Arc Tube	4" Wristblade Handle		
LK945AT10T6T	10" Arc Tube	6" Wristblade Handle		
LK945AT12L2T	12" Arc Tube	2" Lever Handle		
LK945AT12T4T	12" Arc Tube	4" Wristblade Handle		
LK945AT12T6T	12" Arc Tube	6" Wristblade Handle		
LK945AT14L2T	14" Arc Tube	2" Lever Handle		
LK945AT14T4T	14" Arc Tube	4" Wristblade Handle		
LK945AT14T6T	14" Arc Tube	6" Wristblade Handle		



LK945 with double swing spout &					
Model	Spout Type	Handle Type			
LK945DS20L2T	19-1/2" Double Swing	2" Lever Handle			
LK945DS20T4T	19-1/2" Double Swing	4" Wristblade Handle			
LK945DS20T6T	19-1/2" Double Swing	6" Wristblade Handle			



LK945 with gooseneck spout &					
Model	Spout Type	Handle Type			
LK945GN04L2T	3-5/8" Gooseneck	2" Lever Handle			
LK945GN04T4T	3-5/8" Gooseneck	4" Wristblade Handle			
LK945GN04T6T	3-5/8" Gooseneck	6" Wristblade Handle			
LK945GN05L2T	5-1/8" Gooseneck	2" Lever Handle			
LK945GN05T4T	5-1/8" Gooseneck	4" Wristblade Handle			
LK945GN05T6T	5-1/8" Gooseneck	6" Wristblade Handle			
LK945GN08L2T	8" Gooseneck	2" Lever Handle			
LK945GN08T4T	8" Gooseneck	4" Wristblade Handle			
LK945GN08T6T	8" Gooseneck	6" Wristblade Handle			



LK945GN08T4T



LK945 with high arc spout 💍				
Model	Spout Type	Handle Type		
LK945HA08L2T	8" High Arc	2" Lever Handle		
LK945HA08T4T	8" High Arc	4" Wristblade Handle		
LK945HA08T6T	8" High Arc	6" Wristblade Handle		
LK945HA10L2T	10" High Arc	2" Lever Handle		
LK945HA10T4T	10" High Arc	4" Wristblade Handle		
LK945HA10T6T	10" High Arc	6" Wristblade Handle		



LK945 with tube spout &				
Model	Spout Type	Handle Type		
LK945TS08L2T	8" Tube Spout	2" Lever Handle		
LK945TS08T4T	8" Tube Spout	4" Wristblade Handle		
LK945TS08T6T	8" Tube Spout	6" Wristblade Handle		





8" Centerset Wall Mount Faucet

- Available with arc tube, double swing, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with arc tube spout &			
Model	Spout Type	Handle Type	Shut-off Valve
LK940AT08L2H	8" Arc Tube	2" Lever Handle	
LK940AT08L2S	8" Arc Tube	2" Lever Handle	•
LK940AT08T4H	8" Arc Tube	4" Wristblade Handle	
LK940AT08T4S	8" Arc Tube	4" Wristblade Handle	•
LK940AT08T6H	8" Arc Tube	6" Wristblade Handle	
LK940AT08T6S	8" Arc Tube	6" Wristblade Handle	•
LK940AT10L2H	10" Arc Tube	2" Lever Handle	
LK940AT10L2S	10" Arc Tube	2" Lever Handle	•
LK940AT10T4H	10" Arc Tube	4" Wristblade Handle	
LK940AT10T4S	10" Arc Tube	4" Wristblade Handle	•
LK940AT10T6H	10" Arc Tube	6" Wristblade Handle	
LK940AT10T6S	10" Arc Tube	6" Wristblade Handle	•
LK940AT12L2H	12" Arc Tube	2" Lever Handle	
LK940AT12L2S	12" Arc Tube	2" Lever Handle	•
LK940AT12T4H	12" Arc Tube	4" Wristblade Handle	
LK940AT12T4S	12" Arc Tube	4" Wristblade Handle	•
LK940AT12T6H	12" Arc Tube	6" Wristblade Handle	
LK940AT12T6S	12" Arc Tube	6" Wristblade Handle	•
LK940AT14L2H	14" Arc Tube	2" Lever Handle	
LK940AT14L2S	14" Arc Tube	2" Lever Handle	•
LK940AT14T4H	14" Arc Tube	4" Wristblade Handle	
LK940AT14T4S	14" Arc Tube	4" Wristblade Handle	•
LK940AT14T6H	14" Arc Tube	6" Wristblade Handle	
LK940AT14T6S	14" Arc Tube	6" Wristblade Handle	•



LK940 with double swing spout &			
Model	Spout Type	Handle Type	Shut-off Valve
LK940DS20L2H	19-1/2" Double Swing	2" Lever Handle	
LK940DS20L2S	19-1/2" Double Swing	2" Lever Handle	•
LK940DS20T4H	19-1/2" Double Swing	4" Wristblade Handle	
LK940DS20T4S	19-1/2" Double Swing	4" Wristblade Handle	•
LK940DS20T6H	19-1/2" Double Swing	6" Wristblade Handle	
LK940DS20T6S	19-1/2" Double Swing	6" Wristblade Handle	•





LK940 with high arc	: spout 💍		
Model	Spout Type	Handle Type	Shut-off Valve
LK940HA08L2H	8" High Arc	2" Lever Handle	
LK940HA08L2S	8" High Arc	2" Lever Handle	•
LK940HA08T4H	8" High Arc	4" Wristblade Handle	
LK940HA08T4S	8" High Arc	4" Wristblade Handle	•
LK940HA08T6H	8" High Arc	6" Wristblade Handle	
LK940HA08T6S	8" High Arc	6" Wristblade Handle	•
LK940HA10L2H	10" High Arc	2" Lever Handle	
LK940HA10L2S	10" High Arc	2" Lever Handle	•
LK940HA10T4H	10" High Arc	4" Wristblade Handle	
LK940HA10T4S	10" High Arc	4" Wristblade Handle	•
LK940HA10T6H	10" High Arc	6" Wristblade Handle	
LK940HA10T6S	10" High Arc	6" Wristblade Handle	•



LK940 with tube spout &			
Model	Spout Type	Handle Type	Shut-off Valve
LK940TS08L2H	8" Tube Spout	2" Lever Handle	
LK940TS08L2S	8" Tube Spout	2" Lever Handle	•
LK940TS08T4H	8" Tube Spout	4" Wristblade Handle	
LK940TS08T4S	8" Tube Spout	4" Wristblade Handle	•
LK940TS08T6H	8" Tube Spout	6" Wristblade Handle	
LK940TS08T6S	8" Tube Spout	6" Wristblade Handle	•





8" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK810 with arc tube spout 👶		
Model	Spout Type	Handle Type
LK810AT08L2	8" Arc Tube	2" Lever Handle
LK810AT08T4	8" Arc Tube	4" Wristblade Handle
LK810AT08T6	8" Arc Tube	6" Wristblade Handle
LK810AT10L2	10" Arc Tube	2" Lever Handle
LK810AT10T4	10" Arc Tube	4" Wristblade Handle
LK810AT10T6	10" Arc Tube	6" Wristblade Handle
LK810AT12L2	12" Arc Tube	2" Lever Handle
LK810AT12T4	12" Arc Tube	4" Wristblade Handle
LK810AT12T6	12" Arc Tube	6" Wristblade Handle
LK810AT14L2	14" Arc Tube	2" Lever Handle
LK810AT14T4	14" Arc Tube	4" Wristblade Handle
LK810AT14T6	14" Arc Tube	6" Wristblade Handle



LK810 with 8" arc tu	ube spout with side spray 💍		
Model	Spout Type	Handle Type	Side Spray
LK811AT08L2	8" Arc Tube	2" Lever Handle	•



LK810 with gooseneck spout 👶		
Model	Spout Type	Handle Type
LK810GN04L2	3-5/8" Gooseneck	2" Lever Handle
LK810GN04T4	3-5/8" Gooseneck	4" Wristblade Handle
LK810GN04T6	3-5/8" Gooseneck	6" Wristblade Handle
LK810GN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810GN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810GN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810GN08L2	8" Gooseneck	2" Lever Handle
LK810GN08T4	8" Gooseneck	4" Wristblade Handle
LK810GN08T6	8" Gooseneck	6" Wristblade Handle





LK810 with laminar flow gooseneck spout 👶		
Model	Spout Type	Handle Type
LK810LGN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810LGN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810LGN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810LGN08L2	8" Gooseneck	2" Lever Handle
LK810LGN08T4	8" Gooseneck	4" Wristblade Handle
LK810LGN08T6	8" Gooseneck	6" Wristblade Handle



LK810 with high arc spout 👶		
Model	Spout Type	Handle Type
LK810HA08L2	8" High Arc	2" Lever Handle
LK810HA08T4	8" High Arc	4" Wristblade Handle
LK810HA08T6	8" High Arc	6" Wristblade Handle
LK810HA10L2	10" High Arc	2" Lever Handle
LK810HA10T4	10" High Arc	4" Wristblade Handle
LK810HA10T6	10" High Arc	6" Wristblade Handle



LK810 with tube spout 👶		
Model	Spout Type	Handle Type
LK810TS08L2	8" Tube Spout	2" Lever Handle
LK810TS08T4	8" Tube Spout	4" Wristblade Handle
LK810TS08T6	8" Tube Spout	6" Wristblade Handle





8" Centerset Wall Mount Faucet With Flexible Stainless Steel Hose

- 2" Lever Handles
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.6 GPM spray head; 1.2 GPM spray head on Low Flow Models
- Chrome finish.
- 44" flexible stainless steel hose; 60" hose on LK960 models
- Insulated handle.
- Spouts come with 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included.



LK543		
Model	Spout Type	Handle Type
LK543C	30" Flexible Spout	Lever Handle
LK543LC	30" Flexible Spout	Lever Handle



LK543 with arc tube spout		
Model	Spout Type	Handle Type
LK543AF08C	30" Flexible Spout	Lever Handle
LK543AF10C	30" Flexible Spout	Lever Handle
LK543AF12C	30" Flexible Spout	Lever Handle
LK543AF14C	30" Flexible Spout	Lever Handle



LK543 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK543AF08LC	30" Flexible Spout	Lever Handle
LK543AF10LC	30" Flexible Spout	Lever Handle
LK543AF12LC	30" Flexible Spout	Lever Handle
LK543AF14LC	30" Flexible Spout	Lever Handle



LK843		
Model	Spout Type	Handle Type
LK843C	30" Flexible Spout	Lever Handle
LK843LC	30" Flexible Spout	Lever Handle





LK843 with arc tube spout		
Model	Spout Type	Handle Type
LK843AF08C	30" Flexible Spout	Lever Handle
LK843AF10C	30" Flexible Spout	Lever Handle
LK843AF12C	30" Flexible Spout	Lever Handle
LK843AF14C	30" Flexible Spout	Lever Handle



LK843 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK843AF08LC	30" Flexible Spout	Lever Handle
LK843AF10LC	30" Flexible Spout	Lever Handle
LK843AF12LC	30" Flexible Spout	Lever Handle
LK843AF14LC	30" Flexible Spout	Lever Handle



LK943		
Model	Spout Type	Handle Type
LK943C	30" Flexible Spout	Lever Handle
LK943LC	30" Flexible Spout	Lever Handle



LK943 with arc tube spout		
Model	Spout Type	Handle Type
LK943AF08C	30" Flexible Spout	Lever Handle
LK943AF10C	30" Flexible Spout	Lever Handle
LK943AF12C	30" Flexible Spout	Lever Handle
LK943AF14C	30" Flexible Spout	Lever Handle



LK943 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK943AF08LC	30" Flexible Spout	Lever Handle
LK943AF10LC	30" Flexible Spout	Lever Handle
LK943AF12LC	30" Flexible Spout	Lever Handle
LK943AF14LC	14" Flexible Spout	Lever Handle



LK960 with arc tube spout		
Model	Spout Type	Handle Type
LK960AF08C	30" Flexible Spout	Lever Handle
LK960AF10C	30" Flexible Spout	Lever Handle
LK960AF12C	30" Flexible Spout	Lever Handle
LK960AF14C	30" Flexible Spout	Lever Handle





LK960 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK960AF08LC	30" Flexible Spout	Lever Handle
LK960AF10LC	30" Flexible Spout	Lever Handle
LK960AF12LC	30" Flexible Spout	Lever Handle
LK960AF14LC	30" Flexible Spout	Lever Handle



Metered, Deck Mount Faucet

- Self-closing metering ceramic cartridge.
- Polished chrome finish
- Solid brass construction.
- Vandal-resistant aerator with key.
- .5 GPM / 8.3L / min at 60 P.S.I.G.
- 0.25 gal / cycle max.

Cast fixed spout LK651 &		
Model	Spout Type	Handle Type
LK651	5" Fixed Spout	Push Button



Cast fixed spout LK652 &		
Model	Spout Type	Handle Type
LK652	4-1/8" Fixed Spout	Push Button



Cast fixed spout LK654 💍		
Model	Spout Type	Handle Type
LK654	4-1/8" Fixed Spout	Push Button



Cast fixed spout LK656 &		
Model	Spout Type	Handle Type
LK656	4" Fixed Spout	Push Button



LK656



8" Centerset With Concealed Deck Faucet



- 2" lever handle.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- .5 GPM aerator standard.
- Chrome finish.
- Adjustable mounting up to 8" spread.





LK804F

Executive lavatory faucet &		
Model	Spout Type	Handle Type
LK804F	5-5/16" Fixed Spout	Lever Handle

Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



LK69CH

Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle



LK69CP

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle





Electronic Deck Mount Faucet

- Adjustable hot and cold operation.
- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.





LKB736C

Cast fixed spout	<u> </u>	
Model	Spout Type	Handle Type
LKB736C	4-3/4" Fixed Spout	Sensor Operated (Hands Free)
LKB737C	5-1/16" Fixed Spout	Sensor Operated (Hands Free)

Electronic Deck Mount Faucet

- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.



LKB738C

Cast fixed spout	Ġ	
Model	Spout Type	Handle Type
LKB738C	5-13/16" Fixed Spout	Sensor Operated (Hands Free)



Electronic, Deck and Wall Mount Faucet

- Dual power (AC/battery).
- Gooseneck spout.
- Adjustable sensor range.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay
- Adjustable time-out feature.
- 1.5 GPM flow.

Deck mount - chrome plated finish 👶		
Model	Spout Type	Handle Type
LKB721C	5-5/8" Gooseneck	Sensor Operated (Hands Free)



Deck mount - soft rose blush finish with CuVerro antimicrobial copper 💍		
Model	Spout Type	Handle Type
LKB721CNC	5-5/8" Gooseneck	Sensor Operated (Hands Free)



Wall mount - chrome finish 💍		
Model	Spout Type	Handle Type
LKB722C	7-1/2" Fixed Spout	Sensor Operated (Hands Free)





4" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK406 with arc tube spout &		
Model	Spout Type	Handle Type
LK406AT08L2	8" Arc Tube	2" Lever Handle
LK406AT08T4	8" Arc Tube	4" Wristblade Handle
LK406AT08T6	8" Arc Tube	6" Wristblade Handle
LK406AT10L2	10" Arc Tube	2" Lever Handle
LK406AT10T4	10" Arc Tube	4" Wristblade Handle
LK406AT10T6	10" Arc Tube	6" Wristblade Handle
LK406AT12L2	12" Arc Tube	2" Lever Handle
LK406AT12T4	12" Arc Tube	4" Wristblade Handle
LK406AT12T6	12" Arc Tube	6" Wristblade Handle
LK406AT14L2	14" Arc Tube	2" Lever Handle
LK406AT14T4	14" Arc Tube	4" Wristblade Handle
LK406AT14T6	14" Arc Tube	6" Wristblade Handle



LK406 with gooseneck spout 👶		
Model	Spout Type	Handle Type
LK406GN04L2	4" Gooseneck	2" Lever Handle
LK406GN04T4	4" Gooseneck	4" Wristblade Handle
LK406GN04T6	4" Gooseneck	6" Wristblade Handle
LK406GN05L2	5" Gooseneck	2" Lever Handle
LK406GN05T4	5" Gooseneck	4" Wristblade Handle
LK406GN05T6	5" Gooseneck	6" Wristblade Handle
LK406GN08L2	8" Gooseneck	2" Lever Handle
LK406GN08T4	8" Gooseneck	4" Wristblade Handle
LK406GN08T6	8" Gooseneck	6" Wristblade Handle



LK406 with high arc spout &			
Model	Spout Type	Handle Type	
LK406HA08L2	8" High Arc	2" Lever Handle	
LK406HA08T4	8" High Arc	4" Wristblade Handle	
LK406HA08T6	8" High Arc	6" Wristblade Handle	
LK406HA10L2	10" High Arc	2" Lever Handle	
LK406HA10T4	10" High Arc	4" Wristblade Handle	
LK406HA10T6	10" High Arc	6" Wristblade Handle	





LK406 with laminar flow gooseneck spout &			
Model	Spout Type	Handle Type	
LK406LGN05L2	5" Gooseneck	2" Lever Handle	
LK406LGN05T4	5" Gooseneck	4" Wristblade Handle	
LK406LGN05T6	5" Gooseneck	6" Wristblade Handle	
LK406LGN08L2	8" Gooseneck	2" Lever Handle	
LK406LGN08T4	8" Gooseneck	4" Wristblade Handle	
LK406LGN08T6	8" Gooseneck	6" Wristblade Handle	



LK406 with tube spout 💍		
Model	Spout Type	Handle Type
LK406TS08L2	8" Tube Spout	2" Lever Handle
LK406TS08T4	8" Tube Spout	4" Wristblade Handle
LK406TS08T6	8" Tube Spout	6" Wristblade Handle



Single Hole With Concealed Deck Faucet

- Available with arc tube, gooseneck, or high arc spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Dual control.



LK500 with arc tube spout &			
Model	Spout Type	Handle Type	
LK500AT08L2	8" Arc Tube	2" Lever Handle	
LK500AT08T4	8" Arc Tube	4" Wristblade Handle	
LK500AT08T6	8" Arc Tube	6" Wristblade Handle	
LK500AT10L2	10" Arc Tube	2" Lever Handle	
LK500AT10T4	10" Arc Tube	4" Wristblade Handle	
LK500AT10T6	10" Arc Tube	6" Wristblade Handle	
LK500AT12L2	12" Arc Tube	2" Lever Handle	
LK500AT12T4	12" Arc Tube	4" Wristblade Handle	
LK500AT12T6	12" Arc Tube	6" Wristblade Handle	
LK500AT14L2	14" Arc Tube	2" Lever Handle	
LK500AT14T4	14" Arc Tube	4" Wristblade Handle	
LK500AT14T6	14" Arc Tube	6" Wristblade Handle	





LK500 with gooseneck spout &			
Model	Spout Type	Handle Type	
LK500GN04L2	4" Gooseneck	2" Lever Handle	
LK500GN04T4	4" Gooseneck	4" Wristblade Handle	
LK500GN04T6	4" Gooseneck	6" Wristblade Handle	
LK500GN05L2	5" Gooseneck	2" Lever Handle	
LK500GN05T4	5" Gooseneck	4" Wristblade Handle	
LK500GN05T6	5" Gooseneck	6" Wristblade Handle	
LK500GN08L2	8" Gooseneck	2" Lever Handle	
LK500GN08T4	8" Gooseneck	4" Wristblade Handle	
LK500GN08T6	8" Gooseneck	6" Wristblade Handle	



1
a


LK500 with high arc spout 6			
Model	Spout Type	Handle Type	
LK500HA08L2	8" High Arc	2" Lever Handle	
LK500HA08T4	8" High Arc	4" Wristblade Handle	
LK500HA08T6	8" High Arc	6" Wristblade Handle	
LK500HA10L2	10" High Arc	2" Lever Handle	
LK500HA10T4	10" High Arc	4" Wristblade Handle	
LK500HA10T6	10" High Arc	6" Wristblade Handle	





8" Centerset Wall Mount Faucet

- Gooseneck spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with gooseneck spout 👶			
Model	Spout Type	Handle Type	Shut-off Valve
LK940GN04L2H	3-5/8" Gooseneck	2" Lever Handle	
LK940GN04L2S	3-5/8" Gooseneck	2" Lever Handle	•
LK940GN04T4H	3-5/8" Gooseneck	4" Wristblade Handle	
LK940GN04T4S	3-5/8" Gooseneck	4" Wristblade Handle	•
LK940GN04T6H	3-5/8" Gooseneck	6" Wristblade Handle	
LK940GN04T6S	3-5/8" Gooseneck	6" Wristblade Handle	•
LK940GN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940GN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940GN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940GN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940GN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940GN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940GN08L2H	8" Gooseneck	2" Lever Handle	
LK940GN08L2S	8" Gooseneck	2" Lever Handle	•
LK940GN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940GN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940GN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940GN08T6S	8" Gooseneck	6" Wristblade Handle	•




LK940 with laminar flow gooseneck spout 6			
Model	Spout Type	Handle Type	Shut-off Valve
LK940LGN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940LGN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940LGN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940LGN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940LGN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940LGN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940LGN08L2H	8" Gooseneck	2" Lever Handle	
LK940LGN08L2S	8" Gooseneck	2" Lever Handle	•
LK940LGN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940LGN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940LGN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940LGN08T6S	8" Gooseneck	6" Wristblade Handle	•





8" Centerset With Concealed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Adjustable mounting up to 8" spread.



LK800 with arc tube	e spout 👶		
Model	Spout Type	Handle Type	Side Spray
LK800AT08L2	8" Arc Tube	2" Lever Handle	
LK800AT08T4	8" Arc Tube	4" Wristblade Handle	
LK800AT08T6	8" Arc Tube	6" Wristblade Handle	
LK800AT10L2	10" Arc Tube	2" Lever Handle	
LK800AT10T4	10" Arc Tube	4" Wristblade Handle	
LK800AT10T6	10" Arc Tube	6" Wristblade Handle	
LK800AT12L2	12" Arc Tube	2" Lever Handle	
LK800AT12T4	12" Arc Tube	4" Wristblade Handle	
LK800AT12T6	12" Arc Tube	6" Wristblade Handle	
LK800AT14L2	14" Arc Tube	2" Lever Handle	
LK800AT14T4	14" Arc Tube	4" Wristblade Handle	
LK800AT14T6	14" Arc Tube	6" Wristblade Handle	
LK801AT08L2	8" Arc Tube	2" Lever Handle	•



LK800 with gooseneck spout &			
Model	Spout Type	Handle Type	Side Spray
LK800GN04L2	3-5/8" Gooseneck	2" Lever Handle	
LK800GN04T4	3-5/8" Gooseneck	4" Wristblade Handle	
LK800GN04T6	3-5/8" Gooseneck	6" Wristblade Handle	
LK800GN05L2	5" Gooseneck	2" Lever Handle	
LK800GN05T4	5" Gooseneck	4" Wristblade Handle	
LK800GN05T6	5" Gooseneck	6" Wristblade Handle	
LK800GN08L2	8" Gooseneck	2" Lever Handle	
LK800GN08T4	8" Gooseneck	4" Wristblade Handle	
LK800GN08T6	8" Gooseneck	6" Wristblade Handle	
LK801GN08L2	8" Gooseneck	2" Lever Handle	•





LK800 with high arc spout &			
Model	Spout Type	Handle Type	
LK800HA08L2	8" High Arc	2" Lever Handle	
LK800HA08T4	8" High Arc	4" Wristblade Handle	
LK800HA08T6	8" High Arc	6" Wristblade Handle	
LK800HA10L2	10" High Arc	2" Lever Handle	
LK800HA10T4	10" High Arc	4" Wristblade Handle	
LK800HA10T6	10" High Arc	6" Wristblade Handle	



LK800 with tube spout &		
Model	Spout Type	Handle Type
LK800TS08L2	8" Tube Spout	2" Lever Handle
LK800TS08T4	8" Tube Spout	4" Wristblade Handle
LK800TS08T6	8" Tube Spout	6" Wristblade Handle



Spouts

- For use with Elkay knee and foot pedal valves.
- Solid brass construction.
- Chrome plated finish.
- Vandal-resistant anti-hose aerator.

Back mount spout
Model
LK395A



Deck mount spout
Model
LK394A
LK396A





Knee and Foot Pedal Valves

- Chrome plated finish.
- Hands-free operation for enhanced sanitation.
- Mounting package of stops, valves and wall flanges included with LK397C and LK398C.

Foot pedal
Model
LK398C
LK399A



Knee pedal	
Model	
LK397C	





8" Centerset Wall Mount Faucet

- Available with bucket hook, arc tube, or vented spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with bucket hook spout and polished chrome finish			
Model	Spout Type	Handle Type	Shut-off Valve
LK940BP03L2H	3-5/16" Bucket Hook	2" Lever Handle	
LK940BP03L2S	6" Bucket Hook	2" Lever Handle	•
LK940BP03T4H	3-5/16" Bucket Hook	4" Wristblade Handle	
LK940BP03T4S	3-5/16" Bucket Hook	4" Wristblade Handle	•
LK940BP03T6H	3-5/16" Bucket Hook	6" Wristblade Handle	
LK940BP03T6S	3-5/16" Bucket Hook	6" Wristblade Handle	•
LK940BP07L2H	6-1/2" Bucket Hook	2" Lever Handle	
LK940BP07L2S	6-1/2" Bucket Hook	2" Lever Handle	•
LK940BP07T4H	6-1/2" Bucket Hook	4" Wristblade Handle	
LK940BP07T4S	6-1/2" Bucket Hook	4" Wristblade Handle	•
LK940BP07T6H	6-1/2" Bucket Hook	6" Wristblade Handle	
LK940BP07T6S	6-1/2" Bucket Hook	6" Wristblade Handle	•





LK940 with bucket hook spout and rough chrome finish 6			
Model	Spout Type	Handle Type	Shut-off Valve
LK940BR03L2H	6" Bucket Hook	2" Lever Handle	
LK940BR03L2S	6" Bucket Hook	2" Lever Handle	•
LK940BR03T4H	6" Bucket Hook	4" Wristblade Handle	
LK940BR03T4S	6" Bucket Hook	4" Wristblade Handle	•
LK940BR03T6H	6" Bucket Hook	6" Wristblade Handle	
LK940BR03T6S	6" Bucket Hook	6" Wristblade Handle	•
LK940BR07L2H	8-1/2" Bucket Hook	2" Lever Handle	
LK940BR07L2S	8-1/2" Bucket Hook	2" Lever Handle	•
LK940BR07T4H	8-1/2" Bucket Hook	4" Wristblade Handle	
LK940BR07T4S	8-1/2" Bucket Hook	4" Wristblade Handle	•
LK940BR07T6H	8-1/2" Bucket Hook	6" Wristblade Handle	
LK940BR07T6S	8-1/2" Bucket Hook	6" Wristblade Handle	



LK940 with vented spout &			
Model	Spout Type	Handle Type	Shut-off Valve
LK940VS07L2H	6-1/2" Vented Spout	2" Lever Handle	
LK940VS07L2S	6-1/2" Vented Spout	2" Lever Handle	•
LK940VS07T4H	6-1/2" Vented Spout	4" Wristblade Handle	
LK940VS07T4S	6-1/2" Vented Spout	4" Wristblade Handle	•
LK940VS07T6H	6-1/2" Vented Spout	6" Wristblade Handle	
LK940VS07T6S	6-1/2" Vented Spout	6" Wristblade Handle	•





Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle



LK69CP

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle





3" - 8" Adjustable Centers Wall Mount **Faucet**

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.

LK945 with bucket hook spout &		
Model	Spout Type	Handle Type
LK945BP03L2T	3-5/16" Bucket Hook	2" Lever Handle
LK945BP03T4T	3-5/16" Bucket Hook	4" Wristblade Handle
LK945BP03T6T	3-5/16" Bucket Hook	6" Wristblade Handle
LK945BP07L2T	6-1/2" Bucket Hook	2" Lever Handle
LK945BP07T4T	6-1/2" Bucket Hook	4" Wristblade Handle
LK945BP07T6T	6-1/2" Bucket Hook	6" Wristblade Handle



LK945 with vented spout 👶		
Model	Spout Type	Handle Type
LK945VS07L2T	6-1/2" Vented Spout	2" Lever Handle
LK945VS07T4T	6-1/2" Vented Spout	4" Wristblade Handle
LK945VS07T6T	6-1/2" Vented Spout	6" Wristblade Handle



LK945VS07L2T



4" - 8-3/8" Adjustable Centers Wall Mount **Faucet**



- Bucket hook spout.
- 2" lever handles
- Solid brass construction.
- Rough chrome finish
- 1/2" NPT female inlets.

<u>&</u>		
Model	Spout Type	Handle Type
LK400	5-1/2" Bucket Hook	Lever Handle

8" Centerset Wall Mount Faucet

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Rough chrome finish.




LKB940C

Š.		
Model	Spout Type	Handle Type
LKB940C	6-1/2" Fixed Spout	2" Lever Handle



Single Hole With Single Control

- Available with arc tube, gooseneck, or high arc
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK535 with arc tube spout δ			
Model	Spout Type	Handle Type	
LK535AT08L2	8" Arc Tube	2" Lever Handle	
LK535AT08T4	8" Arc Tube	4" Wristblade Handle	
LK535AT08T6	8" Arc Tube	6" Wristblade Handle	
LK535AT10L2	10" Arc Tube	2" Lever Handle	
LK535AT10T4	10" Arc Tube	4" Wristblade Handle	
LK535AT10T6	10" Arc Tube	6" Wristblade Handle	
LK535AT12L2	12" Arc Tube	2" Lever Handle	
LK535AT12T4	12" Arc Tube	4" Wristblade Handle	
LK535AT12T6	12" Arc Tube	6" Wristblade Handle	
LK535AT14L2	14" Arc Tube	2" Lever Handle	
LK535AT14T4	14" Arc Tube	4" Wristblade Handle	
LK535AT14T6	14" Arc Tube	6" Wristblade Handle	



LK535 with gooseneck spout &			
Model	Spout Type	Handle Type	
LK535GN04L2	4" Gooseneck	2" Lever Handle	
LK535GN04T4	4" Gooseneck	4" Wristblade Handle	
LK535GN04T6	4" Gooseneck	6" Wristblade Handle	
LK535GN05L2	5" Gooseneck	2" Lever Handle	
LK535GN05T4	5" Gooseneck	4" Wristblade Handle	
LK535GN05T6	5" Gooseneck	6" Wristblade Handle	
LK535GN08L2	8" Gooseneck	2" Lever Handle	
LK535GN08T4	8" Gooseneck	4" Wristblade Handle	
LK535GN08T6	8" Gooseneck	6" Wristblade Handle	



LK535 with high arc spout &			
Model	Spout Type	Handle Type	
LK535HA08L2	8" High Arc	2" Lever Handle	
LK535HA08T4	8" High Arc	4" Wristblade Handle	
LK535HA08T6	8" High Arc	6" Wristblade Handle	
LK535HA10L2	10" High Arc	2" Lever Handle	
LK535HA10T4	10" High Arc	4" Wristblade Handle	
LK535HA10T6	10" High Arc	6" Wristblade Handle	





Classroom Bubblers

- Built-in adjustable water volume control and pressure regulator.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers feature chrome-plated integral hood guard to prevent contamination from other users, airborne deposits and tampering.
- 1/2" straight pipe thread connection.



Lŀ	(VF	₹11	41	Α
----	-----	-----	----	---

Bubbler with remote pushbutton handle 🔥			
Model	Spout Type	Handle Type	
LKR1141A	Bubblers + Other	Push Button	



Stainless steel bubbler with pushbutton handle		6.	
Model	Spout Type	Handle Type	Vandal Resistant
LKSS1141A	Bubblers + Other	Push Button	
LKSSVR1141A	Bubblers + Other	Push Button	•



LKSSVR1141A

Bubbler with pushbutton handle &			
Model	Spout Type	Handle Type	Vandal Resistant
LK1141A	Bubblers + Other	Push Button	
LKVR1141A	Bubblers + Other	Push Button	•



LK1141A

Bubbler with bat handle &			
Model	Spout Type	Handle Type	Vandal Resistant
LKBH1141A	Bubblers + Other	2" Lever Handle	
LKVRBH1141A	Bubblers + Other	2" Lever Handle	•



LKVRBH1141A



8" Centerset, Concealed Deck, With Twin **Handles Faucet**

- Choice of 3 spout styles.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

7" arc tube spout	B	
Model	Spout Type	Handle Type
LKD2439BHC	7" Arc Tube	4" Lever Handle
LKD2439C	7" Arc Tube	2.6" Lever Handle



8" arc tube spout			
Model	Spout Type	Handle Type	Side Spray
LKD2432BHC	8" Arc Tube	4" Lever Handle	
LKD2432C	8" Arc Tube	2.6" Lever Handle	
LKD2433C	8" Arc Tube	2.6" Lever Handle	•



7" gooseneck spout &		
Model	Spout Type	Handle Type
LKD232SBH5C	7" Gooseneck	4" Lever Handle
LKD232SC	7" Gooseneck	2.6" Lever Handle





8" Centerset, Exposed Deck Mount, With Twin Handles Faucet

- Available with arc tube or gooseneck spout.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

Arc tube spout			
Model	Spout Type	Handle Type	Side Spray
LKD2442BHC	8" Arc Tube	4" Lever Handle	
LKD2442C	8" Arc Tube	2.6" Lever Handle	
LKD2443C	8" Arc Tube	2.6" Lever Handle	•



Gooseneck spout	<u>&</u>	
Model	Spout Type	Handle Type
LKD2423BHC	7" Gooseneck	4" Lever Handle



Single Handle, Bar/Hospitality Faucet

- Available with gooseneck or high arc spout.
- Circular brass base.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

LKD20858C &		
Model	Spout Type	Handle Type
LKD20858C	5" Gooseneck	2.6" Lever Handle



LKD208513C 🕏		
Model	Spout Type	Handle Type
LKD208513C	5" Gooseneck	2.6" Lever Handle





LKD208513LC &		
Model	Spout Type	Handle Type
LKD208513LC	5" Gooseneck	2.6" Lever Handle



LKDVR208513C &			
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513C	5" Gooseneck	2.6" Lever Handle	•



LKDVR208513LC	\$		
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513LC	5" Gooseneck	2.6" Lever Handle	•





Twin Handle, Bar/Hospitality Faucet

- Choice of arc, gooseneck or standard spout.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

LKD2437BHC &		
Model	Spout Type	Handle Type
LKD2437BHC	6" Arc Tube	4" Lever Handle



LKDA2437C		
Model	Spout Type	Handle Type
LKDA2437C	6" Arc Tube	2.6" Lever Handle



LKD2223C &		
Model	Spout Type	Handle Type
LKD2223C	5" Gooseneck	2.6" Lever Handle



LKD24898BHC 3		
Model	Spout Type	Handle Type
LKD24898BHC	4" Gooseneck	4" Lever Handle



LKB400		
Model	Spout Type	Handle Type
LKB400	3-1/2" Bubblers + Other	2" Lever Handle





Residential Model Reference List

Prefix		Prefix	
BCFR	Celebrity Bar Sinks	ELGULB	Quartz Classic Undermount Sinks with
	Celebrity Bar Sinks		Aqua Divide
BCRA	Celebrity Bar Sink and Faucet Kit	ELGUS	Quartz Classic Undermount Sinks
	Lustertone Bar Sinks	ELUH(AD)	Lustertone Classic Undermount Sinks
	Lustertone Classic Bar Sink and Faucet Kit		Lustertone Classic Undermount Sinks with Aqua Divide
BLR	Lustertone Classic Bar Sinks	ELUHF	Lustertone Classic Farmhouse
BPSFR	Celebrity Bar Sinks		Undermount Sinks
	Celebrity Bar Sink and Faucet Kit	ELUHFS	Lustertone Classic Farmhouse
	Celebrity Sinks		Undermount Sinks
	Celebrity Bar Sink and Faucet Kit		Quartz Luxe Sinks
	Cutting Boards		Remote Chiller
	Cutting Boards		Celebrity Laundry Sinks
	Cutting Boards with Polymer Side		Lustertone Iconix Undermount Sinks
	Cutting Boards, Reversible		Celebrity Sinks
	Cutting Boards with Strainer	ILGR	Lustertone Classic Sinks with
	Celebrity Corner Sink		Ribbed Drainboard
	Celebrity Sinks		Lustertone Classic Sinks with Drainboard
	Celebrity Sinks	LC	
	Celebrity Sinks		Lustertone Classic Sinks
	Crosstown Bottom Grids		Lustertone Classic Sinks
D	Lustertone Classic Sink Tops with		Lustertone Classic Sinks
	Dual Work Areas		Lustertone Classic Sinks
	Lustertone Classic Sink	LH	Lustertone Classic Bathroom Sink and
	Lustertone Classic Sinks		Faucet Kit
	Lustertone Classic Sink and Faucet Kits		Faucets, Drains, Accessories
	Lustertone Classic Sinks		Everyday Faucet
	Lustertone Classic Sinks	LKAD	
	Lustertone Classic Sinks with Slim Rim		Avado Faucets, Soap/Lotion Dispenser
	Lustertone Classic Sinks with Aqua Divide		Bottom Grids
EAQDUHF	Lustertone Classic Farmhouse Sinks with		Cutting Boards
500	Aqua Divide		Cutting Boards for Quartz Sinks
	Celebrity Sinks		Cutting Boards for Crosstown Sinks
	Crosstown Sinks		Drains, Everyday Faucets
	Crosstown Sinks	LKDT	
	Copper Undermount Sinks		Explore Faucets
	Copper Farmhouse Undermount Sinks		Bottom Grids for Zero Radius Sinks
	Copper Farmhouse Undermount Sinks	LKFOBG	Bottom Grids for Zero Radius Sinks with
	Crosstown Undermount Sinks	LIKEDD	Off-center Drain Opening
	Crosstown Undermount Sinks		Rinsing Baskets for Zero Radius Sinks
EFULB	Crosstown Undermount Sinks with		Gourmet Faucets, Soap/Lotion Dispenser
FFLIC	Work Bench		Harmony Faucets, Soap/Lotion Dispenser
	Crosstown Undermount Sinks		Harmony Sinks with Slim Rim
LGUN	Soft Highlighted Satin Finish Undermount Sinks		Mystic Faucets, Soap/Lotion Dispenser
ELC	Quartz Classic Sinks	LKSWADD	
	•		Rinsing Baskets for Fireclay Sinks
	Quartz Classic Sinks with Aqua Divide	LKTV	ITIVEL
ELGS	Quartz Classic Sinks		

ELGU Quartz Classic Undermount Sinks

Residential Model Reference List

Prefix	
LKUCLIP	Undermount Clips
	Undermount Support Kits
LKVBG	Bottom Grids
LKVOBG	Bottom Grids with Off-center
	Drain Opening
LKVR	
LKWBG	Bottom Grids
LKWEBG	Bottom Grids
LKWEOBG	Bottom Grids with Off-center
	Drain Opening
LKWERBSS	Expandable Rinsing Basket
LKWOBG	Bottom Grids with Off-center
	Drain Opening
LKWRB	Rinsing Baskets
LKWRBG	Bottom Grids for Round Sinks
LKWROBG	Bottom Grids for Round Sinks with
	Off-center Drain Opening
LKWS	Work Shelf
LKWUCSS	Utensil Caddy for Rinising Baskets
LLVR	Asana (Lustertone) Sinks
	Lustertone Classic Sinks
	Lustertone Classic Sinks
LSR	Sinks with Slim Rim
	Lustertone Sinks
LWR	Lustertone Sinks
	Mystic/Asana Sinks
PFR	Celebrity Sinks
	Pursuit Utility Sinks
	Pursuit Utility Undermount Sinks
	Pursuit Utility Undermount Sinks
	Pursuit Outdoor Sinks
	Pursuit Outdoor Undermount Sinks
PSFR	
PSLVR	
PSMR	
PSR	
PSRS	
	Asana (Lustertone) Sinks
	Lustertone Sinks
	Lustertone Sink Tops
SC	
	Asana Dual Mount Sinks
SCUH	Hammered Mirror Finish
CTCD.	Undermount Sinks
STCR	
	Fireclay Undermount Sinks
SWUF	Fireclay Farmhouse

Undermount Sinks

Suffix

C	. Packages
DBG	. Drain and Bottom Grid Kits
DCB	. Drain and Cutting Board Kits
DF	. Drain and Faucet Kits
PD	. Perfect Drain Sinks
PDBG	. Perfect Drain and Bottom Grid Kits

DAYTON

Prefix

D	Dayton Sinks
	Dayton Undermount Sinks
	Dayton Equal Double Drop-in Sinks
	Dayton Elite Sinks
	Dayton Elite Sinks
DPC	Dayton Premium Sinks
	Dayton Premium Sinks with Slim Rim
DSE	Dayton Elite Sinks
DSESR	Dayton Elite Sinks with Slim Rim
DXR	Dayton Sinks
DXUH	Dayton Undermount Sinks
GBG	Dayton Bottom Grids
GE	Dayton ADA Sinks
GOBG	Dayton Bottom Grids with Off-center
	Drain Opening
KP2	Dayton Bar Sink and Faucet Kit
Suffix	

Suffix

DF...... Drain and Faucet Packages DFBG...... Drain, Faucet and Bottom Grid Packages

The index on the following pages reference page numbers where our products can be found in the Residential and Commercial Price Guides. Please note:

R-pg# is in the ELP-7R Residential Price Guide. C-pg# is in the ELP-7C Commercial Price Guide.

Commercial Model Reference List

Bottle Filling Stations Prefix

EZ*WS	ezH2O Non-filtered Models
EMABF*WS	ezH2O Non-filtered Models
LK44*BF	Outdoor Tubular Steel
LMABF*WS	ezH2O Filtered Models
LVRC*WS	ezH2O Filtered Models
LZ*WS	ezH2O Filtered Models
VRC*WS	ezH2O Non-filtered Models

ADA Water Coolers Prefix

ECRSP	Slimline Soft Sides
EHFRA	Fully Recessed Wheelchair Access
EHFSA	Wall-mount Backsplash
EMABF	Wall-mount Mechanically Activated
ENOB	SwirlFlo Sensor Activated
ERFP	Soft Sides
ERO	Soft Sides Sensor Activated
ERPB	SwirlFlo
ERPBGRN	GreenSpec Listed SwirlFlo
EZO	Wall-mount Sensor Activated
EZS	Wall Mount
LCRSP	Slimline Soft Sides Filtered
LMABF	Wall-mount Mechanically Activated Filtered
LNFE	Soft Sides Filtered, Single
LNTE	Soft Sides Filtered, Bi-level
LRPB	SwirlFlo Filtered
LVRC	Vandal-resistant Filtered
LVRCGRN	GreenSpec Listed Filtered
LZO	Wall-mount Sensor Activated Filtered
LZS	Wall-mount Filtered
OHFAVR	Outdoor Vandal-resistant Backsplash
VRC	Vandal Resistant
VRCGRN	GreenSpec Listed
VRCHD	14 Gauge Vandal Resistant

Wall-mount Water Coolers Prefix

EFR(P)C	Fully Recessed
ESW(D)A	Simulated Semirecessed
EW(D)A	Deluxe
EWC(D)A	Compact
EWTLA	Deluxe Two-level
HEW	Slant Front
LJNE	Fully Recessed Filtered
LWAE	Deluxe Filtered
LWCE	Compact Filtered
LWTLA	Deluxe Two-level Filtered

Floor-mount Water Coolers Prefix

EF(D)A	Deluxe
EFHA	Hot and Cold
EFOA	Deluxe Sensor Activated
EFW	Deluxe Water Cooled
EFWC	Corrosion Resistant
EFY	Hazardous Locations
FD	Space-ette
LFAE	Deluxe Filtered
LFDE	Space-ette Filtered

ADA Fountains Prefix

ECDFPW	ADA Slimline Soft Sides
EDFP(VR)214	ADA Soft Sides, Single
EDFP(VR)217	ADA Soft Sides, Bi-level
EDFP*RC	ADA Premium Composite
EDFPB	ADA SwirlFlo
EHW	ADA 14 Gauge Soft Sides

Outdoor Fountains Prefix

LK44	Outdoor Fountain, Tubular Steel
LK45	Outdoor Fountain, Stone Aggregate

Commercial Model Reference List

Standard Fountains Prefix

DRKR	Countertop
EDF15R	Bracket
EDF210/EDF310	Stainless Steel Multistations
EDFB(C)(2)12	Fully Recessed
EDFP(VR)210	Soft Sides, Single
EDFP19	Simulated Semirecessed

Remote Chillers Prefix

ERS1	1 GPH Air Cooled
ER2	2 GPH Air Cooled
ER5	5 GPH Air Cooled
ECH8GRN	GreenSpec Listed 8 GPH Air Cooled
ECH8GRN	8 GPH Air Cooled
ECP8	8 GPH Air Cooled for EFR(P)C and LJNE models
ECU8	8 GPH Air Cooled for EHFRA Models
ER10	10 GPH Air Cooled
ER19	19 GPH Air Cooled
ER30	30 GPH Air Cooled
ERW32	32 GPH Water Cooled

ESS	Elkay Wall Service Sink
EU	Elkay Urinal
EUH	Elkay Urinal with Hood
EWMA	Elkay Multistation Wash Sink
EWS	Elkay Wall Scrub-up Sink
EWSF	Elkay Sensor-operated Wash Sink
EWSFAD	Elkay ADA Sensor-operated Wash Sink
LR	Lustertone Sink
LRAD	Lustertone ADA Sink
LTR	Lustertone Triple Bowl Sink
PSDKR	Pacemaker Classroom Sink
RNSF	Rigidbuilt Scullery Sink
SS	Sturdibilt Scullery Sink
SSD	Sturdibilt Drainboard
WCL	Elkay ADA Lavatory Sink
WCLWO	Elkay ADA Lavatory Sink with Overflow
WNSF	Weldbilt Scullery Sink

Elkay Surgeon's Lavatory

Suffix

ESLV

PD Perfect Drain Sink

Commercial Sinks and Faucets Prefix

CDKAD	Celebrity ADA Classroom Sink
CDKR	Celebrity Classroom Sink
CHS	Elkay Hand Wash Sink
CHSB	Elkay Hand Wash Sink
CHSP	Elkay Pedestal Hand Wash Sink
DRKAD	Lustertone ADA Classroom Sink
DRKR	Lustertone Classroom Sink
EFS	Floor Service Sink
ELUH	Lustertone Undermount
ELUHAD	Lustertone ADA Undermount
ELV	Elkay Lavatory Sink
ELVWO	Elkay Lavatory Sink with Overflow

Elkay Foodservice Products Prefix

14	14" Standard Series Sink
ADR	Aluminum Dunnage Rack
APR	Aluminum Pan Rack
В	Budget Utility Sink
CDT	Clean Dish Table
CT-11	Drawer
CT-19	Casters
DDT	Soiled Dish Table
DI	Drop-in Sink
DLW	Pot Rack, Double Line
Е	Economy Series Sink
EHS	Economy Hand Sink

Commercial Model Reference List

Elkay Foodservice Products prefix (Continued)

EWMS	Economy Series Wall Shelf
EWT	Economy Series Work Table
FLR	Mop Sink
MS	Mixer Stand
RS	Rack Slide
RSPB	Rack Slide with Plastic Basket
RSSB	Rack Slide with Stainless Steel Basket
S	14" Super Economy Series Sink
SEHS	Super Economy Hand Sink
SES	Standard Equipment Stand
SLANT	Slant Rack
SL	Spec-line 14 Gauge
SLW	Pot Rack, Single Line
SLW-S	Pot Rack, Single Line with Shelf
UDT	Undercounter Dish Table
VH	Vapor Hood
WMMS	Wall-mounted Microwave Shelf
WT	Standard Work Table

Suffix

BG	Backsplash with Galvanized Undershelf
BS	Backsplash with Stainless Steel Undershelf
STG	Flat Top with Galvanized Undershelf
STS	Flat Top with Stainless Steel Undershelf

The index on the following pages reference page numbers where our products can be found in the Residential and Commerical Price Guides. Please note:

R-pg# is in the ELP-7R Residential Price Guide. C-pg# is in the ELP-7C Commercial Price Guide.

Model Number	Page #	Ship Wt (lbs)	Voltage	Model Number	Page #	Ship Wt (lbs)	Voltage
1000000887	C-95	4		3C10X14-R-12X	C-143	111	
1000004539	C-95	24		3C12X16-0X	C-142	114	
1000005817	C-95	5		3C12X16-2-12X	C-143	134	
14-1C16X20-0X	C-140	100		3C12X16-2-16X	C-143	138	
14-1C16X20-2-18X	C-141	106		3C16X20-2-18X	C-143	186	
14-1C16X20-L-18X	C-141	96		3C18X18-0X	C-142	152	
14-1C16X20-R-18X	C-141	96		3C18X18-2-18X	C-143	191	
14-1C18X24-0X	C-140	92		3C18X18-2-24X	C-143	200	
14-1C18X24-L-18X	C-141	104		3C18X24-0X	C-142	165	
14-1C18X24-R-18X	C-141	104		3C18X24-2-18X	C-143	205	
14-1C22X22-0X	C-140	96		3C18X24-2-24X	C-143	219	
14-1C24X24-0X	C-140	101		3C24X24-2-24X	C-143	240	
14-2C16X20-0X	C-142	154		51299C	C-91	2	N/A
14-2C16X20-2-18X	C-142	154		51300C	C-90	2	N/A
14-2C18X24-0X	C-142	126		51300C 51300C_12PK	C-90	24	N/A
14-2C18X24-2-18X	C-142	167		○ 51300C_12FK	C-90	7	N/A
14-2C18X24-L-18X	C-142	147		_			
14-2C18X24-L-18X	C-142	200		56192C	C-91	1	N/A
14-2C24X24-2-24X 14-3C16X20-0X				75520C	C-96	1	N/A
	C-143	154		75523C	C-96	1	N/A
14-3C16X20-2-18X	C-144	193		92715C	C-96	1	
14-3C16X20-2-24X	C-144	214		97258C	C-97	2	N/A
14-3C16X20-L-18X	C-143	174		97446C	C-96	5	N/A
14-3C16X20-R-18X	C-143	174		98032C	C-96	1	N/A
14-3C18X24-0X	C-143	174		98313C	C-97	3	N/A
14-3C18X24-2-18X	C-144	214		98324C	C-97	3	N/A
14-3C18X24-2-24X	C-144	225		98481C	C-96	1	N/A
14-3C20X20-2-20X	C-144	217		98498C	C-97	1	N/A
14-3C24X24-0X	C-143	200		98501C	C-96	1	
14-3C24X24-2-24X	C-144	252		98551C	C-95	3	
1C18X18-0X	C-140	79		98568C	C-95	3	
1C18X18-2-18X	C-140	111		98669C	C-95	4	N/A
1C18X18-L-18X	C-140	95		Α			
1C18X18-R-18X	C-140	95		ACCESS12X38-5	C-95	5	
1C18X24-0X	C-140	89		AP99	C-95	2	
1C18X24-2-24X	C-140	136			2 33	-	
1C24X24-0X	C-140	97		В			
1C24X24-2-24X	C-140	146		B1C18X18X	C-145	73	
1C24X24-L-24X	C-140	128		B1C18X21X	C-145	76	
1C24X24-R-24X	C-140	124		B1C24X24X	C-145	87	
○ 28410C	C-95	24		B2C18X21X	C-147	106	
⊗ 28904C	C-95	2	N/A	B2C24X24X	C-147	127	
2C18X18-0X	C-141	113		B3C12X21X	C-148	110	
2C18X18-2-18X	C-141	151		B3C18X21X	C-148	135	
2C18X18-2-24X	C-141	162		BCR15	R-158	6	
2C18X18-L-18X	C-141	130		BLGR15151	R-157	8	
2C18X18-L-24X	C-141	138		BLR15	R-158	7	
2C18X24-0X	C-141	122		BLR1560	R-157	7	
2C18X24-2-18X	C-141	163		BPSR15	R-158	5	
2C18X24-2-18X 2C24X24-0X		143		BPSR2317	R-165	12	
	C-141			С			
2C24X24-2-24X	C-141	184		CB1516	R-237	5	
36292C	C-96	1	N/A			5	
3C10X14-0X	C-142	102		CB1613	R-237		
3C10X14-2-12X	C-143	120		CB1713	R-237	6	
3C10X14-2-16X	C-143	127		CB2213 CB816	R-237	8	
		111			R-237	2	

Model Number	Page #	Ship Wt (lbs)	Voltage	Model Number	Page #	Ship Wt (lbs)	Voltage
CB912	R-237	3		CTXASN	R-240	2	
CBS1316	R-237	5		CTXASP	R-240	2	
CBS1418	R-237	6		CTXBG1014	R-225	2	
CBS715	R-237	3		CTXBG1015	R-228	2	
CDKAD251765	C-207	11		CTXBG1116	R-228	2	
CDKAD251765C	C-206	22		CTXBG118	R-225	1	
CDKAD2517VRC	C-206	22		CTXBG1214	R-228	2	
CDKR2517	C-207	18		CTXBG1215	R-228	2	
CDKR2517C	C-206	22		CTXBG1216	R-228	2	
CDKR2517VRC	C-206	22		CTXBG1314	R-228	2	
CDKRC2517C	C-206	22		CTXBG1315	R-228	2	
CHS17161	C-163	12		CTXBG1316	R-228	2	
CHS17162	C-163	12		CTXBG1414	R-225	2	
CHS1716C	C-163	18		CTXBG1415	R-228	2	
		21				3	
CHS1716LRS1	C-163			CTXBG1417	R-228		
CHS1716LRS2	C-163	17	_	CTXBG1515	R-228	2	
CHS1716LRSC	C-163		<u>*</u>	CTXBG1616	R-228	2	
CHS1716LRSSACC	C-163		▼	CTXBG1815	R-229	3	
CHS1716LRSSACMC	C-163		▼	CTXBG1914	R-225	3	
CHS1716LRSSACTMC	C-163	31 '	▼	CTXBG1915	R-229	3	
CHS1716SACC	C-163	20	▼	CTXBG2115	R-229	3	
CHS1716SACMC	C-163	21	▼	CTXBG2214	R-229	3	
CHS1716SACTMC	C-163	22	▼	CTXBG2215	R-229	3	
CHSB17162	C-165	11		CTXBG2513R	R-239	3	
CHSB1716C	C-165	14		CTXBG2513R	C-181	3	
CHSP1716C	C-164	38		CTXBG2614	R-229	4	
CHSP1716LRSC	C-164	52	▼	CTXBG2813R	R-239,	7	
CHSP1716LRSSACC	C-164	44	•		C-181		
CHSP1716LRSSACMC	C-164		•	CTXBG2814	R-229	4	
				CTXBG2815	R-229	4	
CHSP1716LRSSACTMC	C-164		<u> </u>	CTXBG2914	R-229	4	
CHSP1716SACC	C-164		▼	CTXBG2915	R-229	4	
CHSP1716SACMC	C-164		▼	CTXBG2916	R-229	4	
CHSP1716SACTMC	C-164	34	▼	CTXBG3113R	R-239	3	
CMR4322	R-182	23		CTXBG3113R	C-181	3	
CR1721	R-153	10		CTXBG3416	R-229	4	
CR2521	R-145	14		CTXBG614	R-225	1	
CR2522	R-142	14		CTXBG617	R-225	1	
CR3122	R-138	15		CTXBG99	R-225	1	
CR3321	R-178	15		CTXC0712	R-239,	2	
CR3322	R-176	16			C-181		
CR4322	R-169	21		CTXDC0606	R-239,	1	
CS30BPK	R-30	60		CTVE13.44.70D	C-181	AΓ	
CS30CWK	R-30	60		CTXF134179R	R-33	45	
CS30WPK	R-30	60		CTXF134179RC	R-33	51	
CS45BPK	R-29	76		CTXF234179	R-84	49	
CS45CWK	R-28	95		CTXF234179C	R-83	56	
CS45WPK	R-29	76		CTXFA34179	R-84	47	
CS60BPK	R-28	95		CTXFA34179C	R-83	55	
CS60CWK	R-27	95		CTXFBG1316	R-230	2	
				CTXFBG1516	R-230	3	
CS60WPK	R-28	95		CTXFBG1816	R-230	3	
CTXACP	R-240	2		CTXFBG3316	R-230	5	
CTXAFCGL	R-240	2		CTXOBG1914	R-230	3	
CTXAGT	R-240	2		CUPR4	C-189	3	
	R-240	2					
CTXAPL	K-240	_		CUPR5	C-189	3	

	Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)	Voltage
	D				-		DLR251910	R-180	23	
	D1125	R-265	1				DLR252110	R-143	18	
	D11515	R-258	4				DLR252110PD	R-133	21	
	D11516	R-259	4				DLR252210	R-140,	18	
	D11719	R-258	9					C-188		
	D11721	R-257	10				DLR252210PD	R-140	22	
	D12521	R-257	10				DLR252212	R-141, C-188	19	
	D12522	R-254	10				DLR291810	R-180	16	
	D22519	R-264	11				DLR312210	R-137	22	
	D23317	R-264	12				DLR312210PD	R-137	26	
	D23319	R-263	10				DLR312212	R-137	22	
	D23321	R-262	12				DLR331910	R-178	23	
	D23321	R-260	12				DLR332210	R-175,	25	
	D361125	R-265	1				DENOSEETO	C-189	23	
							DLR332210PD	R-175	30	
Z	D5018A D66294	R-265 R-166	1 65				DLR332212	R-176	25	
۵							DLR372210	R-170	29	
	DCFU1210	R-248	6				DLR432210	R-168	33	
	DCFU12FB	R-248	6				DLR432212	R-168	33	
	DCFU1318	R-247	10				DLRS332210	R-135	28	
	DCFU1618	R-246	11				DLRS332210PD	R-132	26	
	DCFU2115	R-246	10				DLRS332212	R-135	22	
	DCFU2118	R-245	12				DLSR272210	R-45,	25	
	DCFU2416	R-244	23					R-139		
	DCFU2816	R-243	16				DLSR272210PD	R-32, R-82		
	DCFU3118	R-251	18				DPC1202010	R-257	10	
	DCFU31189	R-251	18				DPC1252210	R-255	17	
	DCFU3119L	R-252	19				DPXSR2250R	R-249, R-261	23	
	DCFU3119R	R-252	19				DPXSR23322	R-248,	23	
	DCFU312010L	R-250	20				DINGRESSEE	R-260	23	
	DCFU312010R	R-250	20		è	à	DRKAD221755	C-202	13	
	DCR252210	R-142	14		è	à	DRKAD222055	C-201	14	
	DCR252212	R-143	20		ė	à	DRKAD222055C	C-201	22	
	DD23322	R-260	13		ė	à	DRKAD222055L	C-201	14	
	DE21732	R-264	19		ė	à	DRKAD222055R	C-201	14	
	DI-1C-101410X	C-150	11		ė	à	DRKAD2341755L4	C-203	17	
	DI-3C-101410X	C-150	22		ė	à	DRKAD2341755R4	C-203	17	
	DI10126X	C-150	9		ė	à	DRKAD251755C	C-199,	22	
	DLR151710	R-156,	12					C-200		
	DLR171610	C-188	12		ė		DRKAD251765FC	C-199	22	
		R-155			ė	à	DRKAD252255	C-201	16	
	DLR172010	R-154	14		ė	à	DRKAD252255L	C-201	16	
	DLR172210	R-153	15		ė	À	DRKAD252255R	C-201	16	
	DLR172210-CU	C-186	16		ė	à	DRKAD282255	C-204	16	
	DLR172210PD	R-153	17		è	š 0	DRKAD282255LC	C-204	25	
	DLR191910	R-150, C-188	21		ė	à 0	DRKAD282255RC	C-204	25	
	DLR191910-CU	C-186	21		ė	à	DRKAD311955C	C-199,	25	
	DLR191910PD	R-150	24				DDKAD2717551 4	C-200	10	
	DLR202210	R-149	21		ė		DRKAD371755L4	C-198	18	
	DLR202210-CU	C-186	21		ė		DRKAD371755LC	C-198	27	
	DLR221910	R-147,	14		ė		DRKAD371755R4	C-198	18	
		C-188			è	à	DRKAD371755RC	C-198	27	
	DLR221910-CU	C-186	14				DRKR10C	C-80	5	
	DLR221910PD	R-147	17				DRKR14C	C-80	7	
	DLR222210	R-146	15				DRKR14RC	C-80	7	
	DLR222212	R-146	17				DRKR2217	C-202	13	

	Model Number	Page #	Ship Wt (lbs)	Voltage				Model Number	Page #	Ship Wt (lbs)		Voltage
	DRKR2220	C-201	14					E2C16X20-0X	C-147	101		
S	DRKR2220C	C-201	26					E2C16X20-2-18X	C-147	134		
	DRKR2220L	C-201	18					E2C16X20-L-18X	C-147	120		
	DRKR2220R	C-201	18					E2C16X20-R-18X	C-147	120		
	DRKR23417L4	C-203	22					E2C20X20-0X	C-147	107		
	DRKR23417LC	C-203	27					E2C20X20-2-20X	C-147	145		
	DRKR23417R4	C-203	22					E2C24X24-0X	C-147	125		
	DRKR23417RC	C-203	27					E2C24X24-2-24X	C-147	171		
	DRKR24119L4	C-203	22					E3C16X20-0X	C-148	164		
	DRKR24119LC	C-203	27					E3C16X20-2-18X	C-148	164		
	DRKR24119R4	C-203	22					E3C16X20-L-18X	C-148	148		
	DRKR24119RC	C-203	27					E3C16X20-R-18X	C-148	148		
	DRKR2517C	C-199,	22					E3C20X20-2-20X	C-148	186		
		C-200						E3C24X24-0X	C-148	165		
	DRKR2522	C-201	16					E3C24X24-2-24X	C-148	215		
	DRKR2522L	C-201	16					EAQDUH3118	R-101	24		
	DRKR2522R	C-201	16					EBG1010	R-230	3		
	DRKR3119C	C-199,	25					EBG1214	R-230	3		
	DD1/D27471.4	C-200	22					EBG1216	R-230	3		
	DRKR3717L4	C-198	22					EBG1315	R-230	3		
	DRKR3717R4	C-198	22					EBG1414	R-230	3		
	DRKR3717RC	C-198	27					EBG1914	R-230	3		
	DRKRC2220C	C-199	22					EBG2815	R-230	3		
	DRKRV14RC	C-80	7					ECDFPW314C	C-72	26		N/A
	DSE12522	R-255	10		ė.		0				_	
	DSE23319	R-263	13		ė.		0	ECDFPW314FPK	C-72	41	•	
	DSE23321	R-263	18		ė.		_	ECDFPWVR314C	C-72	20		N/A
	DSE23322	R-261	14				0	ECH102Q	C-81	75		240V/50
	DSESR12722	R-243, R-253	25				0	ECH8 ECH82	C-80 C-81	43 43		115V/60 220V/50
	DXR250R	R-261	25			Z	0	ECH82Q	C-81	43		240V/50
	DXR2522	R-255	18					ECH82WR	C-81	43		220V/50
	DXR3322	R-262	25					ECH83	C-81	43		220V/60
	DXUH1210	R-247	6				0	ECH83SA	C-81	43		220V/60
	DXUH1318	R-247	13				Ŭ	ECH8GRN	C-80	43		115V/60
	DXUH1618	R-246	8					ECP8	C-80	43		115V/60
	DXUH2115	R-245	10					ECP82	C-81			220V/50
	DXUH2118	R-244	12					ECP82Q	C-81			240V/50
	DXUH21189	R-245	14					-				
	DXUH2416	R-244	23					ECP83 ECP83SA	C-81			220V/60
	DXUH2816	R-243	15						C-81		_	220V/60
	DXUH3118	R-250	17					ECRSP8K	C-52			115V/60
	DXUH3119L	R-251	19					ECRSPM8K	C-52			115V/60
	DXUH3119R	R-252	19					ECRSPVR8K	C-52			115V/60
	DXUH312010L	R-249	18					ECRSPVRM8K	C-52		▼	115V/60
	DXUH312010R	R-249	18					ECTRU12179T	R-77	17		
		R-249	10					ECTRU12179TC	R-76	22		
	E							ECTRU17179T	R-62	25		
	E1C16X20-0X	C-145	70					ECTRU17179TC	R-62	30		
	E1C16X20-L-18X	C-146	85					ECTRU21179T	R-60	25		
	E1C16X20-R-18X	C-146	85					ECTRU21179TC	R-59	30		
	E1C20X20-0X	C-145	77					ECTRU24169RTWC	R-32, R-82	43		
	E1C20X20-L-20X	C-146	89					ECTRU24179RT	R-51	31		
	E1C20X20-R-20X	C-146	89					ECTRU24179RTC	R-51	36		
	E1C24X24-0X	C-145	86					ECTRU30169RTWC	R-31	46		
	E1C24X24-L-24X	C-146	123					ECTRU30179RT	R-38	37		
					1							

Model Number	Page #	Ship Wt (lbs)	Voltage			М	odel Number	Pag	ge#	Ship Wt (lbs)		Voltage
ECTRU31179T	R-108	38		ė		ED	FP217FPK	C-7	'3	69	•	N/A
ECTRU31179TC	R-108	43		ķ	(⊘ ED	FP217FPRAK	C-7	'3	69	\blacksquare	N/A
ECTRU32179LT	R-107	38		ķ		ED	FP217RAC	C-7	3	48		N/A
ECTRU32179LTC	R-106	43		Ė	Z	ED	FP220RC	C-7	5	70		N/A
ECTRU32179RT	R-107	38		ė.		ED	FPB114C	C-7	6	19		N/A
ECTRU32179RTC	R-107	43		ġ.		ED	FPB114FPK	C-7	6	39	\blacksquare	N/A
ECTRU35179T	R-36	37		ė		ED	FPB117C	C-7	6	52		N/A
ECTRU35179TC	R-36	42		ė.		ED	FPB117FPK	C-7	6	82	\blacksquare	N/A
ECTRUAQ31169TWC	R-87	46		ė.	(⊗ ED	FPB117FPRAK	C-7	7	82	•	N/A
ECTRUD31199L	R-100	38		ė		ED	FPB117RAC	C-7	7	56		N/A
ECTRUD31199LDBG	R-99	43		ė		ED	FPBM114K	C-7	6	24	\blacksquare	N/A
ECTRUD31199R	R-100	38		ė.		ED	FPBM117C	C-7	6	72		N/A
ECTRUD31199RDBG	R-100	43		ė.		ED	FPBM117FPK	C-7	6	94	•	N/A
ECTRUF30179R	R-34	40		ė.		ED	FPBM117FPRAK	C-7	7	94	•	N/A
ECTRUF30179RC	R-33	45		ė.		ED	FPBM117K	C-7	6	70	•	N/A
ECTRUF32179R	R-81	42		ė		ED	FPBM117RAC	C-7	7	72		N/A
ECTRUF32179RC	R-81	47		ė			FPBM117RAK	C-7		74	•	N/A
ECTRUFA32179	R-89	42		ė.			FPBMV114K	C-7		22		N/A
ECTRUFA32179C	R-81	47		ė.			FPBMV117C	C-7		72		N/A
ECTSR13169TBG	R-77	15		ė.		ED	FPBMV117RAC	C-7	7	72		N/A
ECTSR15159TBG	R-71,	19		ė.		ED	FPBV114C	C-7	6	18		N/A
	R-157			ė.			FPBV117C	C-7		56		N/A
ECTSR25229TBG	R-52,	24		ė.			FPBV117RAC	C-7		56		N/A
FCTCD22220TDC	R-141	2.4		ė.			FPBVM117FPK	C-7		100	•	N/A
ECTSR33229TBG	R-97, R-171	24		ę.			FPBVM117FPRAK	C-7		100		N/A
ECTSRA33229TBG	R-98,	34		ė.	,		FPBVM117K	C-7		74		N/A
	R-172			ė.			FPBVM117RAK	C-7		74		N/A
ECTSRAD25226TBG	R-51, C-109,	24		ė			FPBW114C	C-7		22	*	N/A
	C-117			ė.			FPBW114FPK	C-7		39	_	N/A
ECTSRAD33226TBG	R-97,	34		ė.	,			C-7			•	
	R-171, C-114,			ė.			FPBWM114C	C-7		22 39	_	N/A N/A
	C-130						FPBWM114FPK				•	
ECTSRO33229RTBG	R-86	34		ė.			FPBWMV114C	C-7		22		N/A
ECTSRS33229TBG	R-36, R-135	34		ė.			FPBWV114C	C-7		22		N/A
ECU8	C-80	40	115V/60Hz	ė.			FPVR214C	C-7		20		N/A
				ė.			FPVR214RC	C-7		35	_	N/A
ECU82 ECU83	C-81 C-81	40 40	220V/50Hz 220V/60Hz	ė.			FPVR214RFPK	C-7		56	•	N/A
ECU83 EDF15R							FPVR217C	C-7		44		N/A
	C-79	5	N/A				FPVR217RAC	C-7		48		N/A
EDF210C	C-79	29	N/A				FPVR217RC	C-7		97	_	N/A
EDF310C	C-79	51	N/A	. š			FPVR217RFPK	C-7		118	•	N/A
EDFB12C	C-78	27	N/A				FPVR220RC	C-7		70		N/A
© EDFB12FC	C-78	29	N/A	. š			FPVR320RC	C-7		126		N/A
EDFBC12PBC	C-78	29	N/A	ė.			FPVR320RFPK	C-7		152	•	N/A
EDFBC212C	C-78	56	N/A				1500VRBC	C-9		9		
EDFP19C	C-78	21	N/A				1500VRBMC	C-9		9		
EDFP210C	C-73	14	N/A			EF.	A14L1Z	C-6	5	81		115V/60Hz
EDFP210FPK	C-73		▼ N/A		(○ EF	A14L2YJO	C-6	6	81		220V/50H
EDFP210RC	C-75	30	N/A		(○ EF	A14L3YJO	C-6	6	81		220V/60H
EDFP214C	C-73	16	N/A		(○ EF	A14LF1Z	C-6	5	82		115V/60H
EDFP214FC	C-73	20	N/A		(○ EF	A14LFK1Z	C-6	5	82		115V/60H
EDFP214FPK	C-73	41	▼ N/A		(○ EF	A14LFP1Z	C-6	5	83		115V/60H
EDFP214RC	C-75	35	N/A			EF.	A14LK1Z	C-6	5	83		115V/60H
EDFP217C	C-73	42	N/A		(○ EF.	A14LP1Z	C-6	5	82		115V/60H
EDFP217FC	C-73	48	N/A			EF.	A14S1Z	C-6	5	81		115V/60H
				1			A14S2YJO	C-6	_	81		220V/50H

Model Number Page # Ship Wt (lbs) Voltage Model Number Page	CL:	
○ EFA14SF1Z C-65 82 115V/60Hz EFA8SK1Z C-64 ○ EFA14SF1Z C-65 83 115V/60Hz ○ EFA8SP1Z C-64 ○ EFA14SP1Z C-65 84 115V/60Hz ○ EFA8SP1Z C-66 ○ EFA16L1Y C-65 81 115V/60Hz ○ EFA8TTZ C-64 EFA16L1Y C-66 79 115V/60Hz ○ EFA8TTZ C-64 ○ EFA16LFIY C-65 88 115V/60Hz ○ EFA16LFIY C-65 88 115V/60Hz EFC1150D-B C-92 ○ EFA16LFIY C-65 91 115V/60Hz EFC1150D-B C-92 ○ EFA16LFIY C-65 93 115V/60Hz EFC1150D-B C-92 ○ EFA16LFIY C-65 93 115V/60Hz EFDAL C-65 ○ EFA16LFIY C-66 87 220V/50Hz EFA14S12 C-68 ○ EFA20LYIY C-66 80 115V/60Hz ○ EFHA14S1Z C-68 ○ EFA20LYIY C-65 81 115V/60Hz ○ E	Ship # Wt (lbs)	Voltage
○ EFA14SFP1Z C-65 83 115V/60Hz ○ EFA8SP1Z C-64 ○ EFA14SP1Z C-65 84 115V/60Hz ○ EFA8SP2YJO C-66 ○ EFA14T1Z C-65 81 115V/60Hz ○ EFA8T1Z C-64 EFA16L1Y C-65 79 115V/60Hz ○ EFA8T1Z C-64 ○ EFA16LP1Y C-66 79 220V/50Hz □ EFC1150D-A C-92 ○ EFA16LF1Y C-65 91 115V/60Hz □ EFA16LF1Y C-65 91 115V/60Hz □ EFA16LF1Y C-65 91 115V/60Hz □ EFA16LF1Y C-65 93 115V/60Hz □ EFA16LF1Y C-65 93 115V/60Hz □ EFA16LF1Y C-65 93 115V/60Hz □ EFA16LF1Y C-65 87 220V/50Hz □ EFA16LF1 C-65 □ EFA20LF1Y C-66 80 115V/60Hz □ EFHA14L1Z C-68 □ EFA20LF1Y C-66 80 220V/50Hz □ EFHA8L1Z C-68 □ EFA20LF1Y C-65 81 115V/60Hz □ EFHA8LF1Z C-68 □ EFA2	78	220V/50Hz
© EFA14SP1Z C-65 84 115V/60Hz © EFA8T1Z C-66 © EFA14T1Z C-65 81 115V/60Hz © EFA8T1Z C-64 EFA16L1Y C-65 79 115V/60Hz © EFA8T1Z C-64 © EFA16LP1Y C-66 79 220V/50Hz EFC1150D-A C-92 © EFA16LP1Y C-65 88 115V/60Hz EFC1150D-B C-92 © EFA16LP1Y C-65 91 115V/60Hz EFC1150D-B C-92 © EFA16SIY C-65 93 115V/60Hz EFDAL C-65 © EFA16SIY C-65 79 115V/60Hz EFDAL C-65 © EFA16SP2YJO C-66 87 220V/50Hz © EFHA14LTZ C-68 © EFA20LYJ C-65 80 115V/60Hz © EFHA14LTZ C-68 © EFA20LYJO C-66 80 220V/50Hz © EFHA8LTZ C-68 © EFA20LPTY C-65 81 115V/60Hz © EFHA8LPTZ C-68 © EFA20LYJY C-65	83	115V/60Hz
○ EFA14T1Z C-65 81 115V/60Hz ○ EFA8T1Z C-64 EFA16L1Y C-65 79 115V/60Hz ○ EFA8TF1Z C-64 ○ EFA16L2YJO C-66 79 220V/50Hz EFC1150D-A C-92 ○ EFA16LF1Y C-65 88 115V/60Hz EFC1150D-B C-92 ○ EFA16LF1Y C-65 91 115V/60Hz EFC1150D-B C-92 ○ EFA16LF1Y C-65 93 115V/60Hz EFC1150D-B C-92 ○ EFA16LF1Y C-65 93 115V/60Hz EFA16LT C-65 ○ EFA16SF2YJO C-66 87 220V/50Hz ○ EFHA14L1Z C-65 ○ EFA20L1Y C-65 80 115V/60Hz ○ EFHA8L1Z C-68 ○ EFA20LF1Y C-65 81 115V/60Hz ○ EFHA8L2YJO C-69 ○ EFA20LF1Y C-65 81 115V/60Hz ○ EFHA8LF1Z C-68 ○ EFA20LF1Y C-65 81 115V/60Hz ○ EFHA8LF1Z C-68 ○ EFA20LF1Y	82	115V/60Hz
EFA16L1Y C-65 79 115V/60Hz © EFA16L2YJO C-66 79 220V/50Hz EFC1150D-A C-92 © EFA16LF1Y C-65 88 115V/60Hz EFC1150D-B C-92 © EFA16LFK1Y C-65 91 115V/60Hz EFC1150D-B C-92 © EFA16LFNY C-65 91 115V/60Hz EFDAL C-65 © EFA16SFP2YJO C-66 87 220V/50Hz © EFHA14L1Z C-68 © EFA20LYJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 80 115V/60Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L2YJO C-69 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 86 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 86 115V/60Hz <td>78</td> <td>220V/50Hz</td>	78	220V/50Hz
⊗ EFA16L2YJO C-66 79 220V/50Hz EFC1150D-A C-92 ⊗ EFA16LF1Y C-65 88 115V/60Hz EFC1150D-B C-92 ⊗ EFA16LF1Y C-65 91 115V/60Hz EFC1150D-B C-92 ⊗ EFA16STY C-65 93 115V/60Hz EFDAL C-65 ⊗ EFA16SFP2YJO C-66 87 220V/50Hz © EFHA14L1Z C-68 ⊗ EFA20LYJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LPTY C-65 81 115V/60Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L1Z C-68 © EFA20LK1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 86 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 86 115V/60Hz © EFHA8LF1Z C-68 © EFA20SP1Y C-65 80 120V/60Hz © EFHA8SP1Z C-68 © EFA20SP1Y <td>72</td> <td>115V/60Hz</td>	72	115V/60Hz
© EFA16LF1Y C-65 88 115V/60Hz EFC1150D-B C-92 © EFA16LFK1Y C-65 91 115V/60Hz EFA16LFK1Y C-65 93 115V/60Hz EFDAL C-65 © EFA16S1Y C-65 79 115V/60Hz © EFDAL C-65 © EFA20L1Y C-66 87 220V/50Hz © EFHA14L1Z C-68 © EFA20L2YJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L2YJO C-69 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8LF1Z C-68 © EFA20LF1Y C-65 86 115V/60Hz © EFHA8LF1Z C-68 © EFA20SP1Y C-65 80 220V/60Hz © EFHA8S1Z C-68 © EFA20SP1Y C-65 80 220V/50Hz	82	115V/60Hz
© EFA16LFK1Y C-65 91 115V/60Hz © EFA16LP1Y C-65 93 115V/60Hz EFDAL C-65 © EFA16S1Y C-65 79 115V/60Hz © EFDAL C-65 © EFA16SFP2YJO C-66 87 220V/50Hz © EFHA14S1Z C-68 © EFA20L2YJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 86 115V/60Hz © EFHA8LF1Z C-68 © EFA20SYIY C-65 86 115V/60Hz © EFHA8LP1Z C-68 © EFA20SYIY C-66 80 220V/50Hz © EFHA8SYIY C-69 © EFA20SYIY C-66 80 220V/50Hz © EFHA8SYIY C-68 © EFA20SFIY C-65 92	74	220V/50Hz
EFA16LP1Y C-65 93 115V/60Hz EFDAL C-65 EFA16S1Y C-65 79 115V/60Hz EFDAL C-65 EFA20L1Y C-66 87 220V/50Hz © EFHA14L1Z C-68 EFA20L2YJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L2YJO C-69 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 91 115V/60Hz © EFHA8LF1Z C-68 © EFA20LYJO C-65 86 115V/60Hz © EFHA8LF1Z C-68 © EFA20S1Y C-65 80 220V/60Hz © EFHA8S2YJO C-69 © EFA20S2YJO C-66 80 220V/50Hz © EFHA8S2YJO C-69 © EFA20SF1Y C-65 92 115V/60Hz © EFHA8S2YJO C-69 © EFA20SF1Y	1	220-240V/
EFA16S1Y C-65 79 115V/60Hz EFDAL C-65 © EFA16SFP2YJO C-66 87 220V/50Hz © EFHA14L1Z C-68 EFA20L1Y C-65 80 115V/60Hz © EFHA14S1Z C-68 © EFA20L2YJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L2YJO C-69 © EFA20LK1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 91 115V/60Hz © EFHA8LP1Z C-68 © EFA20LY1Y C-65 86 115V/60Hz © EFHA8LP1Z C-68 © EFA20S1Y C-65 80 220V/60Hz © EFHA8S1Z C-68 © EFA20S2YJO C-66 80 220V/50Hz © EFHA8SP1Z C-68 © EFA20S7JY C-66 80 220V/50Hz © EFHA8SP1Z C-69 © EFA20SP1Y C-65 92 115V/60Hz © EFHA8S2YJO C-69 © EFA20SP1Y <td></td> <td>50Hz, 220-230V/</td>		50Hz, 220-230V/
© EFA16SFP2YJO C-66 87 220V/50Hz © EFHA14L1Z C-68 EFA20L1Y C-65 80 115V/60Hz © EFHA14S1Z C-68 © EFA20L2YJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L2YJO C-69 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 91 115V/60Hz © EFHA8LF1Z C-68 © EFA20DP1Y C-65 86 115V/60Hz © EFHA8LP1Z C-68 © EFA20S1Y C-65 80 220V/60Hz © EFHA8S1Z C-68 © EFA20S2YJO C-66 80 220V/50Hz © EFHA8S2YJO C-69 © EFA20S9F1Y C-65 92 115V/60Hz © EFHA8S2YJO C-69 © EFA20SFK1Y C-65 91 115V/60Hz © EFHA8S2YJO C-69 © EFA20SPK1Y C-65 86 115V/60Hz © EFA20SP1Z © EFA20SP1Z C-67		60Hz
EFA20L1Y C-65 80 115V/60Hz © EFHA14S1Z C-68 © EFA20L2YJO C-66 80 220V/50Hz © EFHA8L1Z C-68 © EFA20LF1Y C-65 81 115V/60Hz © EFHA8L2YJO C-69 © EFA20LF1Y C-65 82 115V/60Hz © EFHA8LF1Z C-68 © EFA20LK1Y C-65 91 115V/60Hz © EFHA8LF1Z C-68 © EFA20LP1Y C-65 86 115V/60Hz © EFHA8LP1Z C-68 © EFA20SP1Y C-65 80 220V/60Hz © EFHA8S1Z C-68 © EFA20S2YJO C-66 80 220V/50Hz © EFHA8SPP1Z C-68 © EFA20S9YJOSA C-66 80 220V/50Hz © EFHA8SPP1Z C-68 © EFA20SF1Y C-65 92 115V/60Hz © EFHA8S2YJO C-69 © EFA20SFK1Y C-65 91 115V/60Hz EFOA8L1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz EFOA8L1Z C-67 © EFA20S	55	N/A
EFA20L1Y C-65 80 115V/60Hz ○ EFHA14S1Z C-68 ○ EFA20L2YJO C-66 80 220V/50Hz ○ EFHA8L1Z C-68 ○ EFA20LF1Y C-65 81 115V/60Hz ○ EFHA8L2YJO C-69 ○ EFA20LF1Y C-65 82 115V/60Hz ○ EFHA8LF1Z C-68 ○ EFA20LK1Y C-65 91 115V/60Hz ○ EFHA8LF1Z C-68 ○ EFA20LP1Y C-65 86 115V/60Hz ○ EFHA8LF1Z C-68 ○ EFA20S1Y C-65 80 220V/60Hz ○ EFHA8S1Z C-68 ○ EFA20S2YJO C-66 80 220V/50Hz ○ EFHA8S2YJO C-69 ○ EFA20S9T1Y C-65 80 220V/60Hz ○ EFHA8S2YJO C-69 ○ EFA20SFK1Y C-65 92 115V/60Hz ○ EFHA8S2YJO C-69 ○ EFA20SPK1Y C-65 86 115V/60Hz ○ EFOA8S1Z C-67 ○ EFA20SPK1Y C-65 86 115V/60Hz ○ EFOA8T1Z C-67 ○ EF	93	115V/60Hz
○ EFA20L2YJO C-66 80 220V/50Hz ○ EFHA8L1Z C-68 ○ EFA20LF1Y C-65 81 115V/60Hz ○ EFHA8L2YJO C-69 ○ EFA20LFP1Y C-65 82 115V/60Hz ○ EFHA8LF1Z C-68 ○ EFA20LK1Y C-65 91 115V/60Hz ○ EFHA8LFP1Z C-68 ○ EFA20LP1Y C-65 86 115V/60Hz ○ EFHA8LP1Z C-68 ○ EFA20S3YJOSA C-66 80 220V/60Hz ○ EFHA8S1Z C-68 ○ EFA20S2YJO C-66 80 220V/50Hz ○ EFHA8S2YJO C-69 ○ EFA20S3YJOSA C-66 80 220V/50Hz ○ EFHA8S2YJO C-69 ○ EFA20SFIY C-65 92 115V/60Hz ○ EFHA8S2YJO C-69 ○ EFA20SFK1Y C-65 91 115V/60Hz ○ EFHA8S2YJO C-67 ○ EFA20SPK1Y C-65 86 115V/60Hz ○ EFOA8S1Z C-67 ○ EFA20SPK1Y C-65 86 115V/60Hz ○ EFOA8T1Z C-67	93	115V/60Hz
SEFA20LF1Y C-65 81 115V/60Hz SEFHA8L2YJO C-69 SEFA20LFP1Y C-65 82 115V/60Hz SEFHA8LF1Z C-68 SEFA20LK1Y C-65 91 115V/60Hz SEFHA8LFP1Z C-68 SEFA20LP1Y C-65 86 115V/60Hz SEFHA8LP1Z C-68 SEFA20S3YJOSA C-66 80 220V/60Hz SEFHA8S1Z C-68 SEFA20S2YJO C-65 80 115V/60Hz SEFHA8S2YJO C-69 SEFA20S3YJOSA C-66 80 220V/50Hz SEFHA8S2YJO C-69 SEFA20SF1Y C-65 92 115V/60Hz SEFHFA8S2YJO C-69 SEFA20SFK1Y C-65 91 115V/60Hz SEFOAB11Z C-67 SEFA20SPHY C-65 86 115V/60Hz SEFOAB51Z C-67 SEFA20SPK1Y C-65 86 115V/60Hz SEFOAB51Z C-67 SEFA20SPK1Y C-65 86 115V/60Hz SEFCA20BA C-92 SEFA20SPK1Y	82	115V/60Hz
SEFA20LFP1Y C-65 82 115V/60Hz SEFHA8LF1Z C-68 EFA20LK1Y C-65 91 115V/60Hz SEFHA8LFP1Z C-68 SEFA20LP1Y C-65 86 115V/60Hz SEFHA8LP1Z C-68 SEFA20S1Y C-66 80 220V/60Hz SEFHA8S1Z C-68 SEFA20S2YJO C-66 80 220V/50Hz SEFHA8S2YJO C-69 SEFA20S3YJOSA C-66 80 220V/60Hz SEFHA8S2YJO C-69 SEFA20SF1Y C-65 92 115V/60Hz SEFHA8S2YJO C-69 SEFA20SFK1Y C-65 91 115V/60Hz SEFOA8L1Z C-67 SEFA20SPY1Y C-65 86 115V/60Hz SEFOA8S1Z C-67 SEFA20SPK1Y C-65 86 115V/60Hz SEFOA8T1Z C-67 SEFA20SPK1Y C-65 86 115V/60Hz SEFC-CB-A C-92 SEFA20SPCHY C-65 86 115V/60Hz SEFC-CB-A C-93 SEFA20SPCHY C-65 86 115V/60Hz SEFC-CB-A C-92 SEFA20	82	220V/50Hz
EFA20LK1Y C-65 91 115V/60Hz ○ EFHA8LFP1Z C-68 S EFA20LP1Y C-65 86 115V/60Hz ○ EFHA8LP1Z C-68 S EFA20N3YJOSA C-66 80 220V/60Hz ○ EFHA8S1Z C-68 S EFA20S2YJO C-65 80 115V/60Hz ○ EFHA8S2YJO C-69 S EFA20S3YJOSA C-66 80 220V/50Hz ○ EFHA8SFP1Z C-68 S EFA20SF1Y C-65 92 115V/60Hz ○ EFHFA8S2YJO C-69 S EFA20SFK1Y C-65 91 115V/60Hz ○ EFHA8S2YJO C-67 S EFA20SPY C-65 86 115V/60Hz EFOA8L1Z C-67 S EFA20SPK1Y C-65 86 115V/60Hz ○ EFOA8T1Z C-67 EFA25S4JO C-57 122 220-240V/ 50Hz, 220-230V/ 60Hz EFR2-CB-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2-CB-A C-93 S EFA4LF1Z C-64 78 115V/60Hz EFR2-CB-A C-67	91	115V/60Hz
© EFA20LP1Y C-65 86 115V/60Hz © EFHA8LP1Z C-68 © EFA20S1Y C-65 80 115V/60Hz © EFHA8S1Z C-68 © EFA20S2YJO C-66 80 220V/50Hz © EFHA8S2YJO C-69 © EFA20S3YJOSA C-66 80 220V/50Hz © EFHA8SPP1Z C-68 © EFA20S3YJOSA C-66 80 220V/50Hz © EFHA8SPP1Z C-68 © EFA20S3YJOSA C-66 80 220V/60Hz © EFHA8S2YJO C-69 © EFA20SF1Y C-65 92 115V/60Hz © EFHA8S2YJO C-69 © EFA20SFK1Y C-65 91 115V/60Hz © EFOA8L1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz © EFOA8S1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz © EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA20SPCHY C-65 86 115V/60Hz © EFOA8T1Z C-67	94	115V/60Hz
© EFA20N3YJOSA C-66 80 220V/60Hz © EFHA8S1Z C-68 EFA20S1Y C-65 80 115V/60Hz © EFHA8S2YJO C-69 © EFA20S2YJO C-66 80 220V/50Hz © EFHA8SPP1Z C-68 © EFA20S3YJOSA C-66 80 220V/60Hz © EFHA8SPP1Z C-69 © EFA20SF1Y C-65 92 115V/60Hz © EFHFA8S2YJO C-69 © EFA20SF1Y C-65 91 115V/60Hz © EFHA8S2YJO C-69 © EFA20SFK1Y C-65 86 115V/60Hz EFOA8L1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz © EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFR2-CF-A C-93 © EFA4L1Z C-64 71 115V/60Hz © EFR2-CF-A C-93 © EFA4L1Z C-64 78 115V/60Hz	93	115V/60Hz
EFA20S1Y C-65 80 115V/60Hz ○ EFHA8S2YJO C-69 ○ EFA20S2YJO C-66 80 220V/50Hz ○ EFHA8SPP1Z C-68 ○ EFA20S3YJOSA C-66 80 220V/60Hz ○ EFHA8S2YJO C-69 ○ EFA20SF1Y C-65 92 115V/60Hz ○ EFHFA8S2YJO C-69 ○ EFA20SFK1Y C-65 91 115V/60Hz ○ EFHA8S2YJO C-69 ○ EFA20SP1Y C-65 86 115V/60Hz ○ EFOA8L1Z C-67 ○ EFA20SP1Y C-65 86 115V/60Hz ○ EFOA8T1Z C-67 ○ EFA20SPK1Y C-65 86 115V/60Hz ○ EFR2-CB-A C-92 ○ EFA4L1Z C-64 71 115V/60Hz ○ EFR2-CF-A C-93 ○ EFA4L1Z C-64 78 115V/60Hz	82	115V/60Hz
© EFA20S2YJO C-66 80 220V/50Hz © EFHA8SFP1Z C-68 © EFA20S3YJOSA C-66 80 220V/60Hz © EFHFA8L2YJO C-69 © EFA20SF1Y C-65 92 115V/60Hz © EFHFA8S2YJO C-69 © EFA20SFK1Y C-65 91 115V/60Hz © EFOA8L1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz © EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA25S4JO C-57 122 220-240V/ EFA2-CF-A C-92 © EFA4L1Z C-64 71 115V/60Hz © EFR2-CF-A C-93 © EFA4L1Z C-64 78 115V/60Hz © EFR2-TOS-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	82	220V/50Hz
© EFA20S2YJOSA C-66 80 220V/60Hz © EFHFA8L2YJO C-69 © EFA20SF1Y C-65 92 115V/60Hz © EFHFA8S2YJO C-69 © EFA20SFK1Y C-65 91 115V/60Hz EFOA8L1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA25S4JO C-57 122 220-240V/ EFA2-CB-A C-92 © EFA4L1Z C-64 71 115V/60Hz © EFR2-CF-A C-93 © EFA4L1Z C-64 78 115V/60Hz © EFR2075D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	94	115V/60Hz
© EFA20SF1Y C-65 92 115V/60Hz © EFHFA8S2YJO C-69 © EFA20SFK1Y C-65 91 115V/60Hz EFOA8L1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 © EFA25S4JO C-57 122 220-240V/ EFA2-CB-A C-92 © EFA4L1Z C-64 71 115V/60Hz EFR2-R075-A C-93 © EFA4L1Z C-64 78 115V/60Hz © EFR2075D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	93	220V/50Hz
© EFA20SFK1Y C-65 91 115V/60Hz EFOA8L1Z C-67 © EFA20SP1Y C-65 86 115V/60Hz EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 EFA25S4JO C-57 122 220-240V/ 50Hz, 220-230V/ 60Hz EFA2-CF-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2-75D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	93	220V/50Hz
© EFA20SPHY C-65 86 115V/60Hz EFOA8S1Z C-67 © EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 EFA25S4JO C-57 122 220-240V/ 50Hz, 220-230V/ 60Hz EFR2-CF-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2075D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	72	115V/60Hz
© EFA20SPK1Y C-65 86 115V/60Hz © EFOA8T1Z C-67 EFA25S4JO C-57 122 220-240V/ 50Hz, 220-230V/ 60Hz EFR2-CF-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2-75D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz		
EFA25S4JO C-57 122 220-240V/ 50Hz, 220-230V/ 60Hz EFR2-CF-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2-CF-A C-92 EFR2-RO75-A C-92 EFR2-RO75-A C-92 EFR2-RO75-A C-92 EFR2-RO75-A C-92 EFR2-RO75-A C-92 EFR2-RO75-A C-92	72	115V/60Hz
EFA2534JO C-57 122 220-240V 50Hz, 220-230V/ 60Hz EFR2-CF-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2075D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	72	115V/60Hz
220-230V/ 60Hz EFR2-RO75-A C-93 EFA4L1Z C-64 71 115V/60Hz EFR2075D-A C-92 © EFA4LF1Z C-64 78 115V/60Hz	2	N/A
EFA4L1Z C-64 71 115V/60Hz EFR2075D-A C-92 ⊗ EFA4LF1Z C-64 78 115V/60Hz ⊗ EFRC122K C-62	4	N/A
○ EFA4LF1Z C-64 78 115V/60Hz ○ FFRC122K C-62	4	N/A
○ FFRC122K C-62	33	110-240V/ 50-60Hz
	80	▼ 220V/50Hz
© EFA4LFK1Z C-64 78 115V/60Hz © EFRC123K C-62	80	▼ 220V/60Hz
© EFA4LFP1Z C-64 78 115V/60Hz EFRC12CDK C-61	110	▼ 115V/60Hz
EFA4LK1Z C-64 78 115V/60Hz EFRC12K C-61	80	
EFA4S1Z C-64 71 115V/60Hz © EFRC82K C-62	80	▼ 220V/50Hz
© EFA4SFK1Z C-64 80 115V/60Hz © EFRC83K C-62	79	▼ 220V/60Hz
© EFA4T1Z C-64 71 115V/60Hz EFRC8CDK C-61	109	▼ 115V/60Hz
© EFRC8FK C-61	81	▼ 115V/60Hz
© EFA8L1110P C-64 78 115V/60Hz EFRC8K C-61	79	▼ 115V/60Hz
EFA8L1Z C-64 72 115V/60Hz © EFRCM122CDK C-62	147	▼ 220V/50Hz
© EFA8L2YJO C-66 72 220V/50Hz	117	▼ 220V/50Hz
© EFA8LF1Z C-64 82 115V/60Hz \$\infty \text{EFRCM122FKWR} \text{C-62}	117	▼ 220V/50Hz
© EFA8LF2YJO C-66 78 220V/50Hz © EFRCM122K C-62	117	▼ 220V/50Hz
© EFA8LFK1Z C-64 83 115V/60Hz © EFRCM123CDK C-62	147	▼ 220V/60Hz
© EFASLEP1Z C-64 89 115V/60Hz © EFRCM123FK C-62	117	▼ 220V/60Hz
© EFASLFP2YJO C-66 78 220V/50Hz © EFRCM123K C-62	117	▼ 220V/60Hz
© EFASLFPK1Z C-64 89 115W/60Hz EFRCM12CDK C-61	145	▼ 115V/60Hz
EFRCM12K C-61	115	▼ 115V/60Hz
○ EFRCM82CDK C-62	146	▼ 220V/50Hz
© EFASLP1Z C-64 78 115V/60Hz © EFRCM82FK C-62	118	▼ 220V/50Hz
© EFA8S1110P C-64 91 115V/60Hz	117	▼ 220V/50Hz
EFA8S1Z C-64 72 115V/60Hz © EFRCM82OCDK C-62	146	▼ 240V/50Hz
© EFA8S2YJO C-66 /2 220V/50Hz	118	▼ 220V/60Hz
© EFA8S3YJOSA C-66 78 220V/60Hz		
© EFA8SF1Z C-64 82 115V/60Hz	117	. 2204/00112

© EFRCM8FK	EPK		Model Number	Page #	Ship Wt (lbs)		Voltage			Model Number	Page #	Ship Wt (lbs)		Voltage
BERCMBERK C-61 116 ▼ 115W50Hz EFW1612T C-67 64 115W EFP0RK C-61 114 ▼ 115W50Hz EFW1617T C-67 64 115W EFP0RK C-61 115 ▼ 115W50Hz EFW1617T C-67 68 85 220W5 EFF0CRK C-62 115 ▼ 115W50Hz EFW1617T C-67 68 85 220W5 EFF0CRK C-62 168 ▼ 20W550Hz EFW1617T C-67 68 85 220W5 EFF0CRK C-62 148 ▼ 20W550Hz EFW1617T C-67 68 85 220W5 EFW1617T C-67 69 51 115W5 EFW1617T C-67 69 61 115W5 EFW1617	C	0	EFRCM83KSA	C-62	117	▼	220V/60Hz			EFU471810DBT	R-90	47		
EFRICMBK C-61 114 ▼ 1199/60Hz ERRPORK C-61 80 ▼ 1199/60Hz ERRPORK C-61 80 ▼ 1199/60Hz ERRPCREK C-61 115 ▼ 1155 ▼ 1159/60Hz ERRPCREK C-62 160 ▼ 2209/50Hz ERRPCREXK C-62 160 ▼ 2209/50Hz ERRPCREXK C-62 148 ▼ 2209/50Hz EFRICMBKK C-62 148 ▼ 2209/50Hz EFRICATION C-63 117 ▼ 2209/50Hz EFRICATION C-63 120 117 ▼ 2209/50Hz EFRICATION C-63 120 1199/50Hz EFRIC	C		EFRCM8CDK	C-61	144	▼	115V/60Hz			EFW16L1Z	C-67	82		115V/60Hz
EFRPRK	C-61 B0	0	EFRCM8FK	C-61	116	▼	115V/60Hz			EFW16L2YJO	C-68	85		220V/50Hz
EFRPCKBK	C		EFRCM8K	C-61	114	▼	115V/60Hz			EFW16LP1Z	C-67	84		115V/60Hz
B FRPCMBEZK	EPW16527/0 C-68		EFRP8K	C-61	80	▼	115V/60Hz			EFW16N3YJOSA	C-68	85		220V/60Hz
EFRPCMBK C-61 161 ▼ 115V/60Hz EFRWITSZTOK C-62 148 ▼ 220V/50Hz ERWITSZTOK C-62 148 ▼ 220V/50Hz ERWITSZTOK C-62 117 ▼ 200V/50Hz ERWITSTZ C-69 81 115V/6 © ETRPMBZK C-52 117 ▼ 200V/50Hz EPKERSTZ C-69 81 115V/6 EFRUJISTOTO R-68 20 EG2 C-99 10 115V/6 EFRUZITSTOTO R-58 28 B EG2 C-99 10 2 2 EG2 C-99 10 2 2 ERWIZITSTOK C-63 82 ▼ 220V/7 2 2 ERWIZITSTC C-63 82 ▼ 220V/7 2	EPW1653Y 05A C-68 85 220V/60hz		EFRPC8K	C-61	115	▼	115V/60Hz			EFW16S1Z	C-67	82		115V/60Hz
© FREMINIZACOK C-62 148 ▼ 220V/50Hz EFRVEGETIZ C-67 82 115V/6 © FREMINIZAK C-62 117 ▼ 220V/50Hz EFRVEGETIZ C-69 95 115V/6 © FREMISHAN C-62 117 ▼ 220V/50Hz EFRVEGETIZ C-69 95 115V/6 © FREMISHAND R-68 20 EG3 C-99 8 EFRUZITISTOT R-58 28 EG3 C-99 8 EFRUZITISTOT R-58 28 EG3 C-99 8 ▼ 220V/50Hz EFRUZITISTOT R-58 29 A B B EHRAZYK C-63 82 ▼ 220V/70Hz EFRUZISTOT R-44 38 A B EHRAZYK C-61 82 ▼ 115V/7 EFRUZISTOT R-44 33 A B EHRAZYK C-61 82 ▼ 115V/7 EFRUZISTOTO R-43 36 A B EHRAZYK C-61 82 ▼ 115V/7 EFRUZISTOTO R-43 32 A B EHRAZYK C-61 82	Provincing Pr	0	EFRPCM82K	C-62	160	▼	220V/50Hz			EFW16S2YJO	C-68	85		220V/60Hz
© EFRPMIZZIK C62 117 ▼ 200/SOHZ EPWC1651Z C69 95 1150/W © EFRRUPISTOTO R-68 20 ESQ1 C99 8 1150/W EFRUZITISTOT R-58 28 EGG3 C99 8 EFRUZITISTOT R-58 32 C99 A EFRUZITISTOT R-58 32 A BEHRAZYA C63 82 ▼ 2200/W EFRUZITISTOT R-58 24 A BEHRAZYA C61 82 ▼ 2200/W EFRUZITISTOT R-59 24 A BEHRAZYA C61 82 ▼ 1150/W EFRUZISTICTOR R-44 38 A BEHRAZYK C61 82 ▼ 1150/W EFRUZISTICTOR R-43 36 BEHRAZYK C61 82 ▼ 1150/W EFRUZISTICTOR R-43 36 BEHRAZYK C61 82 ▼ 1150/W EFRUZISTICTOR R-43 36 BEHRAZYK C61 C63 66 2200	22K		EFRPCM8K	C-61	161	▼	115V/60Hz			EFW16S3YJOSA	C-68	85		220V/60Hz
S FRPMBRX C-62	EFY851Z	0	EFRPM122CDK	C-62	148	▼	220V/50Hz			EFW16T1Z	C-67	82		115V/60Hz
S EFRPMBZK C-62	EFY8S1Z	0	EFRPM122K	C-62	117	•	220V/50Hz			EFWC16S1Z	C-69	95		115V/60Hz
FRU131610T	Fig	0	EFRPM82K	C-62	117	▼	220V/50Hz			EFY8S1Z	C-69	81		
EFRU191610T R-60 27 EFRU211510TC R-58 28 EFRU211510TC R-58 28 EFRU2115TT R-59 24 EFRU2115TC R-58 32 EFRU2115TC R-59 24 EFRU2115TC R-58 29 EFRU2115TC R-44 43 EFRU2115TC R-44 43 EFRU2816TOT R-44 43 EFRU2816TC R-44 32 EFRU2816TC R-43 36 EFRU3016PRTWC R-31 49 EFRU3116TOT R-37 36 EFRU3116TOT R-37 36 EFRU3116TOT R-37 36 EFRU3116TOT R-37 36 EFRU3116TOT R-117 42 EFRU3116TOT R-117 47 EFRU3116TOT R-117 47 EFRU3116TOT R-117 47 EFRU3116TOT R-117 47 EFRU3116TOT R-117	Figure		EFRU131610T									8		
EFRUZI1510T R-58 28 6 ERRUZI1510T R-58 32 à 0 EHRA7ZK C-63 82 ▼ 220V/Y EFRUZI15TC R-59 24 à 0 EHFRA7ZK C-63 82 ▼ 220V/Y EFRUZI15TC R-58 29 à 0 EHFRA7ZK C-61 82 ▼ 115V/Y EFRUZI16TC R-44 38 à EHFRAM7K C-61 82 ▼ 115V/Y EFRUZI16TC R-44 32 à EHFRAM7K C-61 119 ▼ 115V/Y EFRUZI16TC R-43 36 à O EHFSABL2ZO C-63 66 220V/Y EFRU311610T R-37 36 à O EHFSABLZZO C-63 66 220V/Y EFRU311810TC R-117 42 à O EHFSABS1Z C-57 66 115V/Y EFRU311810TC R-117 42 à O EHFSABS1ZO C-63 66 220V/Y EFRU31819TC R-117 47 A O EHFSABS1ZO C-57 66 115V/Y EFRU31816TO R-102 40 B	Side Fig.													
EFRUZ11STOTC R-58 32 A © EHFRA7ZK C-63 82 ▼ 2200VI EFRUZ11ST R-59 24 A © EHFRA7XK C-61 82 ▼ 1200VI EFRUZ21GTOT R-44 38 A EHFRA7K C-61 82 ▼ 115VI EFRUZ21GT R-44 43 A EHFRA7K C-61 19 ▼ 115VI EFRUZ31GT R-44 43 A EHFRAMIK C-61 119 ▼ 115VI EFRU31GTC R-44 32 A EHFSABLZIQ C-63 66 220VI EFRU31161OT R-31 49 A EHFSABLZIQ C-63 66 220VI EFRU31161OT R-37 36 A EHFSABLSIQ C-57 66 115VI EFRU31181OT R-117 42 A EHFSABSTIZ C-57 66 115VI EFRU31181OT R-102 40 A EHFSABSTIZ C-57 66 115VI EF	STOTC R-58 32 ▼ 220V/SONZ STOT R-59 24													
EFRUZ11ST R-59 24 EFRUZ11STC R-58 29 & 0 EHFRA73K C-61 82 ▼ 115VR EFRUZ8161OT R-44 38 & EHFRA7K C-61 82 ▼ 115VR EFRUZ8161OT R-44 38 & EHFRA7K C-61 82 ▼ 115VR EFRUZ8161OT R-44 33 & EHFRA7K C-61 82 ▼ 115VR EFRUZ816TC R-44 32 & EHFSAB1Z C-67 66 115VR EFRUZ816TC R-43 36 EFRUZ916TC R-43 36 EFRUZ916TC R-31 49 & 0 EHFSAB1Z2JO C-63 66 220VR EFRUZ11S10T R-37 36 EFRUZ911S10T R-37 36 EFRUZ911S10T R-117 42 & EHFSAB2Z2JO C-63 66 115VR EFRUZ311810T R-117 47 & 0 EHFSAB2Z2JO C-63 66 220VR EFRUZ311810T R-117 47 & 0 EHFSAB2Z2JO C-63 66 220VR EFRUZ311810T R-117 47 & 0 EHFSAB2Z2JO C-63 66 220VR EFRUZ311S10T R-117 47 & 0 EHFSAB2Z2JO C-63 66 220VR EFRUZ311S10T R-110 40 EFRUZ18T R-78 11 & 0 EHFSAB2Z2JO C-63 66 220VR EFRUZ311S10T R-102 40 EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 115VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST R-78 11 & 0 EHFSAB2Z2JO C-63 66 120VR EFRUZ311ST C-57 66 115VR EFRUF324T7DBG R-85 59 EH-S1BX EFRUF324T	ST R-59 24							, k					•	220V/50Hz
EFRUZITISTC R.58 29	STC R-58 29													
EFRUZB1610T R.44 38	\$ \$ \$ \$ \$ \$ \$ \$ \$ \$													
EFRUZB161OTC R-44 43 2.	\$10TC													
EFRUZ816T R-44 32	ST R-44 32													
EFRUZB16TC R-43 36	### STC												•	
EFRU30169RTWC R-31 49	89RTWC R-31 49													
EFRU311610T R-37 36	610T R-37 36									-				
EFRU311610TC R-37 32	810TC R-37 32									_				
EFRU311810T R-117 42	810T R-117 42								(
EFRU311810TC R-117 47 B S EHFSABSSZJO C-63 66 220V/L EFRU321910T R-102 40 B S EHFSABSF1Z C-57 66 115V/L EFRU718T R-78 11 B S EHFSABSF1Z C-57 66 115V/L EFRU718T R-78 11 B S EHFSABST1Z C-57 66 115V/L EFRU718T R-86 51 B EHFSADL C-57 39 N/A EFRUFF23417DBG R-86 51 B EHFSADL C-57 39 N/A EFRUFF23417DBG R-85 59 B EHFSADS C-57 39 N/A EFRUFF3417R R-27 45 B S EHFSADT C-57 39 N/A EFRUFF3417RBG R-27 59 EFRUFF3417RBG R-85 59 EFRUFF3417DBG R-85 59 EFRUFF3417DBG R-85 59 EFS14X C-149 62 EFS252C C-175 39 EFS321C C-175 6 EFS321C C-175 6 EFSBP33 C-175 6 EFSBP33 C-175 6 EFSSP23 C-175 6 EFSSP24 C-175 6 EFSSP25 C-175 6 EFSSP25 C-175 6 EFSSP26 C-175 6 EFSSP27 C-170 25 N/A EFU211510TC R-68 19 B S EHW214FPK C-71 25 N/A EFU211510TC R-57 34 B S EHW217FPK C-71 91 ▼ N/A EFU23-MS-A C-93 14 N/A EFU23-MS-A C-93 3 N/A B EHW217FRAC C-71 70 N/A EFU23-MS-A C-93 3 N/A B EHW217FRAC C-71 70 N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-70 51 ▼ N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-70 51 ▼ N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-70 51 ▼ N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-70 51 ▼ N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-71 39 N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-71 56 ▼ N/A EFU23-PP-A C-93 3 N/A B EHWM17FPK C-71 56 ▼ N/A EFU23-PP-A C-71 56 F W/A EFU23-PP-A C-71 56 F W/A EFU23-PP-A C-71 56 F W/A EFU23-PP-A C-71 57 50 N/A EFU23-PP-A C-71 50 N/A EFU23-PP-A C-71 50 N/A EFU23-PP-A C-71 50 N/A	810TC R-117 47		EFRU311610TC	R-37	32					EHFSA8S1Z	C-57	66		115V/60Hz
EFRU321910T R-102 40	8 0 EHFSABSFIZ C.57 66 115V/60Hz T R.78 11 8 0 EHFSABSFIZ C.57 66 115V/60Hz T R.78 11 8 0 EHFSADL C.57 39 N/A 3417 R.85 45 59 8 EHFSADL C.57 39 N/A 3417DBG R.85 59 8 EHFSADT C.57 39 N/A 417RDBG R.27 45 8 EHFSADT C.57 39 N/A 417RDBG R.27 45 8 EHFSADT C.57 39 N/A 417RDBG R.27 59 EH-14-PEDX C.149 62 3417 R.86 45 EHFSADT C.57 39 N/A 417RDBG R.85 59 EH-14-PEDX C.149 62 3417 R.86 45 EHFSADT C.149 14 EHS-18-KVX C.149 62 C C.175 39 EHS-18-SDX C.149 66 C C.175 44 EHS-18-SDX C.149 16 C.175 6 EHS-18-SDX C.149 16 C.175 6 EHS-18-SDX C.149 16 C.175 6 EHS-18-STDX C.150 21 EHS-18-ST C.170 10 N/A C.10T R.68 19 & EHW214C C.71 25 N/A C.10T R.68 24 & EHW214C C.71 25 N/A C.10T R.32, R.82 30 & EHW217FPK C.71 46 ▼ N/A C.93 14 N/A & EHW217FPK C.71 91 ▼ N/A C.93 14 N/A & EHW217FPK C.71 91 ▼ N/A C.93 14 N/A & EHW217FPK C.71 91 ▼ N/A C.93 3 N/A & EHWM14C C.70 30 N/A S-A C.93 3 N/A & EHWM14C C.70 30 N/A E-A C.93 3 N/A & EHWM17C C.70 51 ▼ N/A C.93 3 N/A & EHWM17C C.70 60 N/A C.93 4 N/A & EHWM17C C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A C.93 3 N/A & EHWM17FPK C.70 51 ▼ N/A		EFRU311810T	R-117				ę.	(D EHFSA8S2ZJO	C-63	66		220V/50Hz
EFRU718T R-78 11	T R-78 11		EFRU311810TC	R-117	47			ė.	(S EHFSA8S3ZJO	C-63	66		220V/60Hz
EFRUAQ31169TWC R-86 51	81169TWC R-86 51		EFRU321910T	R-102	40			F	(D EHFSA8SF1Z	C-57	66		115V/60Hz
EFRUFF23417 R-85 45 59	8417 R-85 45 59 N/A 8417DBG R-85 59 N/A 417R R-27 45 S S S S S S S S S S S S S S S S S S		EFRU718T	R-78	11			ę.	(D EHFSA8T1Z	C-57	66		115V/60Hz
EFRUFF23417DBG R-85 59	8417DBG R-85 59		EFRUAQ31169TWC	R-86	51			ę.		EHFSADL	C-57	39		N/A
EFRUFF3417R R-27 45	A17R R-27 45		EFRUFF23417	R-85	45			ę.	(© EHFSADLF	C-57	39		N/A
EFRUFF3417RDBG R-27 59 \$ ENS-14-PEDX C-149 62 EFRUFFA3417 R-86 45 EHS-14X C-149 14 EFRUFFA3417DBG R-85 59 EHS-18-KVX C-149 20 EFS2523C C-175 39 EHS-18-SDX C-149 66 EFS3321C C-175 44 \$ EHS-18-SDX C-149 21 EFSBP25 C-175 6 EHS-18-SDX C-149 16 EFSBP33 C-175 6 EHS-18-STDX C-150 21 EFSSP21 C-175 6 EHS-18X C-149 16 EFSSP23 C-175 6 EHW214C C-71 25 N/A EFU131610T R-68 19 Å EHW214C C-71 46 N/A EFU211510TC R-78 34 Å EHW217FPK C-71 91 N/A EFU23-WS-A C-93 14 N/A Å EHW217FPK C-71 91 N/A EFU23-W	### 2417RDBG		EFRUFF23417DBG	R-85	59			ė.		EHFSADS	C-57	39		N/A
EFRUFFA3417 R-86 45 EHS-14X C-149 14 EFRUFFA3417DBG R-85 59 EHS-18-KVX C-149 20 EFS2523C C-175 39 EHS-18-FDDX C-149 66 EFS3321C C-175 44 \$\frac{\text{z}}{2}\$ EHS-18-SDX C-149 21 EFSBP25 C-175 6 EHS-18-SDX C-149 16 EFSBP33 C-175 6 EHS-18-STDX C-150 21 EFSSP21 C-175 6 EHS-18X C-149 16 EFSSP23 C-175 6 EHS-18X C-149 16 EFSSP23 C-175 6 EHW214C C-71 25 N/A EFU131610T R-68 19 \$\frac{\text{b}}{\text{ EHW214FPK}}\$ C-71 46 \$\frac{\text{ N/A}}{\text{ N/A}}\$ EFU211510TC R-57 34 \$\frac{\text{ EHW217FPK}}{\text{ EHW17FPK}}\$ C-71 91 \$\frac{\text{ N/A}}{\text{ N/A}}\$ EFU23-MS-A C-93 3 N/A	Balato Rabia 45		EFRUFF3417R	R-27	45			ė	(9 EHFSADT	C-57	39		N/A
EFRUFFA3417DBG R-85 59 EHS-18-KVX C-149 20 EFS2523C C-175 39 EHS-18-PEDX C-149 66 EFS3321C C-175 44 \$ EHS-18-SDX C-149 21 EFSBP25 C-175 6 EHS-18-SSX C-149 16 EFSBP33 C-175 6 EHS-18-STDX C-150 21 EFSSP21 C-175 6 EHS-18-STDX C-149 16 EFSSP23 C-175 6 EHS-18-W214C C-71 25 N/A EFU131610T R-68 19 Å EHW214C C-71 25 N/A EFU211510T R-32, R-82 30 Å EHW217C C-71 61 N/A EFU23-A C-93 14 N/A Å EHW217FPRAK C-71 91 ▼ N/A EFU23-UF-A C-93 3 N/A Å EHWM14C C-70 30 N/A EFU23-UF-A C-93 3	BASTORG R-85 59 EHS-18-KVX C-149 20 C-175 39 EHS-18-FEDX C-149 66 C-175 44 EHS-18-SDX C-149 16 C-175 6 EHS-18-SSX C-149 16 C-175 8 EHS-18-STDX C-150 21 EHS-18-STDX C-175 6 EHS-18-STDX C-150 21 EHS-18-STDX C-175 6 EHS-18-STDX C-175 25 N/A 10T R-68 19 &		EFRUFF3417RDBG	R-27	59				Z	EHS-14-PEDX	C-149	62		
EFS2523C C-175 39 EHS-18-PEDX C-149 66 EFS3321C C-175 44 \$\begin{array}{c} \text{EHS-18-SDX} \text{C-149} \text{21} \text{EFSBP25}\$ C-175 6 EHS-18-SEXX C-149 16 EFSBP33 C-175 6 \$\begin{array}{c} \text{EHS-18-STDX} \text{C-150} \text{21} \text{21}\$ 21 EFSSP21 C-175 6 \$\begin{array}{c} \text{EHW214C} \text{C-71} \text{25} \text{N/A}\$ EFU31610T R-68 19 \$\begin{array}{c} \text{EHW214FPK} \text{C-71} \text{25} \text{N/A}\$ EFU31510TC R-68 24 \$\begin{array}{c} \text{EHW217FPK} \text{C-71} \text{91} \text{91} \text{N/A}\$ EFU23-A C-93 14 N/A \$\begin{array}{c} \text{EHW217FPAK} \text{C-71} \text{71} \text{70} \text{N/A}\$ EFU23-PP-A C-93 3 N/A \$\begin{array}{c} \text{EHWM14FPK} \text{C-70} \text{51} \text{70} \text{N/A}\$ EFU23-UF-A C-93 3 N/A \$\begin{array}{c} \text{EHWM14FPK} \text{C-70} \text{51} \text{70} \text{N/A}\$ EFU23-UF-A C-93 3 N/A \$\begin{array}{c} \text{EHWM14FPK} \text{C-70} \text{51} \text{70} \text{70} \text{70} \text{70} \text{70} \text{70} \text{70} \text{70} \tex	C C-175 39 EHS-18-PEDX C-149 66 C-175 44 EHS-18-SDX C-149 21 EHS-18-SDX C-175 6 EHS-18-SSX C-149 16 C-175 6 EHS-18-STDX C-150 21 EHS-18-STDX C-175 6 EHS-18X C-149 16 C-175 EHS-18X C-149 16 C-175 EHS-18X C-149 16 C-175 EHS-18X C-171 25 N/A 10TC R-68 24 & EHW214FPK C-71 46 ▼ N/A 10TC R-57 34 & EHW217FPK C-71 91 ▼ N/A 10TC R-57 34 & EHW217FPK C-71 91 ▼ N/A EHW217FPK C-71 91 ▼ N/A EHW217FPK C-70 30 N/A EHW17FPK C-70 30 N/A EHWM14C C-70 30 N/A EHWM14C C-70 51 ▼ N/A EHWM17C C-70 60 N/A 10TC R-43 32 & EHWM17FPK C-70 81 ▼ N/A 10TC R-43 37 & EHWM214C C-71 39 N/A 10TC R-116 42 & EHWM214FPK C-71 56 ▼ N/A 10TC R-116 42 & EHWM217FPK C-71 50 N/A 10TC R-116 42 & EHWM217FPK C-71 50 N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10TC R-116 42 & EHWM217FPK C-71 50 N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A 10TC R-116 42 &		EFRUFFA3417	R-86	45					EHS-14X	C-149	14		
EFS3321C C-175 44 \$ EHS-18-SDX C-149 21 EFSBP25 C-175 6 EHS-18-SSX C-149 16 EFSBP33 C-175 8 \$ EHS-18-STDX C-150 21 EFSSP21 C-175 6 EHS-18X C-149 16 EFSSP23 C-175 6 EHS-18X C-149 16 EFU31610T R-68 19 \$ EHW214C C-71 25 N/A EFU31610TC R-68 24 \$ EHW217C C-71 46 ▼ N/A EFU211510TC R-57 34 \$ EHW217FPK C-71 91 ▼ N/A EFU23-A C-93 14 N/A \$ EHW217FAC C-71 70 N/A EFU23-PP-A C-93 3 N/A \$ EHWM14C C-70 30 N/A EFU23-UF-A C-93 3 N/A \$ EHWM17C C-70 60 N/A EFU23-UF-A C-93 3 N/A \$ EHWM	C-175		EFRUFFA3417DBG	R-85	59					EHS-18-KVX	C-149	20		
EFSBP25 C-175 6 EHS-18-SSX C-149 16 EFSBP33 C-175 8 EHS-18-STDX C-150 21 EFSSP21 C-175 6 EHS-18X C-149 16 EFSSP23 C-175 6 EHS-18X C-149 16 EFU131610T R-68 19 Å EHW214C C-71 25 N/A EFU131610TC R-68 24 Å EHW217C C-71 61 N/A EFU211510TC R-57 34 Å EHW217FPK C-71 91 ▼ N/A EFU23-A C-93 14 N/A Å EHW217RAC C-71 70 N/A EFU23-PP-A C-93 3 N/A Å EHWM14FPK C-70 51 ▼ N/A EFU281610T R-43 32 Å BHWM17FPK C-70 60 N/A EFU311810T R-116 42 Å EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 Å <	C-175 6		EFS2523C	C-175	39					EHS-18-PEDX	C-149	66		
EFSBP33	C-175 8		EFS3321C	C-175	44				Z	EHS-18-SDX	C-149	21		
EFSSP21 C-175 6 EHS-18X C-149 16 EFSSP23 C-175 6 & EHW214C C-71 25 N/A EFU131610T R-68 19 & © EHW214FPK C-71 46 ▼ N/A EFU211510T R-68 24 & © EHW217FPK C-71 91 ▼ N/A EFU211510TC R-57 34 & © EHW217FPRAK C-71 91 ▼ N/A EFU23-A C-93 14 N/A & EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A & EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A & © EHWM14FPK C-70 51 ▼ N/A EFU281610T R-43 32 & © EHWM17FPK C-70 81 ▼ N/A EFU311810T R-117 37 & © EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 & EHWM217C C-71 50 N/A	C-175 6		EFSBP25	C-175	6					EHS-18-SSX	C-149	16		
EFSSP23 C-175 6 å EHW214C C-71 25 N/A EFU131610T R-68 19 å © HW214FPK C-71 46 ▼ N/A EFU31510TC R-68 24 å EHW217C C-71 61 N/A EFU211510TC R-57 34 å © HW217FPK C-71 91 ▼ N/A EFU23-A C-93 14 N/A å EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å © HWM14FPK C-70 51 ▼ N/A EFU281610T R-43 32 å © HWM17FPK C-70 81 ▼ N/A EFU281610TC R-43 37 å EHWM214C C-71 39 N/A EFU311810TC R-116 42 EHWM217C C-71	C-175 6		EFSBP33	C-175	8				Z	EHS-18-STDX	C-150	21		
EFSSP23 C-175 6 å EHW214C C-71 25 N/A EFU131610T R-68 19 å © EHW214FPK C-71 46 ▼ N/A EFU311610TC R-68 24 å EHW217C C-71 61 N/A EFU211510TC R-32, R-82 30 å EHW217FPK C-71 91 ▼ N/A EFU23-A C-93 14 N/A å EHW217FRAK C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å EHWM14FPK C-70 51 ▼ N/A EFU281610T R-43 32 å EHWM17FPK C-70 81 ▼ N/A EFU311810T R-117 37 å EHWM214C C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	C-175 6		EFSSP21	C-175	6					EHS-18X	C-149	16		
EFU131610T R-68 19 å S EHW214FPK C-71 46 ▼ N/A EFU131610TC R-68 24 å EHW217C C-71 61 N/A EFU211510T R-32, R-82 30 å S EHW217FPK C-71 91 ▼ N/A EFU23-HD R-57 34 å S EHW217FPRAK C-71 91 ▼ N/A EFU23-A C-93 14 N/A å EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A å EHWM17C C-70 60 N/A EFU281610T R-43 32 å EHWM17FPK C-70 81 ▼ N/A EFU311810T R-117 37 å EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C	10T R-68 19 å ♦ EHW214FPK C-71 46 ▼ N/A 10TC R-68 24 å EHW217C C-71 61 N/A 10T R-32, R-82 30 å EHW217FPK C-71 91 ▼ N/A 10TC R-57 34 å EHW217FPRAK C-71 91 ▼ N/A S-A C-93 14 N/A å EHW217RAC C-71 70 N/A S-A C-93 3 N/A å EHWM14FPK C-70 30 N/A P-A C-93 4 N/A å EHWM14FPK C-70 51 ▼ N/A F-A C-93 3 N/A å EHWM17FPK C-70 60 N/A 10T R-43 32 å EHWM214FPK C-71 39 N/A 10T R-43 37 å EHWM214FPK C-71 56 ▼ N/A 10T R-117 37 å EHWM							ė.						N/A
EFU31610TC R-68 24 å EHW217C C-71 61 N/A EFU211510T R-32, R-82 30 å © EHW217FPK C-71 91 ▼ N/A EFU211510TC R-57 34 å © EHW217FPRAK C-71 91 ▼ N/A EFU23-A C-93 14 N/A å EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å © EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A å EHWM17C C-70 60 N/A EFU281610T R-43 32 å EHWM17FPK C-70 81 ▼ N/A EFU311810T R-117 37 å EHWM214C C-71 39 N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	10TC R-68 24 å EHW217C C-71 61 N/A 10T R-32, R-82 30 å EHW217FPK C-71 91 ▼ N/A 10TC R-57 34 å EHW217FPRAK C-71 91 ▼ N/A S-A C-93 14 N/A å EHWM14C C-70 30 N/A S-A C-93 3 N/A å EHWM14FPK C-70 51 ▼ N/A P-A C-93 3 N/A å EHWM17C C-70 60 N/A 10T R-43 32 å EHWM17FPK C-70 81 ▼ N/A 10TC R-43 37 å EHWM214C C-71 39 N/A 10TC R-416 42 å EHWM217FPK C-71 56 ▼ N/A 10DBT R-29 35 å EHWM217FPK C-71 71 ▼ N/A								(•	
EFU211510T R-32, R-82 30 å ♦ ♥ EHW217FPK C-71 91 ▼ N/A EFU211510TC R-57 34 å ♦ ₱ EHW217FPRAK C-71 91 ▼ N/A EFU23-A C-93 14 N/A å EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å ₱ EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A å EHWM17C C-70 60 N/A EFU281610T R-43 32 å © EHWM17FPK C-70 81 ▼ N/A EFU311810T R-117 37 å EHWM214C C-71 39 N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	10T R-32, R-82 30													
EFU211510TC R-57 34 å § © EHW217FPRAK C-71 91 ▼ N/A EFU23-A C-93 14 N/A å EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å © EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A å EHWM17C C-70 60 N/A EFU281610T R-43 32 å EHWM17FPK C-70 81 ▼ N/A EFU281610TC R-43 37 å EHWM214C C-71 39 N/A EFU311810T R-117 37 å EHWM217C C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	10TC R-57 34								(•	
EFU23-A C-93 14 N/A å EHW217RAC C-71 70 N/A EFU23-MS-A C-93 3 N/A å EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A å EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A å EHWM17C C-70 60 N/A EFU281610T R-43 32 å EHWM17FPK C-70 81 ▼ N/A EFU311810T R-117 37 å EHWM214C C-71 39 N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	C-93 14 N/A & EHW217RAC C-71 70 N/A S-A C-93 3 N/A & EHWM14C C-70 30 N/A P-A C-93 4 N/A & EHWM14FPK C-70 51 ▼ N/A F-A C-93 3 N/A & EHWM17C C-70 60 N/A 10T R-43 32 & EHWM17FPK C-70 81 ▼ N/A 10TC R-43 37 & EHWM214C C-71 39 N/A 10TC R-117 37 & EHWM214C C-71 56 ▼ N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10TC R-116 42 & EHWM217FPK C-71 71 ▼ N/A													
EFU23-MS-A C-93 3 N/A \$ EHWM14C C-70 30 N/A EFU23-PP-A C-93 4 N/A \$ EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A \$ EHWM17C C-70 60 N/A EFU281610T R-43 32 \$ EHWM17FPK C-70 81 ▼ N/A EFU281610TC R-43 37 \$ EHWM214C C-71 39 N/A EFU311810T R-117 37 \$ EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 \$ EHWM217C C-71 50 N/A	S-A C-93 3 N/A						NI/A						•	
EFU23-PP-A C-93 4 N/A å © EHWM14FPK C-70 51 ▼ N/A EFU23-UF-A C-93 3 N/A å EHWM17C C-70 60 N/A EFU281610T R-43 32 å © EHWM17FPK C-70 81 ▼ N/A EFU281610TC R-43 37 å EHWM214C C-71 39 N/A EFU311810T R-117 37 å © EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	P-A C-93 4 N/A & S EHWM14FPK C-70 51 ▼ N/A F-A C-93 3 N/A & EHWM17C C-70 60 N/A 10T R-43 32 & S EHWM17FPK C-70 81 ▼ N/A 10TC R-43 37 & EHWM214C C-71 39 N/A 10T R-117 37 & S EHWM214FPK C-71 56 ▼ N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10DBT R-29 35 & EHWM217FPK C-71 71 ▼ N/A													
EFU23-UF-A C-93 3 N/A & EHWM17C C-70 60 N/A EFU281610T R-43 32 & ⊗ EHWM17FPK C-70 81 ▼ N/A EFU281610TC R-43 37 & EHWM214C C-71 39 N/A EFU311810T R-117 37 & © EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 & EHWM217C C-71 50 N/A	F-A C-93 3 N/A & EHWM17C C-70 60 N/A 10T R-43 32 &												_	
EFU281610T R-43 32 å ⊗ EHWM17FPK C-70 81 ▼ N/A EFU281610TC R-43 37 å EHWM214C C-71 39 N/A EFU311810T R-117 37 å © EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	10T R-43 32 & S EHWM17FPK C-70 81 ▼ N/A 10TC R-43 37 & EHWM214C C-71 39 N/A 10T R-117 37 & S EHWM214FPK C-71 56 ▼ N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10DBT R-29 35 & EHWM217FPK C-71 71 ▼ N/A								(•	
EFU281610TC R-43 37 å EHWM214C C-71 39 N/A EFU311810T R-117 37 å © EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	10TC R-43 37 & EHWM214C C-71 39 N/A 10T R-117 37 & © EHWM214FPK C-71 56 ▼ N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10DBT R-29 35 & © EHWM217FPK C-71 71 ▼ N/A						N/A						_	
EFU311810T R-117 37 å ⊗ EHWM214FPK C-71 56 ▼ N/A EFU311810TC R-116 42 å EHWM217C C-71 50 N/A	10T R-117 37 & S EHWM214FPK C-71 56 ▼ N/A 10TC R-116 42 & EHWM217C C-71 50 N/A 10DBT R-29 35 & © EHWM217FPK C-71 71 ▼ N/A								(•	
EFU311810TC R-116 42 & EHWM217C C-71 50 N/A	10TC R-116 42 & EHWM217C C-71 50 N/A 10DBT R-29 35 & © EHWM217FPK C-71 71 ▼ N/A													
	10DBT R-29 35 & ⊗ EHWM217FPK C-71 71 ▼ N/A								(•	
EFU411510DBT R-29 35 & ⊗ EHWM217FPK C-71 71 ▼ N/A			EFU311810TC					ė.		EHWM217C	C-71	50		N/A
I Compared to the compared to	å ⊗ EHWM217FPRAK C-71 71 ▼ N/A		EFU411510DBT	R-29	35			ė	(EHWM217FPK	C-71	71	▼	N/A

	Madel North	D "	Ship	Volta		Madal Number	D "	Ship	Valtaga
	Model Number	Page #	Wt (lbs)	Voltage		Model Number	Page #	Wt (lbs)	Voltage
5	EHWM217RAC	C-71	50	N/A	2	ELUH16-CU	C-185	13	
5	ELDSSF30279DBG	C-104	60			ELUH1616	R-63	12	
5	ELDSSF33279DBG	C-103	65			ELUH1616DBG	R-63	19	
5	ELDSSF36279DBG	C-103	69			ELUH16FB	R-64, C-187	15	
	ELG1616	R-191	18			ELLIH16FPDPC		17	
	ELG1616C	R-191	22			ELUH16FBDBG	R-63		
	ELG2522	R-195	43			ELUH16LV	R-205, C-187	13	
	ELG2522C	R-194	48		2	ELUH16LV-CU	C-185	13	
	ELG3322	R-196	62			ELUH1811	R-205	8	
0	ELGAD2522PD	C-118	34			ELUH1814	R-62	13	
0	ELGAD3322PD	C-129	46			ELUH1814PD	R-61	17	
	ELGH3322R	R-195	62			ELUH191610	R-61	16	
	ELGHU3322R	R-192	57		0	ELUH191612	R-61	17	
	ELGHU3322RC	R-192	64		, and the second	ELUH2115	R-56,	14	
	ELGR13322	R-194	57			LLONZTIS	C-186	14	
	ELGRU13322	R-189	45			ELUH211510	R-57,	17	
	ELGRU13322C	R-189	60				C-186		
	ELGU2522	R-190	41			ELUH211510DBG	R-56	23	
	ELGU2522C	R-190	46			ELUH211510PD	R-56	22	
	ELGU2322C ELGU3322	R-190 R-193				ELUH211512	R-57	18	
			52			ELUH2115DBG	R-55	20	
	ELGU3322C	R-193	66			ELUH2115PD	R-55	20	
	ELGUAD2519PD	C-110	32			ELUH2118	R-53	14	
	ELGUAD3319PD	C-114	42			ELUH211810	R-54	19	
	ELUH1113	R-74	8			ELUH211810DBG	R-53	19	
	ELUH1113DBG	R-74	10			ELUH211810PD	R-53	19	
	ELUH1116	R-75	11			ELUH2118DBG	R-52	19	
	ELUH1116DBG	R-75	14			ELUH2118PD	R-52	14	
	ELUH12	R-74, C-187	9			ELUH2317	R-38	20	
	FLUUIA CU		_			ELUH231710	R-49	23	
. 2	ELUH12-CU	C-185	5			ELUH231710L	R-49	23	
	ELUH1212	R-72	10			ELUH231710PD	R-48	25	
	ELUH1212PD	R-72	13			ELUH231710R	R-49	23	
	ELUH129	R-73	7			ELUH231712	R-50	26	
	ELUH129DBG	R-72	9						
	ELUH12FB	R-73, C-187	10			ELUH231712L	R-50	26	
	ELUH12FBDBG	R-73	9			ELUH231712R	R-50	26	
	ELUH12LV	R-207,	6			ELUH2317L	R-47	20	
	ELUHIZLV	C-187	О			ELUH2317PD	R-47	25	
. 2	ELUH12LV-CU	C-185	6			ELUH2317R	R-48	20	
	ELUH1316	R-71,	12			ELUH2416	R-46	23	
		C-186				ELUH241610	R-47	23	
	ELUH1316DBG	R-70	15			ELUH241610PD	R-46	25	
	ELUH1316PD	R-70	13			ELUH2416PD	R-46	25	
	ELUH1316PDBG	R-69	16			ELUH272010R	R-121	21	
	ELUH1317	R-76	11			ELUH272010RDBG	R-121	26	
	ELUH1317DBG	R-76	13			ELUH2816	R-40	22	
	ELUH1418	R-65	16			ELUH281610	R-41,	25	
	ELUH141810	R-66	17				C-186		
	ELUH141810DBG	R-66	17			ELUH281610DBG	R-41	29	
	ELUH141810PD	R-66	15			ELUH281610PD	R-40	26	
	ELUH1418DBG	R-65	17			ELUH281610PDBG	R-40	32	
	ELUH1418PD	R-65	17			ELUH281612	R-42	27	
						ELUH281612DBG	R-41	29	
	ELUH1511	R-206, C-187	7			ELUH2816DBG	R-39	25	
	ELUH16	R-64,	11			ELUH2816PD	R-39	24	
		C-187				ELUH2816PDBG	R-39	29	

Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
ELUH3116	R-103	19			ELUH362110L	R-93	26	
ELUH3116DBG	R-103	22			ELUH362110LDBG	R-93	31	
ELUH3118	R-118,	17			ELUH362110R	R-94	27	
FI I II I 24 4 0 4 0	C-187	20			ELUH362110RDBG	R-94	31	
ELUH311810	R-119, C-187	28			ELUH3621L	R-92	21	
ELUH311810DBG	R-119	27			ELUH3621LDBG	R-92	26	
ELUH311810L	R-120	23			ELUH3621R	R-93	21	
ELUH311810LDBG	R-120	27			ELUH3621RDBG	R-92	26	
ELUH311810PD	R-119	28			ELUH3920	R-123	30	
ELUH311810R	R-121	23			ELUH3920DBG	R-122	38	
ELUH311810RDBG	R-120	27			ELUH4020	R-122	32	
ELUH3118DBG	R-118	25			ELUH4020DBG	R-122	38	
ELUH3118PD	R-118	27			ELUH4221L	R-91	38	
ELUH311910L	R-115	21			ELUH4221LDBG	R-90	40	
ELUH311910LDBG	R-114	25			ELUH4221R	R-91	38	
ELUH311910R	R-115	21			ELUH4221RDBG	R-91	40	
ELUH311910RDBG	R-115	25		ė ∑	ELUH9-CU	C-185	3	
ELUH3119L	R-113	25		ė	ELUHAD111655	C-104	11	
ELUH3119LDBG	R-113	26		ė.	ELUHAD111655PD	C-113	15	
ELUH3119R		21		ė.	ELUHAD121255	C-113	9	
ELUH3119RDBG	R-114 R-114	26		ė	ELUHAD131655	C-113	11	
				ė.	ELUHAD131655PD	C-112	13	
ELUH3120L	R-112, C-187	27		ė.	ELUHAD141455	C-112	11	
ELUH3120LDBG	R-112	27		ė.	ELUHAD141455PD	C-112	15	
ELUH3120LPD	R-110	28		ė.	ELUHAD141855	C-104	11	
ELUH3120LPDBG	R-110	32		ė.	ELUHAD141855PD	C-111	14	
ELUH3120R	R-113,	22		ė	ELUHAD161655	C-111	11	
	C-187			ė		C-111	17	
ELUH3120RDBG	R-112	27		ė	ELUHAD191655		12	
ELUH3120RPD	R-111	28			ELUHAD211555	C-110		
ELUH3120RPDBG	R-111	31		ė.	ELUHAD211555PD	C-110	19	
ELUH3121L	R-116	25		ė.	ELUHAD281655	C-109	21	
ELUH3121R	R-116	25		ė.	ELUHAD281655PD	C-109	26	
ELUH31229RPD	R-99	21		. š	ELUHAD311855	C-115	21	
ELUH3219	R-101	19		ė.	ELUHAD311855PD	C-115	26	
ELUH3219DBG	R-101	24		ė.	ELUHAD312055R	C-107	21	
ELUH3220	R-109	25			ELUHAD312055RPD	C-115	26	
ELUH322010	R-109	32			ELUHAD321655	C-114	21	
ELUH322010PD	R-108	35		ė	ELUHAD361855	C-106	27	
ELUH3220PD	R-109	32			ELUHAQD32179	R-102	22	
ELUH322110L	R-105	25			ELUHAQD3218	R-102	22	
ELUH322110LDBG	R-105	28			ELUHF2520	R-35	25	
ELUH322110R	R-106	20			ELUHF2520DBG	R-35	28	
ELUH322110RDBG	R-106	28			ELUHF3320	R-88	31	
ELUH3221L	R-104	18			ELUHF332010	R-90	23	
ELUH3221LDBG	R-104	25			ELUHF332010DBG	R-88	26	
ELUH3221R	R-105	19			ELUHF3320DBG	R-88	33	
ELUH3221RDBG	R-104	25			ELUHFS2816	R-34	30	
ELUH3232	R-103	35			ELUHFS2816DBG	R-34	36	
ELUH3520L	R-95	32			ELV18173	C-154	20	
ELUH3520LDBG	R-95	34			ELV1817CS3	C-154	20	
ELUH3520R	R-96	29			ELV22191	C-153	16	
ELUH3520RDBG	R-96	34			ELV22193	C-153	16	
ELUH361710	R-95	27			ELV2219CS3	C-153	16	
ELUH361710DBG	R-94	32			ELV2219SACC	C-153	26	▼

	Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)	Voltage
	ELV2219SACTMC	C-153	28	7			ER101Y	C-80	74	115V/60Hz
	ELVWO22191	C-153	16			0	ER102Y	C-81	74	220V/50Hz
	ELVWO22193	C-153	16			\Diamond	ER103Y	C-81	74	220V/60Hz
	ELVWO2219CS3	C-153	16				ER191	C-80	115	115V/60Hz
	ELVWO2219SACC	C-153	26	7		0	ER192	C-81	115	220V/50Hz
	ELVWO2219SACMC	C-153	27	7		0	ER193	C-81	115	220V/60Hz
	ELVWO2219SACTMC	C-153	28	7	2		ER194H	C-82	112	220-240V/
	ELX1616 ELX2522	R-186 R-187	18 43							50Hz, 220-230V/ 60Hz
	ELX3322	R-188	62				ER21Y	C-80	44	115V/60Hz
	ELXH3322R	R-188	62			0	ER22Y	C-81	44	220V/50Hz
							ER301	C-80	123	115V/60Hz
	ELXHU3322R	R-186	57			0	ER302	C-81	123	220V/50Hz
	ELXR13322	R-187	57			0	ER303	C-81	123	220V/60Hz
	ELXRU13322	R-185	55				ER51Y	C-80	66	115V/60Hz
	ELXU2522	R-185	41			0	ER52Y	C-81	66	220V/50Hz
	ELXU3322	R-187	58	4.5.44504		0	ER53Y	C-81	66	220V/60Hz
ė.	EMABF8L	C-49	58	115V/60Hz	ė.	0	ERFP282K	C-74		▼ 220V/50Hz
ė.	EMABF8S	C-49	58	115V/60Hz	ė.	0	ERFP28FK	C-53		▼ 115V/60Hz
Ė	EMABF8WSLK	C-26	91		ė.	0	ERFP28K	C-53		▼ 115V/60Hz
Ġ.	EMABF8WSSK	C-26	91		ė.		ERFP28RAK	C-53		▼ 115V/60Hz
ė.	EMABFDL	C-49	36	N/A	ė.	0	ERFP82K	C-55		▼ 115V/60Hz ▼ 220V/50Hz
Ė	EMABFDS	C-49	36	N/A						
Ė	EMABFDWSLK	C-26	54	7 115V/60Hz	ė.	0	ERFP8FK	C-53		
Ġ	EMABFDWSSK	C-26	54	7 115V/60Hz		_	ERFP8K	C-53		▼ 115V/60Hz
Ġ	EMABFTL8LC	C-49	94	115V/60Hz		0	ERFPM282K	C-74		▼ 220V/50Hz
Ė	EMABFTL8SC	C-49	94	115V/60Hz		0	ERFPM28FK	C-53		▼ 115V/60Hz
Ė	EMABFTL8WSLK	C-26	101	115V/60Hz	ě.		ERFPM28K	C-53		▼ 115V/60Hz
Ġ	EMABFTL8WSSK	C-26	101	7 115V/60Hz	ė.		ERFPM28RAK	C-53		▼ 115V/60Hz
Ġ	EMABFTLDDLC	C-49	46	N/A	ė.	0	ERFPM82K	C-74		▼ 220V/50Hz
Ġ	EMABFTLDDSC	C-49	46	N/A	ė.		ERFPM8K	C-53		▼ 115V/60Hz
Ė	EMABFTLDDWSLK	C-26	95	7 115V/60Hz	ė.		ERFPMVR28K	C-53	131 '	▼ 115V/60Hz
Ė	EMABFTLDDWSSK	C-26	95 T	7 115V/60Hz	ė.		ERFPMVR28RAK	C-53	131	▼ 115V/60Hz
Ė	EMABFTLR8LC	C-50	94	115V/60Hz	ė.		ERFPVR28K	C-53	98 '	▼ 115V/60Hz
Ė	EMABFTLR8SC	C-50	94	115V/60Hz	ė.		ERFPVR28RAK	C-53	98 '	▼ 115V/60Hz
Ġ	EMABFTLRDDLC	C-50	46	N/A	ė.		ERFPVR8K	C-53	76 '	▼ 115V/60Hz
Ġ	EMABFTLRDDSC	C-50	46	N/A	ķ		ERFPVRM8K	C-53	95 '	▼ 115V/60Hz
ė	EMABFTLVR8LC	C-49	94	115V/60Hz	ė		ERO28K	C-53	102	▼ 115V/60Hz
ė	EMABFTLVR8SC	C-49	94	115V/60Hz	ė		ERO28RAK	C-53	102	▼ 115V/60Hz
Ė	EMABFTLVRDDLC	C-49	46	N/A	ė		ERO8K	C-53	78	▼ 115V/60Hz
Ġ	EMABFTLVRDDSC	C-49	46	N/A	ė	0	EROM282K	C-74	135	▼ 220V/50Hz
ė.	EMABFVR8L	C-49	58	115V/60Hz	ė		EROM28K	C-53	135	▼ 115V/60Hz
ė	EMABFVR8S	C-49	58	115V/60Hz	ė		EROM28RAK	C-53	135	▼ 115V/60Hz
Ġ.	EMABFVRDL	C-49	36	N/A	ė	0	EROM82K	C-74	97	▼ 220V/50Hz
Ġ.	EMABFVRDS	C-49	36	N/A	ė.		EROM8K	C-53	97	▼ 115V/60Hz
ġ.	EMABFWS-RF	C-26, C-29	29	115V/60Hz	ė		ERPB28K	C-51	108	▼ 115V/60Hz
Ė	EMASM	C-29	20	N/A	ė		ERPB28RAK	C-52	108	▼ 115V/60Hz
ġ.	EMASMB	C-29	22	N/A	ė		ERPB8K	C-51	74	▼ 115V/60Hz
ġ.	ENOB28K	C-51		7 115V/60Hz	ė		ERPBGRNM28K	C-50	141	▼ 115V/60Hz
ė.	ENOB28RAK	C-52		7 115V/60Hz	ė		ERPBGRNM28RAK	C-50	141	▼ 115V/60Hz
ė.	ENOB28KAK	C-52		7 115V/60Hz	ė		ERPBGRNM8K	C-50	93 '	▼ 115V/60Hz
	ENOBM282QK			7 240V/50Hz	ė		ERPBGRNMV28K	C-50		▼ 115V/60Hz
	-	C-77			ė		ERPBGRNMV28RAK	C-50		▼ 115V/60Hz
ė.	ENOBM28K	C-51		115V/60Hz	ė		ERPBGRNMV8K	C-50		▼ 115V/60Hz
ė.	ENOBM28RAK	C-52		115V/60Hz	ė	0	ERPBM282K	C-77		▼ 220V/50Hz
& Z C		C-77		240V/50Hz	ė.	0	ERPBM282RAK	C-78		▼ 220V/50Hz
Ė	ENOBM8K	C-51	93	7 115V/60Hz		V	LIVE DIMITOSKWIV	C-/0	141	* ZZUV/JUNZ

	Model Number	Page #	Ship Wt (lbs)		Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
0	ERPBM283K	C-77	141	•	220V/60Hz		EWA14L1Z	C-55	69	
0	ERPBM283RAK	C-78	141	\blacksquare	220V/60Hz		EWA14N3YJOSA	C-56	69	220V/6
	ERPBM28K	C-51	141	\blacksquare	115V/60Hz		EWA14S1Z	C-55	69	115V/6
	ERPBM28RAK	C-52	141	\blacksquare	115V/60Hz	0	EWA14S2YJO	C-56	69	220V/5
0	ERPBM82K	C-77	93	\blacksquare	220V/50Hz	0	EWA14S3YJOSA	C-56	69	220V/6
0	ERPBM83K	C-77	93	•	220V/60Hz	0	EWA16N3YJOSA	C-56	70	220V/6
	ERPBM8K	C-51	93	•	115V/60Hz	0	EWA16S3YJOSA	C-56	70	220V/6
	ERPBMV28K	C-51	141	•	115V/60Hz	0	EWA20N3YJOSA	C-56	76	220V/6
	ERPBMV28RAK	C-52	141		115V/60Hz	0	-	C-56	76	220V/6
	ERPBMV8K	C-51	93		115V/60Hz		EWA4S1Z	C-55	60	115V/6
	ERPBV28K	C-51	108		115V/60Hz		EWA8L1Z	C-55	60	115V/6
	ERPBV28RAK	C-51	108		115V/60Hz		EWA8S1Z	C-55	60	115V/6
	ERPBV8K	C-51	74	•	115V/60Hz	0	-	C-56	60	220V/6
	ERS11Y	R-240, C-80	33		115V/60Hz		EWCA14L1Z	C-54	64	115V/6
0	ERS12Y	C-81	33		220V/50Hz		EWCA14S1Z	C-54	64	115V/6
-	ERW321	C-80	120		115V/60Hz		EWCA4L1Z	C-54	55	115V/6
	ESE202010	R-148	12			0	-	C-54	55	220V/6
₹	ESLV28201	C-158	30			0	EWCA4S3YJOSA	C-54	55	220V/6
۵	ESLV28201 ESLV28203						EWCA8L1Z	C-54	54	115V/6
		C-158	25	_			EWCA8S1Z	C-54	54	115V/6
2	ESLV2820FC	C-157	43	*		0	EWCA8T2YJO	C-54	54	220V/5
Σ	ESLV2820KC	C-157	43	•			EWCDAL	C-54	28	N/A
2	ESLV2820SACC	C-157	41	•		0	EWCDAT	C-54	28	N/A
Σ	ESLV2820SACMC	C-157	41	•			EWDAL	C-55	44	N/A
Σ	ESLV2820SACTMC	C-157	43	•			EWDAS	C-55	44	N/A
2	ESLV2820W4C	C-157	38	▼		0	EWDAT	C-55	44	N/A
2	ESLV2820W6C	C-157	38	▼			EWF172	C-91	3	N/A
	ESR3100D-A	C-92	53		110-240V/		EWF3000	C-90	3	N/A
					50-60Hz		EWMA48202	C-168	76	IVA
	ESS21182	C-174	26						76	
	ESS2118C	C-173	48	•			EWMA48204	C-168		_
	ESS23192	C-174	44				EWMA4820C	C-168	85	*
	ESS2319C	C-173	66	•			EWMA4820SACC	C-168	91	V
	ESS25202	C-174	44				EWMA4820SACMC	C-168	92	•
	ESS2520C	C-173	66	•			EWMA4820SACTMC	C-168	95	▼
	ESS4220R	C-167	55				EWMA60203	C-168	90	
Z	ESS4924R1	C-167	82				EWMA60206	C-168	90	
≅ ⊗	ESS4924R2	C-167	82				EWMA6020C	C-168	103	▼
2	ESS4924RFC	C-166	95	\blacksquare			EWMA6020SACC	C-168	116	▼
Ξ	ESS4924RKC	C-166	100	\blacksquare			EWMA6020SACMC	C-168	118	▼
Ξ	ESS4924RSACC	C-166	90	•			EWMA6020SACTMC	C-168	122	▼
2	ESS4924RSACMC	C-166	91	•			EWMA72203	C-169	95	
Σ	ESS4924RSACTMC	C-166	92	•			EWMA72206	C-169	95	
	ESS4924RW4C	C-166	82	•			EWMA7220C	C-169	110	▼
	ESS4924RW6C	C-166	82				EWMA7220SACC	C-169	121	▼
	ESSB2118C	C-173	75				EWMA7220SACMC	C-169	123	•
	ESSB2319C	C-173	80	*			EWMA7220SACTMC	C-169	127	•
	ESSB2520C			*			EWMA96204	C-169	132	
		C-173	85 75				EWMA96208	C-169	132	
	ESSW2118C	C-173	75	▼			EWMA9620C	C-169		•
	ESSW2319C	C-173	80	•						▼
	ESSW2520C	C-173	85	•			EWMA9620SACC	C-169		
	ESWA8S1Z	C-63	57		115V/60Hz		EWMA9620SACMC	C-169		*
₹ 0	EU4814C	C-156	50				EWMA9620SACTMC	C-169		•
Z	EU6014C	C-156	65				EWS25201	C-160	38	
Z	EUH4814C	C-156	55				EWS25202	C-160	38	
			65				EWS2520FC	C-159	55	▼

										_	
	Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)		Voltage
	EWS2520KC	C-160	55 1	v	ė	0	EZS8S3JOSA	C-42	51		220V/60Hz
	EWS2520SACC	C-159	49	▼	Ė	0	EZS8SF	C-40	51		115V/60Hz
	EWS2520SACMC	C-159	49	▼	Ġ	0	EZS8SF2JO	C-42	51		220V/50Hz
	EWS2520SACTMC	C-159	51	▼	ė.	\Diamond	EZS8WSL2K	C-19	68	▼	220V/50Hz
	EWS2520W4C	C-159	50	▼	Ė	0	EZS8WSL3K	C-19	68	▼	220V/60Hz
	EWS2520W6C	C-159	50	▼	Ė		EZS8WSLK	C-21	82	▼	115V/60Hz
	EWS31201	C-162	42		Ė	0	EZS8WSS2K	C-19	68	▼	220V/50Hz
	EWS31202	C-162	42		Ė	0	EZS8WSS3K	C-19	68	\blacksquare	220V/60Hz
	EWS3120FC	C-161	42	▼	Ė		EZS8WSSK	C-21	82	▼	115V/60Hz
	EWS3120KC	C-162	42	▼	Ė	0	EZS8WSVRL2K	C-19	69	\blacksquare	220V/50Hz
	EWS3120SACC	C-161	51	▼	Ė	0	EZS8WSVRL3K	C-19	69	\blacksquare	220V/60Hz
	EWS3120SACMC	C-161	51	▼	Ė		EZS8WSVRLK	C-21	82	\blacksquare	115V/60Hz
	EWS3120SACTMC	C-161	53	▼	ė.	0	EZS8WSVRS2K	C-19	69	•	220V/50Hz
	EWS3120W4C	C-161	42	▼	Ġ	0	EZS8WSVRS3K	C-19	69	▼	220V/60Hz
	EWS3120W6C	C-161	42	▼	Ė		EZS8WSVRSK	C-21	82	▼	115V/60Hz
	EWSF130261	C-171	85		Ė		EZSDL	C-40	36		115V/60Hz
2	EWSF13026KWC	C-170	85		Ė	0	EZSDLF	C-40	36		115V/60Hz
2	EWSF13026KWSC	C-170	85		ė.		EZSDS	C-40	36		115V/60Hz
	EWSF13026SACC	C-171	96	▼	ė.		EZSDWSLK	C-21	52	•	115V/60Hz
	EWSF260262	C-172	150		Ė		EZSDWSSK	C-21	52	•	115V/60Hz
2	EWSF26026KWC	C-170	150		Ė		EZSDWSVRLK	C-21	52	•	115V/60Hz
2	EWSF26026KWSC	C-170	150		ė		EZSDWSVRSK	C-21	52		115V/60Hz
	EWSF26026SACC	C-172		,	ė		EZSG8L	C-37	51		115V/60Hz
	EWSF390263	C-172	210		ė		EZSG8S	C-37	51		115V/60Hz
Z	EWSF39026KWC	C-170	210		ė		EZSG8WSLK	C-22		•	115V/60Hz
∑	EWSF39026KWSC	C-170	210		ė		EZSG8WSSK	C-22			115V/60Hz
-	EWSF39026SACC	C-172		,	ė.	0	EZSTL8L2JOC	C-42	72	•	220V/50Hz
	EWSFAD136201	C-172	140	·	ė.	0	EZSTL8LC	C-41	72		115V/60Hz
à à	EWSFAD13620SACC	C-171		•	ė.	0	EZSTL8LFC	C-41	72		115V/60Hz
A	EWTLA14LK	C-55		▼ 115V/60Hz	ė.		EZSTL8S2JOC	C-41	72		
	EZO8L	C-38	51	115V/60Hz	ė.	0	EZSTL832JOC EZSTL8SC	C-42	72		220V/50Hz 115V/60Hz
	EZO8S	C-38	51	115V/60Hz	ė.	0	EZSTL8SFC	C-41	72		
			51	220V/60Hz			EZSTL8SFC			•	115V/60Hz
	EZO8S3JOSA	C-39						C-20			220V/50Hz
	EZO8WSLK	C-18	51	115V/60Hz	& Z	0	EZSTL8WSL3K	C-20	89	•	220V/60Hz
	EZO8WSSK	C-18	51	115V/60Hz		_	EZSTL8WSLK	C-21			115V/60Hz
5	EZODL	C-38	36	115V/60Hz	& Z		EZSTL8WSS2K	C-20			220V/50Hz
à	EZODS	C-38	36	115V/60Hz	& Z	0	EZSTL8WSS3K	C-20			220V/60Hz
à	EZOOSTL8LC	C-38	36	115V/60Hz	& 		EZSTL8WSSK	C-21			115V/60Hz
5.	EZOOSTL8SC	C-38	36	115V/60Hz	& Z		EZSTL8WSVRL2K	C-20			220V/50Hz
à	EZOOTL8WSLK	C-18	36	115V/60Hz	& Z	0	EZSTL8WSVRL3K	C-20			220V/60Hz
5	EZOOTL8WSSK	C-18	36	115V/60Hz	Ė		EZSTL8WSVRLK	C-21	103	▼	115V/60Hz
5	EZOSTL8LC	C-38	72	115V/60Hz	ė ∑	0	EZSTL8WSVRS2K	C-20	91	▼	220V/50Hz
5 6	EZOSTL8S3JOCSA	C-39	72	220V/60Hz	& Z	0	EZSTL8WSVRS3K	C-20	91	▼	220V/60Hz
à	EZOSTL8SC	C-38	72	115V/60Hz	Ė		EZSTL8WSVRSK	C-21	103	▼	115V/60Hz
5	EZOTL8WSLK	C-21	72	115V/60Hz	Ė		EZSTLDDLC	C-41	46		115V/60Hz
5	EZOTL8WSSK	C-21	72	115V/60Hz	Ġ		EZSTLDDSC	C-41	46		115V/60Hz
5	EZS8L	C-40	51	115V/60Hz	Ġ.		EZSTLDDWSLK	C-21	79	▼	115V/60Hz
5 6	EZS8L2JO	C-42	51	220V/50Hz	Ė		EZSTLDDWSSK	C-21	79	▼	115V/60Hz
5 6	EZS8L3JO	C-42	51	220V/60Hz	Ė		EZSTLDDWSVRLK	C-21	81	\blacksquare	115V/60Hz
à 6	EZS8LF	C-40	51	115V/60Hz	ė.		EZSTLDDWSVRSK	C-21	81	\blacksquare	115V/60Hz
. 6	EZS8LF2JO	C-42	51	220V/50Hz	ė.		EZSTLG8LC	C-37	72		115V/60Hz
	EZS8S	C-40	51	115V/60Hz	ė		EZSTLG8SC	C-37	72		115V/60Hz
5 6	EZS8S2JO	C-42	51	220V/50Hz	Ė		EZSTLG8WSLK	C-22	101	•	115V/60Hz
5 6	EZS8S2QJO	C-42	51	240V/50Hz	Ġ		EZSTLG8WSSK	C-22	101	•	115V/60Hz
		C-42	51	220V/60Hz			EZSTLVR8LC	C-41	72		

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
5	EZSTLVR8SC	C-41	72	115V/60Hz		FD7003L3YJOSA	C-60	54	220V/60Hz
5	EZSVR8L	C-40	51	115V/60Hz	0	FD7003LF1Z	C-59	55	115V/60Hz
5	EZSVR8S	C-40	51	115V/60Hz	0	FD7003LF2YJO	C-60	55	220V/50Hz
5	EZWS-EDFP217K	C-30	118	7 115V/60Hz		FD7003S1Z	C-59	54	115V/60Hz
5	EZWS-EDFPBM114K	C-30	118	7 115V/60Hz	0	FD7003S2YJO	C-60	54	220V/50Hz
5	EZWS-EDFPBM117K	C-30	118	7 115V/60Hz	0	FD7003S3YJO	C-60	54	220V/60Hz
5	EZWS-ERFP8-RF	C-34	50	115V/60Hz	0	FD7003S3YJOSA	C-60	54	220V/60Hz
5	EZWS-ERPB8-RF	C-34	48	115V/60Hz	0	FD7003SF1Z	C-59	55	115V/60Hz
5	EZWS-ERPBM28K	C-30	170	7 115V/60Hz	0	FD7003SF2YJO	C-60	55	220V/50Hz
5	EZWS-ERPBM8K	C-30	146	7 115V/60Hz		FD7003T1Z	C-59	54	115V/60Hz
5	EZWS-SFGRN28K	C-31	164	7 115V/60Hz	0	FD7003T2YJO	C-60	54	220V/50Hz
5	EZWS-SFGRN8K	C-31	127	7 115V/60Hz	0	FD7003T3YJO	C-60	54	220V/60Hz
à	EZWS-SS28K	C-31	164	7 115V/60Hz	0	FD7003TF1Z	C-59	55	115V/60Hz
à	EZWS-SS8K	C-31	123	7 115V/60Hz	0	FD7003TF2YJO	C-60	55	220V/50Hz
à	EZWS8K	C-32	63	7 115V/60Hz		FD7005L1Z	C-59	54	115V/60Hz
à	EZWS8PK	C-32	63	7 115V/60Hz	0	FD7005L2YJO	C-60	54	220V/50Hz
à	EZWSGRN8K	C-32	63	7 115V/60Hz	0	FD7005L3YJO	C-60	54	220V/60Hz
	EZWSGRN8PK	C-32	63	7 115V/60Hz	0	FD7005LF1Z	C-59	55	115V/60Hz
	EZWSGRNM8K	C-32	78	7 115V/60Hz	0	FD7005LF2YJO	C-60	55	220V/50Hz
	EZWSGRNM8PK	C-32	78	7 115V/60Hz		FD7005S1Z	C-59	54	115V/60Hz
. O	EZWSM82K	C-33	76	220V/50Hz	0	FD7005S2YJO	C-60	54	220V/50Hz
. Z O	EZWSM82PK	C-33	76	220V/50Hz	0	FD7005S3YJO	C-60	54	220V/60Hz
· Z O	EZWSM83K	C-33	76	7 220V/60Hz	0	FD7005S3YJOSA	C-60	54	220V/60Hz
Z 0	EZWSM83PK	C-33	76	7 220V/60Hz	0	FD7005SF1Z	C-59	55	115V/60Hz
	EZWSM8K	C-32	77	7 115V/60Hz	0	FD7005SF2YJO	C-60	55	220V/50Hz
	EZWSM8PK	C-32	77	7 115V/60Hz	0	FD7005T1Z	C-59	54	115V/60Hz
Z 0	EZWSMDJOK	C-33	33	7 220V/50-	0	FD7005T2YJO	C-60	54	220V/50Hz
				60Hz	0	FD7005T3YJO	C-60	54	220V/60Hz
₹ 0	EZWSMDJOPK	C-33	33	220V/50- 60Hz	0	FD7005TF1Z	C-59	55	115V/60Hz
	EZWSMDK	C-32	33		0	FD7005TF2YJO	C-60	55	220V/50Hz
	EZWSMDPK	C-32		7 115V/60Hz		FD700DL	C-59	29	N/A
	EZWSRK	C-18, C-29	19	115V/60Hz		FD700DS	C-59	29	N/A
	EZWSSM	C-28	32	115V/60Hz	0	FD700DT	C-59	29	N/A
·		C-28	32	220V/50-		FLR-1X	C-150	28	
	LZVV35IVIJO	C-20	32	60Hz		FLR-2X	C-150	32	
	F					FLR-3X	C-150	30	
	FD70010L1Z	C-59	65	115V/60Hz		FLR-4X	C-150	36	
0		C-60	65	220V/50Hz		FS33-A	C-93	2	N/A
0	-	C-60	65	220V/60Hz		G			
0		C-59	66	115V/60Hz			D 265	1	
0		C-60	66	220V/50Hz		GBG1318SS	R-265	1	
	FD70010S1Z	C-59	65	115V/60Hz		GBG1414SS	R-265	1	
0		C-60	65	220V/50Hz		GBG1415SS	R-265	1	
0	-	C-60	65	220V/60Hz		GBG2115SS	R-265	2	
0	-	C-60	65	220V/60Hz		GBG2416SS	R-265	2	
0	-	C-59	66	115V/60Hz		GBG2816SS	R-265	3	
0		C-60	66	220V/50Hz	ė.	GE12521	R-256	10	
0		C-59	65	115V/60Hz	ė.	GE12521L	R-256	10	
0		C-60	65	220V/50Hz	ė.	GE12521R	R-256	10	
0	-	C-60	65	220V/50Hz 220V/60Hz	ė.	GE12522	R-253	10	
0	-	C-59	66	115V/60Hz	ė.	GE12522L	R-253	10	
0		C-59	66	220V/50Hz	ė.	GE12522R	R-254	10	
V	FD700101F21JO FD7003L1Z	C-59	54	115V/60Hz	ė.	GE23321	R-262	13	
~					ė.	GE23322	R-259	12	
0	FD7003L2YJO	C-60	54	220V/50Hz	ė	GECR2521	R-145	11	

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)		Voltage
Ŀ	GECR2521L	R-144	11		0	LFDE10L2YJO	C-60	68		220V/50Hz
Ġ	GECR2521R	R-144	11		0	LFDE10LF1Z	C-59	69		115V/60Hz
Ė	GECR3321	R-177	14			LFDE10S1Z	C-59	68		115V/60Hz
	GFOBG1416SS	R-231	3		0	LFDE10S2YJO	C-60	68		220V/50Hz
	GFOBG1619SS	R-231	3		0	LFDE10SF1Z	C-59	69		115V/60Hz
	GOBG1115SS	R-265	1		0	LFDE10SF3YJO	C-60	69		220V/60Hz
	GOBG1118SS	R-265	1		0	LFDE10SF3YJOSA	C-60	69		220V/60Hz
	GOBG1415SS	R-266	1		0	LFDE10T1Z	C-59	68		115V/60Hz
	GOBG1520LSS	R-266	2		0	LFDE10T2YJO	C-60	68		220V/50Hz
	GOBG1520RSS	R-266	2		0	LFDE10TF1Z	C-59	69		115V/60Hz
	GOBG1617SS	R-266	1		0	LFDE3T1Z	C-59	68		115V/60Hz
	GOBG1819SS	R-266	2			LFGR3322	R-163	25		
	GOBG2115SS	R-266	2			LFGR3722	R-169	28		
	GOBG2118SS	R-266	2			LFRAD251955	C-105	18		
	GOBG2816SS	R-266	3			LGR3322	R-173	25		
	1					LGR3722	R-170	28		
	_	D 130	22			LGR4322	R-182	25		
	ILGR4322L	R-129	32		0	LJNE122FK	C-62	84	•	220V/50Hz
	ILGR4322R	R-129	32			LJNE12K	C-61	82	•	115V/60Hz
	ILGR5422L	R-166	40		0		C-62	83		220V/50Hz
	ILGR5422R	R-167	40		0		C-61	83		115V/60Hz
	ILR3322L	R-130	23		0	LJNE8K	C-61	81		115V/60Hz
	ILR3322R	R-130	23			LJNEM102QCDK	C-62	168		240V/50Hz
	ILR4322L	R-128	29		0	_	C-62	121	*	220V/50Hz
	ILR4322R	R-128	29		0		C-62	121	*	220V/50Hz
	ILR4822L	R-167	35				C-62	121		
	ILR4822R	R-167	35		0				*	220V/60Hz
	ILR5422DD	R-127	40		0		C-62	121	_	220V/60Hz
	ILR6622DD	R-166	50		0		C-61	121	*	115V/60Hz
	K				0		C-61	119	•	115V/60Hz
Ġ	K11515	R-258	4		0		C-62	118	•	220V/50Hz
ė	K12522	R-254	8		0		C-62	118	•	220V/60Hz
Ė	K23322	R-259	12		0		C-62	118	•	220V/60Hz
	L				0		C-61	120	•	115V/60Hz
,		6.27	47	445)//6011		LJNEM8K	C-61	118	•	115V/60Hz
ė.	LBWDC00BKC	C-27	47	115V/60Hz		LK109A	C-97	1		
Ġ.	LBWDC00WHC LCR4322	C-27 R-134,	47 28	115V/60Hz		LK1110	R-224, C-98	1		N/A
		R-162				LK1114	C-98	1		N/A
Ġ	LCRSP8K	C-52		7 115V/60Hz		LK1141A	C-234	3		
2 6	•	C-72		7 240V/50Hz		LK125A	R-223	1		
Ġ	LCRSPM8K	C-52	66	7 115V/60Hz		LK126	R-223	1		
	LF2	C-91	1	N/A		LK142	C-97	1		
	LFAE14L1Z	C-64	82	115V/60Hz		LK173	C-191	19		
	LFAE14S1Z	C-64	82	115V/60Hz		LK174	R-222,	1		
6	D LFAE14SF1Z	C-64	85	115V/60Hz			C-193			
6	D LFAE20S3YJOSA	C-66	83	220V/60Hz		LK174-CU	R-222, C-193	1		
6	D LFAE20SF1Y	C-64	96	115V/60Hz		LK174LO	R-222,	1		
6	D LFAE20SF3YJOSA	C-66	83	220V/60Hz			C-193			
	LFAE8L1Z	C-64	83	115V/60Hz		LK174LO-CU	R-222,	1		
6	D LFAE8L2YJO	C-66	83	220V/50Hz		L 1/17F	C-193	4		
6	D LFAE8LF1Z	C-64	86	115V/60Hz		LK175	R-222, C-193	1		
	LFAE8S1Z	C-64	83	115V/60Hz		LK177	C-192	1		
6	D LFAE8S2YJO	C-66	88	220V/50Hz		LK18	R-213,	1		
6	D LFAE8SF1Z	C-64	86	115V/60Hz		-	C-191			
6	D LFAE8TF1Z	C-64	86	115V/60Hz		LK18B	R-213,	1		
							C-191			

Model Number	Page #	Ship Wt (lbs)	Voltage
LK2	R-213,	1	
	C-191		
LK20	R-213, C-191	2	
LK24RT	C-191	4	
LK25RT	C-191	4	
LK27	C-191	2	
LK290	R-222,	5	
	C-193		
LK335	R-213, C-191	1	
LK337	R-221,	1	
ENGO	C-192		
LK34	R-224,	1	
LK35	C-194	1	
LN35	R-213, C-191	1	
LK350	R-223,	1	
	C-194		
LK35B	R-213, C-191	1	
LK35L	R-213	2	
LK36	R-213	1	
LK363	R-223,	1	
	C-194		
LK364	R-223, C-194	1	
LK372	R-213,	1	
LN372	C-191	'	
LK373	R-213	2	
LK394A	C-227	3	
LK395A	C-227	3	
LK396A	C-227	3	
LK397C	C-228	14	
LK398C	C-228	9	
LK399A	C-228	3	
LK400	C-232	4	
LK402	C-195	1	
LK403	C-195	2	
LK404	C-195	1	
LK406AT08L2	C-222	5	
LK406AT08T4	C-222	5	
LK406AT08T6	C-222	5	
LK406AT10L2	C-222	5	
LK406AT10T4	C-222	5	
LK406AT10T6	C-222	5	
LK406AT12L2	C-222	5	
LK406AT12T4	C-222	5	
LK406AT12T6	C-222	5	
LK406AT14L2	C-222	6	
LK406AT14T4	C-222	6	
LK406AT14T6	C-222	6	
LK406GN04L2	C-222	5	
LK406GN04T4	C-222	5	
LK406GN04T6	C-222	5	
LK406GN05L2	C-222	5	
LK406GN05T4	C-222	5	
LK406GN05T6	C-222	5	
LK406GN08L2	C-222	5	
LK406GN08T4	C-222	5	

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
	LK500AT12L2	C-223	6			LK543AF10LC	C-216	13	
	LK500AT12T4	C-223	6			LK543AF12C	C-216	13	
	LK500AT12T6	C-223	6			LK543AF12LC	C-216	13	
	LK500AT14L2	C-223	6			LK543AF14C	C-216	13	
	LK500AT14T4	C-223	6			LK543AF14LC	C-216	13	
	LK500AT14T6	C-223	6			LK543C	C-216	13	
	LK500GN04L2	C-224	6			LK543LC	C-216	13	
	LK500GN04L2	C-224	6			LK58	R-213	1	
	LK500GN04T6	C-224	6			LK60	R-222,	5	
	LK500GN05L2	C-224	6				C-193		
	LK500GN05T4	C-224	6		ė.	LK651	C-218	6	
	LK500GN05T6	C-224	6		ġ.	LK652	C-218	4	
	LK500GN08L2	C-224	5		ķ	LK654	C-218	2	
	LK500GN08T4	C-224	5		Ė	LK656	C-218	4	
	LK500GN08T6	C-224	5			LK69C	C-219,	2	
	LK500HA08L2	C-224	6			LIKCOCII	C-230		
•	LK500HA08T4	C-224	6			LK69CH	C-219, C-230	1	
à à	LK500HA08T6	C-224	6			LK69CP	C-219,	1	
							C-230		
À	LK500HA10L2	C-224	6			LK76	R-222,	4	
à	LK500HA10T4	C-224	6			LVO	C-193	1	
À	LK500HA10T6	C-224	6			LK8	R-221, C-192	1	
	LK52	R-222, C-193	3			LK80	C-195	1	
	LK53	R-222,	2		į.	LK800AT08L2	C-226	6	
		C-193			į.	LK800AT08T4	C-226	6	
	LK535AT08L2	C-233	4		į.	LK800AT08T6	C-226	6	
	LK535AT08T4	C-233	4		ė.	LK800AT10L2	C-226	6	
	LK535AT08T6	C-233	4		ė	LK800AT10T4	C-226	6	
	LK535AT10L2	C-233	4		ė	LK800AT10T6	C-226	6	
	LK535AT10T4	C-233	4		ė	LK800AT12L2	C-226	6	
	LK535AT10T6	C-233	4		ė	LK800AT12T4	C-226	6	
	LK535AT12L2	C-233	4		ė				
	LK535AT12T4	C-233	4			LK800AT12T6	C-226	6	
	LK535AT12T6	C-233	4		ė.	LK800AT14L2	C-226	6	
	LK535AT14L2	C-233	4		ė.	LK800AT14T4	C-226	6	
	LK535AT14T4	C-233	4		ė.	LK800AT14T6	C-226	6	
	LK535AT14T6	C-233	4		į.	LK800GN04L2	C-226	6	
	LK535GN04L2	C-233	4		ġ.	LK800GN04T4	C-226	6	
	LK535GN04E2	C-233	4		ġ.	LK800GN04T6	C-226	6	
	LK535GN04T4	C-233	4		ġ	LK800GN05L2	C-226	6	
			5		ķ	LK800GN05T4	C-226	6	
	LK535GN05L2	C-233			ġ.	LK800GN05T6	C-226	6	
	LK535GN05T4	C-233	5		Ė	LK800GN08L2	C-226	6	
	LK535GN05T6	C-233	5		ġ	LK800GN08T4	C-226	6	
	LK535GN08L2	C-233	4		ė	LK800GN08T6	C-226	6	
	LK535GN08T4	C-233	4		ė.	LK800HA08L2	C-227	6	
	LK535GN08T6	C-233	4		Ė	LK800HA08T4	C-227	6	
	LK535HA08L2	C-233	4		ė.	LK800HA08T6	C-227	6	
	LK535HA08T4	C-233	4		ė	LK800HA10L2	C-227	6	
	LK535HA08T6	C-233	4		ġ.	LK800HA10T4	C-227	6	
	LK535HA10L2	C-233	5		ė.	LK800HA10T6	C-227	6	
	LK535HA10T4	C-233	5		ė	LK800TS08L2	C-227	6	
	LK535HA10T6	C-233	5		ė	LK800TS08T4	C-227	6	
	LK543AF08C	C-216	13		ė	LK800TS08T6	C-227	6	
	LK543AF08LC	C-216	13		ė.				
						LK801AT08L2	C-226	6	

Model Number	Page #	Ship Wt Voltag (lbs)		Model Number	Page #	Ship Wt (lbs)	Voltag
LK804F	C-219	6	ė	LK940AT08T4S	C-212	7	
LK810AT08L2	C-214	6	ė	LK940AT08T6H	C-212	7	
LK810AT08T4	C-214	6	Ė	LK940AT08T6S	C-212	7	
LK810AT08T6	C-214	6	ė	LK940AT10L2H	C-212	6	
LK810AT10L2	C-214	6	ė	LK940AT10L2S	C-212	6	
LK810AT10T4	C-214	6	ė.	LK940AT10T4H	C-212	6	
LK810AT10T6	C-214	6	ė.	LK940AT10T4S	C-212	7	
LK810AT12L2	C-214	6	Ė	LK940AT10T6H	C-212	7	
LK810AT12T4	C-214	6	Ė	LK940AT10T6S	C-212	7	
LK810AT12T6	C-214	6	ė	LK940AT12L2H	C-212	6	
LK810AT14L2	C-214	6	ė.	LK940AT12L2S	C-212	6	
LK810AT14T4	C-214	6	ė.	LK940AT12T4H	C-212	6	
LK810AT14T6	C-214	6	ė	LK940AT12T4S	C-212	6	
LK810GN04L2	C-214	6	Ė	LK940AT12T6H	C-212	6	
LK810GN04T4	C-214	6	ė.	LK940AT12T6S	C-212	6	
LK810GN04T6	C-214	6	ė	LK940AT14L2H	C-212	6	
LK810GN05L2	C-214	6	ė	LK940AT14L2S	C-212	6	
LK810GN05T4	C-214	6	ė	LK940AT14T4H	C-212	6	
LK810GN05T6	C-214	6	ė	LK940AT14T4S	C-212	6	
LK810GN08L2	C-214	6	ė.	LK940AT14T6H	C-212	6	
LK810GN08T4	C-214	6	ė.	LK940AT14T6S	C-212	6	
LK810GN08T6	C-214	6	ė.	LK940BP03L2H	C-228	7	
LK810HA08L2	C-215	6	ė.	LK940BP03L2S	C-228	7	
LK810HA08T4	C-215	6	ė.	LK940BP03T4H	C-228	8	
LK810HA08T6	C-215	6	ė.	LK940BP03T4S	C-228	8	
LK810HA10L2	C-215	6	ė	LK940BP03T6H	C-228	8	
LK810HA10T4	C-215	6	ė.	LK940BP03T6S	C-228	8	
LK810HA10T6	C-215	6	ė	LK940BP07L2H	C-228	8	
LK810LGN05L2	C-215	6	ė	LK940BP07L2S	C-228	8	
LK810LGN05T4	C-215	6	ė	LK940BP07T4H	C-228	8	
LK810LGN05T6	C-215	6	ė	LK940BP07T4S	C-228	8	
LK810LGN08L2	C-215	6	ė	LK940BP07T6H	C-228	8	
LK810LGN08T4	C-215	6	ė	LK940BP07T6S	C-228	8	
LK810LGN08T6	C-215	6	ė.	LK940BR03L2H	C-229	8	
LK810TS08L2	C-215	6	ė.	LK940BR03L2S	C-229	8	
LK810TS08T4	C-215	6	ė	LK940BR03T4H	C-229	8	
LK810TS08T6	C-215	6	ė.	LK940BR03T4S	C-229	8	
LK811AT08L2	C-213	7	ė.	LK940BR03T6H	C-229	8	
LK843AF08C	C-214	13	ė.	LK940BR03T6S	C-229	8	
LK843AF08LC	C-217	13	ė.	LK940BR07L2H	C-229	9	
LK843AF10C	C-217	13	ė	LK940BR07L2S	C-229	9	
LK843AF10LC	C-217	13	ė.	LK940BR07T4H	C-229	9	
LK843AF12C	C-217	13	ė.	LK940BR07T4S	C-229	9	
LK843AF12LC	C-217	13	ė.	LK940BR07T6H	C-229 C-229	9	
LK843AF12LC LK843AF14C	C-217	13	ė.	LK940BR07T6S	C-229 C-229	9	
LK843AF14C LK843AF14LC				LK940BR0716S LK940DS20L2H			
	C-217	13	ė.		C-212	8	
LK843C	C-216	13	ė.	LK940DS20L2S	C-212	8	
LK843LC	C-216	13	<u>.</u>	LK940DS20T4H	C-212	8	
LK86RT	C-192	5	ė.	LK940DS20T4S	C-212	8	
LK87RT	C-192	5	<u>.</u>	LK940DS20T6H	C-212	8	
LK9	R-221, C-193	1	<u>.</u>	LK940DS20T6S	C-212	8	
LK940AT08L2H	C-212	6	<u>.</u>	LK940GN04L2H	C-225	6	
LK940AT08L2S	C-212	6	ė.	LK940GN04L2S	C-225	6	
LK940AT08T4H	C-212	6	ġ.	LK940GN04T4H	C-225	6	

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
	LK940GN04T6H	C-225	7			LK943AF12LC	C-217	13	
	LK940GN04T6S	C-225	7			LK943AF14C	C-217	13	
à	LK940GN05L2H	C-225	6			LK943AF14LC	C-217	13	
à	LK940GN05L2S	C-225	6		ė	LK943C	C-217	13	
à	LK940GN05T4H	C-225	6			LK943LC	C-217	13	
à	LK940GN05T4S	C-225	6		ė	LK945AT08L2T	C-210	6	
5	LK940GN05T6H	C-225	6		ė	LK945AT08T4T	C-210	6	
à	LK940GN05T6S	C-225	6		ė	LK945AT08T6T	C-210	6	
à	LK940GN08L2H	C-225	6		ė	LK945AT10L2T	C-210	6	
à	LK940GN08L2S	C-225	6		ė	LK945AT10T4T	C-210	6	
	LK940GN08T4H	C-225	6		ė	LK945AT10T6T	C-210	6	
à	LK940GN08T4S	C-225	6		ė	LK945AT12L2T	C-210	6	
à	LK940GN08T6H	C-225	6		ė	LK945AT12T4T	C-210	6	
à	LK940GN08T6S	C-225	6		ė	LK945AT12T6T	C-210	6	
à	LK940HA08L2H	C-213	6		ė	LK945AT14L2T	C-210	6	
à	LK940HA08L2S	C-213	6		ė	LK945AT14T4T	C-210	6	
5	LK940HA08T4H	C-213	6		ė	LK945AT14T6T	C-210	6	
5.	LK940HA08T4S	C-213	6		ė.	LK945BP03L2T	C-231	6	
à	LK940HA08T6H	C-213	6		ė	LK945BP03T4T	C-231	6	
à	LK940HA08T6S	C-213	6		ė	LK945BP03T6T	C-231	6	
5	LK940HA10L2H	C-213	7		ė	LK945BP07L2T	C-231	8	
5.	LK940HA10L2S	C-213	7		ė	LK945BP07T4T	C-231	8	
5	LK940HA10T4H	C-213	7		ė.	LK945BP07T6T	C-231	8	
r ā	LK940HA10T4S	C-213	7		ė.	LK945DS20L2T	C-210	7	
	LK940HA10T6H	C-213	7		ė.	LK945DS20T4T	C-210	7	
à à		C-213	7				C-210	7	
	LK940HA10T6S				&	LK945DS20T6T			
	LK940LGN05L2H	C-225	6		. š	LK945GN04L2T	C-210	6	
À	LK940LGN05L2S	C-225	6		. š	LK945GN04T4T	C-210	6	
	LK940LGN05T4H	C-225	6		. š	LK945GN04T6T	C-210	6	
À	LK940LGN05T4S	C-225	6		ė.	LK945GN05L2T	C-210	6	
	LK940LGN05T6H	C-225	6		ė.	LK945GN05T4T	C-210	6	
À	LK940LGN05T6S	C-225	6		ė.	LK945GN05T6T	C-210	6	
À	LK940LGN08L2H	C-225	6		ė.	LK945GN08L2T	C-210	6	
À	LK940LGN08L2S	C-225	6		ė	LK945GN08T4T	C-210	6	
À	LK940LGN08T4H	C-225	6		ė	LK945GN08T6T	C-210	6	
À	LK940LGN08T4S	C-225	6		ė	LK945HA08L2T	C-211	6	
5	LK940LGN08T6H	C-225	6		ė	LK945HA08T4T	C-211	6	
À	LK940LGN08T6S	C-225	6		ė	LK945HA08T6T	C-211	6	
à	LK940TS08L2H	C-213	6		ė	LK945HA10L2T	C-211	6	
	LK940TS08L2S	C-213	6		ė	LK945HA10T4T	C-211	6	
à	LK940TS08T4H	C-213	6		ė	LK945HA10T6T	C-211	6	
i.	LK940TS08T4S	C-213	6		ė	LK945TS08L2T	C-211	6	
à	LK940TS08T6H	C-213	6		ė	LK945TS08T4T	C-211	6	
	LK940TS08T6S	C-213	6		ė	LK945TS08T6T	C-211	6	
	LK940VS07L2H	C-229	8		ė	LK945VS07L2T	C-231	7	
	LK940VS07L2S	C-229	8		ė	LK945VS07T4T	C-231	7	
	LK940VS07T4H	C-229	8		ė.	LK945VS07T6T	C-231	7	
	LK940VS07T4S	C-229	8			LK960AF08C	C-217	13	
	LK940VS07T6H	C-229	8			LK960AF08LC	C-218	13	
	LK940VS07T6S	C-229	8			LK960AF10C	C-217	13	
	LK943AF08C	C-217	13			LK960AF10LC	C-217	13	
	LK943AF08LC	C-217	13			LK960AF12C	C-218 C-217	13	
			13						
	LK943AF10C	C-217				LK960AF12LC	C-218	13	
	LK943AF10LC	C-217	13		1	LK960AF14C	C-217	13	

	Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
	LK99	R-214,	1		ė	LKD232SC	C-235	6	
		C-192			ė.	LKD2423BHC	C-236	6	
	LK99FC	R-214	1		ė	LKD2432BHC	C-235	6	
	LK99FCS	R-214	1		ė	LKD2432C	C-235	5	
	LK99S	R-214, C-192	1			LKD2433C	C-235	6	
Ė	LKAD174	R-222,	1		ķ	LKD2437BHC	C-238	5	
0.	2.0.0.7.1	C-180,			ė.	LKD2439BHC	C-235	6	
		C-194			ė.	LKD2439C	C-235	5	
Ė	LKAD174LO	R-222, C-180,	1		ė.	LKD2442BHC	C-236	5	
		C-194			ė.	LKD2442C	C-236	4	
Ġ	LKAD18	R-214, C-180,	3			LKD2443C	C-236	5	
		C-192			ė.	LKD24898BHC	C-238	4	
Ġ	LKAD35	R-214,	2			LKD35AS	R-214	1	
		C-180, C-192				LKDA2437C	C-238	4	
Ė	LKADOS	R-214,	2			LKDD	R-214	1	
		C-180				LKDR0717SS	R-238	3	
	LKAPR1	C-97	3	N/A		LKDR1317RU	R-238	2	
	LKAPR2	C-97	15	N/A		LKDS35	R-238 R-214	1	
	LKAPREZL	C-97	2	N/A		LKDS99		1	
	LKAPRVRCHD	C-97	5	N/A		LKDVR208513C	R-214	4	
	LKB400	C-238	2				C-237		
	LKB721C	C-221	5			LKDVR208513LC	C-237	4	
	LKB721CNC	C-221	5			LKEG250	R-224	1	
	LKB722C	C-221	5			LKHSR2509RPD	R-98, R-173	23	
	LKB736C	C-220	5			LKHSR33229PD	R-98,	23	
	LKB737C	C-220	5				R-174		
	LKB738C	C-220	7			LKOBG1016SS	R-231	1	
	LKB940C	C-232	6			LKOBG1114SS	R-231	1	
	LKBG1115SS	R-225	2			LKOBG1115SS	R-231	2	
	LKBG1417SS	R-225	2			LKOBG1216SS	R-231	2	
	LKBG1715SS	R-225	2			LKOBG1315SS	R-231	2	
	LKBG2217SS	R-225	2			LKOBG1415SS	R-231	2	
	LKBG2616SS	R-225	2			LKOBG1417LSS	R-231	2	
	LKBH1141A	C-234	5			LKOBG1417RSS	R-231	2	
	LKC0717SS	R-236	4			LKOBG1516SS	R-231	2	
	LKC0722LSS	R-236,	3			LKOBG1518SS	R-231	2	
	LICO722E33	R-239,	3			LKOBG1616SS	R-232	1	
		C-181	_			LKOBG1617SS	R-232	2	
	LKCB1216HW	R-237	7			LKOBG1618SS	R-232	2	
	LKCB1217AC	R-237	2			LKOBG1717SS	R-232	2	
	LKCB1217HW	R-237	8			LKOBG1718SS	R-232	2	
	LKCB1223LWN	R-239, C-181	6			LKOBG2118SS	R-232	3	
	LKCBF1316HW	R-238	5			LKOBG2217SS	R-232	3	
	LKCBF1418HW	R-238	5			LKOBG2715SS	R-232	3	
	LKCBF1616HW	R-238	4			LKOBG2915SS	R-232	3	
	LKCBF17HW	R-238	3			LKOBG3014SS	R-232	3	
	LKCBF1916HW	R-238	5			LKOBG3015SS	R-232	3	
	LKCBF1916HW LKCBF2115HW	R-238	5			LKOBG3016RSS	R-232	5	
						LKOBG3017RSS	R-232	4	
	LKCBF2816HW	R-238	8			LKOBG3017K33	R-233	4	
	LKCBF718HW	R-238	4						
	LKCLKIT	R-224	1			LKPD1	R-214	1	
5	LKD208513C	C-236	4			LKPDAD18B	R-215	2	
Ġ	LKD208513LC	C-237	4			LKPDQ1CR	R-215	1	
Ė	LKD20858C	C-236	4			LKPDQ1LS	R-215	1	
Ė	LKD2223C	C-238	6			LKPDQD1BK	R-215	1	
Ė	LKD232SBH5C	C-235	7		1	LKPDQD1CA	R-215	1	

Model Number	Page #	Ship Wt (lbs)	Voltage		Model Number	Page #	Ship Wt (lbs)	Voltage
LKPDQD1CH	R-215	1			LKQS35MA	R-220	1	
LKPDQD1CN	R-215	1			LKQS35MC	R-220	1	
LKPDQD1GS	R-215	1			LKQS35MT	R-220	1	
LKPDQD1JB	R-215	1			LKQS35PA	R-220	1	
LKPDQD1MA	R-215	1			LKQS35PT	R-220	1	
LKPDQD1MC	R-215	1			LKQS35RT	R-220	1	
LKPDQD1MT	R-215	1			LKQS35SM	R-220	1	
LKPDQD1PA	R-216	1			LKQS35WH	R-220	1	
LKPDQD1RT	R-216	1			LKR1141A	C-234	4	
LKPDQD1SM	R-216	1			LKS35AS	R-220	1	
LKPDQD1WH	R-216	1		ė	LKSS1141A	C-234	4	
LKPDQSBK	R-216	1		ė	LKSSVR1141A	C-234	4	
LKPDQSBQ	R-216	1			LKUCLIP8	R-223,	1	
LKPDQSCA	R-216	1				C-194		
LKPDQSCH	R-216	1			LKUMSK25	R-223, C-194	2	
LKPDQSCN	R-216	1			LKUMSK36	R-223,	3	
LKPDQSGR	R-216	1			EKOWSKSO	C-194	3	
LKPDQSGS	R-216	1		ė.	LKVR1141A	C-234	4	
LKPDQSGY	R-216	1			LKVR18	R-220,	1	
LKPDQSJB	R-217	1				C-192		
LKPDQSMA	R-217	1			LKVR18-CU	R-220, C-192	1	
LKPDQSMC	R-217	1		ė.	LKVRBH1141A	C-234	5	
LKPDQSMT	R-217	1			LKWBG1116SS	R-226	2	
LKPDQSPA	R-217	1			LKWBG11109SS	R-226	1	
LKPDQSPT	R-217 R-217	1			LKWBG120933	R-226	2	
-		1			LKWBG121655	R-226	2	
LKPDQSRT	R-217				LKWBG131033	R-226	2	
LKPDQSSM	R-217	1						
LKPDQSWH	R-217	1			LKWBG1415SS	R-226	2	
LKPDVR18B	R-217	2			LKWBG1419SS	R-226		
LKQD35BK	R-217	1			LKWBG1719SS	R-226	3	
LKQD35BQ	R-217	1			LKWBG2115SS	R-226	3	
LKQD35CA	R-218	1			LKWBG2416SS	R-226	4	
LKQD35CH	R-218	1			LKWBG2816SS	R-226	4	
LKQD35CN	R-218	1			LKWERBSS	R-236	3	
LKQD35GR	R-218	1			LKWOBG1111SS	R-233	1	
LKQD35GS	R-218	1			LKWOBG1113SS	R-233	1	
LKQD35GY	R-218	1			LKWOBG1115SS	R-233	2	
LKQD35JB	R-218	1			LKWOBG1116SS	R-233	2	
LKQD35MA	R-218	1			LKWOBG1118SS	R-233	2	
LKQD35MC	R-218	1			LKWOBG1316SS	R-233	2	
LKQD35MT	R-218	1			LKWOBG1415SS	R-233	2	
LKQD35PA	R-218	1			LKWOBG1416SS	R-233	2	
LKQD35PT	R-218	1			LKWOBG1418SS	R-233	2	
LKQD35RT	R-219	1			LKWOBG1520LSS	R-233	2	
LKQD35SM	R-219	1			LKWOBG1520RSS	R-234	2	
LKQD35WH	R-219	1			LKWOBG1616SS	R-234	2	
LKQS35BK	R-219	1			LKWOBG1617SS	R-234	2	
LKQS35BQ	R-219	1			LKWOBG1618SS	R-234	2	
LKQS35CA	R-219	1			LKWOBG1716SS	R-234	2	
LKQS35CH	R-219	1			LKWOBG1819SS	R-234	2	
LKQS35CN	R-219	1			LKWOBG2018SS	R-234	4	
LKQS35GR	R-219	1			LKWOBG2115SS	R-234	3	
LKQS35GS	R-219	1			LKWOBG2118SS	R-234	4	
LKQS35GY	R-219	1			LKWOBG2317LSS	R-234	3	
FI/(22201	11-213				LINTO DOZ 3 1 / L33	11-23-	5	

	Model Number	Page #	Ship Wt (lbs)	,	Voltage		Model Number	Page #	Ship Wt (lbs)		Voltage
	LKWOBG2317SS	R-234	4				LNTE8RAK	C-53	98	•	115V/60Hz
	LKWOBG2416SS	R-235	4			ė.	LNTEM82K	C-74	131	\blacksquare	220V/50Hz
	LKWOBG2816SS	R-235	5			ė.	LNTEM83K	C-74	131	\blacksquare	220V/60Hz
	LKWRB1209SS	R-236	2			ė.	LNTEM8FK	C-53	131	\blacksquare	115V/60Hz
	LKWRB1316SS	R-236	4			Ė	LNTEM8FRAK	C-53	131	\blacksquare	115V/60Hz
	LKWRB1414SS	R-236	4			Ė	LNTEM8K	C-53	131	\blacksquare	115V/60Hz
	LKWRB1418SS	R-236	4			Ė	LNTEM8RAK	C-53	131	\blacksquare	115V/60Hz
	LKWRB1516SS	R-236	4			Ė	LR1316	C-188	10		
	LKWRB1518SS	R-236	2			Ė	LR1316-CU	C-186	10		
	LKWRB2217SS	R-236	6			Ė	LR1517	R-156,	10		
	LKWRBG12SS	R-226	1					C-188			
	LKWRBG14SS	R-227	2			Ė	LR1522	R-133	12		
	LKWRBG16SS	R-227	2			Ė	LR1522-CU	C-186	12		
	LKWROBG15SS	R-235	2			ė.	LR1716	R-155, C-188	8		
	LKWUCSS	R-236	1			ė	LR1720	R-154,	12		
	LLVR1310	R-209,	7			O.	ENTIZO	C-188	12		
		C-190				ė.	LR1722	R-152	13		
	LLVR19	R-208, C-190	10			ġ.	LR1722-CU	C-186	13		
	LLVR1916	R-207,	12			Ė	LR1722PD	R-152	18		
	LLVR1916-CU	C-190 C-185	16			Ė	LR1918	R-151, C-188	10		
	LLVR2117		14			ė.	LR1918-CU	C-186	10		
	LMABF8L	R-207 C-49	61		115V/60Hz	Ė	LR1919	R-149, C-188	13		
	LMABF8S	C-49	61		115V/60Hz	ė.	LR1919-CU	C-186	13		
	LMABF8WSLK	C-26	94	▼ .	115V/60Hz	ė.	LR1919PD	R-149	17		
	LMABF8WSSK	C-26	94	▼ .	115V/60Hz	ė.	LR2022	R-148	14		
	LMABFDL	C-49	39	1	N/A	ė.	LR2022-CU	C-186	13		
	LMABFDS	C-49	39	1	N/A	ė.	LR2219	R-147,	13		
	LMABFDWSLK	C-26	57	▼ .	115V/60Hz			C-188			
	LMABFDWSSK	C-26	57	▼ .	115V/60Hz	Ė	LR2219-CU	C-186	13		
	LMABFTL8LC	C-49	97		115V/60Hz	ė.	LR2219PD	R-146	18		
	LMABFTL8SC	C-49	97		115V/60Hz	ė.	LR2222	R-145	19		
	LMABFTL8WSLK	C-26	104	▼ .	115V/60Hz	ġ.	LR2222-CU	C-186	19		
	LMABFTL8WSSK	C-26	104		115V/60Hz	ě	LR250	R-172	21		
	LMABFTLDDLC	C-49	46	1	N/A	ė.	LR250L	R-172	21		
	LMABFTLDDWSLK	C-26	98		115V/60Hz	ė.	LR2519	R-180	15		
	LMABFTLDDWSSK	C-26	98		115V/60Hz	ė.	LR2521	R-143	15		
	LMABFTLVR8LC	C-49	97		115V/60Hz	ė.	LR2521PD	R-132	19		
	LMABFTLVR8SC	C-49	97		115V/60Hz	ė	LR2522	R-140,	15		
	LMABFVR8L	C-49	61		115V/60Hz			C-188			
	LMABFWS-RF	C-26, C-29	32			ė.	LR2522PD	R-139	19		
	LMASMB	C-29	25			Ġ	LR2918	R-179	16		
	LMR2013	R-133	8			Ġ	LR2922	R-179	17		
	LMR3322	R-133	21			Ė	LR3122	R-136	19		
	LIVINGGE	R-154, R-162	۷ ا			Ġ	LR3122PD	R-136	24		
	LNFE82K	C-74	76	▼ 2	220V/50Hz	ė	LR3319	R-178, C-189	20		
0	LNFE8FK	C-53	76	▼ .	115V/60Hz	Ġ	LR3321	R-177,	22		
	LNFE8K	C-53	76	▼ .	115V/60Hz	<u>~</u>	1.001	C-189			
0	LNFEM82K	C-74	95	▼ 2	220V/50Hz	Ė	LR3322	R-175,	23		
	LNFEM83K	C-74	95	▼ 2	220V/60Hz	,	1 022222	C-189	20		
	LNFEM8FK	C-53	95	▼ .	115V/60Hz	ė.	LR3322PD	R-174	29		
0	LNFEM8K	C-53	95	▼ .	115V/60Hz		LR3722	R-170	24		
	LNFEM8VRK	C-53	95	▼ .	115V/60Hz	ė.	LR4322	R-168	26		
	LNTE82K	C-74	98		220V/50Hz	Ġ	LRAD131655	C-128	10		
	LNTE8FK	C-53	98		115V/60Hz	Ġ	LRAD131655-CU	C-128	10		
	LNTE8K	C-53	98		115V/60Hz	Ė	LRAD131665PD	C-129	10		

<u>IN</u>DEX

	Model Number	Page #	Ship Wt	Voltage			Model Number	Page #	Ship Wt		Voltage
			(lbs)						(lbs)		
Ġ	LRAD151755	C-127	10		Ġ		LRPBGRNMV28RAK	C-50	141	•	115V/60Hz
Ġ	LRAD151765PD	C-128	10		ġ.		LRPBGRNMV8K	C-50	93		115V/60Hz
Ġ	LRAD152255	C-126	10		ė.	0	LRPBM282K	C-77	141	•	220V/50Hz
Ġ	LRAD152255-CU	C-127	10		ė.	0	LRPBM282QK	C-77	141	•	240V/50Hz
Ġ	LRAD152265PD	C-127	109		ġ.	0	LRPBM282RAK	C-78	141	•	220V/50Hz
Ġ	LRAD171655	C-126	8		ė.		LRPBM28K	C-51	141	•	115V/60Hz
Ġ	LRAD171665PD	C-126	8		ġ.		LRPBM28RAK	C-52	141	•	115V/60Hz
Ġ	LRAD172055	C-125	12		ġ.	0	LRPBM82K	C-77	93	•	220V/50Hz
Ġ	LRAD172065PD	C-125	12		ġ.	0	LRPBM82QK	C-77	93	•	240V/50Hz
Ġ	LRAD172255	C-124	13		ė.		LRPBM8K	C-51	93	•	115V/60Hz
Ġ	LRAD172255-CU	C-124	13		ġ.		LRPBMV28K	C-51	141	•	115V/60Hz
Ġ	LRAD172265PD	C-125	13		ġ.		LRPBMV8K	C-51	93	•	115V/60Hz
Ė	LRAD191855	C-123	10				LRS3322	R-130	20		
Ġ	LRAD191855-CU	C-123	10				LRS3322PD	R-131	25		
Ė	LRAD191855L	C-106	10				LSR2722	R-45, R-138	25		
Ė	LRAD191855R	C-106	10				LTR4622	R-181,	29		
Ė	LRAD191865PD	C-124	10				L11(4022	C-189	23		
Ġ	LRAD191955	C-121	13				LTR542210	R-181,	33		
Ė	LRAD191955-CU	C-122	13				LTDC22240	C-189	4.4		
Ġ	LRAD191965PD	C-122	13				LTR632210	R-134, R-162	44		
Ġ	LRAD202255	C-120	14				LVRC8S	C-46	62		
Ġ	LRAD202255-CU	C-121	14		ġ.	0	LVRC8S2JO	C-48	62		220V/60Hz
Ġ	LRAD202265PD	C-121	18		ġ.	0	LVRC8S3JO	C-48	62		220V/60Hz
Ġ	LRAD221955	C-120	12		ġ.	0	LVRC8S3JOSA	C-48	62		220V/60Hz
Ġ	LRAD221955-CU	C-120	13		ġ.	0	LVRC8WS2K	C-25	91	•	220V/50Hz
Ġ	LRAD221955L	C-105	13		ė 2	0	LVRC8WS2KWR	C-25	91	•	220V/50Hz
Ġ	LRAD221955R	C-105	13		ė.	0	LVRC8WS3K	C-25	91	•	220V/60Hz
Ġ	LRAD222255	C-119	14		ġ.	0	LVRC8WS3KSA	C-25	88	•	220V/60Hz
Ġ	LRAD222255-CU	C-119	14		ė.		LVRC8WSK	C-23	89	•	115V/60Hz
Ġ	LRAD25055	C-108	21		ġ.		LVRCDS	C-46	39		N/A
Ġ	LRAD252155	C-118	15		ġ.	0	LVRCDWS2K	C-25	59	•	220V/50Hz
Ġ	LRAD252155-CU	C-118	15		ġ.	0	LVRCDWS3K	C-25	59	•	220V/60Hz
Ġ	LRAD252165PD	C-119	17		ġ.		LVRCDWSK	C-23	89	•	115V/60Hz
Ġ	LRAD252255	C-116	15		ġ.		LVRCGRN8	C-45	62		115V/60Hz
Ġ	LRAD252255-CU	C-117	15		ė.		LVRCGRN8F	C-45	62		115V/60Hz
Ė	LRAD252265PD	C-117	17		ė.		LVRCGRN8WSK	C-24	94	•	115V/60Hz
Ė	LRAD291855	C-132	16		ė.		LVRCGRNTL8C	C-45	97		115V/60Hz
Ġ	LRAD291865PD	C-182	16		ė.		LVRCGRNTL8FC	C-45	97		115V/60Hz
Ė	LRAD292255	C-132	17		ė.		LVRCGRNTL8WSK	C-24	115	•	115V/60Hz
Ġ	LRAD292265PD	C-132	17		ė.		LVRCHD8S	C-43	76		115V/60Hz
Ė	LRAD312255	C-116	19		ė.	0	LVRCHD8S2JO	C-44	76		220V/50Hz
Ġ	LRAD312265PD	C-116	19		ė	0	LVRCHD8S2QJO	C-44	76		240V/50Hz
Ġ	LRAD331955	C-131	20		ė	0	LVRCHD8S3JO	C-44	76		220V/60Hz
Ė	LRAD331965PD	C-131	20		ė	_	LVRCHDDS	C-43	76		N/A
Ė	LRAD332155	C-131	23		ė	0	LVRCHDTL8S2JOC	C-44	113		220V/50Hz
Ġ	LRAD332255	C-130	23		ė	0	LVRCHDTL8S3JOC	C-44	113		220V/60Hz
Ġ	LRAD332265PD	C-130	23		ė	_	LVRCHDTL8SC	C-43	113		115V/60Hz
Ġ	LRAD372255	C-107	24		ė		LVRCHDTLDDSC	C-43	113		N/A
Ġ	LRPB28K	C-51	108	▼ 115V/60Hz	ė.		LVRCSC8S	C-45	62		115V/60Hz
Ġ	LRPB28RAK	C-52	108	▼ 115V/60Hz	ė.	0		C-48	62		220V/50Hz
Ŀ	LRPB8K	C-51	74	▼ 115V/60Hz	ė.	0	LVRCSC8S2JO LVRCSC8S3JO	C-48	62		220V/50Hz 220V/60Hz
Ġ	LRPBGRNM28K	C-50	141	▼ 115V/60Hz	ė.	G.	LVRCSCDS	C-46	36		N/A
Ġ	LRPBGRNM28RAK	C-50	141	▼ 115V/60Hz	ė.	0	LVRCTL8S2JO	C-46 C-48	62		220V/50Hz
Ġ	LRPBGRNM8K	C-50	93	▼ 115V/60Hz	ė.		LVRCTL8S2JOC	C-48	97		220V/50Hz 220V/50Hz
Ŀ	LRPBGRNMV28K	C-50	141	▼ 115V/60Hz			LVRCTL8S2JOC LVRCTL8S2QJOC	C-48	97		240V/50Hz
					O 2	, 0	- 4 NC 1 2032 QJUC	C-40	21		ZTIUC/VUTZ

	Model Number	Page #	Ship Wt (lbs)		Voltage			Model Number	Page #	Ship Wt (lbs)		Voltag
0	LVRCTL8S3JO	C-48	62		220V/60Hz	ė	0	LZS8SF	C-40	54		115V/
0	LVRCTL8S3JOC	C-48	97		220V/60Hz	F	0	LZS8WSL2K	C-20	71	\blacksquare	220V/
	LVRCTL8SC	C-46	97		115V/60Hz	Ė	0	LZS8WSL3K	C-20	71	\blacksquare	220V/
0	LVRCTL8WS2K	C-25	119	▼	220V/50Hz	Ė		LZS8WSLK	C-21	85	\blacksquare	115V/
0	LVRCTL8WS3K	C-25	119	▼	220V/60Hz	Ė	0	LZS8WSS2K	C-20	71	\blacksquare	220V/
0	LVRCTL8WS3KSA	C-25	119	▼	220V/60Hz	Ł Z	0	LZS8WSS2KWR	C-20	71	\blacksquare	220V/
	LVRCTL8WSK	C-23	121	▼	115V/60Hz	ė.	0	LZS8WSS2QK	C-20	71	•	240V/
	LVRCTLDDSC	C-46	74		N/A	ė.	0	LZS8WSS3K	C-20	71	\blacksquare	220V/
0	LVRCTLDDWS2K	C-25	50	▼	220V/50Hz	ġ.	0	LZS8WSS3KSA	C-20	71	\blacksquare	220V/
0	LVRCTLDDWS3K	C-25	50	•	220V/60Hz	ġ.		LZS8WSSK	C-21	85	•	115V/
	LVRCTLDDWSK	C-23	115	•	115V/60Hz	ė.	0	LZS8WSVRL2K	C-20	72	•	220V/
0	LVRCTLSC8S2JOC	C-48	97		220V/50Hz	ė.	0	LZS8WSVRL3K	C-20	72	•	220V/
0	LVRCTLSC8S3JOC	C-48	97		220V/60Hz	ė.		LZS8WSVRLK	C-21	85		115V/
Ü	LVRCTLSC8SC	C-46	97		115V/60Hz	ė.	0	LZS8WSVRS2K	C-20	72		220V/
	LVRCTLSCDDSC	C-46	74		N/A	ė	0	LZS8WSVRS3K	C-19	72		220V/
0	LWAE20L3YJOSA	C-46 C-56	79		220V/60Hz	ė.	J	LZS8WSVRSK	C-19	85		115V/
	_					ė.					*	
	LWAESU 53YJOSA	C-56	79 75		220V/60Hz			LZSDL	C-40	39		115V/
0	LWAE8LF2YJO	C-56	75		220V/50Hz	ė.	_	LZSDS	C-40	36	_	115V/
_	LWAE8S1Z	C-55	74		115V/60Hz	ė.	0	LZSDWSL2K	C-19	45	•	220V/
0	LWCE14LF3YJOSA	C-54	72		220V/60Hz	ě.	0	LZSDWSL3K	C-19	45		220V/
	LWCE4L1Z	C-54	59		115V/60Hz	Ė		LZSDWSLK	C-21	55		115V/
0	LWTLA14S3K	C-56		•	220V/60Hz	ġ.	0	LZSDWSS2K	C-19	45	•	220V/
	LZO8L	C-38	54		115V/60Hz	ě.	0	LZSDWSS3K	C-19	45	•	220V/
	LZO8L2JO	C-39	18		115V/60Hz	Ġ		LZSDWSSK	C-21	55	▼	115V/
	LZO8L3JO	C-39	18		115V/60Hz	F		LZSDWSVRLK	C-21	55	•	115V
0	LZO8S	C-38	54		220V/50Hz	Ŀ		LZSDWSVRSK	C-21	55	•	115V
0	LZO8S2JO	C-39	54		220V/60Hz	Ė		LZSG8L	C-37	54		115V
	LZO8S3JO	C-39	54		115V/60Hz	ġ.		LZSG8S	C-37	54		115V
0	LZO8WSLK	C-18	54		220V/50Hz	Ġ		LZSG8WSLK	C-22	85	\blacksquare	115V
\Diamond	LZO8WSSK	C-18	54		220V/60Hz	ġ.		LZSG8WSSK	C-22	85	\blacksquare	115V
	LZODL	C-38	39		115V/60Hz	ġ.	0	LZSTL8L2JOC	C-42	74		220V/
	LZODS	C-38	39		115V/60Hz	ġ.	0	LZSTL8LC	C-41	74		220V/
	LZOOSTL8LC	C-38	39		115V/60Hz	Ė		LZSTL8LFC	C-41	74		115V/
	LZOOSTL8SC	C-38	39		115V/60Hz	Ė	0	LZSTL8S2JOC	C-42	74		115V/
	LZOOTL8WSLK	C-18	39		115V/60Hz	ė.	0	LZSTL8S3JOCSA	C-42	74		220V/
	LZOOTL8WSSK	C-18	39		115V/60Hz	ė.		LZSTL8SC	C-41	74		115V/
0	LZOSTL8L2JOC	C-39	74		220V/50Hz	ġ.	0	LZSTL8SFC	C-41	74		115V/
0	LZOSTL8L3JOC	C-39	74		220V/60Hz	ġ.	0	LZSTL8WSL2K	C-20	92	•	220V/
	LZOSTL8LC	C-38	74		115V/60Hz	ė.	0	LZSTL8WSL3K	C-20	92		220V/
0	LZOSTL8S2JOC	C-39	74		220V/50Hz	ė.	_	LZSTL8WSLK	C-21	104		115V
0	LZOSTL8S3JOC	C-39	74		220V/60Hz	ė.	0	LZSTL8WSS2K	C-20	92		220V
0	LZOSTL8S3JOCSA	C-39	74		220V/60Hz	ė	0	LZSTL8WSS3K	C-20	92		220V/
9	LZOSTL8SSJOCSA LZOSTL8SC	C-39	74		115V/60Hz	ė.	0	LZSTL8WSS3KSA	C-20	92		220V
	LZOTL8WSLK	C-38 C-21	74		115V/60Hz	ė.	v	LZSTL8WSSKSA LZSTL8WSSK	C-20 C-21	104		115V
							0					
	LZOTL8WSSK	C-21	74		115V/60Hz	ė.		LZSTL8WSVRL2K	C-20	94		220V/
^	LZS8L	C-40	54		115V/60Hz	ė.	0	LZSTL8WSVRL3K	C-20	94		220V/
	LZS8L2JO	C-42	54		220V/50Hz	ė	_	LZSTL8WSVRLK	C-21	106		115V/
	LZS8L3JO	C-42	54		220V/60Hz	& ∑	0	LZSTL8WSVRS2K	C-20	94		220V/
0	LZS8L3JOSA	C-42	54		220V/60Hz	ġ.	0	LZSTL8WSVRS3K	C-20	94		220V/
0	LZS8LF	C-40	54		115V/60Hz	Ŗ		LZSTL8WSVRSK	C-21	106	•	115V/
	LZS8S	C-40	54		115V/60Hz	F		LZSTLDDLC	C-41	49		115V
0	LZS8S2JO	C-42	54		220V/50Hz	Ġ		LZSTLDDSC	C-41	49		115V
0	LZS8S2QJO	C-42	54		240V/50Hz	Ŗ.		LZSTLDDWSLK	C-21	82	\blacksquare	115V
\Diamond	LZS8S3JO	C-42	54		220V/60Hz	Ġ.		LZSTLDDWSSK	C-21	82	\blacksquare	115V
		C-42	54			ė		LZSTLDDWSVRLK	C-21	84	\blacksquare	

		Model Number	Page #	Ship Wt		Voltage		Model Number	Page #	Ship Wt	Voltage
				(lbs)						(lbs)	
Ė		LZSTLDDWSVRSK	C-21	84	•	115V/60Hz		MF100	C-100	18	
5		LZSTLG8LC	C-37	74		115V/60Hz		MF200	C-100	32	
à		LZSTLG8SC	C-37	74		115V/60Hz		MFC100	C-100	18	
5		LZSTLG8WSLK	C-22	104		115V/60Hz		MFWS100	C-100	15	
5		LZSTLG8WSSK	C-22	104	•	115V/60Hz		MFWS200	C-100	28	
5		LZSTLVR8LC	C-41	74		115V/60Hz		MFWS210	C-100	35	
<u>\$</u>		LZSTLVR8SC	C-41	74		115V/60Hz		MFWSF100	C-100	28	
5		LZSVR8L	C-40	54		115V/60Hz		MFWSF110	C-100	35	
5		LZSVR8S	C-40	54	_	115V/60Hz		MFWSF120	C-100	28	N/A
5		LZWS-EDFP217K	C-30	121		115V/60Hz		MFWSF130	C-100	35	N/A
5		LZWS-EDFPBM114K	C-30	121		115V/60Hz		ML100	C-98	26	N/A
5.		LZWS-EDFPBM117K	C-30	121	•	115V/60Hz		MLP100	C-98	36	N/A
à à		LZWS-ERFP8-RF LZWS-ERPB8-RF	C-34 C-34	50 50		115V/60Hz		MLP200 MP20	C-98 C-98	54 18	N/A
5					_	115V/60Hz 115V/60Hz					
5		LZWS-LRPBM28K LZWS-LRPBM8K	C-30 C-30	173 149		115V/60Hz		MP20RA MPW100	C-98 C-98	18 11	N/A
à à		LZWS-SFGRN28K	C-30	167		115V/60Hz		MPW101	C-98	10	N/A
à à		LZWS-SFGRN8K	C-31	130		115V/60Hz		MPW200	C-98	40	N/A
à à		LZWS-SS28K	C-31	167		115V/60Hz		MPW201	C-98	32	N/A
5		LZWS-SS8K	C-31	126		115V/60Hz		_	C-96	32	IN/A
5		LZWS8K	C-32	66		115V/60Hz		0			
5		LZWS8PK	C-32	66		115V/60Hz	ė.	OHFAVR8S1Z	C-58	78	115V/60H
r λ		LZWSDK	C-32	15		115V/60Hz		Р			
r λ		LZWSDPK	C-32	45		115V/60Hz		PLA191910	R-151	14	
i.		LZWSGRN8K	C-32	66		115V/60Hz		PLA252212	R-141	19	
		LZWSGRN8PK	C-32	66		115V/60Hz		PLAFRU191610	R-60	28	
		LZWSGRNM8K	C-32	81		115V/60Hz		PLAFRU281610	R-42	32	
à		LZWSGRNM8PK	C-32	81		115V/60Hz		PLAUH2115	R-54	15	
	0	LZWSM82K	C-33	80	•	220V/50Hz		PLAUH211510	R-55	18	
	0	LZWSM82KWR	C-33	80	•	220V/50Hz		PLAUH281612	R-42	23	
	0	LZWSM82PK	C-33	80	•	220V/50Hz		PM3	C-99	13	
	0	LZWSM83K	C-33	80	•	220V/60Hz		○ PM4	C-99	15	
à.	0	LZWSM83KSA	C-33	80	•	220V/60Hz		PODUH141810	R-64	13	
	0	LZWSM83PK	C-33	80	•	220V/60Hz		PODUH2816	R-38	19	
à		LZWSM8K	C-32	80	•	115V/60Hz	ė.	PSDKAD251755	C-205	12	
à		LZWSM8PK	C-32	80	•	115V/60Hz		PSDKR2517	C-205	12	
× .	0	LZWSMDJOK	C-33	33	•	220V/50-		PSDKR2517C	C-205	23	
						60Hz		PSDKR2517VRC	C-205	23	
5	0	LZWSMDJOPK	C-33	33	•	220V/50- 60Hz	ė.	PSLVR1917	R-208, C-190	10	
à		LZWSMDK	C-32	36	•	115V/60Hz	ė	PSLVR1917LO	R-208	8	
		LZWSMDPK	C-32	36	\blacksquare	115V/60Hz		PSMR4322	R-182	20	
		LZWSRK	C-18, C-29	22		115V/60Hz		PSR1517	R-156	8	
à		LZWSSM	C-28	35		115V/60Hz		PSR1716	R-155	7	
i.	0	LZWSSMJO	C-28	35		220V/50-		PSR1720	R-154	10	
						60Hz		PSR1918	R-151	9	
		M						PSR2219	R-148	11	
	0	MB232A	C-99	35		220V/50- 60Hz		PSR2521	R-144	13	
		MB232AL	C-99	35		220V/50-		PSR2522	R-142	14	
				22		60Hz		PSR3122	R-138	17	
		MB23A	C-99	35		N/A		PSR3319	R-179	17	
		MB23AL	C-99	35		220V/50-		PSR3321	R-177	20	
		MB24	C-99	10		60Hz		PSR3322	R-176	20	
						N/A		PSR4322	R-169	21	
	0	MB30	C-100	34		N/A	ė	PSRADQ191955L	C-122	13	
1	S	MB302	C-100	34		220V/50- 60Hz	ė.	PSRADQ191955R	C-123	13	

	Model Number	Page #	Ship Wt (lbs)	oltage/			Model Number	Page #	Ship Wt (lbs)	Voltage
	PSRS3322	R-136	16				SS81302	C-176	89	
	R				ℤ	0	SS8130L2	C-176	112	
	RLLVR12	R-209,	7		ℤ	0	SS8130LR2	C-176	172	
		C-190			ℤ		SS8130R2	C-176	112	
	RLLVR16	R-209, C-190	13				SS81362	C-176	96	
	RLR12	R-210	6		ℤ	0	SS8136L2	C-176	121	
	RLR9	R-210	7		2		SS8136LR2	C-176	208	
	RNSF81182	C-138	89		ℤ	0	SS8136R2	C-176	121	
2	RNSF8118LR2	C-138	127		ℤ		SS82302	C-177	95	
•	RNSF81242	C-138	95		ℤ	0	SS8230L2	C-177	120	
2	RNSF8124LR2	C-138	149		ℤ		SS8230LR2	C-177	198	
•	RNSF82362	C-138	129		ℤ	0	SS8230R2	C-177	120	
	RNSF8236LR2	C-138	174		ℤ		SS82362	C-177	104	
Z	RNSF82482	C-138	157		ℤ		SS8236L2	C-177	130	
2	RNSF8248LR2	C-138	200		2		SS8236LR2	C-177	216	
2	RNSF83544	C-136	168		2		SS8236R2	C-177	130	
•	RNSF8354LR4	C-139	211		2		SS82422	C-177	150	
2	RNSF83724	C-139	193		2		SS82482	C-177	121	
2	RNSF83724 RNSF8372LR4	C-139	239		Σ	0	SS8248L2	C-177	201	
۵	RP2130	C-139	4		Z		SS8248LR2	C-177	224	
		C-90	4		Σ		SS8248R2	C-177	201	
	S				Σ	0	SS82542	C-177	130	
	S1C18X18-0X	C-146	74		Σ	0	SS8254L2	C-177	212	
	S1C18X18-2-18X	C-146	102		2	0	SS8254LR2	C-177	246	
	S1C18X18-L-18X	C-146	87		2	0	SS8254R2	C-177	212	
	S1C18X18-R-18X	C-146	87		2		SS82602	C-177	138	
	S1C24X24-0X	C-146	96		墨	0	SS8260L2	C-177	222	
	S2C18X18-2-18X	C-147	142		2	0	SS8260LR2	C-177	267	
	S2C18X18-L-18X	C-147	119		2	0	SS8260R2	C-177	222	
	S3C18X18-2-18X	C-148	119		Σ		SS83454	C-177	125	
	S3C24X24-2-24X	C-148	237		2	0	SS8345L4	C-178	151	
0	S4819L	R-126	50		ℤ		SS8345LR4	C-178	241	
0	S4819R	R-127	50		Σ	0	SS8345R4	C-178	151	
2	S60194	R-126	60		ℤ		SS83544	C-177	140	
	SCF1611SH	R-206	8		≅	0	SS8354L4	C-178	166	
	SCF16FBSH	R-67,	14				SS8354LR4	C-178	256	
	SCE16EDSM	R-159	10				SS8354R4	C-178	166	
	SCF16FBSM	R-67, R-159	10		Σ		SS83604	C-177	160	
	SCF16FBSR	R-67,	9		Σ		SS8360LR4	C-178	280	
		R-159			Σ		SS83724	C-177	227	
	SCF16SH	R-206	8		Σ		SS8372L4	C-178	253	
	SCUH1012SH	R-77	6		Ξ	-	SS8372LR4	C-178	304	
	SCUH1212SH	R-75	8		2	0	SS8372R4	C-178	253	
	SCUH1416SH	R-71	10		2	,	SSD24	C-176	30	
	SE1C18X18-0X	C-145	71		-		STCR3322L	R-173	18	
	SE1C18X18-L-18X	C-145	93				STCR3322R	R-174	18	
	SE1C18X18-R-18X	C-145	93				STLR3322L	R-164	23	
	SE1C24X24-0X	C-145	83				STLR3322LPD	R-163	28	
	SE2C18X18-2-18X	C-147	135				STLR3322R	R-164	23	
	SE3C18X18-2-18X	C-148	162				STLR3322RPD	R-164	28	
	SE3C24X24-2-24X	C-148	207				SWU1517	R-104 R-201	55	
	SEHS-17X	C-149	14				SWU1517 SWU1517WHC	R-201	50	
	SS81242	C-176	80						78	
	SS8124L2	C-176	105				SWUF2520	R-200		
Ξ	SS8124LR2	C-176	187				SWUF2520WHC	R-200	82	
	SS8124R2	C-176	105	I			SWUF28179	R-199	91	

		Model Number	Page #	Ship Wt (lbs)	Voltage			Model Number	Page #	Ship Wt (lbs)	Voltage
		SWUF28179C	R-199	91		ė		VRCTLFR8SC	C-46	94	115V/60Hz
		SWUF32189	R-202	115		ė	0	VRCTLFRDDSC	C-46	46	N/A
		SWUF32189WHC	R-202	122		ė	0	VRCTLR8S2JOC	C-48	94	220V/50Hz
		SWUF3320	R-203	111		ė	0	VRCTLR8S3JOC	C-48	94	220V/60Hz
		V				ė		VRCTLR8SC	C-47	94	115V/60Hz
		VRC8S	C-46	59	115V/60Hz	ė.	0	VRCTLR8WS2K	C-25	113	▼ 220V/50Hz
	0	VRC8S2IO	C-48	59	220V/50Hz	ė.	0	VRCTLR8WS3K	C-25	115	▼ 220V/60Hz
	0	VRC8S3JO	C-48	59	220V/60Hz	ė		VRCTLR8WSK	C-23	118	▼ 115V/60Hz
	0	VRC8S3JOSA	C-48	59	220V/60Hz	ė		VRCTLRDDSC	C-47	71	N/A
	0	VRC8WS2K	C-25	87		ė.	0	VRCTLRDDWS2K	C-25	48	▼ 220V/50Hz
	0	VRC8WS3K	C-25	87		ė.	0	VRCTLRDDWS3K	C-25	48	▼ 220V/60Hz
		VRC8WSK	C-23	86		ė		VRCTLRDDWSK	C-23	112	▼ 115V/60Hz
		VRCDS	C-25	36	N/A	ė.	0	VRCTLRFR8SC	C-47	94	115V/60Hz
	0	VRCDWS2K	C-40		7 220V/50Hz	ė.	0	VRCTLRSC8S2JOC	C-48	94	220V/50Hz
			C-25	56		ė.	0	VRCTLRSC8S3JOC	C-48	94	220V/60Hz
	0	VRCDWS3K				ė.		VRCTLRSC8SC	C-47	94	115V/60Hz
	_	VRCDWSK	C-23		115V/60Hz	ė.		VRCTLRSCDDSC	C-47	71	N/A
		VRCFR8S	C-46	59	115V/60Hz	ė.	0	VRCTLRSCFR8SC	C-47	94	115V/60Hz
	0	VRCFRDS	C-46	36	N/A	ė.	0	VRCTLSC8S2JOC	C-48	94	220V/50Hz
		VRCGRN8	C-45	59	115V/60Hz	ė	0	VRCTLSC8S3JOC	C-48	94	220V/60Hz
		VRCGRN8F	C-45	59	115V/60Hz	ė		VRCTLSC8SC	C-46	94	115V/60Hz
		VRCGRN8WSK	C-24	91		ė		VRCTLSCDDSC	C-46	71	N/A
		VRCGRNTL8C	C-45	94	115V/60Hz	ė	0	VRCTLSCFR8SC	C-46	94	115V/60Hz
		VRCGRNTL8FC	C-45	94	115V/60Hz		G		C-40	34	1134700112
		VRCGRNTL8WSK	C-24	112	115V/60Hz			W			
		VRCHD8S	C-43	76	115V/60Hz	ė.		WCL1923OSD1	C-155	17	
	0	VRCHD8S2QJO	C-44	76	240V/50Hz	ġ.		WCL1923OSD3	C-155	17	
	0	VRCHD8S3JO	C-44	76	220V/60Hz	ķ		WCL1923OSDC	C-155	17	
	\Diamond	VRCHD8S3JOSA	C-44	76	220V/60Hz	ė		WCL1923OSDSACC	C-155	27	▼
	\Diamond	VRCHD8SF2JO	C-44	76	220V/50Hz	ė.		WCL1923OSDSACMC	C-155	28	▼
	\Diamond	VRCHD8SF2JO	C-44	76	220V/60Hz	ė.		WCL1923OSDSACTMC	C-155	29	▼
		VRCHDDS	C-43	46	N/A	ė		WCLWO1923OSD1	C-155	17	
	\Diamond	VRCHDTL8S2JOC	C-44	113	220V/50Hz	ė		WCLWO1923OSD3	C-155	17	
	\Diamond	VRCHDTL8S3JOC	C-44	113	220V/60Hz	ė.		WCLWO1923OSDC	C-155	17	
	0	VRCHDTL8S3JOCSA	C-44	113	220V/60Hz	ė.		WCLWO1923OSDSACC	C-155	27	▼
		VRCHDTL8SC	C-43	113	115V/60Hz	ė		WCLWO1923OSDSACMC	C-155	28	▼
	0	VRCHDTL8SF2JOC	C-44	113	220V/50Hz	ė.		WCLWO1923OSDSACTMC	C-155	29	•
	0	VRCHDTL8SF3JOC	C-44	113	220V/60Hz			WNSF81242	C-135	80	
		VRCHDTLDDSC	C-43	113	N/A			WNSF8124L2	C-135	105	
		VRCSC8S	C-46	59	115V/60Hz			WNSF8124LR2	C-135	187	
	0	VRCSC8S2JO	C-48	59	220V/50Hz			WNSF8124R2	C-135	105	
		VRCSC8S3JO	C-48	59	220V/60Hz			WNSF81302	C-135	89	
		VRCSCDS	C-46	36	N/A		≅ ⊘		C-135	112	
	0	VRCSCFR8S	C-46	59	115V/60Hz		2 O	WNSF8130LR2	C-135	172	
		VRCTL8S2JOC	C-48	94	220V/50Hz		. 0	WNSF8130R2	C-135	112	
0		-	C-48		240V/50Hz			WNSF81362	C-135	96	
2		VRCTL8S2QJOC		94			Z	WNSF8136L2		121	
	V	VRCTL8S3JOC	C-48	94	220V/60Hz				C-135		
	_	VRCTL8NC2N	C-46	94	115V/60Hz		Z =	WNSF8136LR2	C-135	208	
		VRCTL8WS2K	C-25		220V/50Hz		Z .	WNSF8136R2	C-135	121	
	0	VRCTL8WS3K	C-25		220V/60Hz		20	WNSF82302	C-136	95	
		VRCTL8WSK	C-23		115V/60Hz		₹ 0	WNSF8230L2	C-136	120	
		VRCTLDDSC	C-46	71	N/A		Σ	WNSF8230LR2	C-136	198	
	0	VRCTLDDWS2K	C-25	48	220V/50Hz		Σ	WNSF8230R2	C-136	120	
	0	VRCTLDDWS3K	C-25	48	220V/60Hz		Σ	WNSF82362	C-136	104	
		VRCTLDDWSK	C-23	112	115V/60Hz		20	WNSF8236L2	C-136	130	

		Model Number	Page #	Ship Wt (lbs)	Voltage	Model Number	Page #	Ship Wt (lbs)
Z	0	WNSF8236LR2	C-136	216				
2		WNSF8236R2	C-136	130				
2	0	WNSF82422	C-136	150				
Z		WNSF82482	C-136	121				
2	\Diamond	WNSF8248L2	C-136	201				
Σ		WNSF8248LR2	C-136	224				
Z		WNSF8248R2	C-136	201				
Σ	0	WNSF82542	C-136	130				
Σ	0	WNSF8254L2	C-136	165				
Z		WNSF8254LR2	C-136	246				
Z	\Diamond	WNSF8254R2	C-136	165				
2		WNSF82602	C-136	138				
Ξ	0	WNSF8260L2	C-136	222				
Ξ		WNSF8260LR2	C-136	267				
Ξ	0	WNSF8260R2	C-136	222				
Ξ		WNSF83454	C-136	125				
2	0	WNSF8345L4	C-137	151				
Z		WNSF8345LR4	C-137	241				
Σ	0	WNSF8345R4	C-137	151				
2		WNSF83544	C-136	140				
Σ	0	WNSF8354L4	C-137	166				
Σ		WNSF8354LR4	C-137	256				
Σ		WNSF8354R4	C-137	166				
Σ	0	WNSF83604	C-136	160				
Z		WNSF8360LR4	C-137	280				
Σ		WNSF83724	C-136	227				
Z	0	WNSF8372L4	C-137	253				
Z		WNSF8372LR4	C-137	304				
Z	0	WNSF8372R4	C-137	253				
		WP2	C-96	3				
		WSF6000R-2PK	C-91	5				
		WSP35000	C-94	8				
		WSP35000R	C-94	2				
		WSP35000SR	C-94	5				
		WT24S36-STSX	C-152	72				
		WT24S48-STSX	C-152	82				
		WT24S60-STSX	C-152	92				
		WT24S72-STSX	C-152	102				
		WT30S120-STSX	C-152	151				
		WT30S48-STSX	C-152	92				
		WT30S60-STSX	C-152	102				
		WT30S72-STSX	C-152	111				
		WT30S84-STSX	C-152	121				
		WT30X84-STSX	C-152	130				
			2.52	. 30				

Voltage



Terms and Conditions

Pricing

Elkay reserves the right at its sole discretion to change the prices (provided by way of a Quotation or a Price List) of any Elkay product at any time and with advance notice. Elkay further reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any specific actions representing a price change, Elkay or one of its representatives will notify Buyer by posting a new published Price List and giving Buyer advanced notice. All orders received and accepted by Elkay prior to the effective date of the price change will be billed at the prices in effect at the time of Elkay's acceptance of the order.

Terms

As standard.

Taxes

All federal, state and local taxes will be added when applicable.

Limited Warranty

Warranties vary by product family. Please see website, specification sheet and/or installation instructions for further detail. Warranties do not cover transportation or installation charges. Contact Elkay Customer Care at (630) 574-8484 for complete details and conditions.

Loss and/or Damage in Transit

Our liability ceases upon delivery of the goods to the carrier at our factory. Claims for damage and/or loss in transit to be made by the consignee against the carrier. We will assist and cooperate in the processing of such claims upon customer's request.

Freight

Prices are FOB factory.

Overpack

For a nominal charge, a sink will be repackaged to reduce damage that could occur during shipment. Overpack is offered for sinks with an overall dimension of 43" x 22" or less, and must be requested when the order is submitted.

Returned Goods

Returns will not be accepted without prior written authorization from Elkay. Handling and reconditioning charges will be assessed as may be required to restore the items to salable condition.

Cancellation

On custom-made or standard models designed to customer's specifications, orders can be canceled before fabrication has commenced. Cancellation after fabrication is started will result in a charge commensurate with the extent of work completed.

EDI

Elkay supports the following EDI transaction sets: Inbound Purchase Orders (850), Outbound Invoices (810), Advanced Ship Notice (856), Inbound Remittance Advice (820) and Outbound Order Acknowledgment (855). Please contact Elkay's EDI coordinator at (630) 574-8484 to discuss the list of current transaction set versions and your implementation requirements.



About Elkay

Family owned since 1920, Elkay has been making innovative products and delivering exceptional customer care for almost a century. Elkay expanded its commercial offerings more than four decades ago, and today delivers faucets, foodservice fixtures, water coolers, drinking fountains and award-winning ezH2O® bottle filling stations, in addition to world-class stainless steel and quartz sinks.

Like your family, Elkay has values and traditions that endure; like a commitment to sustainability and to community. Headquartered in Oak Brook, Illinois, Elkay is American-owned and -operated.







