




**International Commercial Product Guide**Product list effective November 2020.





# Innovation for Today, Tomorrow, Forever

Elkay® makes plumbing products that are at the heart of life's moments. Whether it's a new sink feature to enhance the workspace or a more hygienic approach to water delivery, our customers' needs are what inspire our innovation. And with hygiene and sustainability top of mind, we're committed to building solutions for a safer, healthier life. That's Elkay.

Flip through this price guide and discover our expansive portfolio of plumbing products. Visit elkay.com for more information.







# **Connect With Us!**

Limited lifetime warranty on select products.









# **Table of Contents**

Commercial Products		Water Coolers, Fountains	C-35	
Product Overview C-1		and Water Dispensers  Water Coolers	C-35	
Health Smart Solutions	C-1	EZ Green	C-36	
Drinking Water Products	C-4	EZ Hands-Free	C-37	
Coolers and Fountains	C-4 C-5			
ezH2O Liv Pro	C-6	EZ Vandal Resistant	C-40 C-43	
		Vandal Resistant Green	C-45	
Outdoor Bottle Filling Stations and Fountains	C-7	Vandal Resistant Combination	C-43	
Filters	C-8		C-40	
Commercial Sinks	C-9	Mechanically Activated		
ADA Sinks	C-10	SwirlFlo Green	C-51	
Commercial Faucets	C-11	SwirlFlo	C-52	
Foodservice Products	C-12	Soft Sides	C-53	
Custom Stainless Solutions	C-13	Legacy Compact	C-55	
Drinking Water Customization	C-14	Legacy Deluxe Wall-Mount	C-56	
ezH2O Nameplate Customization	C-15	Legacy	C-58	
ezH2O Bottle Filling Stations	C-16	High Ambient	C-58	
· ·	C-16	Legacy Vandal-Resistant	C-59	
ezH2O Bottle Filling Stations		Legacy Floor Stantard Space-ette	C-60	
Cooler Combination	C-18	Legacy Fully Recessed	C-62	
Green	C-22	Legacy Standard Semi-Recessed	C-63	
Vandal Resistant	C-23	Legacy Deluxe	C-64	
Vandal Resistant Green	C-24	Legacy Sensor-Activated Deluxe	C-67	
Mechanical	C-25	Legacy Water-Cooled Deluxe	C-67	
ezH2O Liv Pro	C-27	Legacy Hot and Cold Service Deluxe	C-68	
Mechanical Surface Mount	C-29	Legacy Special Use	C-69	
Retrofit	C-29	Drinking Fountains	C-70	
Architectural Inwall Fountain with Integral Bottle Filler	C-30	Heavy-Duty Slimline Soft Sides	C-70	
Architectural Inwall Fountain	2 3 0	Slimline Soft Sides	C-72	
with Bottle Filling Station	C-31	Soft Sides	C-73	
Inwall	C-32	Soft Sides Premium Composite	C-75	
Architectural Retrofit	C-34	SwirlFlo	C-76	
		Legacy Fully Recessed	C-78	
		Legacy Simulated Semi-Recessed	C-78	
		Legacy Multistation Stainless Steel	C-79	
		Legacy Bracket	C-79	
		Legacy Countertop	C-80	

Water Chillers	C-80
Remote Water Chillers	C-81
High Ambient Remote	C-82
Outdoor Drinking Solutions	C-83
Outdoor Drinking Solutions	C-84
Outdoor Bottle Filling Stations	C-85
Outdoor Fountains	C-86
Stone Aggregate Fountains	C-87
Filtration and Accessories	C-88
Watersentry® Filters	C-89
ADA Sinks	C-101
ADA Sinks Commercial Sinks	C-101 C-133
Commercial Sinks	C-133
Commercial Sinks ADA Accessories	C-133 C-179
Commercial Sinks ADA Accessories General Use Sinks	C-133 C-179 C-183
Commercial Sinks ADA Accessories General Use Sinks Accessories	C-133 C-179 C-183 C-191
Commercial Sinks  ADA Accessories  General Use Sinks  Accessories  Classroom Sinks	C-133 C-179 C-183 C-191 C-196

Terms and Conditions Inside Back Cover









# Health Smart Solutions

At Elkay, we take pride in providing commercial customers with solutions that can help better their facilities — making them healthier, safer.

# **Antimicrobial Copper Sinks**

Our antimicrobial copper sinks are tough on germs, killing more than 99.9% of bacteria\* within 2 hours. They're ideal for hospitals and medical centers, as well as other public spaces where hygiene is top of mind.

## **Touchless Handwashing Station**

For washing hands on the go, look to our touchless handwashing station. With sensor-activated operation, your employees and guests never have to touch a thing.

#### Hands-free Faucets

With sensor-activated options, our faucets help keep scrub and hand wash stations sanitary.

## **Bottle Filling Stations**

Our touchless bottle filling stations, many with lead-reducing filters, are also hygienic and provide cleaner water in offices, schools and airports.

#### ezH2O Liv Pro™

And for more convenient hydrating, our ezH2O Liv Pro can sit right in a conference room wall, making drinking water more accessible.

<sup>\*</sup>Testing demonstrates effective antibacterial activity against MRSA, Staphylococcus aureus, Enterobacter aerogenes, Pseudomonas aeruginosa, and E. coli O157:H7.



### Hands-free Bottle Filling Stations



LZO8WSSK C-18



LZOTL8WSSK C-21



LZOOTL8WSSK C-18



LZWSSM C-27



LZWSM8K C-31

#### Hands-free Water Coolers



LZO8S C-37



LZO8L C-37



LZOSTL8SC C-37



LZOSTL8LC C-37



LZOOSTL8LC C-37



ENOBM8K C-51



ENOBM28K C-51



ENOBM28RAK C-52



EROM8K C-53



EROM28K C-52

### Hands-free Water Dispensers



LBWDC00WHC C-26



LBWDC00BKC C-26

#### Hands-free Faucets



LKB721C C-204



LKB721CNC C-204



### CuVerro® Antimicrobial Copper Sinks



LRAD252255-CU C-117



LRAD252155-CU C-118



LRAD222255-CU C-119



LRAD221955-CU C-120



LRAD202255-CU C-121



LRAD191955-CU C-122



LRAD191855-CU C-123



LRAD172255-CU C-124



LRAD152255-CU C-127

#### Scrub and Handwash Sinks



14-1C16X20-L-18X C-139



EWSF13026KWSC C-158



CHS1716C C-151



DRKR24119LC C-186



DRKR2517 C-182









# **Drinking Water Products**

Our drinking water solutions are designed to meet your needs and exceed your expectations. Choose from a wide variety of bottle filling stations, water coolers, drinking fountains, water dispensers and remote chillers that comply with adult and child ADA standards.

Many of these products have the option to add WaterSentry® filters for cleaner, safer water. For an even more hygienic experience, go with a touchless unit.

## **Bottle Filling Stations**

We continue to expand our ezH2O bottle filling station offerings to include innovative technology, such as automatic filter reset. This award-winning product line upholds our commitment to delivering cleaner water in a safer, more hygienic way through sustainable design. Many operate hands free and all provide a rapid fill of drinking water to quench thirst and minimize plastic bottle waste in the environment.

We have models for both indoor and outdoor applications. Whether you're looking for vandal resistant, mechanical activated or architectural design, you'll find just what you need among our large assortment of bottle filling stations.























This symbol means model is ADA compliant when properly installed. See specification sheet for details.

#### **Coolers and Fountains**

Elkay water coolers and drinking fountains come in a variety of styles. From standard design with enhanced hands-free operation to sleek, architectural SwirlFlo fountains, there's a model for any space. Many coolers can even be retrofitted – add a bottle filler or make them touchless by swapping out components with sensor-activated ones.

Most units offer our WaterSentry filters as options and our Flexi-Guard® Safety Bubblers, which feature an antimicrobial agent for an extra level of hygiene.

### **Water Dispensers**

We have the perfect water dispenser to keep your employees and guests hydrated.

Our ezH2O Liv Pro provide fresh, filtered water on demand, reducing dependency on plastic water bottles.











Seamless Design



Filtered Water



Bottles Saved



Hands Free



In-wall Installation

# ezH2O Liv Pro

This hands-free water dispenser is designed for commercial and hospitality environments such as lobbies and conference rooms. Say goodbye to ordering expensive cases of bottled water that take up precious storage space.

- · Sleek glass and brushed stainless steel design that looks great in any space
- WaterSentry 3,000-gallon NSF-certified filter to reduce harmful contaminants
- Backlit LED Green Ticker displays number of plastic bottles saved from waste
- · Hands-free filling with automatic timed shut off to prevent accidental spills
- Fits within 16" OC 2" x 4" studs near water and electrical; includes drip tray with optional drain connection
- Unit can be installed with or without chiller; various options, sold separately
- · Two color options: Aspen White or Midnight
- Filter box kit and remote filter cable included; install based on application











LK4405BF





LK4420BF1UDB

LK4409BF





Stainless Steel



Sealed Freeze

Resistance

Quick Fill and Laminar Flow



Built Tough

# **Outdoor Tubular Bottle Filling Stations** and Fountains

Our outdoor tubular bottle filling stations and drinking fountains offer attractive, long-lasting durability to withstand tough weather conditions. The strong exterior is made from Type 316 stainless steel — standard on all Elkay outdoor tubular models. They are built for busy areas such as parks, pools, golf courses, and school and work campuses. Multiple configurations available.



Custom outdoor solutions, including Pantone® colors\* available.


<sup>\*</sup>Based on min. order quantity.



### **Filters**

Elkay water filters provide cleaner, great tasting water for our bottle filling stations, water coolers, drinking fountains and water dispensers. All of our filters are made with activated carbon to improve taste and odor. Many also reduce contaminants such as lead. Our WaterSentry® filters are NSF certified to NSF/ANSI 42 and 53 for reduction of lead, Class 1 particulate, chlorine, taste and odor. Elkay filters are easy to connect and are self-contained replaceable cartridges, limiting exposure to contaminated media.

Most of our drinking water products are made in our Savanna, Illinois, plant, which is ISO 9001 registered.

















This symbol means model is ADA compliant when properly installed. See specification sheets for details.

# **Commercial Sinks**

The name Elkay is synonymous with commercial-grade stainless steel sinks. We've been manufacturing quality stainless steel sinks for more than 100 years.

Elkay's ongoing commitment to superior quality, styling and functionality is evident. More than a century of experience at forming, welding, trimming and polishing goes into every sink we make. The breadth of our line allows you to select from features, sizes and gauges based on your specific needs.

Elkay stainless steel finishes provide superior bacterial cleanability and are easy to sanitize when compared to other sink materials.

From health care facilities, schools and stadiums to restaurants, airports and office buildings, we have the ideal sink for public and professional facilities:

- Service and utility
- Lavatory
- Scrub and hand wash
- · General use
- Classroom
- Custom
- Foodservice









# **ADA Sinks**

Our ADA sinks work well in any commercial space, beyond restrooms. Not only do they make washing hands easier, they're stylish enough to complement any design.

### **Multifamily Housing**

With heavy-duty stainless steel options and stain-resistant quartz models, our sinks are built to meet the everyday demands of residents and staff. A variety of bowl configurations and installation types offers options for in-unit kitchens, clubhouses and other common areas.

## **Assisted Living Centers**

Ideal for seniors, ADA sinks accommodate those who have trouble reaching or are more comfortable sitting while working at the sink. They're great assets in residents' rooms and in common areas throughout the facility.

# Dart Canyon™

Stylish and practical, Dart Canyon is our ADA farmhouse sink that provides better everyday solutions in commercial spaces. Used in the communities stated above, as well as in office lunchrooms, this workstation sink with built-in ledge makes cleaning and prepping much easier. Set soap and scrub pads on the shallow ledge at the front and use the extra-deep rear bowl for filling with large items. This sink goes beyond ADA compliance; it's great for multipurpose use and has a beautiful apron front.



LK535 Deck Mount, Single Hole LK800 Concealed Deck Mount, 8" LK801 Concealed Deck Mount, 8" with Side Spray LK804 Concealed Deck Mount, Fixed Spout, 8" LK804F Concealed Deck Mount, Fixed Spout, 8" Fancy

LK810 Exposed Deck Mount, 8" LK811 Exposed Deck Mount, 8" with Side Spray LK940 Wall Mount, 8" Chrome Finish LK943C Prerinse LK945 Wall Mount, 3"–8" Adjustable Centers

BASIC PART NUMBER*	TYPE OF SPOUT	SIZE OF SPOUT	TYPE AND SIZE OF HANDLE	WALL-MOUNT INLETS
<b>LK402</b> Deck Mount,	AT Arc Tube	<b>AT</b> 08", 10", 12" or 14"	L2 Lever, 2", Two Piece	H 1/2" NPT Female Inlets
4" Dual Control	<b>BP</b> Bucket Hook Polished	<b>BP</b> 03" or 07"	L4 Lever, 4", One Piecet	<b>S</b> Shut-off Valve, 1/2"
<b>LK403</b> Deck Mount, 4" Dual Control, with Pop up	<b>BR</b> Bucket Hook Rough	Hook Rough BR 03" or 07" L7 Leve		NPT Female Inlets
LK406 Exposed	<b>CF</b> Cast Fixed	<b>CF</b> 06"	<b>T4</b> Wrist Blade,	<b>T</b> 2" Offset, 1/2" NPT Female Inlets
Deck Mount, 4"	<b>DS</b> Double Swing	<b>DS</b> 20"	4", Two Piece	Terriale fillets
<b>LK422</b> Deck Mount, 4" Single Control	<b>GN</b> Gooseneck	<b>GN</b> 04", 05" or 08"	<b>T6</b> Wrist Blade, 6". Two Piece	
LK423 Deck Mount, 4"	<b>HA</b> High Arc	<b>HA</b> 08" or 10"	. ,	
Single Control, with Pop up	TS Tube Spout	<b>TS</b> 08"	† For LK422 and	
<b>LK500</b> Deck Mount, Single Hole	<b>VS</b> Vented Spout	<b>VS</b> 07"	LK423 series only.	








# Commercial Faucets

\*Based off of the waterway

Complete your Elkay sink with an Elkay faucet. We have the ideal faucet for every application.

- Foodservice
- Lavatory
- Classroom
- Scrub and hand wash
- General use
- Service and utility



Shown: LK406AT08T4

Interchangeable spouts available in many styles and sizes

ADA-compliant interchangeable handle options; wrist blade and lever

1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM inserts; key included for low-flow

Ceramic disc cartridge for long-lasting performance and ease of use

Durable and attractive polished chrome finish

Solid brass construction ensures longevity and NSF/ANSI 61 compliance





This symbol means model is ADA compliant when properly installed. See specification sheet for details.





# Elkay has the ideal product for every foodservice application:

- Scullery sinks
- Utility sinks
- Mop and hand sinks
- Work tables



# Foodservice Products


Why Elkay Foodservice products for plumbing wholesale? There are six key benefits.

- 1. Complementary line: Elkay foodservice products that are NSF certified, expand and supplement our other foodservice offerings to give you the products you need at competitive prices.
- 2. Lead times: Large product inventory allows us to serve customers quickly and hassle free.
- 3. One source: Whether you need one table or a complete kitchen, Elkay can serve all your needs.
- 4. Easy cleanup: Seamlessly welded, coved corners and die stamped to ensure proper drainage.
- 5. Certifications: NSF for foodservice application.
- 6. Quality: Durable products that our customers have come to expect.

Designed for kitchens in school cafeterias to five-star restaurants, we have a wide variety of scullery sink options:

Dependabilt™	Rigidbilt®	Weldbilt <sup>®</sup>
16 or 18 gauge	16 gauge	14 gauge
Type 300 stainless	Type 304 stainless	Type 304 stainless
12" or 14" deep	12-3/4" deep	14" deep
Prefinished material	Hand polished	Hand polished

# How to read a scullery sink SKU







# **Custom Stainless Solutions**

Can't find what you're looking for? Whether you need a sink modification or a custom sink, Elkay can help. We are America's No. 1 selling kitchen sink company. Put our experience to work for you.



Bowl Depth

304 TYPE 316 TYPE Steel





Gauge

Bowl Configuration


#### **Sink Modifications**

- $\cdot$  Select SKUs from our catalog may be modified
- Only die-drawn, machine-driven products
- 18 gauge; Type 304 or Type 316 stainless steel

#### **Custom Fabrication**

- Hand-fabricated sinks and sink tops for residential and commercial applications
- One piece seamlessly crafted to your specifications
- 14 or 16 gauge; Type 304 or Type 316 stainless steel

Download custom or modification forms at elkay.com/custom.











# **Drinking Water Product Customization**

If you are looking for a drinking solution that is outside of our standard offerings, we can help you tailor an existing Elkay product to meet your unique specifications. Whether you want to change activation to fully touchless or create a unique triple fountain combination, our custom program will exceed your expectations.

# **Custom Product Capabilities and Colors:**

- Unique stainless steel panels
- Multilevel cooler and fountain configurations
- · Vandal-resistant bubbler installation
- Sensor-activated modifications
- · Pantone® colors\*

Please contact your sales team for complete details.

<sup>\*</sup>Based on min. order quantity.







# ezH2O Nameplate Customization

All ezH2O bottle filling stations are customizable with university- or company-specific logos. Orders can include a combination of units (retrofit, in wall, ezH2O cooler combos, surface mounts).

Customization is available for orders of 10 units or more. Units ordered must be either all filtered or all non-filtered within the same order.

### **Creating Your Custom Nameplate:**

- 1. Choose your Elkay bottle filling stations.
- 2. Send us your desired logo and Pantone® colors.
- 3. Elkay's custom team will handle the rest!

Please contact your sales team for complete details about available options in your region.





#### **HANDS-FREE OPERATION**

The touchless, sensor-activated bottle filler is designed for easy use. There's no need to hold the bottle; just place and fill.



#### MINIMAL SPLASHING

laminar flow of water so there is reusable bottles and cups.



WATERSENTRY FILTER

chlorine, taste and odor.

Our WaterSentry® filters are NSF certified to NSF/ANSI 42 and 53 for reduction of lead, Class 1 particulate,

Bottle filler dispenses a clean, minimal splashing when filling



#### SEE BOTTLES SAVED

Exclusive Green Ticker informs user of the number of 20 oz. plastic water bottles saved from waste by using refillable bottles at the bottle filling station.



Key plastic components on the unit have a special silver ion antimicrobial protection that inhibits the growth of mold and mildew.

#### **REAL DRAIN**

The basin includes a real drain system to help with drainage and eliminate standing water.

# ezH2O® BOTTLE FILLING STATIONS











#### **Cooler Combination Bottle Filling Stations**

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Optional Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor use.







LZSTL8WSSK

#### **Optional Accessories**

LKAPREZL Cane Apron for EZ Gray

98551C Filter Mounting Cover (Gray Granite)
98568C Filter Mounting Cover (Stainless Steel)
MLP100 In Wall Carrier (Single)

MLP200 In Wall Carrier (Bi-Level)
WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter

WSF6000R-2PK WaterSentry Fresh CTO Replacement F EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Retro-fit models &	Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZWSRK	-	•		•
EZWSRK	-			•

Single ezH2O with Dual Hands-Free Activation 🕏				Cooler Cabinet		
Model	Chilled GPH Filtered		Light Gray Granite	Stainless Steel	Flex	
LZO8WSLK ▼	8.0	•	•		•	
LZO8WSSK▼	8.0	•		•	•	
EZO8WSLK ▼	8.0		•		•	
EZO8WSSK▼	8.0			•	•	



Versatile bi-level ezH2O with 2 Hands-Free Bubblers* 💍				Cooler Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	
LZOOTL8WSLK ▼	8.0	•	•		•	
LZOOTL8WSSK ▼	8.0	•		•	•	
EZOOTL8WSLK ▼	8.0		•		•	
EZOOTL8WSSK ▼	8.0			•	•	





LZO8WSLK



LZOOTL8WSLK

This products are available in 220V, contact your sales team for custom codes



Single ezH2O cooler 🕏			Cooler	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSVRS3K ⊗	8.0	•		•	220V/60Hz	
LZSDWSL2K ⊗	-	•	•		220V/50Hz	CE
LZSDWSL3K ⊗	-	•	•		220V/60Hz	
LZSDWSS2K ⊗	-	•		•	220V/50Hz	CE
LZSDWSS3K ⊗	-	•		•	220V/60Hz	
EZS8WSL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSL3K ⊘	8.0		•		220V/60Hz	
EZS8WSS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSS3K ⊗	8.0			•	220V/60Hz	
EZS8WSVRL2K ⊗	8.0		•		220V/50Hz	CE
EZS8WSVRL3K ⊗	8.0		•		220V/60Hz	
EZS8WSVRS2K ⊗	8.0			•	220V/50Hz	CE
EZS8WSVRS3K ⊗	8.0			•	220V/60Hz	

This products are available in 220V, contact your sales team for custom codes



#### ezH2O Water Cooler Combination Bottle Filling **Stations**

- Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-bar activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated).
- Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000gal. filter).
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Includes exclusive Flexi-Guard safety bubbler, which provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.
- Power cord sold separately.







EZSTL8WSS2K

Versatile bi-level ezH2O cooler 🕏		Cooler	Cabinet		Global	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8WSL2K ⊘	8.0	•	•		220V/50Hz	CE
LZSTL8WSL3K ⊗	8.0	•	•		220V/60Hz	
LZSTL8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZSTL8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZSTL8WSS3KSA ⊘	8.0	•		•	220V/60Hz	SASO
LZSTL8WSVRL2K ⊘	8.0	•	•		220V/50Hz	CE
LZSTL8WSVRL3K ⊘	8.0	•	•		220V/60Hz	
LZSTL8WSVRS2K ♥ O	8.0	•		•	220V/50Hz	CE
LZSTL8WSVRS3K ⊗	8.0	•		•	220V/60Hz	
EZSTL8WSL2K ₺ 🛇	8.0		•		220V/50Hz	
EZSTL8WSL3K ₺ 🛇	8.0		•		220V/60Hz	
EZSTL8WSS2K ₺ 🛇	8.0			•	220V/50Hz	
EZSTL8WSS3K ₺ 🛇	8.0			•	220V/60Hz	
EZSTL8WSVRL2K ₺ 🛇	8.0		•		220V/50Hz	
EZSTL8WSVRL3K ₺ 🛇	8.0		•		220V/60Hz	
EZSTL8WSVRS2K ₺ 🛇	8.0			•	220V/50Hz	
EZSTL8WSVRS3K ℤ ⊗	8.0			•	220V/60Hz	

Single ezH2O cooler 🕏			Cooler	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZS8WSL2K ⊗	8.0	•	•		220V/50Hz	CE
LZS8WSL3K ⊘	8.0	•	•		220V/60Hz	
LZS8WSS2K ⊗	8.0	•		•	220V/50Hz	CE
LZS8WSS2KWR ♥ O	8.0	•		•	220V/50Hz	CE, WRAS
LZS8WSS2QK ⊗	8.0	•		•	240V/50Hz	
LZS8WSS3K ⊗	8.0	•		•	220V/60Hz	
LZS8WSS3KSA ⊗	8.0	•		•	220V/60Hz	SASO
LZS8WSVRL2K ⊗	8.0	•	•		220V/50Hz	CE
LZS8WSVRL3K ⊘	8.0	•	•		220V/60Hz	
LZS8WSVRS2K ⊘	8.0	•		•	220V/50Hz	CE



Versatile bi-level ezH2O with 1 H	Cooler C	Bubbler			
Model	Chilled GPH Filtered		Light Gray Granite	Stainless Steel	Flex
LZOTL8WSLK ▼	8.0	•	•		•
LZOTL8WSSK▼	8.0	•		•	•
EZOTL8WSLK ▼	8.0		•		•
EZOTL8WSSK▼	8.0			•	•



Includes 1 Hands-Free Bubbler, 1 Hands-Free Bottle Filling Station, and 1 Push Bar Bubbler

LZOTL8WSLK

Single ezH2O &			Cooler (	Cabinet	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZS8WSLK ▼	8.0	•	•		•	
LZS8WSSK ▼	8.0	•		•	•	
LZS8WSVRLK ▼	8.0	•	•			•
LZS8WSVRSK ▼	8.0	•		•		•
LZSDWSLK ▼	=	•	•		•	
LZSDWSSK ▼	=	•		•	•	
LZSDWSVRLK ▼	=	•	•			•
LZSDWSVRSK ▼	-	•		•		•
EZS8WSLK ▼	8.0		•		•	
EZS8WSSK ▼	8.0			•	•	
EZS8WSVRLK ▼	8.0		•			•
EZS8WSVRSK ▼	8.0			•		•
EZSDWSLK ▼	-		•		•	
EZSDWSSK ▼	-			•	•	
EZSDWSVRLK ▼	-		•			•
EZSDWSVRSK ▼	=			•		•

with Hands-Free Bottle Filling Station

Versatile bi-level ezH2O with Hands-free Bottle Filling Station* &			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LZSTL8WSLK ▼	8.0	•	•		•	
LZSTL8WSSK ▼	8.0	•		•	•	
LZSTL8WSVRLK ▼	8.0	•	•			•
LZSTL8WSVRSK ▼	8.0	•		•		•
LZSTLDDWSLK ▼	=	•	•		•	
LZSTLDDWSSK ▼	-	•		•	•	
LZSTLDDWSVRLK ▼	-	•	•			•
LZSTLDDWSVRSK ▼	-	•		•		•
EZSTL8WSLK ▼	8.0		•		•	
EZSTL8WSSK ▼	8.0			•	•	
EZSTL8WSVRLK ▼	8.0		•			•
EZSTL8WSVRSK ▼	8.0			•		•
EZSTLDDWSLK ▼	-		•		•	
EZSTLDDWSSK ▼	-			•	•	
EZSTLDDWSVRLK ▼	-		•			•
EZSTLDDWSVRSK ▼	-			•		•

<sup>\*</sup>Units can either be installed left-high and right-low or reversed to be right-high and left-low.

This products are available in 220V, contact your sales team for custom codes



#### **Green Cooler Combo Bottle Filling Stations**

- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec listed and badged to demonstrate a commitment to sustainability.
- Rated for indoor use.







LZSTLG8WSLK

#### **Optional Accessories**

LKAPREZL Cane Apron for EZ Gray MLP100 In Wall Carrier (Single) MLP200 In Wall Carrier (Bi-Level)

36292C Power Block for multistation BF stations WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Single green ezH2O &	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8WSLK ⊗	8.0	•	•	
LZSG8WSSK ⊗	8.0	•		•
EZSG8WSLK ⊘	8.0		•	
EZSG8WSSK ⊗	8.0			•

Versatile green bi-level ezH2O* 🕏	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8WSLK ⊗	8.0	•	•	
LZSTLG8WSSK ⊗	8.0	•		•
EZSTLG8WSLK ⊗	8.0		•	
EZSTLG8WSSK ⊗	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



#### **Vandal-Resistant Bottle Filling Stations**

- Ideal for heavy -use installations such as educational and indoor recreational facilities.
- Vandal-resistant, push -button activation for both the bottle filler and the water cooler.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is nec essary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fil I with minimal splash.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered models rated for indoor use. Non -filtered models rated for indoor/outdoor use.







VRCTL8WSK

#### **Optional Accessories**

98324C Cane Apron - stainless

36292C Power Block

Single vandal-resistant ezH2O &						
Model	Chilled GPH	Filtered	Green Ticker			
LVRC8WSK ◊	8.0	•	•			
LVRCDWSK ⊗	-	•	•			
VRC8WSK ∅	8.0		•			
VRCDWSK ⊗	-		•			

Bi-level vandal-resistant ezH2O 💍						
Model	Chilled GPH	Filtered	Green Ticker			
LVRCTL8WSK ⊗	8.0	•	•			
LVRCTLDDWSK ⊗	-	•	•			
VRCTL8WSK ⊗	8.0		•			
VRCTLDDWSK ⊗	-		•			

Bi-level reverse vandal-resistant ezH2O &					
Model	Chilled GPH	Filtered	Green Ticker		
VRCTLR8WSK⊗	8.0		•		
VRCTLRDDWSK⊗	-		•		



#### **Vandal-Resistant Green Bottle Filling Stations**

- Touchless, sensor activation (bottle filler) designed for easy use; vandal-resistant, push-button activation for the water cooler.
- High-performance compressor and insulation greatly reduce energy consumption.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Vandal-resistant, StreamSaver bubblers feature chrome-plated integral hood guard to prevent contamination, tampering and reduce water usage.
- Rated for indoor use.







VRCGRN8WSK

#### **Optional Accessories**

98324C Cane Apron 36292C Power Block

Single vandal-resistant green ezH2O 🕏					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	
LVRCGRN8WSK ▼	8.0	•	•	•	
VRCGRN8WSK ▼	8.0		•	•	

Bi-level vandal-resistant green ezH2O 👶					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	
LVRCGRNTL8WSK ▼	8.0	•	•	•	
VRCGRNTL8WSK ▼	8.0		•	•	



# **Vandal-Resistant Water Cooler Combination Bottle Filling Stations**

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- ◆ Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- ◆ Power cord sold separately.



LVRC8WS2KWR

Single cooler &	rgle cooler 🕏 Coole Cabine				Global
Model	Chilled GPH	led GPH Filtered Stainless Steel	Voltage	Compliance	
LVRC8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRC8WS2KWR S ♥	8.0	•	•	220V/50Hz	CE, WRAS
LVRC8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRC8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCDWS2K ⊘ ▼	-	•	•	220V/50Hz	
LVRCDWS3K ⊘ ▼	-	•	•	220V/60Hz	
VRC8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRC8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCDWS3K ⊗ ▼	-		•	220V/60Hz	

Bi-level cooler &			Cooler Cabinet	Walka aa	Global
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LVRCTL8WS2K ⊘ ▼	8.0	•	•	220V/50Hz	
LVRCTL8WS3K ⊘ ▼	8.0	•	•	220V/60Hz	
LVRCTL8WS3KSA ⊘ ▼	8.0	•	•	220V/60Hz	SASO
LVRCTLDDWS2K ⊗ ▼	-	•	•	220V/50Hz	
LVRCTLDDWS3K ⊗ ▼	-	•	•	220V/60Hz	
VRCTL8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTL8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLR8WS2K ⊘ ▼	8.0		•	220V/50Hz	
VRCTLR8WS3K ⊘ ▼	8.0		•	220V/60Hz	
VRCTLDDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCTLDDWS3K ⊘ ▼	-		•	220V/60Hz	
VRCTLRDDWS2K ⊘ ▼	-		•	220V/50Hz	
VRCTLRDDWS3K ∅ ▼	-		•	220V/60Hz	



#### **Mechanical Combination Bottle Filling Stations**

- Touchless, sensor-activated bottle filler, designed for easy use; mechanically-activated bubbler continues to supply water in service disruptions.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor use.







EMABFTL8WSSK

#### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant	\$141.00
98313C	Cane Apron for EMABF (Gray Granite)	\$223.00
98324C	Cane Apron for HAC HVR EMABF VRC (SS)	\$267.00
MLP100	In Wall Carrier (Single)	\$685.00
MLP200	In Wall Carrier (Bi-Level)	\$1,096.00
36292C	Power Block for multistation BF stations	\$33.60
WSF6000R-2PK	WaterSentry Fresh CTO Replacement Filter	\$349.00
EWF3000	WaterSentry Plus Filter System Kit	\$121.00
51300C	W ntry Plus Replacement Filter	\$113.00
EWF172	WaterSentry VII Filter Kit	\$99.00

Retro-fit models 🕏			
Model	Chilled GPH	Filtered	Green Ticker
LMABFWS-RF	-	•	•
EMABFWS-RF	-		•

Single ezH2O &				
Model	Chilled GPH	Filtered	Green Ticker	
LMABF8WSLK ▼	8.0	•	•	
LMABF8WSSK ▼	8.0	•	•	
LMABFDWSLK ▼	=	•	•	
LMABFDWSSK ▼	-	•	•	
EMABF8WSLK ▼	8.0		•	
EMABF8WSSK ▼	8.0		•	
EMABFDWSLK ▼	-		•	
EMABFDWSSK ▼	-		•	

Bi-level ezH2O &				
Model	Chilled GPH	Filtered	Green Ticker	
LMABFTL8WSLK ▼	8.0	•	•	
LMABFTL8WSSK ▼	8.0	•	•	
LMABFTLDDWSLK ▼	-	•	•	
LMABFTLDDWSSK ▼	-	•	•	
EMABFTL8WSLK ▼	8.0		•	
EMABFTL8WSSK ▼	8.0		•	
EMABFTLDDWSLK ▼	-		•	
EMABFTLDDWSSK ▼	-		•	



# ezH2O Liv Pro In-Wall Commercial Water Dispensers, Non-refrigerated

- SEAMLESS DESIGN: Install a filtered water dispenser in convenient commercial spaces such as waiting areas, conference rooms, lobbies and break rooms.
- IN-WALL INSTALLATION: Fits within the width and depth of two wall studs near water and electric; includes drip tray with optional drain connection.
- FILTERED WATER: NSF-certified filter reduces lead and harmful contaminants. Filter box and remote filter cable included; optional for install
- FILTER STATUS LIGHTS: Colorful lights indicate when quick and easy filter changes are needed.
- BOTTLES SAVED: Backlit LED Green Ticker counts the number of disposable, single-use plastic bottles served without the plastic bottle waste
- CONVENIENT AND SUSTAINABLE: Self-serve design allows people to help themselves to refreshing water in an environmentally friendly way.
- SENSOR ACTIVATED: Hands-free filling with automatic timed shut off to help prevent accidental spills and messes.
- CHIC STYLING: Glass-front and brushed stainless steel design looks great in any space; interactive lighting brightens when dispensing water.
- CHILLER OPTIONS: Unit can be installed with or without a chiller.
   Various options available, based on application; chiller sold separately.
- SAFETY LOCK: Optional setting prevents unsupervised use.







LBWDC00WHC

#### **Optional Accessories**

AP99 Access Panel 9" x 9" x 6"
ECF3000 WaterSentry Plus Commercial

Repl Filter

ER51Y Remote Chiller Non-Filtered 5

GPH

ER101Y Remote Chiller Non-Filtered 10

GPH

Filtered ezH2O Liv Pro S				Glass	Color	
Model	Filtered	Hands- Free	Ambient	Chilled GPH	Aspen White	Midnight
LBWDC00BKC	•	•	•	-		•
LBWDC00WHC	•	•	•	-	•	

Filter box and remote filter cable are included based on application.



#### **Surface-Mount Bottle Filling Stations**

- Touchless, sensor-activated design for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.

Surface mount &		
Model	Voltage	Filtered
LZWSSM	115V/60Hz	•
EZWSSM	115V/60Hz	



**LZWSSM** 

#### **Optional Accessories**

ECH8 WSF6000R-2PK EWF3000 51300C Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

#### **Surface Mount Bottle Filling Stations**

- Touchless, sensor-activation designed for use in limited wall depth applications.
- Fill rate is 1.5 GPM.
- Optional Visual Filter Monitor: LED filter status indicator for when filter change is necessary.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.



**LZWSSMJO** 

#### **Optional Accessories**

ECH8 WSF6000R-2PK EWF3000 51300C Remote Chiller Non-Filtered 8 GPH WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

Surface mount &					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSSMJO ⊗	-	•	•	220V/50-60Hz	
EZWSSMJO ⊗	-		•	220V/50-60Hz	CE



#### **Mechanical Surface-Mount Bottle Filling Stations**

- Mechanical push button designed for use in limited wall depth applications, for areas where electric is not available.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Able to pair with a remote chiller.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







**EMASM** 

#### **Optional Accessories**

56192C Aqua Sentry Replacement Filter
ECH8GRN Remote Chiller 8 GPH GreenSpec
ECH8 Remote Chiller Non-Filtered 8 GPH

Mechanical surface mount &					
Model	Filtered	Green Ticker			
LMASMB	•	•			
EMASM					
EMASMB		•			

#### **Retrofit Cooler Combo Bottle Filling Stations**

- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated, if connected to a cooler) or 1.5 (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Styles available to retrofit with existing coolers.
- Real drain system eliminates standing water.
- Rated for indoor use.



**LZWSRK** 



LMABFWS-RF

#### **Optional Accessories**

Retro-fit models 💍		
Model	Filtered	Green Ticker
LMABFWS-RF	•	•
LZWSRK	•	•
EMABFWS-RF		•
EZWSRK		•



# Architectural In-Wall Fountains With Integral Bottle Filling Stations

- Styles available that are integrated with both Soft Side and SwirlFlo style fountains.
- ◆ Touchless, sensor activation (bottle filler) designed for easy use; easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







LZWS-LRPBM28K

#### **Optional Accessories**

ACCESS12X38-5 Access Panel LKAPR1 Cane Apron 97258C Cane Apron

Single SwirlFlo fountain 🕏			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-EDFPBM114K ▼	-	•	•
EZWS-EDFPBM114K ▼	-		•

Single SwirlFlo refrigerated fountain &				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-LRPBM8K ▼	8.0	•	•	
EZWS-ERPBM8K ▼	8.0		•	

Bi-level Soft Sides fountain &			
Model	Chilled GPH	Filtered	Green Ticker
LZWS-EDFP217K ▼	-	•	•
EZWS-EDFP217K ▼	-		•

Bi-level SwirlFlo fountain 💍				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-EDFPBM117K ▼	-	•	•	
EZWS-EDFPBM117K ▼	-		•	

Bi-level SwirlFlo refrigerated fountain 🕏				
Model	Chilled GPH	Filtered	Green Ticker	
LZWS-LRPBM28K ▼	8.0	•	•	
EZWS-ERPBM28K ▼	8.0		•	



# Architectural In-Wall Fountains With Bottle Filling Stations

- Styles available for pairing with choice of a SwirlFlo high efficiency or Soft Sides refrigerated fountain.
- Touchless, sensor activation designed for easy use (bottle filler); easy-to-operate push-button activation (bubbler).
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







EZWS-SS8K

#### **Optional Accessories**

ACCESS12X38-5 Access Panel 97258C Cane Apron LKAPR1 Cane Apron

Single SwirlFlo green &						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency		
LZWS-SFGRN8K ▼	8.0	•	•	•		
EZWS-SFGRN8K ▼	8.0		•	•		

Bi-Level SwirlFlo green &						
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency		
LZWS-SFGRN28K ▼	8.0	•	•	•		
EZWS-SFGRN28K ▼	8.0		•	•		

Single Soft Sides &					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-SS8K ▼	8.0	•	•		
EZWS-SS8K ▼	8.0		•		

Bi-level Soft Sides &					
Model	Chilled GPH	Filtered	Green Ticker		
LZWS-SS28K ▼	8.0	•	•		
EZWS-SS28K ▼	8.0		•		



#### **In-Wall Bottle Filling Stations**

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.







**LZWSMDK** 

#### **Optional Accessories**

MFWS100 WSF6000R-2PK EWF3000 51300C Mounting Frame WaterSentry Fresh CTO Replacement Filter WaterSentry Plus Filter System Kit WaterSentry Plus Replacement Filter

In-wall recessed ezH2O &					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting
LZWS8K ▼	8.0	•	•		Order MFWS100
LZWSGRN8K ▼	8.0	•	•	•	Order MFWS100
LZWSGRNM8K ▼	8.0	•	•	•	
LZWSM8K ▼	8.0	•	•		
LZWSDK ▼	-	•	•		Order MFWS100
LZWSMDK ▼	-	•	•		
EZWS8K ▼	8.0		•		Order MFWS100
EZWSGRN8K ▼	8.0		•	•	Order MFWS100
EZWSGRNM8K ▼	8.0		•	•	
EZWSM8K ▼	8.0		•		
EZWSMDK ▼	-		•		

For pairing with SwirlFlo EDFPB fountains 👶					
Model	Chilled GPH	Filtered	Green Ticker	High Energy Efficiency	Pre-Ordered Mounting
LZWS8PK ▼	8.0	•	•		Order MFWS100
LZWSGRN8PK ▼	8.0	•	•	•	Order MFWS100
LZWSGRNM8PK ▼	8.0	•	•	•	
LZWSM8PK ▼	8.0	•	•		
LZWSDPK ▼	-	•	•		Order MFWS100
LZWSMDPK ▼	-	•	•		
EZWS8PK ▼	8.0		•		Order MFWS100
EZWSGRN8PK ▼	8.0		•	•	Order MFWS100
EZWSGRNM8PK ▼	8.0		•	•	
EZWSM8PK ▼	8.0		•		
EZWSMDPK ▼	-		•		

If pre-ordering the (MFWS100) mounting frame for EZWSMDK, follow with order for the bottle filler only as EZWSMDC. \*\*If pre-ordering the (MFWS100) mounting frame for EZWSMDPK, follow with order for the bottle filler only as EZWSMDPC.



# **In-Wall Bottle Filling Stations**

- Designed as a stand-alone unit or to be paired with Elkay SwirlFlo or Soft Sides architectural fountains.
- Touchless, sensor activation (bottle filler) designed for easy use.
- Fill rate is 1.1 GPM (refrigerated) or 1.5 GPM (non-refrigerated).
- Optional high-efficiency chiller models available.
- Filter is certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction (3,000-gal. filter).
- Green Ticker: Informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver ion antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Power cord sold separately.







LZWSMDJOK

In-wall recessed 🕏					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82K ♥	8.0	•	•	220V/50Hz	CE
LZWSM82KWR ♥ O	8.0	•		220V/50Hz	CE, WRAS
LZWSM83K ⊗	8.0	•	•	220V/60Hz	
LZWSM83KSA ⊗	8.0	•	•	220V/60Hz	SASO
LZWSMDJOK ⊗	-	•	•	220V/50-60Hz	
EZWSM82K ⊘	8.0			220V/50Hz	CE
EZWSM83K ⅔ ⊗	8.0			220V/60Hz	
EZWSMDJOK ₺ 🛇	-			220V/50-60Hz	

For pairing with SwirlFlo EDFPB fountains &					
Model	Chilled GPH	Filtered	Green Ticker	Voltage	Global Compliance
LZWSM82PK ⊗	8.0	•	•	220V/50Hz	
LZWSM83PK ⊗	8.0	•	•	220V/60Hz	
LZWSMDJOPK ⊗	-	•	•	220V/50-60Hz	
EZWSM82PK ℤ ⊗	8.0			220V/50Hz	
EZWSM83PK ⅔ ⊗	8.0			220V/60Hz	
EZWSMDJOPK ♥ ◊	-			220V/50-60Hz	



#### **Retrofit Architectural Fountains**

- Touchless, sensor activation (bottle filler) designed to retrofit with an existing refrigerated push-button fountain.
- Fill rate is 1.1 GPM.
- Optional visual filter monitor with LED filter status indicator for when filter change is necessary.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor (3,000 gallon filter).
- Green Ticker informs user of number of 20 oz. plastic water bottles saved from waste.
- Laminar flow provides clean fill with minimal splash.
- Silver Ion Antimicrobial protection on key plastic components to inhibit the growth of mold and mildew.
- Ships with new top panel, frame and integral ezH2O station.
- Real drain system eliminates standing water.
- Rated for indoor use.
- Bottle filler meets ADA guidelines for reach range; fountain meets ADA guidelines for wheelchair access.





LZWS-ERPB8-RF

EZWS-ERFP8-RF

# **Optional Accessories**

ACCESS12X38-5 Access Panel LKAPR1 Cane Apron 97258C Cane Apron

WSF6000R-2PK WaterSentry Fresh CTO Replacement Filter EWF3000 WaterSentry Plus Filter System Kit 51300C WaterSentry Plus Replacement Filter

Retrofit for existing Soft Sides bi-level refrigerated fountain &					
Model	Filtered	Green Ticker			
LZWS-ERFP8-RF	•	•			
EZWS-ERFP8-RF		•			

Retrofit for existing SwirlFlo bi-level refrigerated fountain &					
Model	Filtered	Green Ticker			
LZWS-ERPB8-RF	•	•			
EZWS-ERPB8-RF		•			

To meet full ADA compliance, building level must include a separate unit meeting standing person dimensions. For details visit www.ada.gov.











# WATER COOLERS, FOUNTAINS AND WATER DISPENSERS

#### **IN-WALL INSTALLATION**

Fits within 16" OC 2" X 4" studs near water and electrical; includes drip tray with optional drain connection.



Hands-free filling with automatic timed shut off to help prevent accidental spills and messes.

# **FILTERED WATER**

The 3,000-gallon filter is certified to NSF 42 and 53 to reduce lead and harmful contaminants. Filter box and remote filter cable included; optional for install.



#### **BOTTLES SAVED**

Backlit LED Green Ticker counts the number of disposable, single-use plastic bottles served without the plastic bottle waste.

#### **CONVENIENT AND SUSTAINABLE**

Self-serve design allows people to help themselves to refreshing water in an environmentally friendly way.

#### **CHILLER OPTIONS**

Unit can be installed with or without a chiller. Various options available, based on application; chiller sold separately.



#### **EZ Green Water Coolers**

- High-performance compressor and insulation greatly reduce energy consumption.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- GreenSpec Listed and badged to demonstrate commitment to sustainability.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EZSG8L

# **Optional Accessories**

98481C Bubbler Kit Water-Efficient VR
LKAPREZL Cane Apron
MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
28410C Wall Plate (Lo-Hi Bi-Level)
1000004539 Wall Plate (Hi-Lo Bi-Level)
EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSG8L	8.0	•	•	
LZSG8S	8.0	•		•
EZSG8L	8.0		•	
EZSG8S	8.0			•

Versatile bi-level 💍	Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel
LZSTLG8LC	8.0	•	•	
LZSTLG8SC	8.0	•		•
EZSTLG8LC	8.0		•	
EZSTLG8SC	8.0			•

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



#### **EZ Hands-Free Water Coolers**

- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Filtered units display filter status for easy notification of expiration.







LZOOSTL8LC

# **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
98501C	Bubbler StreamSaver Flexi-Guard
LKAPREZL	Cane Apron for EZ Gray
98551C	Filter Mounting Cover (Gray Granite)
98568C	Filter Mounting Cover (Stainless Steel)
MLP100	In Wall Carrier (Single)
MI P200	In Wall Carrier (Ri-Level)

RP2130 Wall Bezel Black
1000004539 Wall Plate (Hi-Lo Bi-Level)for EZ models

EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single ezH2O with Hands-Free A	Cooler (	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZO8L	8.0	•	•		•
LZO8S	8.0	•		•	•
LZODL	-	•	•		•
LZODS	-	•		•	•
EZO8L	8.0		•		•
EZO8S	8.0			•	•
EZODL	-		•		•
EZODS	-			•	•



LZO8S

with Hands-Free Bubbler

Versatile bi-level ezH2O with 2 H	Cooler (	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOOSTL8LC	8.0	•	•		•
LZOOSTL8SC	8.0	•		•	•
EZOOSTL8LC	8.0		•		•
EZOOSTL8SC	8.0			•	•



Includes 2 Hands-Free Bubblers

Versatile bi-level ezH2O with 1 H	Cooler (	Bubbler			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
LZOSTL8LC	8.0	•	•		•
LZOSTL8SC	8.0	•		•	•
EZOSTL8LC	8.0		•		•
EZOSTL8SC	8.0			•	•



LZOSTL8SC

Includes 1 Hands-Free Bubbler and 1 Push Bar Bubbler

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



# EZ Hands-Free Water Coolers

- Units can either be installed left-high and rightlow or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Filtered units display filter status for easy notification of expiration.
- Power cord sold separately.







LZOSTL8S2JOC

#### **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant
98501C Bubbler StreamSaver Flexi-Guard
LKAPREZL Cane Apron for EZ Gray
98551C Filter Mounting Cover (Gray Granite)

MLP200 In Wall Carrier (Bi-Level) RP2130 Wall Bezel Black

1000004539 Wall Plate (Hi-Lo Bi-Level)for EZ models 51299C WaterSentry VII Replacement Filter

Single ezH2O 🕏			Cooler (	Cabinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZO8L2JO ℤ ⊗	8.0	•	•		220V/50Hz	
LZO8L3JO ∑ ⊗	8.0	•	•		220V/60Hz	
LZO8S2JO ℤ ⊗	8.0	•		•	220V/50Hz	
LZO8S3JO ℤ ⊗	8.0	•		•	220V/60Hz	
EZO8S3JOSA ₹ 0	8.0			•	220V/60Hz	SASO

Versatible bi-level 🕏			Cooler C	abinet		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZOSTL8L2JOC \∑ \O	8.0	•	•		220V/50Hz	
LZOSTL8L3JOC ℤ ◊	8.0	•	•		220V/60Hz	
LZOSTL8S2JOC ☒ ◎	8.0	•		•	220V/50Hz	
LZOSTL8S3JOC ℤ ⊗	8.0	•		•	220V/60Hz	
LZOSTL8S3JOCSA ☒ ◎	8.0	•		•	220V/60Hz	SASO
EZOSTL8S3JOCSA ☒ ◎	8.0			•	220V/60Hz	SASO



#### **EZ Water Coolers**

- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EZS8L

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR 98501C Bubbler StreamSaver Flexi-Guard

LKAPREZL Cane Apron LK1110 Glass Filler LK1114 Glass Filler

MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
98551C Mounting Cover (Gray Granite)
28410C Wall Plate (Lo-Hi Bi-Level)
1000004539 Wall Plate (Hi-Lo Bi-Level)
EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &		Cooler Cabinet		Bubbler		Glass Filler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Prepped
LZS8L	8.0	•	•		•		
LZS8LF ♥	8.0	•	•		•		•
LZS8S	8.0	•		•	•		
LZS8SF ⊘	8.0	•		•	•		•
LZSVR8L	8.0	•	•			•	
LZSVR8S	8.0	•		•		•	
LZSDL	-	•	•		•		
LZSDS	-	•		•	•		
EZS8L	8.0		•		•		
EZS8LF ⊘	8.0		•		•		•
EZS8S	8.0			•	•		
EZS8SF ⊘	8.0			•	•		•
EZSVR8L	8.0		•			•	
EZSVR8S	8.0			•		•	
EZSDL	-		•		•		
EZSDLF ⊘	-		•		•		•
EZSDS	-			•	•		



Versatile bi-level &			Cooler	Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR	Glass Filler Prepped
LZSTL8LC	8.0	•	•		•		
LZSTL8LFC ◊	8.0	•	•		•		•
LZSTL8SC	8.0	•		•	•		
LZSTL8SFC ⊗	8.0	•		•	•		•
LZSTLVR8LC	8.0	•	•			•	
LZSTLVR8SC	8.0	•		•		•	
LZSTLDDLC	-	•	•		•		
LZSTLDDSC	-	•		•	•		
EZSTL8LC	8.0		•		•		
EZSTL8LFC ◊	8.0		•		•		•
EZSTL8SC	8.0			•	•		
EZSTL8SFC ⊗	8.0			•	•		•
EZSTLVR8LC	8.0		•			•	
EZSTLVR8SC	8.0			•		•	
EZSTLDDLC	-		•		•		
EZSTLDDSC	-			•	•		

Units can either be installed left-high and right-low or reversed to be right-high and left-low.



#### **EZ Water Coolers**

- Units can either be installed left-high and right-low or reversed to be right-high and left-low.
- Attractive, contemporary design matches modern architecture.
- Electronic bubbler push bars for easy activation.
- Exclusive fastenerless integrated drain reduces debris accumulation and is easy to clean.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Power cord sold separately.





LZS8L2JO

LZSTL8L2JOC

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant
98501C Bubbler StreamSaver Flexi-Guard
LKAPREZL Cane Apron for EZ Gray

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"
MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)

1000004539 Wall Plate (Hi-Lo Bi-Level)for EZ models 51299C WaterSentry VII Replacement Filter

Single &					Glass		Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltage	Compliance
LZS8L2JO ☒ ◎	8.0	•	•			220V/50Hz	
LZS8L3JO ♂ ○	8.0	•	•			220V/60Hz	
LZS8L3JOSA ♥ O	8.0	•	•			220V/60Hz	SASO
LZS8S2JO ℤ ⊗	8.0	•		•		220V/50Hz	
LZS8S2QJO Z ⊗	8.0	•		•		240V/50Hz	
LZS8S3JO ℤ ⊗	8.0	•		•		220V/60Hz	
LZS8S3JOSA ♥ O	8.0	•		•		220V/60Hz	SASO
EZS8L2JO ∑ ⊗	8.0		•			220V/50Hz	CE
EZS8L3JO ℤ ⊗	8.0		•			220V/60Hz	
EZS8LF2JO ☒ ◎	8.0		•		•	220V/50Hz	CE
EZS8S2JO ℤ ⊗	8.0			•		220V/50Hz	CE
EZS8S2QJO ♥ O	8.0			•		240V/50Hz	
EZS8S3JO ℤ ⊙	8.0			•		220V/60Hz	
EZS8S3JOSA ♥ O	8.0			•		220V/60Hz	SASO
EZS8SF2JO ☼ ◊	8.0			•	•	220V/50Hz	CE

Versatile bi-level 🕏			Cooler Cabinet			Global
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Compliance
LZSTL8L2JOC \∑ ♥	8.0	•	•		220V/50Hz	
LZSTL8S2JOC ♥ O	8.0	•		•	220V/50Hz	
LZSTL8S3JOCSA ☒ ♡	8.0	•		•	220V/60Hz	SASO
EZSTL8L2JOC ☒ ◎	8.0		•		220V/50Hz	CE
EZSTL8S2JOC ℤ ♡	8.0			•	220V/50Hz	CE



# **Heavy-Duty Vandal-Resistant Water Coolers**

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.







VRCHDTL8SC

#### **Optional Accessories**

98481C Bubbler Kit Water-Efficient VR LKAPRVRCHD Cane Apron for VRCHD Stainless Steel MLP100 In Wall Carrier (Single)

MLP200 In Wall Carrier (Bi-Level) RP2130 Wall Bezel Black EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &		
Model	Chilled GPH	Filtered
LVRCHD8S	8.0	•
LVRCHDDS	-	•
VRCHD8S	8.0	
VRCHDDS	-	

Bi-level &		
Model	Chilled GPH	Filtered
LVRCHDTL8SC	8.0	•
LVRCHDTLDDSC	-	•
VRCHDTL8SC	8.0	
VRCHDTLDDSC	-	



# **Heavy-Duty Vandal-Resistant Water Coolers**

- Welded and satin polished cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Power cord sold separately.







LVRCHDTL82JOC

#### **Optional Accessories**

98481C Bubbler Kit Water-Efficient VR LKAPRVRCHD Cane Apron for VRCHD Stainless Steel

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10" MLP100 In Wall Carrier (Single)

MLP200 In Wall Carrier (Bi-Level) Replacement

51299C Filter

75520C Vandal-Resistant Pinned T25 Torx Bit 75523C Vandal-Resistant Pinned T27 Torx Bit

Single &				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHD8S2JO ⊗	8.0	•	220V/50Hz	
LVRCHD8S2QJO ⊗	8.0	•	240V/50Hz	
LVRCHD8S3JO ⊗	8.0	•	220V/60Hz	
VRCHD8S2QJO ⊗	8.0		240V/50Hz	
VRCHD8S3JO ⊗	8.0		220V/60Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF2JO ⊗	8.0		220V/50Hz	
VRCHD8SF3JO ⊗	8.0		220V/60Hz	

Bi-level &				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
LVRCHDTL8S2JOC ⊗	8.0	•	220V/50Hz	
LVRCHDTL8S3JOC ♥	8.0	•	220V/60Hz	
VRCHD8S3JOSA ⊗	8.0		220V/60Hz	SASO
VRCHDTL8S2JOC ⊗	8.0		220V/50Hz	
VRCHDTL8S3JOC ⊗	8.0		220V/60Hz	
VRCHDTL8S3JOCSA ⊗	8.0		220V/60Hz	SASO
VRCHDTL8SF2JOC ♥	8.0		220V/50Hz	
VRCHDTL8SF3JOC ⊗	8.0		220V/60Hz	



#### **Vandal-Resistant Green Coolers**

- High-performance compressor and insulation greatly reduce energy consumption.
- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant StreamSaver bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering. Lower-flow water-efficient water stream.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.



VRCGRNTL8C

#### **Optional Accessories**

98324C Cane Apron - stainless LK1110 Glass Filler LK1114 Glass Filler

MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &						
Model	Chilled GPH	Filtered	LK1110 Glass Filler			
LVRCGRN8	8.0	•				
LVRCGRN8F	8.0	•	•			
VRCGRN8	8.0					
VRCGRN8F	8.0		•			

Bi-level &			
Model	Chilled GPH	Filtered	LK1110 Glass Filler
LVRCGRNTL8C	8.0	•	
LVRCGRNTL8FC	8.0	•	•
VRCGRNTL8C	8.0		
VRCGRNTL8FC	8.0		•



# **Vandal-Resistant Water Coolers**

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.



VRC8S

#### **Optional Accessories**

98481C	Bubbler Kit Water-Efficient VR
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
75520C	Vandal-Resistant Pinned T25 Torx Bit
75523C	Vandal-Resistant Pinned T27 Torx Bit
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single &						
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant		
LVRC8S	8.0	•				
LVRCSC8S	8.0	•	•			
LVRCDS	-	•	•			
LVRCSCDS	-	•	•			
VRC8S	8.0					
VRCFR8S ◊	8.0			•		
VRCSC8S	8.0		•			
VRCSCFR8S ⊗	8.0		•	•		
VRCDS	-					
VRCFRDS ⊗	-			•		
VRCSCDS	-		•			

Bi-level &				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
LVRCTL8SC	8.0	•		
LVRCTLSC8SC	8.0	•	•	
LVRCTLDDSC	-	•		
LVRCTLSCDDSC	-	•	•	
VRCTL8SC	8.0			
VRCTLFR8SC	8.0			•
VRCTLSC8SC	8.0		•	
VRCTLSCFR8SC ⊗	8.0		•	•
VRCTLDDSC	-			
VRCTLFRDDSC ⊗	-			•
VRCTLSCDDSC	-		•	



Bi-level reverse &				
Model	Chilled GPH	Filtered	Louver Screens	Frost Resistant
VRCTLR8SC	8.0			
VRCTLRFR8SC ⊗	8.0			•
VRCTLRSC8SC	8.0		•	
VRCTLRSCFR8SC ⊗	8.0		•	•
VRCTLRDDSC	-			
VRCTLRSCDDSC	-		•	



#### **Vandal-Resistant Water Coolers**

- Classic design stainless steel cooler provides an attractive and durable product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and optional vent screens help protect against vandalism.
- Filtered units contain systems certified to NSF 42 and 53 for lead, Class 1 particulate, chlorine, taste and odor reduction.
- Non-filtered units are rated for indoor or outdoor use.
- Frost-resistant models extend outdoor usage season.
- Power cord sold separately.



LVRC8S2JO

# **Optional Accessories**

98481C	Bubbler Kit Water-Efficient VR
98324C	Cane Apron
EWF172	Filter Kit

MLP100 In Wall Carrier (Single)
MLP200 In Wall Carrier (Bi-Level)
51299C Replacement Filter

Single &					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRC8S2JO ⊗	8.0	•		220V/50Hz	
LVRC8S3JO ⊗	8.0	•		220V/60Hz	
LVRC8S3JOSA ⊗	8.0	•		220V/60Hz	SASO
LVRCSC8S2JO ⊗	8.0	•	•	220V/50Hz	
LVRCSC8S3JO ⊗	8.0	•	•	220V/60Hz	
LVRCTL8S2JO ◊	8.0	•		220V/50Hz	
VRC8S2JO ⊗	8.0			220V/50Hz	
VRC8S3JO ⊗	8.0			220V/60Hz	
VRC8S3JOSA ⊗	8.0			220V/60Hz	SASO
VRCSC8S2JO ◊	8.0		•	220V/50Hz	
VRCSC8S3JO ⊗	8.0		•	220V/60Hz	

Bi-level &					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
LVRCTL8S2JOC ⊗	8.0	•		220V/50Hz	
LVRCTL8S2QJOC ♥ O	8.0	•		240V/50Hz	
LVRCTL8S3JO ◊	8.0	•		220V/60Hz	
LVRCTL8S3JOC ⊗	8.0	•		220V/60Hz	
LVRCTLSC8S2JOC ⊗	8.0	•	•	220V/50Hz	
LVRCTLSC8S3JOC ⊗	8.0	•	•	220V/60Hz	
VRCTL8S2JOC ◊	8.0			220V/50Hz	CE
VRCTL8S2QJOC ⅔ ⊗	8.0			240V/50Hz	
VRCTL8S3JOC ♥	8.0			220V/60Hz	_
VRCTLSC8S2JOC ◊	8.0		•	220V/50Hz	CE
VRCTLSC8S3JOC ⊗	8.0		•	220V/60Hz	

Bi-level reverse 🕏					
Model	Chilled GPH	Filtered	Louver Screens	Voltage	Global Compliance
VRCTLR8S2JOC ⊗	8.0			220V/50Hz	
VRCTLR8S3JOC ⊗	8.0			220V/60Hz	
VRCTLRSC8S2JOC ⊗	8.0		•	220V/50Hz	
VRCTLRSC8S3JOC ⊗	8.0		•	220V/60Hz	



# **Mechanically Activated Water Coolers**

- Classic design fits well in all building designs.
- Mechanical bubbler push bars continue to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EMABF8L

#### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant Bubbler Kit
98481C	Water-Efficient VR
98313C	Cane Apron for EMABF (Gray Granite)
98324C	Cane Apron for HAC HVR EMABF VRC (SS)
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
MLP100	In Wall Carrier (Single)
MLP200	In Wall Carrier (Bi-Level)
RP2130	Wall Bezel Black
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Single 👶			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LMABF8L	8.0	•	•		•	
LMABF8S	8.0	•		•	•	
LMABFVR8L	8.0	•	•			•
LMABFDL	-	•	•		•	
LMABFDS	-	•		•	•	
EMABF8L	8.0		•		•	
EMABF8S	8.0			•	•	
EMABFVR8L	8.0		•			•
EMABFVR8S	8.0			•		•
EMABFDL	-		•		•	
EMABFDS	-			•	•	
EMABFVRDL	-		•			•
EMABFVRDS	-			•		•

Bi-level 🕏			Cooler Cabinet		Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex	VR
LMABFTL8LC	8.0	•	•		•	
LMABFTL8SC	8.0	•		•	•	
LMABFTLVR8LC	8.0	•	•			•
LMABFTLVR8SC	8.0	•		•		•
LMABFTLDDLC	-	•	•		•	
EMABFTL8LC	8.0		•		•	
EMABFTL8SC	8.0			•	•	
EMABFTLVR8LC	8.0		•			•
EMABFTLVR8SC	8.0			•		•
EMABFTLDDLC	-		•		•	
EMABFTLDDSC	-			•	•	
EMABFTLVRDDLC	-		•			•
EMABFTLVRDDSC	-			•		•



Bi-level reverse &			Cooler (	Bubbler	
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Flex
EMABFTLR8LC	8.0		•		•
EMABFTLR8SC	8.0			•	•
EMABFTLRDDLC	-		•		•
EMABFTLRDDSC	-			•	•

#### **SwirlFlo Green Water Coolers**

- High-performance compressor and insulation greatly reduce energy consumption.
- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard StreamSaver bubbler utilizes a pliable polyester elastomer to prevent accidental mouth injuries. Lower-flow water-efficient water stream.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.







LRPBGRNM8K

#### **Optional Accessories**

ACCESS12X38-5 Access Panel

98481C Bubbler Kit Water-Efficient VR 98501C Bubbler StreamSaver Flexi-Guard LKAPR1 Cane Apron

27267C Lower Back Panel Left Side Louvers

EWF172 WaterSentry VII Filter Kit

51299C WaterSentry VII Replacement Filter

Single &	Bubbler			
Model Chilled GPH Filtere		Filtered	Flex StreamSaver	VR
LRPBGRNM8K ▼	7.5	•	•	
LRPBGRNMV8K ▼	7.5	•		•
ERPBGRNM8K ▼	7.5		•	
ERPBGRNMV8K ▼	7.5			•

Bi-level 💍	Bubbler			
Model	el Chilled GPH Filtered		Flex StreamSaver	VR
LRPBGRNM28K ▼	7.5	•	•	
LRPBGRNMV28K ▼	7.5	•		•
ERPBGRNM28K ▼	7.5		•	
ERPBGRNMV28K ▼	7.5			•

Bi-level reverse &	Bubb	ler		
Model	Chilled GPH	Filtered	Flex StreamSaver	VR
LRPBGRNM28RAK ▼	7.5	•	•	
LRPBGRNMV28RAK ▼	7.5	•		•
ERPBGRNM28RAK ▼	7.5		•	
ERPBGRNMV28RAK ▼	7.5			•



#### **SwirlFlo Water Coolers**

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.







ENOBM28K

#### **Optional Accessories**

ACCESS12X38-5 Access Panel for Architectural Fountains 98501C Bubbler 97446C Bubbler Kit Vandal-Resistant Bubbler Kit 98481C Water-Efficient VR LKAPR1 Cane Apron for SwirlFlo Gray 27267C Lower Back Panel Left Side Louvers Mounting Frame 18-3/4" x 12" x 37-3/4" MF100 Mounting Frame 37-1/2" x 12" x 37-1/2" MF200 EWF172 WaterSentry VII Filter Kit 51299C WaterSentry VII Replacement Filter

Single &				Bub	bler	Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting Mounting
LRPB8K ▼	8.0	•		•			Order MF100
LRPBM8K ▼	8.0	•		•		•	
LRPBMV8K ▼	8.0	•			•	•	
ENOB8K ▼	8.0		•	•			Order MF100
ENOBM8K ▼	8.0		•	•		•	
ERPB8K ▼	8.0			•			Order MF100
ERPBM8K ▼	8.0			•		•	
ERPBMV8K ▼	8.0				•	•	
ERPBV8K ▼	8.0				•		Order MF100

Bi-level 🕏	16		Bub	Bubbler		Pre-Ordered	
Model	Chilled GPH	Filtered	Sensor Activated	Flex VR		Flex VR Surface Mount	
LRPB28K ▼	8.0	•		•			Order MF200
LRPBM28K ▼	8.0	•		•		•	
LRPBMV28K ▼	8.0	•			•	•	
ENOB28K ▼	8.0		•	•			Order MF200
ENOBM28K ▼	8.0		•	•		•	
ERPB28K ▼	8.0			•			Order MF200
ERPBM28K ▼	8.0			•		•	
ERPBMV28K ▼	8.0				•	•	
ERPBV28K ▼	8.0				•		Order MF200



Bi-level reverse &				Bub	bler	Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Surface Mount	Mounting Mounting
LRPB28RAK ▼	8.0	•		•			Order MF200
LRPBM28RAK ▼	8.0	•		•		•	
ENOB28RAK ▼	8.0		•	•			Order MF200
ENOBM28RAK ▼	8.0		•	•		•	
ERPB28RAK ▼	8.0			•			Order MF200
ERPBM28RAK ▼	8.0			•		•	
ERPBMV28RAK ▼	8.0				•	•	
ERPBV28RAK ▼	8.0				•		Order MF200

#### **Soft Sides Water Coolers**

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.





EROM28K

LCRSP8K

# **Optional Accessories**

ACCESS12X38-5	Access Panel
98501C	Bubbler StreamSaver Flexi-Guard
97446C	Bubbler Kit Vandal-Resistant
98481C	Bubbler Kit Water-Efficient VR
97258C	Cane Apron for Contour/Soft Sides Black
LK1114	Glass Filler
LK1110	Glass Filler Chrome 2-1/2" x 10"
27267C	Lower Back Panel Left Side Louvers
MF100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MFC100	Mounting Frame 18-3/4" x 12" x 37-3/4"
MF200	Mounting Frame 37-1/2" x 12" x 37-1/2"
EWF172	WaterSentry VII Filter Kit
51299C	WaterSentry VII Replacement Filter

Slimline &						
Model	Chilled GPH	Filtered	Flex	VR	Surface Mount	Pre-Ordered Mounting
LCRSP8K ▼	8.0	•	•			Order MFC100
LCRSPM8K ▼	8.0	•	•		•	
ECRSP8K ▼	8.0		•			Order MFC100
ECRSPM8K ▼	8.0		•		•	
ECRSPVR8K ▼	8.0			•		Order MFC100
ECRSPVRM8K ▼	8.0			•	•	



Single &				Bubbler		Glass	Includes	Dro Ordorod
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Pre-Ordered Mounting
LNFE8FK ⊘ ▼	8.0	•		•				Order MF100
LNFE8K ▼	8.0	•		•				Order MF100
LNFEM8FK ⊘ ▼	8.0	•		•		•	•	
LNFEM8K ▼	8.0	•		•			•	
LNFEM8VRK ▼	8.0	•			•		•	
ERFP8FK ⊘ ▼	8.0			•		•		Order MF100
ERFP8K ▼	8.0			•				Order MF100
ERFPM8K ▼	8.0			•			•	
ERFPVR8K ▼	8.0				•			Order MF100
ERFPVRM8K ▼	8.0				•		•	
ERO8K ▼	8.0		•	•				Order MF100
EROM8K ▼	8.0		•	•			•	

Bi-level 🕏				Bubbler		Glass	Includes	Dro Ordorod
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Pre-Ordered Mounting
LNTE8FK ⊘ ▼	8.0	•		•		•		Order MF200
LNTE8K ▼	8.0	•		•				Order MF200
LNTEM8FK ⊘ ▼	8.0	•		•		•	•	
LNTEM8K ▼	8.0	•		•			•	
ERFP28FK ⊘ ▼	8.0			•		•		Order MF200
ERFP28K ▼	8.0			•				Order MF200
ERFPM28FK ⊗ ▼	8.0			•		•	•	
ERFPM28K ▼	8.0			•			•	
ERFPMVR28K ▼	8.0				•		•	
ERFPVR28K ▼	8.0				•			Order MF200
ERO28K ▼	8.0		•	•				Order MF200
EROM28K ▼	8.0		•	•			•	

Bi-level reverse &				Bubbler		Glass	Includes	Pre-Ordered
Model	Chilled GPH	Filtered	Sensor Activated	Flex	VR	Filler Prepped	Surface Mount	Mounting
LNTE8RAK ▼	8.0	•		•				Order MF200
LNTEM8FRAK ⊘ ▼	8.0	•		•		•	•	
LNTEM8RAK ▼	8.0	•		•			•	
ERFP28RAK ▼	8.0			•				Order MF200
ERFPM28RAK ▼	8.0			•			•	
ERFPMVR28RAK ▼	8.0				•		•	
ERFPVR28RAK ▼	8.0				•			Order MF200
ERO28RAK ▼	8.0		•	•				Order MF200
EROM28RAK ▼	8.0		•	•			•	



#### **Legacy Compact Water Coolers**

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



EWCA8L1Z

#### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistan
97446C	Bubbler Kit Vandal-Resistar

LK1114	Glass Filler
--------	--------------

LK1110 Glass Filler Chrome 2-1/2" x 10"
EWF172 WaterSentry VII Filter Kit
51299C WaterSentry VII Replacement Filter

Single	Cooler Cabinet				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWCE4L1Z	4.0	•	•		
EWCA4L1Z	4.0		•		
EWCA8L1Z	8.0		•		
EWCA8S1Z	8.0			•	
EWCA14L1Z	14.0		•		
EWCA14S1Z	14.0			•	
EWCDAL	-		•		
EWCDAT ⊗	-				•

# **Legacy Compact Water Coolers**

- Compact wall mount design allows for flexible installation height and easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EWCA4S3YJO

#### **Optional Accessories**

98501C Bubbler

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler Chrome 2-1/2" x 10"

LK1110 Glass Filler 51299C Replacement Filter

Single				Cooler Cab	inet	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Voltage	Global Compliance
LWCE14LF3YJOSA ⊗	14.0	•	•			•	220V/60Hz	SASO
EWCA4S3YJO ⊗	4.0			•			220V/60Hz	
EWCA4S3YJOSA ⊗	4.0			•			220V/60Hz	SASO
EWCA8T2YJO ⊗	8.0				•		220V/50Hz	CE



# **Legacy Deluxe Wall-Mount Water Coolers**

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Bi-level models provide comfortable service for children and adults.







EWTLA14LK

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler LK1110 Glass Filler Chrome 2-1/2" x 10" EWF172 WaterSentry VII Filter Kit WaterSentry VII Replacement Filter 51299C

Single		Cooler Cabinet			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood
LWAE8S1Z	8.0	•		•	
EWA4S1Z	4.0			•	
EWA8L1Z	8.0		•		
EWA8S1Z	8.0			•	
EWA14L1Z	14.0		•		
EWA14S1Z	14.0			•	
EWDAL	=		•		
EWDAS	-			•	
EWDAT ⊗	=				•

Bi-level		Cooler Cabinet
Model	Chilled GPH	Light Gray Granite
EWTLA14LK ▼	14.0	•



# **Legacy Deluxe Wall Mount Water Coolers**

- Traditional wall mount design allows for easy floor maintenance.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Two-level models provide comfortable service for children and adults.
- Power cord sold separately.







LWTLA14S3K

# **Optional Accessories**

98501C Bubbler

97446C Bubbler Kit Vandal-Resistant

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"

51299C Replacement Filter

Single			Cooler	Cabinet	Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Voltage	Global Compliance
LWAE8LF2YJO ⊗	8.0	•	•		•	220V/50Hz	
LWAE20L3YJOSA ◊	20.0	•	•			220V/60Hz	SASO
LWAE20S3YJOSA ☼ ♥	20.0	•		•		220V/60Hz	SASO
EWA8S3YJOSA ⊗	8.0			•		220V/60Hz	SASO
EWA14N3YJOSA	14.0					220V/60Hz	SASO
EWA14S2YJO ⊗	14.0			•		220V/50Hz	
EWA14S3YJOSA ⊗	14.0			•		220V/60Hz	SASO
EWA16N3YJOSA ⊗	16.0					220V/60Hz	SASO
EWA16S3YJOSA ⊗	16.0			•		220V/60Hz	SASO
EWA20N3YJOSA ⊗	20.0					220V/60Hz	SASO
EWA20S3YJOSA ⊗	20.0			•		220V/60Hz	SASO

Bi-level	Cooler Cabinet	Valtara	Global		
Model	Chilled GPH	Filtered	Stainless Steel	Voltage	Compliance
LWTLA14S3K ⊗	14.0	•	•	220V/60Hz	



# **Legacy Water Coolers**

- Barrier-free, ADA design meets adult ADA standards when properly installed.
- One-piece backsplash and basin polished to a satin finish.
- Light-touch controls on front and sides for easy operation.
- Flexi-Guard StreamSaver bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms and reduce water waste.
- Several finishes available to complement any interior space.
- Rated for indoor use.



EHFSA8L1Z

### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

6		Cooler Cabi	Glass	LK109A		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Glass Filler
EHFSA8L1Z	8.0	•				
EHFSA8LF1Z ⊗	8.0	•				•
EHFSA8S1Z	8.0		•			
EHFSA8SF1Z ⊘	8.0		•			•
EHFSA8T1Z ⊗	8.0			•		
EHFSADL	-	•				
EHFSADLF ⊗	-	•			•	•
EHFSADS	-		•			
FHFSADT ⊘	-			•		

# **High Ambient Water Coolers**

- Produces minimum of 9 GPH of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees F (50 degrees C) ambient operating temperature.
- Removable front panel offers easy accessibility to interior.
- Extra-deep basin minimizes splashing; with integral drain.
- Includes Heavy-Duty Vandal Resistant Bubbler.
- Stainless Steel cooler panel finish.
- Removable plumbing box allows for against the wall installation or installation as free standing cooler.
- Power cord sold separately.



EFA25S4JO

			Cooler	Cabinet		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFA25S4JO	9.0	•		•	220-240V/50Hz, 220-230V/60Hz	SASO



# **Legacy Outdoor Vandal-Resistant Water Cooler**


- Wall mount barrier-free stainless steel water cooler is ADA compliant.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners and vent screens help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.



OHFAVR8S1Z

# **Optional Accessories**

Bubbler Kit Water-Efficient VR





# **Legacy Floor Model Standard Space-ette Water Coolers**

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.



FD7003L1Z

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler Chrome 2-1/2" x 10" LK1110 Glass Filler

WaterSentry VII Filter Kit EWF172

WaterSentry VII Replacement Filter 51299C

Standard		Glass					
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	
LFDE3T1Z ⊗	3.0	•			•		
LFDE10L1Z	10.0	•	•				
LFDE10LF1Z ⊗	10.0	•	•			•	
LFDE10S1Z	10.0	•		•			
LFDE10SF1Z ♥	10.0	•		•		•	
LFDE10T1Z ⊗	10.0	•			•		
LFDE10TF1Z ⊗	10.0	•			•	•	
FD7003L1Z	3.0		•				
FD7003LF1Z	3.0		•			•	
FD7003S1Z	3.0			•			
FD7003SF1Z	3.0			•		•	
FD7003T1Z	3.0				•		
FD7003TF1Z	3.0				•	•	
FD7005L1Z	5.0		•				
FD7005LF1Z	5.0		•			•	
FD7005S1Z	5.0			•			
FD7005SF1Z	5.0			•		•	
FD7005T1Z ⊗	5.0				•		
FD7005TF1Z	5.0				•	•	
FD70010L1Z	10.0		•				
FD70010LF1Z ⊗	10.0		•			•	
FD70010S1Z	10.0			•			
FD70010SF1Z ⊗	10.0			•		•	
FD70010T1Z ⊗	10.0				•		
FD70010TF1Z ⊗	10.0				•	•	
FD700DL	-		•				
FD700DS	-			•			
FD700DT ⊗	-				•		



# Legacy Floor Model, Standard Space-ette Water Coolers

- Traditional small footprint floor mount design allows for space-saving installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Power cord sold separately.



LFDE7003L2YJO

# **Optional Accessories**

51299C

97446C Bubbler Kit Vandal-Resistant LK1114 Glass Filler Chrome 2-1/2" x 10" LK1110 Glass Filler

Replacement Filter

				Cooler Cabinet		Glass		
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Voltage	Global Compliance
LFDE10L2YJO ⊗	10.0	•	•				220V/50Hz	
LFDE10S2YJO ⊗	10.0	•		•			220V/50Hz	
LFDE10SF3YJO ⊗	10.0	•		•		•	220V/60Hz	
LFDE10SF3YJOSA ⊗	10.0	•		•		•	220V/60Hz	SASO
LFDE10T2YJO ◊	10.0	•			•		220V/50Hz	
FD7003L2YJO ⊗	3.0		•				220V/50Hz	
FD7003L3YJO ◊	3.0		•				220V/60Hz	
FD7003L3YJOSA	3.0		•				220V/60Hz	SASO
FD7003LF2YJO ⊗	3.0		•			•	220V/50Hz	CE
FD7003S2YJO ⊗	3.0			•			220V/50Hz	CE
FD7003S3YJO ⊗	3.0			•			220V/60Hz	
FD7003S3YJOSA ⊗	3.0			•			220V/60Hz	SASO
FD7003SF2YJO ⊗	3.0			•		•	220V/50Hz	CE
FD7003T2YJO ⊗	3.0				•		220V/50Hz	CE
FD7003T3YJO ⊗	3.0				•		220V/60Hz	
FD7003TF2YJO ⊗	3.0				•	•	220V/50Hz	CE
FD7005L2YJO ◊	5.0		•				220V/50Hz	CE
FD7005L3YJO	5.0		•				220V/60Hz	
FD7005LF2YJO ⊗	5.0		•			•	220V/50Hz	CE
FD7005S2YJO ⊗	5.0			•			220V/50Hz	CE
FD7005S3YJO ⊗	5.0			•			220V/60Hz	
FD7005S3YJOSA ⊗	5.0			•			220V/60Hz	SASO
FD7005SF2YJO ⊗	5.0			•		•	220V/50Hz	CE
FD7005T2YJO ⊗	5.0				•		220V/50Hz	CE
FD7005T3YJO ◊	5.0				•		220V/60Hz	
FD7005TF2YJO ⊗	5.0				•	•	220V/50Hz	CE
FD70010L2YJO ◊	10.0		•				220V/50Hz	CE
FD70010L3YJO ◊	10.0		•				220V/60Hz	
FD70010LF2YJO ⊗	10.0		•			•	220V/50Hz	CE
FD70010S2YJO ⊗	10.0			•			220V/50Hz	CE
FD70010S3YJO ◊	10.0			•			220V/60Hz	
FD70010S3YJOSA ⊗	10.0			•			220V/60Hz	SASO
FD70010SF2YJO ⊗	10.0			•		•	220V/50Hz	CE
FD70010T2YJO ⊗	10.0				•		220V/50Hz	CE
FD70010T3YJO ⊗	10.0				•		220V/60Hz	
FD70010TF2YJO ◊	10.0				•	•	220V/50Hz	CE



# **Legacy Fully Recessed Water Coolers**

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional cup dispensers and glass fillers available.







EFRCM8CDK

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant
EWF172 WaterSentry VII Filter Kit
51299C WaterSentry VII Replacement Filter

Standard						
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Pre-Ordered Mounting
LJNE8FK ⊘ ▼	8.0	•	•			Order MB23AL
LJNE8K ▼	8.0	•				Order MB23AL
LJNEM8FK ⊘ ▼	8.0	•	•			
LJNEM8K ▼	8.0	•				
LJNE12K ▼	12.0	•				Order MB23AL
LJNEM12FK ⊗ ▼	12.0	•	•			
LJNEM12K ▼	12.0	•				
EFRC8CDK ▼	8.0			•		Order MF23A
EFRC8FK ⊘ ▼	8.0		•			Order MF23A
EFRC8K ▼	8.0					Order MF23A
EFRCM8CDK ▼	8.0			•		
EFRCM8FK ⊗ ▼	8.0		•			
EFRCM8K ▼	8.0					
EFRP8K ▼	8.0					
EFRPC8K ▼	8.0				•	Order MB234A and MB24
EFRPCM8K ▼	8.0				•	
EFRC12CDK ▼	12.0			•		Order MF23A
EFRC12K ▼	12.0					Order MF23A
EFRCM12CDK ▼	12.0			•		
EFRCM12K ▼	12.0					

ADA compliant &				
Model	Chilled GPH	Filtered	LK109A Glass Filler	Pre-Ordered Mounting
EHFRA7FK ⊘ ▼	8.0		•	Order MB30
EHFRA7K ▼	8.0			Order MB30
EHFRAM7K ▼	8.0			



# **Legacy Fully Recessed Water Coolers**

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar or push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Optional cup dispensers and glass fillers available.
- Power cord sold separately.





EFRCM8CDK

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant

EWF172 Filter Kit

Standard							
Model	Chilled GPH	Filtered	LK109A Glass Filler	Cup Dispenser & Filler	With Cuspidor	Voltage	Global Compliance
LJNE82FK ⊗	8.0	•	•			220V/50Hz	
LJNEM82K ⊗	8.0	•				220V/50Hz	
LJNEM83K ⊗	8.0	•				220V/60Hz	
LJNEM83KSA ⊘	8.0	•				220V/60Hz	SASO
LJNEM102QCDK ⊗	10.0	•				240V/50Hz	
LJNE122FK ⊗	12.0	•	•			220V/50Hz	
LJNEM122FK ⊘	12.0	•	•			220V/50Hz	
LJNEM122K ⊗	12.0	•				220V/50Hz	
LJNEM123K ⊗	12.0	•				220V/60Hz	
LJNEM123KSA ⊘	12.0	•				220V/60Hz	SASO
EFRC82K ⊘	8.0					220V/50Hz	
EFRC83K ⊘	8.0					220V/60Hz	
EFRCM82CDK ⊗	8.0			•		220V/50Hz	
EFRCM82FK ⊗	8.0		•			220V/50Hz	
EFRCM82K ⊗	8.0					220V/50Hz	
EFRCM82QCDK ⊗	8.0			•		240V/50Hz	
EFRCM83FK ⊗	8.0		•			220V/60Hz	
EFRCM83K ⊗	8.0					220V/60Hz	
EFRCM83KSA ⊘	8.0					220V/60Hz	SASO
EFRPCM82K ⊘	8.0				•	220V/50Hz	
EFRPM82K ⊗	8.0					220V/50Hz	
EFRC122K ⊗	12.0					220V/50Hz	
EFRC123K ⊗	12.0					220V/60Hz	
EFRCM122CDK ⊗	12.0			•		220V/50Hz	
EFRCM122FK ⊗	12.0		•			220V/50Hz	
EFRCM122FKWR ☒ ◎	12.0		•			220V/50Hz	WRAS
EFRCM122K ⊗	12.0					220V/50Hz	
EFRCM123CDK ⊗	12.0			•		220V/60Hz	
EFRCM123FK ⊗	12.0		•			220V/60Hz	
EFRCM123K ⊗	12.0					220V/60Hz	
EFRPM122CDK ⊗	12.0			•		220V/50Hz	
EFRPM122K ⊗	12.0					220V/50Hz	



ADA Compliant 🕏				
Model	Chilled GPH	Filtered	Voltage	Global Compliance
EHFRA72K ⊗	8.0		220V/50Hz	
EHFRA73K ⊗	8.0		220V/60Hz	
EHFSA8L2ZJO ◊	8.0		220V/50Hz	CE
EHFSA8L3ZJO ◊	8.0		220V/60Hz	
EHFSA8S2ZJO ⊗	8.0		220V/50Hz	CE
EHFSA8S3ZJO ⊗	8.0		220V/60Hz	

# **Legacy Simulated Semi-Recessed Water Coolers**

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and attractive.
- Provides cold water without intruding into wall.



ESWA8L1Z

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant EWF172 WaterSentry VII Filter Kit

		Cooler Cabinet
Model	Chilled GPH	Stainless Steel
ESWA8S1Z	8.0	•



# **Legacy Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Several finishes available to complement any interior space.
- Filtered units contain systems certified to reduce lead, particulate, chlorine, and taste and odor.
- Optional foot pedal activation for hands-free use.



EFA8L1Z

#### **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant
27521C Cooler Back Plate - Light Gray Granite
27520C Cooler Back Plate - Sandalwood
27519C Cooler Back Plate - Stainless
LK1114 Glass Filler
LK1110 Glass Filler Chrome 2-1/2" x 10"

EWF172 WaterSentry VII Filter Kit 51299C WaterSentry VII Replacement Filter

Single				Cooler Cabi	Glass			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Back Plate	Foot Pedal
LFAE8L1Z	8.0	•	•					
LFAE8LF1Z ⊘	8.0	•	•			•		
LFAE8S1Z	8.0	•		•				
LFAE8SF1Z ⊘	8.0	•		•		•		
LFAE8TF1Z ⊘	8.0	•			•	•		
LFAE14L1Z	14.0	•	•					
LFAE14S1Z	14.0	•		•				
LFAE14SF1Z ○	14.0	•		•		•		
LFAE20SF1Y	20.0	•		•		•		
EFA4L1Z	4.0		•					
EFA4LF1Z ⊗	4.0		•			•		
EFA4LFK1Z ⊗	4.0		•			•	•	
EFA4LFP1Z ⊗	4.0		•			•		•
EFA4LK1Z	4.0		•				•	
EFA4LP1Z ⊘	4.0		•					•
EFA4S1Z	4.0			•				
EFA4SFK1Z ⊗	4.0			•		•	•	
EFA4T1Z ⊘	4.0				•			
EFA4TF1Z ⊗	4.0				•	•		
EFA8L1110P ⊗	8.0		•					•
EFA8L1Z	8.0		•					
EFA8LF1Z ⊗	8.0		•			•		
EFA8LFK1Z ⊗	8.0		•			•	•	
EFA8LFP1Z ⊘	8.0		•			•		•
EFA8LFPK1Z ⊘	8.0		•			•	•	•
EFA8LK1Z	8.0		•				•	
EFA8LP1Z ⊙	8.0		•					•
EFA8S1110P ⊗	8.0			•				•
EFA8S1Z	8.0			•				
EFA8SF1Z ⊗	8.0			•		•		
EFA8SK1Z	8.0			•			•	
EFA8SP1Z ⊗	8.0			•				•
EFA8T1Z ○	8.0				•			
EFA8TF1Z ⊗	8.0				•	•		
EFA8TP1Z ⊗	8.0				•			•



Single				Cooler Cabi	Glass			
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Sandalwood	Filler Prepped	Back Plate	Foot Pedal
EFA14L1Z	14.0		•					
EFA14LF1Z ◊	14.0		•			•		
EFA14LFK1Z ⊗	14.0		•			•	•	
EFA14LFP1Z ⊘	14.0		•			•		•
EFA14LK1Z	14.0		•				•	
EFA14LP1Z ⊗	14.0		•					•
EFA14S1Z	14.0			•				
EFA14SF1Z ⊗	14.0			•		•		
EFA14SFP1Z ⊗	14.0			•		•		•
EFA14SP1Z ⊗	14.0			•				•
EFA14T1Z ⊗	14.0				•			
EFA16L1Y	16.0		•					
EFA16LF1Y ⊘	16.0		•			•		
EFA16LFK1Y ⊘	16.0		•			•	•	
EFA16LP1Y ⊗	16.0		•					•
EFA16S1Y	16.0			•				
EFA20L1Y	20.0		•					
EFA20LF1Y ⊘	20.0		•			•		
EFA20LFP1Y ⊗	20.0		•			•		•
EFA20LK1Y	20.0		•				•	
EFA20LP1Y	20.0		•					•
EFA20S1Y	20.0			•				
EFA20SF1Y ⊗	20.0			•		•		
EFA20SFK1Y ⊘	20.0			•		•	•	
EFA20SP1Y ⊗	20.0			•				•
EFA20SPK1Y ⊘	20.0			•				•
EFDAL	-		•					



# **Legacy Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Several finishes available to complement any interior space.
- Optional foot pedal activation for hands-free use.
- Power cord sold separately.



LFAE8L2YJO

# **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant
27521C Cooler Back Plate - Light Gray Granite
27519C Cooler Back Plate - Stainless

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"

51299C Replacement Filter

Single			Cooler	Cabinet	Glass				
Model	Chilled GPH	Filtered	Light Gray Granite	Stainless Steel	Filler Prepped	Foot Pedal	Voltage	Global Compliance	
LFAE8L2YJO ⊗	8.0	•	•				220V/50Hz		
LFAE8S2YJO ⊗	8.0	•		•			220V/50Hz		
LFAE20S3YJOSA ⊗	20.0	•		•			220V/60Hz	SASO	
LFAE20SF3YJOSA ⊗	20.0	•		•	•		220V/60Hz	SASO	
EFA8L2YJO ◊	8.0		•				220V/50Hz	CE	
EFA8LF2YJO ⊗	8.0		•		•		220V/50Hz	CE	
EFA8LFP2YJO ◊	8.0		•		•	•	220V/50Hz	CE	
EFA8S2YJO ⊗	8.0			•			220V/50Hz	CE	
EFA8S3YJOSA ⊗	8.0			•			220V/60Hz	SASO	
EFA8SF2YJO ⊗	8.0			•	•		220V/50Hz	CE	
EFA8SP2YJO ⊗	8.0			•		•	220V/50Hz	CE	
EFA14L2YJO ⊗	14.0		•				220V/50Hz		
EFA14L3YJO ⊗	14.0		•				220V/60Hz		
EFA14S2YJO ⊗	14.0			•			220V/50Hz		
EFA14S3YJOSA ⊗	14.0			•			220V/60Hz	SASO	
EFA16L2YJO ⊗	16.0		•				220V/50Hz		
EFA16SFP2YJO ⊗	16.0			•	•	•	220V/50Hz		
EFA20L2YJO ⊗	20.0		•				220V/50Hz		
EFA20N3YJOSA ⊗	20.0						220V/60Hz	SASO	
EFA20S2YJO ⊗	20.0			•			220V/50Hz		
EFA20S3YJOSA ⊗	20.0			•			220V/60Hz	SASO	



# **Legacy Sensor-Activated Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.



EFOA8L1Z

#### **Optional Accessories**

Optional / lece	3301163
97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler
LK1110	Glass Filler

EWF172 WaterSentry VII Filter Kit

Single	Cooler Cabinet				
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	
EFOA8L1Z	8.0	•			
EFOA8S1Z	8.0		•		
EFOA8T1Z ◊	8.0			•	

# **Legacy Water-Cooled Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Optional foot pedal for hands-free use.



# **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27520C	Cooler Back Plate - Sandalwood
27519C	Cooler Back Plate - Stainless
LK1110	Glass Filler
LK1114	Glass Filler Chrome 2-1/2" x 10"
EWF172	WaterSentry VII Filter Kit

Single					
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Sandalwood	Foot Pedal
EFW16L1Z	16.0	•			
EFW16LP1Z ⊗	16.0	•			•
EFW16S1Z	16.0		•		
EFW16T1Z ♥	16.0			•	



# **Legacy Water-Cooled Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several finishes available to complement any interior space.
- Power cord sold separately.



EFW16S2YJO

#### **Optional Accessories**

27517C	
97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler

Single		Cooler	Cabinet		
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Voltage	Global Compliance
EFW16S2YJO ⊗	12.0		•	220V/60Hz	
EFW16L2YJO ⊗	16.0	•		220V/50Hz	
EFW16N3YJOSA ⊗	16.0			220V/60Hz	SASO
EFW16S3YJOSA ⊗	16.0		•	220V/60Hz	SASO

# **Legacy Hot and Cold Service Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance or price point.
- Optional foot pedal activation for hands-free use.



EFHA8l1Z

#### **Optional Accessories**

97446C	Bubbler Kit Vandal-Resistant
27521C	Cooler Back Plate - Light Gray Granite
27519C	Cooler Back Plate - Stainless
LK1114	Glass Filler Chrome 2-1/2" x 10"
LK1110	Glass Filler
FWF172	WaterSentry VII Filter Kit

Single		Cooler Cabinet		Class Filler	
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Foot Pedal
EFHA8L1Z ⊘	8.0	•			
EFHA8LF1Z ⊗	8.0	•		•	
EFHA8LFP1Z ◊	8.0	•		•	•
EFHA8LP1Z ⊗	8.0	•			•
EFHA8S1Z ⊗	8.0		•		
EFHA8SFP1Z ◊	8.0		•	•	•
EFHA14L1Z ⊗	14.0	•			
EFHA14S1Z ⊗	14.0		•		



#### **Legacy Hot and Cold Service Deluxe Water Coolers**

- Traditional floor mount design allows for free-standing or wall backed installations.
- Provides cold water for refreshing drinks and piping hot water for soups and beverages.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Several chilling capacities available to meet any performance need or price point.
- Power cord sold separately.



EFHFA8L2YJO

#### **Optional Accessories**

Bubbler Kit Vandal-Resistant
Cooler Back Plate - Light Gray Granite
Cooler Back Plate - Stainless
Glass Filler Chrome 2-1/2" x 10"
Glass Filler

Single		Cooler	Cabinet	Class Fills		Clabal
Model	Chilled GPH	Light Gray Granite	Stainless Steel	Glass Filler Prepped	Voltage	Global Compliance
EFHA8L2YJO ◊	8.0	•			220V/50Hz	
EFHA8S2YJO ◊	8.0		•		220V/50Hz	
EFHFA8L2YJO ◊	8.0	•		•	220V/50Hz	
EFHFA8S2YIO ⊗	8.0		•	•	220V/50Hz	

#### **Legacy Special Use Water Coolers**

- Special use floor mount water coolers for specific installation and environmental needs.
- EFWC16S1Z consists of a 316 stainless steel cabinet and special coatings inside and out for extreme corrosion resistance.
- EFY8S1Z is a water cooled unit UL listed for use in hazardous locations (see Specification Sheet for specific flammable gas, dust, and debris certifications).
- Stainless steel finish is corrosion resistant and attractive.
- Rated for indoor use.







**Optional Accessories** 

EWF172 WaterSentry VII Filter Kit

Single	Bub	bler	
Model	Chilled GPH	Standard	VR
EFY8S1Z	8.0		•
EFWC16S1Z	16.0	•	



#### **Heavy-Duty Slimline Soft Sides Drinking Fountains**

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







FHWM17C

#### **Optional Accessories**

ACCESS12X38-5 Access Panel for Architectural Fountains

AP99 Access Panel 9" x 9" x 6" 98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron for EHW Stainless Steel

EWF172 WaterSentry VII Filter Kit

An access panel is required when using the filter kit.

Single &	
Model	Freeze Resistant
EHWM14FPK ⊘ ▼	•
EHWM14C	

Bi-level &	
Model	Freeze Resistant
EHWM17FPK ⊘ ▼	•
EHWM17C	



#### **Heavy-Duty Soft Sides Drinking Fountains**

- Contoured fountain provides an attractive and durable product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Heavy-gauge stainless steel construction withstands abusive environments and resists stains.
- Tamper-resistant fasteners help protect against vandalism.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







#### **Optional Accessories**

ACCESS12X38-5 Access Panel for Architectural Fountains

AP99 Access Panel 9" x 9" x 6" 98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron for EHW Stainless Steel

MPW200 In Wall Carrier (Bi-Level)
MPW101 In Wall Carrier (Single) WaterSentry VII

EWF172 Filter Kit

An access panel is required when using the filter kit.

Single &	Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting Mounting
EHW214FPK ⊘ ▼	•		Order MPW101
EHWM214FPK   ▼	•	•	
EHW214C			Order MPW101
EHWM214C		•	

Bi-level 🕏		Includes Surface	Pre-Ordered
Model	Freeze Resistant	Mount	Mounting
EHW217FPK ⊘ ▼	•		Order MPW200
EHWM217FPK ⊘ ▼	•	•	
EHW217C			Order MPW200
EHWM217C		•	

Bi-level reverse &		Includes Surface	Pre-Ordered	
Model	Freeze Resistant	Mount	Mounting Mounting	
EHW217FPRAK ⊘ ▼	•		Order MPW200	
EHWM217FPRAK ⊘ ▼	•	•		
EHW217RAC			Order MPW200	
EHWM217RAC		•		



#### **Slimline Soft Sides Drinking Fountains**

- Low-profile fountain provides an attractive and durable product, while enhancing applications requiring child ADA compliance.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.



ECDFPW314C

#### **Optional Accessories**

AP99 Access Panel

98481C Bubbler Kit Water-Efficient VR LKAPR2 Cane Apron

EWF172 WaterSentry VII Filter Kit

6		Buk	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
ECDFPW314C	-	•		
ECDFPW314FPK   ▼	-		•	•
ECDFPWVR314C	-		•	

#### Slimline Soft Sides Drinking Fountains

- Low-profile fountain provides an attractive, safe product, while enhancing applications requiring child ADA compliance.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Power cord sold separately.



ECDFPW314C

#### **Optional Accessories**

 98501C
 Bubbler
 \$34.00

 97446C
 Bubbler Kit Vandal-Resistant
 \$134.00

 LK1110
 Glass Filler
 \$258.00

 51299C
 Replacement Filter
 \$88.00

					Clobal
Model	Chilled GPH	Filtered	VR	Voltage	Global Compliance
LCRSPM102QK ♥ 0	10.0	•	•	240V/50Hz	



#### **Soft Sides Drinking Fountains**

- Contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







#### **Optional Accessories**

ACCESS12X38-5 Access Panel for Architectural Fountains

Access Panel 9" x 9" x 6" Bubbler Kit Water-Efficient VR 98481C

97258C Cane Apron for Contour/Soft Sides Black

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10" MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single)

Wall Plate EDFP210C/EDFP214C fountains WP2

EWF172 WaterSentry VII Filter Kit

Single short		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP210C	-	•		
EDFP210FPK ⊘ ▼	-		•	•

Single &		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP214C	-	•		
EDFP214FC ⊗	-	•		
EDFP214FPK ▼	-		•	•
EDFPVR214C	-		•	

Bi-level 💍	Bub	Freeze		
Model	Chilled GPH	Flex	VR	Resistant
EDFP217C	-	•		
EDFP217FC	-	•		
EDFP217FPK ▼	-		•	•
EDFPVR217C	-		•	

Bi-level reverse &		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP217FPRAK ⊘ ▼	-		•	•
EDFP217RAC	-	•		
EDFPVR217RAC	-		•	



#### **Soft Sides Drinking Fountains**

- Contoured fountain provides an attractive and safe product.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers are one-piece, chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.







#### **Optional Accessories**

ACCESS12X38-5 Access Panel 9" x 9" x 6" 98501C Bubbler

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR

97258C Cane Apron for Contour/Soft Sides Black

LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10"
MPW200 In Wall Carrier (Bi-Level)
MPW101 In Wall Carrier (Single)
51299C Replacement Filter

Single 🕏			Bubbler	Voltage	Global Compliance	
Model	Chilled GPH	Filtered	Flex	voitage	Giobai Compilance	
LNFE82K ⊘	8.0	•	•	220V/50Hz		
LNFEM82K ⊗	8.0	•	•	220V/50Hz		
LNFEM83K ⊘	8.0	•	•	220V/60Hz		
ERFP82K ⊗	8.0		•	220V/50Hz		
ERFPM82K ⊘	8.0		•	220V/50Hz		
EROM82K ⊗	8.0		•	220V/50Hz		

Bi-level 🕏			Bubbler	Voltage	Global Compliance	
Model	<b>Chilled GPH</b>	Filtered	Flex	voitage	Global Compliance	
LNTE82K ⊘	8.0	•	•	220V/50Hz		
LNTEM82K ⊘	8.0	•	•	220V/50Hz		
LNTEM83K ⊘	8.0	•	•	220V/60Hz		
ERFP282K ⊘	8.0		•	220V/50Hz		
ERFPM282K ♦	8.0		•	220V/50Hz		
EROM282K ⊗	8.0		•	220V/50Hz		



#### **Soft Sides Premium Composite Drinking Fountains**

- Durable and nonporous granite-like contoured fountain provides an attractive and safe product.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use, and appropriate for environments caustic to stainless steel.
- Freeze-resistant models extend outdoor usage season. EWF172







EDFP220RC

#### **Optional Accessories**

AP99 Access Panel 9" x 9" x 6"

ACCESS12X38-5 Access Panel for Architectural Fountains

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler KitWater-Efficient VR MPW200 In Wall Carrier (Bi-Level)

MPW101 In Wall Carrier (Single)

WP2 Wall Plate EDFP210C/EDFP214C fountains

EWF172 WaterSentry VII Filter Kit

Single &		Bubb	Freeze	
Model	Chilled GPH	Flex	VR	Resistant
EDFP214RC	-	•		
EDFPVR214RC ℤ	-		•	
EDFPVR214RFPK \$ ○ ▼	-		•	•

Bi-level &	Bubbler	Freeze	
Model	Chilled GPH	VR	Resistant
EDFPVR217RC \∑	-	•	
EDFPVR217RFPK ⊘ ▼	-	•	•

Multistations &	Bubb	Freeze		
Model	Chilled GPH	Flex	VR	Resistant
EDFP220RC ℤ	=	•		
EDFPVR220RC \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	-		•	
EDFPVR320RC \( \bigsize \)	-		•	
EDFPVR320RFPK S ♥ ▼	-		•	•

Single short		Bubbler
Model	Chilled GPH	Flex
EDFP210RC ∑	=	•



#### **SwirlFlo Drinking Fountains**

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.







EDFPB114C

#### **Optional Accessories**

AP99 Access Panel 9" x 9" x 6" ACCESS12X38-5 Access Panel for Architectural Fountains 98501C Bubbler StreamSaver Flexi-Guard Bubbler Kit Vandal-Resistant 97446C Bubbler Kit Water-Efficient VR 98481C LKAPR1 Cane Apron for SwirlFlo Gray MPW200 In Wall Carrier (Bi-Level) MPW101 In Wall Carrier (Single) ML100 In Wall Carrier Support Legs EWF172 WaterSentry VII Filter Kit

Single 🕏			Bubbler		Bubbler Includes	
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Pre-Ordered Mounting
EDFPB114C			•			Order MPW101
EDFPB114FPK ▼	•	•	•			Order MPW101
EDFPBM114K ▼	•		•		•	
EDFPBMV114K ▼	•			•	•	
EDFPBV114C				•		Order MPW101
EDFPBW114C	•		•			Order MPW101
EDFPBW114FPK ⊘ ▼	•	•	•			Order MPW101
EDFPBWM114C	•		•		•	
EDFPBWM114FPK ⊘ ▼		•	•		•	
EDFPBWMV114C	•			•	•	
EDFPBWV114C	•		•	•		Order MPW101

Bi-level &		Bub	bler	Includes	Pre-Ordered	
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting Mounting
EDFPB117C	•		•			Order MPW200
EDFPB117FPK ▼	•	•	•			Order MPW200
EDFPBM117C	•		•		•	
EDFPBM117FPK ⊘ ▼	•	•	•		•	
EDFPBM117K ▼	•		•			Order MPW200
EDFPBMV117C	•			•	•	
EDFPBV117C	•			•		Order MPW200
EDFPBVM117FPK ⊗ ▼	•	•		•	•	
EDFPBVM117K ▼	•			•		



Bi-level reverse &		Bul	obler	Includes	Pre-Ordered	
Model	Back Plate	Freeze Resistant	Flex	VR	Surface Mount	Mounting
EDFPB117FPRAK ⊘ ▼	•	•	•			Order MPW200
EDFPB117RAC	•		•			Order MPW200
EDFPBM117FPRAK   ▼			•			
EDFPBM117RAC	•		•		•	
EDFPBM117RAK ▼	•		•			Order MPW200
EDFPBMV117RAC	•			•	•	
EDFPBV117RAC	•			•		Order MPW200
EDFPBVM117FPRAK ◎ ▼	•	•		•	•	
EDFPBVM117RAK ▼	•			•		

#### **SwirlFlo Drinking Fountains**

- Patented stainless steel design enhances any architectural design, whether classic landmark or cutting edge.
- Mechanical push-button bubbler activation continues to provide water when electrical service is interrupted.
- Touchless, sensor-activated units are designed for easy use and improved hygiene.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.
- Freeze-resistant models extend outdoor usage season.
- Power cord sold separately.







EDFPB114C

#### **Optional Accessories**

ACCESS12X38-5 Access Panel 98501C Bubbler

97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR LKAPR1 Cane Apron

EWF172 Filter Kit

27267C Lower Back Panel left side louvers

Bi-level &				Bubbler	Includes	Includes	
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Global Compliance
LRPBM282K ♥	8.0	•		•	•	220V/50Hz	
LRPBM282QK ⊗	8.0	•		•	•	240V/50Hz	
ENOBM282QK \( \bigsige \omega \)	8.0		•	•	•	240V/50Hz	
ERPBM282K ♥	8.0			•	•	220V/50Hz	
ERPBM83K ⊗	8.0			•	•	220V/60Hz	

Single &				Bubbler	Includes		Clabal
Model	Chilled GPH	Filtered	Sensor Activated	Flex	Surface Mount	Voltage	Global Compliance
LRPBM82K ♥	8.0	•		•	•	220V/50Hz	
LRPBM82QK ⊗	8.0	•		•	•	240V/50Hz	
ENOBM82QK ♥ O	8.0		•	•	•	240V/50Hz	
ERPBM283K ⊗	8.0			•	•	220V/60Hz	
ERPBM82K ⊘	8.0			•	•	220V/50Hz	



Bi-level reverse 🕏			Bubbler	Includes		Global
Model	Chilled GPH	Filtered	Flex	Surface Mount	Voltage	Compliance
LRPBM282RAK ⊗	8.0	•	•	•	220V/50Hz	
ERPBM282RAK ⊘	8.0		•	•	220V/50Hz	
ERPBM283RAK ⊗	8.0		•	•	220V/60Hz	

#### **Legacy Fully Recessed Drinking Fountains**

- Fully-recessed stainless steel design allows for obstacle free walkways.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.







EDFBC212C

#### **Optional Accessories**

AP99 Access Panel 9" x 9" x 6" Bubbler 98501C StreamSaver Flexi-Guard 97446C Bubbler Kit Vandal-Resistant 98481C Bubbler Kit Water-Efficient VR

Standard		
Model	With Cuspidor	LK109A Glass Filler
EDFB12C		
EDFB12FC ⊗		•
EDFBC212C	•	

Cuspidor only	
Model	With Cuspidor
FDFBC12PBC	•

#### **Legacy Simulated Semi-Recessed Drinking Fountain**

- Space-saving simulated semi-recessed design.
- Mechanical bubbler push bar continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Stainless steel finish is corrosion resistant and
- Flush wall mount provides a recessed appearance without extra wall work.



EDFP19C

#### **Optional Accessories**

AP99 Access Panel 9" x 9" x 6"
98501C Bubbler StreamSaver Flexi-Guard
97446C Bubbler Kit Vandal-Resistant
98481C Bubbler Kit Water-Efficient VR

Model	
EDFP19C	



## **Legacy Multistation Stainless Steel Drinking Fountains**

- Unique stainless steel wall mount design provides service to multiple users at the same time.
- Mechanical bubbler push button continues to provide water when electrical service is interrupted.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Rated for indoor or outdoor use.







EDF310C

#### **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant

LK1110 Glass Filler


LK1114 Glass Filler Chrome 2-1/2" x 10" EWF172 WaterSentry VII Filter Kit

Two station	
Model	
EDF210C	

Three station
Model
EDF310C

#### **Legacy Bracket Drinking Fountain**

- Stainless steel bracket provides mounting to wall.
- 300 Series stainless steel basin resists corrosion.
- Equipped with one-piece, chrome-plated push-button bubbler.
- Mechanical bubbler continues to provide water when electrical service is interrupted.
- Includes removable chrome-plated strainer.
- Rated for indoor or outdoor use.





EDF15R



#### **Legacy Countertop Drinking Fountains**

- Attractive stainless steel modular drinking fountain can be installed into a surface of your choice.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Remote button allows flexible positioning of activation.
- Units with vandal-resistant bubblers are rated for indoor or outdoor use.





DRKR14C

#### **Optional Accessories**

97446C Bubbler Kit Vandal-Resistant LK1110 Glass Filler

LK1114 Glass Filler Chrome 2-1/2" x 10" EWF172 WaterSentry VII Filter Kit

Oval			Bubbler		
Model	Chilled GPH	Remote Pushbutton	Standard	Flex	VR
DRKR14C	-		•		
DRKR14RC	-	•		•	
DRKRV14RC	-	•			•

Circular		Bubbler
Model	Chilled GPH	Standard
DRKR10C	-	•

#### **Water Chillers**

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Available with a water cooled condenser for quiet cooling performance in areas of elevated ambient air temperature or dusty environments.





ECH8

#### **Optional Accessories**

PM3	Chiller Shelf 20" x 11" x 9-1/4"
PM4	Chiller Shelf 23-1/2" x 13" x 9-1/4"
EG2	Louvered Grill 21" x 1/2" x 28"
EG3	Louvered Grill 26" x 1/2" x 26-1/2"
EG1	Louvered Grill (SS) 21" x 1/2" x 28"

Model	Chilled GPH	Stations Served	Air-Cooled	Water Cooled
ERS11Y	1.0	1	•	
ER21Y	2.0	1	•	
ER51Y	5.0	1	•	
ECH8	8.0	2	•	
ECH8GRN	8.0	2	•	
ECP8	8.0	2	•	
ECU8	8.0	2	•	
ER101Y	10.0	2	•	
ER191	19.0	3	•	
ER301	30.0	3	•	
ERW321	32.0	3		•



#### **Remote Water Chillers**

- Converts any drinking fountain into a water cooler.
- Allows flexible installation location of refrigeration up to 15 feet from dispensing location.
- Several chilling capacities available to serve many usage and installation scenarios.
- Available with a high-performance compressor and insulation to greatly reduce energy consumption.
- Power cord sold separately.





ECH82

#### **Optional Accessories**

PM3 Chiller Shelf 20" x 11" x 9-1/4"
PM4 Chiller Shelf 23-1/2" x 13" x 9-1/4"
EG2 Louvered Grill 21" x 1/2" x 28"
EG3 Louvered Grill 26" x 1/2" x 26-1/2"
EG1 Louvered Grill (SS) 21" x 1/2" x 28"

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ECH102Q ⊗	10.0		•	240V/50Hz	
ECH82WR S ♥	8.0	1	•	220V/50Hz	CE, WRAS
ERS12Y ♥	1.0	1	•	220V/50Hz	
ER22Y ⊗	2.0	1	•	220V/50Hz	CE
ER52Y ⊗	5.0	1	•	220V/50Hz	CE
ER53Y ⊗	5.0	1	•	220V/60Hz	
ECH82 ♦	8.0	1	•	220V/50Hz	CE
ECH82Q ♥ O	8.0	1	•	240V/50Hz	
ECH83	8.0	1	•	220V/60Hz	
ECH83SA ⊗	8.0	1	•	220V/60Hz	SASO
ECP82 ⊗	8.0	1	•	220V/50Hz	
ECP82Q ⊗	8.0	1	•	240V/50Hz	
ECP83 ⊗	8.0	1	•	220V/60Hz	
ECP83SA ⊗	8.0	1	•	220V/60Hz	
ECU82 ♥	8.0	1	•	220V/50Hz	
ECU83 ♦	8.0	1	•	220V/60Hz	
ER102Y ◊	10.0	2	•	220V/50Hz	
ER103Y ◊	10.0	2	•	220V/60Hz	
ER192 ⊗	19.0	3	•	220V/50Hz	CE
ER193 ◊	19.0	3	•	220V/60Hz	
ER303 ◊	30.0	3	•	220V/60Hz	
ER302 ⊗	30.0	3	•	220V/50Hz	



#### **High Ambient Remote Water Chillers**

- Produces minimum of 8 gallons per hour (30 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 122 degrees F (50 degrees C) inlet water and 122 degrees (50 degrees C) ambient.
- When operated at standard rating conditions chiller produces 19 gallons per hour (72 liters/hour) of 50 degrees F (10 degrees C) or colder drinking water based upon 80 degrees F (27 degrees C) inlet water and 90 degrees (32 degrees C) ambient.
- Installs directly under fountain or other application, or may be located in a service area to serve a remote outlet (within 15 feet recommended).
- Stainless steel finish.
- Power cord sold separately.



ER194H

Model	Chilled GPH	Stations Served	Air-Cooled	Voltage	Global Compliance
ER194H ፟፟፟፟	8.0	0		220- 240V/50Hz, 220- 230V/60Hz	SASO











## **OUTDOOR DRINKING SOLUTIONS**

Multiple configurations available.

#### **QUICK FILL AND LAMINAR FLOW**

Quick fill rate is 1.0 GPM. Fills faster than a standard drinking fountain. Laminar flow produces a clean fill with minimal splashing.

#### **VANDAL RESISTANT**

Vandal-resistant push buttons, bubblers and screws.

#### **TYPE 316 STAINLESS STEEL**

Incorporates molybdenum for increased corrosion resistance. It's ideal for high-saline environments such as coastal regions and outdoor areas where deicing salts are common.

#### **SEALED FREEZE RESISTANT**

Freeze-resistant models feature completely enclosed and sealed valves to keep water safe from contamination.


Available in select models.

Shown: LK4420BF1UEVG



#### **Outdoor Bottle Filling Stations**

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Laminar flow provides clean fill with minimal splash.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.\*







#### **Optional Accessories**

97890C Direct Bury Adaptor
LK4471LHB Locking Hose Bib
LK4471LHBEVG Locking Hose Bib Evergreen

Wall mount 🕏				
Model	Bottle Filling Stations	Bubbler Stations	Global Compliance	
LK4405BF	1			
LK4405BFEVGWR ♥ O	1		WRAS	
LK4408BF ⊗	1	1		
LK4409BF ⊗	1	1 Upper, 1 Lower		

Single station &			
Model	Bottle Filling Stations	Global Compliance	
LK4400BF \( \bar{\alpha} \)	1		
LK4400BFEVGWR ♥ ○	1	WRAS	
LK4410BF	1		

Dual station &					
Model	Bottle Filling Stations	Bubbler Stations	Pet Fountain	Global Compliance	
LK4420BF1L	1 (Low)	1 (Upper)			
LK4420BF1LDB ፮	1 (Low)	1 (Upper)	•		
LK4420BF1U ⊗	1 (Upper)	1 (Low)			
LK4420BF1UDB \( \bigzi{z} \)	1 (Upper)	1 (Low)	•		



Triple station 6				
Model	Bottle Filling Stations	Bubbler Stations	Global Compliance	
LK4430BF1L	1 (Low)	2 (Upper-Mid)		
LK4430BF1M	1 (Mid)	2 (Upper-Low)		
LK4430BF1U	1 (Upper)	2 (Mid-Low)		

<sup>\*</sup>Colors other than Evergreen are non-returnable. Freeze-resistant models are non-returnable. Additional models rated for outdoor use available.

#### **Outdoor Fountains**

- Corrosion-resistant 316 stainless steel base material provides the ultimate protection from the elements.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Multistation wall-mount models require only a single water line for installation making them a great choice when upgrading or replacing older fountains.
- Pet fountain features slow drainage for easy drinking.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.
- Available in 12 stunning finishes.\*







LK4420DBEVG

#### **Optional Accessories**

97890C Direct Bury Adaptor LK4471LHB Locking Hose Bib



Wall mount single station &	
Model	Global Compliance
LK4405	

Wall mount double station 🕏		
Model	Global Compliance	
LK4406 ⊗		

Single station		
Model	Pet Fountain	Global Compliance
LK4400 ፟፟፟፟		
LK4400DB ፟፟፟	•	
LK4410		



Dual station 💍		
Model	Pet Fountain	Global Compliance
LK4420 ⊗		
LK4420DB ፮	•	

#### **Stone Aggregate Fountains**

- Attractive and durable stone aggregate finish withstands elements and complements any outdoor landscape.
- Heavy-gauge construction with tamper-resistant screws that resist stains and corrosion.
- Vandal-resistant bubbler is chrome plated with integral hood guard design to prevent contamination from other users, airborne deposits and tampering.
- Freeze resistant system is located either below the frost line or in temperature controlled space.
- Sealed freeze-resistant system prevents drain water from mixing with fresh water. Designed for ground installation below the frost line.






Single station 🕏		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4590		
LK4590FR ⊘	•	
LK4590SFR ⊗		•

Standard	
Model	
LK4591	

Wall mount &	
Model	Freeze Resistant
LK4593	
LK4593FR ⊘	•

Dual station &		
Model	Freeze Resistant	Sealed Freeze Resistant
LK4595		
LK4595FR ⊗	•	
LK4595SFR ⊘		•









## WATERSENTRY® FILTERS

Elkay's filter offerings are certified to NSF 53 and 42 for lead, class 1 particulate, chlorine, taste and odor reduction.

**RUST** 



LEAD



SUSPENDED MATTER





**CHLORINE** 

**ODOR** 

**SEDIMENT** 

Shown: 51300C



#### Vandal-resistant retrofit filtration kit

#### EF1500VRBC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

#### EF1500VRBMC



Vandal-Resistant Retrofit Filtration Kit with 1500-Gallon Lead and CTO Filter and Filter Status Monitor

- Includes WaterSentry VII Filter. Order 51299C as a replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

#### WaterSentry bottle filling station filters

#### 51300C



WaterSentry Plus Replacement Filter (Bottle Fillers)

- Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.
- Filter should be replaced every 3,000 gallons or 1 year after installation.

#### 51300C\_3PK



WaterSentry Plus Replacement Filters (3-pack) (Bottle Fillers)

• Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus systems.

#### 51300C\_12PK



WaterSentry® Plus Replacement Filters (12-pack) (Bottle Fillers)

- Replacement filter for use in ezH2O bottle filling stations and with EWF3000 WaterSentry Plus
- Filter should be replaced every 3,000 gallons or 1 year after installation.

#### EWF3000



WaterSentry Plus Filter System Kit (Bottle Fillers)

- For use with ezH2O Bottle Fillers Order 51300C as replacement filter (available in multipacks).
- Filter should be replaced every 3,000 gallons or 1 year after installation.



#### WaterSentry cooler + fountain filters

#### 51299C



WaterSentry VII Replacement Filter (Coolers + Fountains)

- Replacement filter for EWF172 WaterSentry VII systems in water coolers + fountains.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

#### EWF172



WaterSentry VII Filter Kit (Coolers + Fountains)

- For use with Coolers + Fountains Order 51299C as replacement filter.
- Filter should be replaced every 1,500 gallons or 1 year after installation.

#### LF2



Aqua Sentry Filter System Kit (Coolers + Fountains)

- In-Line filter for use with coolers + fountains Order 56192C as replacement filter.
- Filter should be replaced every 500 gallons or 6 months after installation.

#### 56192C



Aqua Sentry Replacement Filter

- Replacement filter for LF2 filter system.
- Filter should be replaced every 500 gallons or 6 months after installation.

WaterSentry Water Dispenser, Bottle Filling Station and Cooler + Fountain filters

#### WSF6000R-2PK



WaterSentry Fresh 6000 CTO Filter - Replacement (2pack)

- Replacement filter for premium water dispensers.
   Optional for select bottle filling stations, coolers and fountains with WaterSentry systems.
- Filter should be replaced every 6,000 gallons or 1 year after installation.



#### Point-of-entry

#### EFC1150D-A



Central Water Filtration System, Plug Type A

Removes 1200T for chlorine, taste, and odor.
 Removes 400T for lead, cadmium, copper, sulfate, and nitrite.

## EFC1150D-B



Central Water Filtration System, Plug Type G

Removes 1200T for chlorine, taste, and odor.
 Removes 400T for lead, cadmium, copper, sulfate, and nitrite.

#### ESR3100D-A



Central Water Softener, Plug Type A

• Removes scale causing minerals (Calcium and Magnesium).

#### Point-of-use

#### EFR2075D-A



Reverse Osmosis System, Plug Type A

 Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, virus, bacteria, inorganic compounds, and small molecule organic compounds.

#### EFR2-CB-A



Compressed Carbon Block Filter







Composite Filter

## EFR2-RO75-A



Reverse Osmosis Membrane Filter

#### EFU23-A



- 3-Stage Undermount Ultra Filtration System
- Removes suspended matter, rust, redworm, sediment, color, odor, chlorine, heavy metals, bacteria, and small molecule organic compounds.

#### FS33-A



Stainless Steel Dispensing Faucet

## EFU23-MS-A



Carbon Block Filter

## EFU23-PP-A



Polypropylene Filter

## EFU23-UF-A



Ultrafiltration Filter

These products are only available in the Asia-Pacific area



#### **Bacteria Reduction Replacement**

#### WSP35000



35,000 Gallon Bacteria Water Filtration System

- This ultrafiltration system has a process that reduces particles and microorganisms of up to .2 microns. It also reduces odor, taste and chlorine.
- The system includes a connection head for the water supply. Also, a Quick-Connect head that allows easy installation and replacement of the cartridge.

#### WSP35000SR



Replacement Sediment Pre-Filter for the WSP35000

• Change filter every 12 months

#### WSP35000R



Replacement Carbon Block Filter for the WSP35000

• Change filter every 12 months

These products are only available in the Asia-Pacific area



ezH2O Hands Free Retrofit Kit				
Model	List Price	Description	Special Note	Image
1000005817		Elkay EZS/LZS to EZO Retrofit Kit	For use with refrigerated coolers only.	

WaterSentry filter mounting covers			
Model	Description	Special Note	Image
1000000887	Elkay Filter Mounting Cover Kit (L)	For use with EMABF and LMAF light gray granite vinyl models.	
98551C	WaterSentry Filter Mounting Cover (Gray Granite)	For use with EZ and LZ light gray granite vinyl models.	
98568C	WaterSentry Filter Mounting Cover (Stainless Steel)	For use with EZ and LZ stainless steel models.	
98669C	WaterSentry Filter Mounting Cover for EMABF, LMABF, VRC, and LVRC stainless steel models	For use with EMABF, LMABF, VRC, and LVRC stainless steel models.	

Access and decorative par	nels		
Model	Description	Special Note	Image
1000004539	Accessory - Wall Plate (Hi-Lo Bi-Level) for EZ style bi-level models	For use with EZ style bi-level models.	<b>b b</b>
28410C ⊗	Accessory - Wall Plate (Lo-Hi Bi-Level) for EZ style bi-level reverse models	For use with EZ style bi-level reverse models.	
28904C ⊗	Accessory - Wall Plate (Splash Guard) for EZ style models	For use with EZ style models.	
ACCESS12X38-5	Accessory - Stainless Steel Access Panel for Bi- Level Architectural Fountains	ACCESS12X38-5 can be installed above or below Bi-Level Architectural Fountains and Bi-Level Architectural Fountains with Integral Bottle Fillers.	
AP99	Elkay Access Panel 9" x 9" x 6"		



RP2130	Accessory - Wall Bezel Black		
WP2	Accessory - Wall Plate for EDFP210C and EDFP214C fountains	For use with EDFP210C and EDFP214C fountains.	

Additional accessories			
Model	Description	Special Note	Image
36292C	Accessory - Power Block for Multistation Bottle Filling Stations	For use with multistation bottle filling stations.	To ele
75520C	Accessory - Vandal-Resistant Pinned T25 Torx Bit	For removing fasteners on vandal- resistant models.	
75523C	Accessory - Vandal-Resistant Pinned T27 Torx Bit	For removing fasteners on vandal- resistant models.	
98032C	Accessory - Vandal-Resistant Drain Kit for models with 1-1/4" drain openings	For use on models with 1-1/4" drain openings.	and the second

Bubblers	Bubblers			
Model	Description	Special Note	Image	
92715C	Accessory - Bubbler Replacement Kit, Flexi- Guard		0	
97446C	Accessory - Bubbler Kit Vandal-Resistant		00	
98481C	Accessory - Bubbler Kit Water-Efficient Vandal- Resistant			
98501C	Elkay Bubbler - Stream Saver Flexi-Guard			



LK142 Elkay Push Button Bubbler

For use with Elkay EDF214WC ,DRKR, EDF15R, EFWC16 models.



Cane aprons			
Model	Description	Special Note	Image
97258C	Accessory - Cane Apron for Contour & Soft Sides Models Black	For use with the Soft Sides & Contour models.	V
98313C	Elkay Cane Apron for EMABF (Gray Granite)	For use with EMABF style models.	-
98324C	Accessory - Cane Apron for HAC, HVR, EMABF & VRC Models (Stainless)	For use with EMABF, VRC and VRCGRN models.	
LKAPR1	Elkay Cane Apron for SwirlFlo Gray	For use with SwirlFlo models.	
LKAPR2	Elkay Cane Apron for EHW Stainless Steel	For use with EHW(M) models.	4
LKAPREZL	Elkay Cane Apron for EZ Gray	For use with EZ style models.	
LKAPRVRCHD	Elkay Cane Apron for VRCHD Stainless Steel	For use with (L)VRCHD models.	

Glass fillers			
Model	Description	Special Note	Image
98498C	Elkay Glass Filler Kit Chrome	For use with various Elkay models.	
LK109A	Elkay Glass Filler Chrome	Factory installed only.	



LK1110	Elkay Glass Filler	Ordered separately with glass filler prepped models.	7
LK1114	Elkay Glass Filler Chrome 2-1/2" x 10"	Ordered separately with glass filler prepped models.	

Mounting plates			
Model	Description	Special Note	Image
MP20	Elkay Surface Mounting Plate RH 38-1/4" x 20- 1/8"	For use with EDFP217 and EDFP217FP bi-level models requiring additional support. Secures directly to a variety of load-bearing surfaces.	
MP20RA	Elkay Surface Mounting Plate LH 38-1/4" x 20- 1/8"	For use with EDFP217RA and EDFP217FPRA reverse bi-level models requiring additional support. Secures directly to a variety of loadbearing surfaces.	

Mounting systems / in wa	ll carriers		
Model	Description	Special Note	Image
ML100	Accessory - In Wall Carrier Support Legs for MPW101, MPW200 or MPW201 mounting plates	For optional use with MPW101, MPW200 or MPW201 mounting plates.	
MLP100	Accessory - In Wall Carrier (Single) for single EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with single EZ, LZ, EMABF, LMABF, VRC, LVRC models.	I
MLP200	Accessory - In Wall Carrier (Bi-Level) for bi- level EZ, LZ, EMABF, LMABF, VRC, LVRC models	For use with bi-level EZ, LZ, EMABF, LMABF, VRC, LVRC models.	丑
MPW100	Accessory - In Wall Carrier (Single) for single OVL-II drinking fountains	For use with single OVL-II drinking fountains.	3
MPW101	Accessory - In Wall Carrier (Single) for EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models	For use with EDFP210, EDFP214, EDFPB114, EDFPBW114, EHW214 models.	<b>∫ ■</b> • ,
MPW200	Accessory - In Wall Carrier (Bi-Level) for EDFP217, EDFPB117 & EHW217 models	For use with EDFP217, EDFPB117 & EHW217 models.	1 1
MPW201	Accessory - In Wall Carrier (Bi-Level) for EDFP220 models	For use with EDFP220 models.	



Remote chillers optional accessories - shelves				
Model	Description	Special Note	Image	
PM3	Elkay Chiller Shelf 20" x 11" x 9-1/4"	For use with ER5 and ER10 water chillers.		
PM4 O	Elkay Chiller Shelf 23-1/2" x 13" x 9-1/4"	For use with ER19 and ERW20 water chiller.		

Remote chillers optional accessories - grills				
Model	Description	Special Note	Image	
EG1	Elkay Louvered Grill (Stainless Steel) 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.		
EG2 ⊗	Elkay Louvered Grill 21" x 1/2" x 28"	For use with ERS1, ER2 and ECH8 chillers.		
EG3	Elkay Louvered Grill 26" x 1/2" x 26-1/2"	For use with ER5, ER10 and ER19 chillers.		

Mounting frames				
Model	Description	Special Note	Image	
MB232A ⊗	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EFRC models		
MB232AL ⊗	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel 220V	For use with 220V LJNE models		
MB23A	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EFRC models.		
MB23AL	Elkay Mounting Frame with Filter Head Non- Filtered, Non-Refrigerated Galvanized Steel	For use with 115V LJNE models.		
MB24	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with EFRPC models.		



MB30	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel	For use with 115V EHFRA models.	
MB302 ◊	Elkay Mounting Frame Non-Filtered Non- Refrigerated, Galvanized Steel 220V	For use with 220V EHFRA models	
MF100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ENOB, ERFP, ERO, ERPB, LNFE, LRPB models.	
MF200	Elkay Mounting Frame 37-1/2" x 12" x 37-1/2"	For use with ENOB, ERFP, ERO, ERPB, LNTE, LRPB models.	
MFC100	Elkay Mounting Frame 18-3/4" x 12" x 37-3/4"	For use with ECRSP and LCRSP models.	
MFWS100	Accessory - Mounting Frame for in-wall ezH2O models	For use with in-wall ezH2O models.	
MFWS200	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural fountain combination units.	
MFWS210	Accessory - Mounting Frame for bi-level ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Units	For use with bi-level ezH2O SwirlFlo and Soft Sides architectural cooler combination units.	
MFWSF100	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Fountain Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural fountain combination unit.	
MFWSF110	Accessory - Mounting Frame for single ezH2O SwirlFlo and Soft Sides Architectural Cooler Combination Unit	For use with single ezH2O SwirlFlo and Soft Sides architectural cooler combination unit.	
MFWSF120	Halsey Taylor Mounting Frame for HTHB(WF)- EBP-I models	For use with HTHB(WF)-EBP-I models.	
MFWSF130	Halsey Taylor Mounting Frame for HTHB(WF)- ER-I models	For use with HTHB(WF)-ER-I models.	




# ADA-COMPLIANT PRODUCTS

Elkay offers a full line of products that comply with the requirements as specified by the Americans with Disabilities Act (ADA). They provide better access for everyone, making them ideal for residential and commercial spaces. Multifamily housing, assisted living centers, handicap restrooms, schools and health care facilities are just some facilities that can benefit from ADA solutions.





## **ADA SINKS**



#### **OFFSET DRAIN**

Rear offset drain creates barrier-free space under sink; optional for more room, but not ADA required. Center drain ADA compliant when properly installed.

#### **OPEN SPACE**


KNEE: Min. 27" from floor and 8" from countertop front edge. Slope 1" depth max. per 6" height. TOE: Min. 9" from floor and 17" min. from countertop front edge. Slope 1" depth max. per 6" height. FLOOR: 30" min. width.



#### ELDSSF36279DBG

- •Dimensions: 35-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •36" minimum cabinet size
- Features: Work Shelf, Workstation

## Elkay Dart Canyon Stainless Steel 35-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink



**Includes:** ELDSSF36279 sink, CTXBG3113R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

ADA Compliant
Optional Accessories

**Drain** LKDD

**Ship dims:** 41-3/4" x 32-11/16" x 12-13/16"


Approx. ship weight: 69 lbs.

#### ELDSSF33279DBG



- Dimensions: 32-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •33" minimum cabinet size
- Features: Work Shelf. Workstation

## Elkay Dart Canyon Stainless Steel 32-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink



**Includes:** ELDSSF33279 sink, CTXBG2813R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

ADA Compliant

**Optional Accessories** 

**Drain** LKDD

**Ship dims:** 38-5/8" x 32-11/16" x 12-13/16"

Approx. ship weight: 65 lbs.




#### ELDSSF30279DBG

# 35

- •Dimensions: 29-7/8" x 27-1/4" x 9-5/8"
- •16 gauge
- Polished Satin finish
- Available in 1 faucet holes
- •3-1/2" (89mm) drain opening
- Sound deadening: Full spray sides and bottom with Sides and Bottom pads
- •30" minimum cabinet size
- Features: Work Shelf, Workstation

## Elkay Dart Canyon Stainless Steel 29-7/8" x 27-1/4" x 9-5/8", Single Bowl Farmhouse ADA Workstation Sink



**Includes:** ELDSSF30279 sink, CTXBG2513R bottom grid, CTXDC0606 bottom grid drain cover, LKDD deep strainer drain

ADA Compliant

**Optional Accessories** 

**Drain** LKDD

**Ship dims:** 36" x 32-11/16" x 12-13/16"


Approx. ship weight: 60 lbs.

#### **ELUHAD141855**



- Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •21" minimum cabinet size

## Elkay Lustertone Classic Stainless Steel 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA

**Optional Accessories** 

Bottom grid

LKWOBG1418SS

**Cutting board** 

CBS1418\*

Rinsing basket

LKWRB1418SS

LKWERBSS

Drain

LK99

LKAD35

**Ship dims:** 23-5/16" x 8-15/16" x 23-3/16"


Approx. ship weight: 11 lbs.

#### **ELUHAD111655**



- Dimensions: 14" x 18-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •18" minimum cabinet size

## Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA

**Optional Accessories** 

**Bottom grid** 

LKWOBG1116SS

Drain

LK99

LKAD35

**Ship dims:** 23-1/2" x 19-3/4" x 8-1/2"

Approx. ship weight: 11 lbs.




#### LFRAD251955



- Dimensions: 25" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •30" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 25" x 19-1/2" x 5-1/2", Single **Bowl Drop-in ADA Sink**



**ADA Compliant** Made in USA **Optional Accessories Cutting board** CB1516

Rinsing basket

**LKWERBSS** 

Drain

LK99

**Ship dims:** 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 18 lbs.

#### LRAD221955L



- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single **Bowl Drop-in ADA Sink**



**ADA Compliant** Made in USA **Optional Accessories** 

**Cutting board** 

CBS1418

Rinsing basket

LKWRB1418SS

**LKWERBSS** 

Drain

I K99

LKAD35

**Ship dims:** 20-13/16" x 7-13/16" x 27-15/16"


Approx. ship weight: 13 lbs.

#### LRAD221955R



- Dimensions: 22" x 19-1/2" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •27" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single **Bowl Drop-in ADA Sink**



**ADA Compliant** Made in USA **Optional Accessories** 

**Cutting board** 

CBS1418

**Rinsing basket** 

LKWRB1418SS

**LKWERBSS** 

Drain

LK99

LKAD35

**Ship dims:** 20-13/16" x 7-13/16" x 27-15/16"


Approx. ship weight: 13 lbs.



#### LRAD191855L

- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant
Made in USA
Optional Accessories
Rinsing basket
LKWRB1116SS
Drain

LK99 LKAD35

**Ship dims:** 19-5/16" x 7-13/16" x 25-15/16"


Approx. ship weight: 10 lbs.

#### LRAD191855R



- •Dimensions: 19" x 18" x 5-1/2"
- •18 gauge
- •Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •24" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories

Rinsing basket LKWRB1116SS

Drain

LK99 LKAD35

**Ship dims:** 19-5/16" x 7-13/16" x 25-15/16"


Approx. ship weight: 10 lbs.

#### **ELUHAD361855**



- •Dimensions: 35-3/4" x 18-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •39" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 35-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA Optional Accessories

Bottom grid

LKWOBG1616SS

Cutting board

CB1713\*

CBS1316\*

Rinsing basket

LKWRB1316SS

LKWERBSS

Drain

LK99

LKAD35

**Ship dims:** 44-7/8" x 26-1/4" x 10-1/2" **Approx. ship weight:** 27 lbs.




#### ELUHAD312055R



- Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •36" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 31-1/4" x 20-1/2" x 5-3/8", Offset Double Bowl Undermount ADA Sink



#### ADA Compliant Made in USA

**Optional Accessories** 

#### **Bottom** grid

LKWOBG1418SS (large bowl) LKWOBG1316SS (small bowl)

#### **Cutting board**

CBS1418\*

CB1613\*

CB1713\*

CBS1316\*

#### **Rinsing basket**

LKWRB1418SS

**LKWERBSS** 

LKWRB1316SS

Drain

LK99

LKAD35


**Ship dims:** 37-3/4" x 26-1/4" x 12-1/2" **Approx. ship weight:** 21 lbs.

#### LRAD372255

# Elkay Lustertone Classic Stainless Steel 37" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



- Dimensions: 37" x 22" x 5-1/2"
- •18 gauge
- Lustrous Satin finish
- •3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- •42" minimum cabinet size



### ADA Compliant

#### Made in USA Optional Accessories

#### **Bottom** grid

LKWOBG1616SS

#### **Cutting board**

CB1713

CBS1316

#### Rinsing basket

LKWRB1316SS

**LKWERBSS** 

Drain

LK99

**Ship dims:** 44-7/8" x 26-1/4" x 10-1/2"


Approx. ship weight: 24 lbs.



### Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Offset **Double Bowl Drop-in ADA Sink**



- •Dimensions: 33" x 22" x 5-1/2"
- •18 gauge
- Lustertone finish
- •3-1/2" (89mm) drain opening
- •Sound deadening: Bottom only pads
- •36" minimum cabinet size



**ADA Compliant** Made in USA **Optional Accessories** 

**Bottom** grid

LKWOBG1316SS

**Cutting board** 

CBS1418 CB1613

CB1713

CBS1316

**Rinsing basket** 

LKWRB1418SS

LKWRB1316SS

**LKWERBSS** 

Drain LK99

LKAD35


**Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" Approx. ship weight: 21 lbs.



#### ELUHAD281655PD

- ◆Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ♦ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel, 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom** grid

LKWOBG2816SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99


**Ship dims:** 37-3/4" x 26-1/4" x 12-1/2"

Approx. ship weight: 26 lbs.

#### **ELUHAD281655**

- ◆Dimensions: 30-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

## Elkay Lustertone Classic Stainless Steel 30-1/2" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with

4-1/2" and 5" depths **Optional Accessories** 

Bottom grid LKWOBG2816SS

Drain

LK99

LKAD35


**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2" **Approx. ship weight:** 21 lbs.

#### ECTSRAD25226TBG



- ♦ Dimensions: 25" x 22" x 6"
- ♦18 gauge
- ◆Polished Satin finish
- ◆Available in 1, 2, 3, 4, 5 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦30" minimum cabinet size

### Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



**Includes:** ECTSRAD25226T Sink, CTXBG2115 Bottom Grid

ADA Compliant Optional Accessories

**Drain** LKAD35 LK35

**Ship dims:** 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.



#### **ELGUAD2519PD**

- ◆Dimensions: 25" x 18-1/2" x 5-1/2"
- ◆3-5/8" (92mm) drain opening
- ♦30" minimum cabinet size
- ◆ Features: Perfect Drain










White (WH)

#### Elkay Quartz Classic 25" x 18-1/2" x 5-1/2", Undermount ADA Sink with Perfect Drain



Includes: One LKPDQ1CR Perfect Drain

and strainer.

**Optional Accessories** 

Drain LKPDQ1LS


**Ship dims:** 29-1/4" x 26-1/4" x 11" Approx. ship weight: 32 lbs.

#### ELUHAD211555PD



- ◆Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size
- ♦ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain





Includes: One LKPD1 Perfect Drain and

strainer.

**ADA Compliant** 

**Built in USA** 

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom** grid

LKWOBG2115SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

Ship dims: 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 19 lbs.

#### **ELUHAD211555**



- ◆Dimensions: 23-1/2" x 18-1/4" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel, 23-1/2" x 18-1/4" x 5-3/8", **Single Bowl Undermount ADA Sink**





ADA Compliant

Made in USA

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom grid** 

LKWOBG2115SS

Drain

LK99

LKAD35

Ship dims: 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 12 lbs.




#### **ELUHAD191655**



- ◆Dimensions: 21-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 21-1/2" x 18-1/2" x 5-3/8", **Single Bowl Undermount ADA Sink**



**ADA Compliant** Made in USA Models are also available with 4-1/2" and 5" depths **Optional Accessories** Drain

LK99 LKAD35

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2"


Approx. ship weight: 17 lbs.

#### **ELUHAD161655**



- ◆Dimensions: 18-1/2" x 18-1/2" x 5-3/8"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel, 18-1/2" x 18-1/2" x 5-3/8", **Single Bowl Undermount ADA Sink**



**ADA Compliant** Made in USA Models are also available with

4-1/2" and 5" depths **Optional Accessories Bottom grid** LKWOBG1616SS

Drain LK99 LKAD35


**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" Approx. ship weight: 11 lbs.

#### ELUHAD141855PD



- ◆Dimensions: 16-1/2" x 20-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

#### Elkay Lustertone Classic Stainless Steel, 16-1/2" x 20-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



Includes: One LKPD1 Perfect Drain and strainer.

**ADA Compliant Built in USA** 

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom** grid

LKWOBG1418SS

Drain

LKPDVR18B LKPDAD18B

LKDS99


**Ship dims:** 26-1/4" x 24-1/4" x 9-1/2" Approx. ship weight: 14 lbs.

#### ELUHAD141455PD



- Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ♦ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink w/Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

**Optional Accessories** 

**Drain** LKPDVR18B

LKPDAD18B LKDS99


**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 15 lbs.

#### **ELUHAD141455**



- ◆Dimensions: 16-1/2" x 16-1/2" x 5-3/8"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel, 16-1/2" x 16-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with

4-1/2" and 5" depths

Optional Accessories

Drain LK99 LKAD35

**Ship dims:** 17-5/16" x 8-13/16" x 22-

15/16"


Approx. ship weight: 11 lbs.

#### ELUHAD131655PD



- ◆Dimensions: 16" x 18-1/2" x 5-3/8"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom grid** 

LKWOBG1316SS

Drain

LKPDVR18B LKPDAD18B

LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 9-1/2"


Approx. ship weight: 13 lbs.



#### **ELUHAD131655**

- ◆Dimensions: 16" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 16" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant
Made in USA
Models are also ava

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom** grid

LKWOBG1316SS

Drain

LK99 LKAD35

LIVADOO

**Ship dims:** 19-5/16" x 7-13/16" x 25-

15/16"


Approx. ship weight: 11 lbs.

#### **ELUHAD121255**



- Dimensions: 14-1/2" x 14-1/2" x 5-3/8"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 14-1/2" x 14-1/2" x 5-3/8", Single Bowl Undermount ADA Sink



ADA Compliant Made in USA Models are also available with

4-1/2" and 5" depths

Optional Accessories Drain

LK99 LKAD35

**Ship dims:** 16-5/16" x 9-3/16" x 21-7/16"


Approx. ship weight: 9 lbs.

#### ELUHAD111655PD



- ◆Dimensions: 14" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel 14" x 18-1/2" x 5-3/8", Single Bowl Undermount ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant

**Built in USA** 

**Optional Accessories** 

**Bottom** grid

LKWOBG1116SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

**Ship dims:** 26-7/16" x 24-3/8" x 9-11/16"

Approx. ship weight: 15 lbs.



#### **ELGUAD3319PD**

- ◆Dimensions: 33" x 18-1/2" x 5-1/2"
- ◆3-5/8" (92mm) drain opening
- ♦36" minimum cabinet size
- ♦ Features: Perfect Drain



Black







(MC)

Mocha White (WH)

### 18-1/2" (470mm) 16-3/16" (410mm) \_ R1" (25mm)

with Perfect Drain

33" (838mm)

### Includes: Two LKPDO1CR Perfect

Drains and strainers.

**Optional Accessories** 

Drain LKPDQ1LS

**Ship dims:** 37-1/8" x 26-1/4" x 11" Approx. ship weight: 42 lbs.


#### ECTSRAD33226TBG

# (127mm)



#### Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl **Dual Mount ADA Sink Kit**

Elkay Quartz Classic 33" x 18-1/2" x 5-1/2", Undermount ADA Sink



**Ship dims:** 38" x 24-1/2" x 13" Approx. ship weight: 34 lbs.

Includes: ECTSRAD33226T Sink, two

CTXBG1315 Bottom Grids

**Optional Accessories** 

Drain LKDD LK35

◆ Polished Satin finish ◆ Available in 1, 2, 3, 4, 5 faucet holes

◆Dimensions: 33" x 22" x 6"

- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ♦ Features: Slim Rim


♦18 gauge

#### **ELUHAD321655**



- ◆Dimensions: 31-3/4" x 16-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 31-3/4" x 16-1/2" x 5-3/8", **Equal Double Bowl Undermount ADA Sink**



**ADA Compliant** Made in USA Models are also available with

4-1/2" and 5" depths **Optional Accessories** 

Drain LK99 LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 21 lbs.



#### ELUHAD312055RPD

- ◆Dimensions: 31-1/4" x 20-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel, 31-1/4" x 20-1/2" x 5-3/8", Double Bowl Undermount ADA Sink w/Perfect Drain



**Includes:** Two LKPD1 Perfect Drains

and strainers.

ADA Compliant
Built in USA

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom grid** 

LKWOBG1418SS (large

bowl)

LKWOBG1316SS (small

bowl)

Drain

LKPDVR18B LKPDAD18B


LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

#### ELUHAD311855PD

- Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel, 30-3/4" x 18-1/2" x 5-3/8", Double Bowl Undermount ADA Sink w/Perfect Drain



**Includes:** Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

Bottom grid

LKWOBG1316SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99


**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 26 lbs.

#### **ELUHAD311855**



- ◆ Dimensions: 30-3/4" x 18-1/2" x 5-3/8"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 30-3/4" x 18-1/2" x 5-3/8", Equal Double Bowl Undermount ADA Sink



ADA Compliant Made in USA

Models are also available with

4-1/2" and 5" depths

**Optional Accessories** 

**Bottom grid** 

LKWOBG1316SS

Drain

LK99

LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 21 lbs.





- ◆Dimensions: 31" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 31" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

**Bottom grid** 

LKWOBG2816SS

Drain

LK99


LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 19 lbs.

#### LRAD312265PD

- ◆Dimensions: 31" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 31" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant

Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Bottom grid

LKWOBG2816SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"


Approx. ship weight: 19 lbs.

#### LRAD252255



- ◆Dimensions: 25" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths

Quick-Clip Mounting System

**Optional Accessories** 

Bottom grid

LKWOBG2115SS

Drain

LK99

**Ship dims:** 30-11/16" x 26-1/4" x 9-1/2"


Approx. ship weight: 15 lbs.



#### LRAD252255-CU

- ◆ Dimensions: 25" x 22" x 5-1/2"
- ♦18 gauge
- ◆ Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 25" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain LKVR18-CU


**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 15 lbs.

#### ECTSRAD25226TBG



- ♦ Dimensions: 25" x 22" x 6"
- ♦18 gauge
- ◆ Polished Satin finish
- ◆ Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦30" minimum cabinet size

#### Elkay Crosstown Stainless Steel 25" x 22" x 6", Single Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD25226T Sink, CTXBG2115 Bottom Grid ADA Compliant

Optional Accessories Drain LKAD35 LK35


**Ship dims:** 33" x 24-1/2" x 13" **Approx. ship weight:** 24 lbs.

#### LRAD252265PD



- ◆ Dimensions: 25" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size
- ♦ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel 25" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



Includes: One LKPD1 Perfect Drain and

strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Bottom grid

LKWOBG2115SS

Drain

LKPDVR18B LKPDAD18B

LKDS99

**Ship dims:** 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.



#### ELGAD2522PD



- ◆Dimensions: 25" x 22" x 5-1/2"
- Available in Pre-scored for up to 5 faucet
- ◆3-5/8" (92mm) drain opening
- ♦30" minimum cabinet size
- ♦ Features: Perfect Drain










Grey-stone (GS)

Mocha White (WH) (MC)

#### Elkay Quartz Classic 25" x 22" x 5-1/2", Drop-in ADA Sink with **Perfect Drain**



Includes: One LKPDQ1CR Perfect Drain and strainer.

**Optional Accessories** 

Drain LKPDQ1LS


**Ship dims:** 29-1/4" x 26-1/4" x 11" Approx. ship weight: 34 lbs.

#### LRAD252155



- ◆Dimensions: 25" x 21-1/4" x 5-1/2"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 5-1/2", Single Bowl Drop-in ADA Sink



**ADA Compliant** Made in USA Models are also available with

4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories Bottom** grid

LKWOBG2115SS

Drain

LK99

LKAD35


**Ship dims:** 30-11/16" x 26-1/4" x 9-1/2" Approx. ship weight: 15 lbs.

#### LRAD252155-CU



- ◆Dimensions: 25" x 21-1/4" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 25" x 21-1/4" x 5-1/2", Single **Bowl Drop-in ADA Sink**



**ADA Compliant** Made in USA

Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths

**Optional Accessories** 

Drain LKVR18-CU

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2"

Approx. ship weight: 15 lbs.




#### LRAD252165PD

# 

- ◆Dimensions: 25" x 21-1/4" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦30" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 25" x 21-1/4" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and

strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Bottom grid

LKWOBG2115SS

Drain

LKPDVR18B LKPDAD18B LKDS99


**Ship dims:** 30-11/16" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.

#### LRAD222255

- ◆Dimensions: 22" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 22" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

Drain

LK99

LKAD35

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2"


Approx. ship weight: 14 lbs.

#### LRAD222255-CU



- ♦ Dimensions: 22" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 22" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths

**Optional Accessories** 

Drain

LKVR18-CU

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2"


Approx. ship weight: 14 lbs.





- Dimensions: 22" x 19-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

**Drain** LK99

LKAD35

**Ship dims:** 20-13/16" x 7-13/16" x 27-

15/16"


Approx. ship weight: 12 lbs.

#### LRAD221955-CU



- Dimensions: 22" x 19-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, 5, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦27" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 22" x 19-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths

Optional Accessories
Drain
LKVR18-CU


**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.

#### LRAD202255



- Dimensions: 19-1/2" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant

Made in USA Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

Optional Accessories

Bottom grid

LKWOBG1616SS

**Drain** LK99

**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2"

Approx. ship weight: 14 lbs.




#### LRAD202255-CU



- ◆Dimensions: 19-1/2" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

# Elkay CuVerro Antimicrobial Copper 19-1/2" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories Drain


**Ship dims:** 30-11/16" x 26-1/4" x 8-1/2" **Approx. ship weight:** 14 lbs.

#### LRAD202265PD



- ◆Dimensions: 19-1/2" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ♦ Available in 1, 2, 3 faucet holes
- ♦3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ♦ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 19-1/2" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

strainer.

ADA Compliant Built in USA

LKVR18-CU

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Bottom grid

LKWOBG1616SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2"


Approx. ship weight: 18 lbs.

#### LRAD191955



- ◆Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant

Made in USA Models are also available with

4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

Drain

LK99 LKAD35

**Ship dims:** 20-5/16" x 8-13/16" x 24-

15/16"

Approx. ship weight: 13 lbs.




#### LRAD191955-CU



- Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

# Elkay CuVerro Antimicrobial Copper 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant
Made in USA
Models are also available with
4", 4-1/2", 5", 6" and 6-1/2" depths
Optional Accessories
Drain
LKVR18-CU


**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.

#### LRAD191965PD



- ◆Dimensions: 19-1/2" x 19" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 19-1/2" x 19" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Drain

LKPDVR18B LKPDAD18B

LKDS99


**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" **Approx. ship weight:** 13 lbs.

#### PSRADQ191955L



- ◆Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦20 gauge
- ♦ Brushed Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆Features: Quick-Clip Mounting System

### Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Drain

LK99

**Ship dims:** 20-5/16" x 8-13/16" x 24-

15/16"


Approx. ship weight: 13 lbs.



#### **PSRADQ191955R**

- ◆Dimensions: 19-1/2" x 19" x 5-1/2"
- ♦20 gauge
- ♦ Brushed Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆Features: Quick-Clip Mounting System

### Elkay Celebrity Stainless Steel 19-1/2" x 19" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Optional Accessories Drain LK99

**Ship dims:** 20-5/16" x 8-13/16" x 24-15/16"


Approx. ship weight: 13 lbs.

#### LRAD191855



- ◆Dimensions: 19" x 18" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with 4", 5", 6" and 6-1/2" depths

Quick-Clip Mounting System

**Optional Accessories** 

Drain

LK99

LKAD35

**Ship dims:** 19-5/16" x 7-13/16" x 25-

15/16"


Approx. ship weight: 10 lbs.

#### LRAD191855-CU



- ◆Dimensions: 19" x 18" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 19" x 18" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with

4", 4-1/2", 5", 6" and 6-1/2" depths

**Optional Accessories** 

**Drain** LKVR18-CU

**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Annual chip weight:** 10 lbs


Approx. ship weight: 10 lbs.

#### LRAD191865PD



- ◆Dimensions: 19" x 18" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦24" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 19" x 18" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

**Optional Accessories** 

**Drain** LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 26-1/4"  $\times$  24-1/4"  $\times$  10-1/2"


Approx. ship weight: 10 lbs.

#### LRAD172255



- ◆Dimensions: 17" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 17" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with

5", 6" and 6-1/2" depths

Quick-Clip Mounting System
Optional Accessories
Bottom grid

LKWOBG1316SS

**Drain** LK99 LKAD35

**Ship dims:** 23-5/16" x 8-15/16" x 23-

3/16"


Approx. ship weight: 13 lbs.

#### LRAD172255-CU



- ◆Dimensions: 17" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2, OS4 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 17" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories

**Drain** LKVR18-CU


**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" **Approx. ship weight:** 13 lbs.



#### LRAD172265PD

- ◆Dimensions: 17" x 22" x 6-1/2"
- ♦18 gauge
- ♦ Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 17" x 22" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer

ADA Compliant Built in USA

Optional Accessories

Bottom grid LKWOBG1316SS

**Drain** LKPDVR18B

LKPDAD18B LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2"


Approx. ship weight: 13 lbs.

#### LRAD172055



- ♦ Dimensions: 17" x 20" x 5-1/2"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 17" x 20" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

**Drain** LK99

LKAD35

**Ship dims:** 23-5/16" x 8-15/16" x 23-

3/16"


Approx. ship weight: 12 lbs.

#### LRAD172065PD



- ◆ Dimensions: 17" x 20" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel 17" x 20" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

**Optional Accessories** 

Drain

LKPDVR18B LKPDAD18B LKDS99


**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 12 lbs.



- ◆Dimensions: 17" x 16" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 17" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

4", 5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

Drain

LK99 LKAD35

**Ship dims:** 17-5/16" x 8-13/16" x 22-

15/16"


Approx. ship weight: 8 lbs.

#### LRAD171665PD



- ◆Dimensions: 17" x 16" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦21" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 17" x 16" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

**ADA Compliant** 

Built in USA

Models are also available with

**Quick-Clip Mounting System** 

**Optional Accessories** 

Drain

LKPDVR18B

LKPDAD18B

LKDS99

**Ship dims:** 23-1/2" x 19-3/4" x 12-1/2"


Approx. ship weight: 8 lbs.

#### LRAD152255



- ◆Dimensions: 15" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 15" x 22" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths

**Optional Accessories** 

**Bottom grid** 

LKWOBG1116SS

Drain

LK99 LKAD35

**Ship dims:** 23-5/16" x 8-15/16" x 23-

3/16"


Approx. ship weight: 10 lbs.



#### LRAD152255-CU

- ◆Dimensions: 15" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

#### Elkay CuVerro Antimicrobial Copper 15" x 22" x 5-1/2", Single Bowl **Drop-in ADA Sink**



**ADA Compliant** Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths **Optional Accessories** Drain LKVR18-CU


**Ship dims:** 26-1/4" x 24-1/4" x 8-1/2" Approx. ship weight: 12 lbs.

#### LRAD152265PD



- ◆Dimensions: 15" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ♦ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel 15" x 22" x 6-1/2", Single **Bowl Drop-in ADA Sink with Perfect Drain**



Includes: One LKPD1 Perfect Drain and strainer.

**ADA Compliant Built in USA Optional Accessories Bottom grid** LKWOBG1116SS

Drain LKPDVR18B LKPDAD18B LKDS99


**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2" Approx. ship weight: 12 lbs.

#### LRAD151755



- ◆Dimensions: 15" x 17-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 5-1/2", Single Bowl Drop-in ADA Sink



**ADA Compliant** Made in USA Models are also available with 5", 6" and 6-1/2" depths

**Optional Accessories** 

Drain LK99 LKAD35

**Ship dims:** 20-13/16" x 7-13/16" x 21-13/16"

Approx. ship weight: 10 lbs.




#### LRAD151765PD



- ◆Dimensions: 15" x 17-1/2" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 15" x 17-1/2" x 6-1/2", Single Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** One LKPD1 Perfect Drain and strainer.

ADA Compliant Built in USA

**Models are also available with** Quick-Clip Mounting System

**Optional Accessories** 

**Drain** LKPDVR18B LKPDAD18B LKDS99

**Ship dims:** 23-5/16" x 19-9/16" x 10-

1/16"


Approx. ship weight: 10 lbs.

#### LRAD131655



- ◆Dimensions: 13" x 16" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Optional Accessories

**Drain** LK99 LKAD35


**Ship dims:** 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.

#### LRAD131655-CU



- ♦ Dimensions: 13" x 16" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size

### Elkay CuVerro Antimicrobial Copper 13" x 16" x 5-1/2", Single Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 4", 4-1/2", 5", 6" and 6-1/2" depths Optional Accessories

**Drain** LKVR18-CU

**Ship dims:** 23-1/2" x 19-3/4" x 8-1/2" **Approx. ship weight:** 10 lbs.




#### LRAD131665PD



- ◆Dimensions: 13" x 16" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, MR2 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦18" minimum cabinet size
- ◆ Features: Perfect Drain

### Elkay Lustertone Classic Stainless Steel 13" x 16" x 6-1/2", Single **Bowl Drop-in ADA Sink with Perfect Drain**



Includes: One LKPD1 Perfect Drain and strainer.

**ADA Compliant Built in USA** 

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Drain

LKPDVR18B LKPDAD18B

LKDS99

**Ship dims:** 26-1/4" x 24-1/4" x 10-1/2"

Approx. ship weight: 10 lbs.

#### ELGAD3322PD

- ♦ Dimensions: 33" x 22" x 5-1/2"
- ◆ Available in Pre-scored for up to 5 faucet
- ◆3-5/8" (92mm) drain opening
- ♦36" minimum cabinet size
- ◆ Features: Perfect Drain



(BK)










### Elkay Quartz Classic 33" x 22" x 5-1/2", Drop-in ADA Sink with **Perfect Drain**



Includes: Two LKPDQ1CR Perfect

Drains and strainers. **Optional Accessories** 

Drain LKPDQ1LS


**Ship dims:** 37-1/8" x 26-1/4" x 11" Approx. ship weight: 46 lbs.





- ◆Dimensions: 33" x 22" x 5-1/2"
- ♦18 gauge
- **◆**Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 33" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

**Bottom grid** 

LKWOBG1316SS

Drain

LK99


LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

#### ECTSRAD33226TBG

- ♦ Dimensions: 33" x 22" x 6"
- ♦18 gauge
- ◆ Polished Satin finish
- ♦ Available in 1, 2, 3, 4, 5 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Sound Guard
- ♦36" minimum cabinet size
- ♦ Features: Slim Rim

#### Elkay Crosstown Stainless Steel 33" x 22" x 6", Equal Double Bowl Dual Mount ADA Sink Kit



Includes: ECTSRAD33226T Sink, two

CTXBG1315 Bottom Grids

**Optional Accessories** 

**Drain** LKDD LK35


**Ship dims:** 38" x 24-1/2" x 13" **Approx. ship weight:** 34 lbs.

#### LRAD332265PD



- ♦ Dimensions: 33" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 33" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with Quick-Clip Mounting System

**Optional Accessories** 

Bottom grid LKWOBG1316SS

**Drain** LKPDVR18B LKPDAD18B

LKDS99


**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 23 lbs.



- ♦ Dimensions: 33" x 21-1/4" x 5-1/2"
- ♦18 gauge
- ◆Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 33" x 21-1/4" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also av

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

**Bottom grid** 

LKWOBG1316SS

Drain

LK99


LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 9-1/2" **Approx. ship weight:** 23 lbs.

#### LRAD331955

- ♦ Dimensions: 33" x 19-1/2" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size

#### Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with 5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

Drain

LK99

LKAD35


**Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 20 lbs.

#### LRAD331965PD



- ◆Dimensions: 33" x 19-1/2" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦36" minimum cabinet size
- ◆Features: Perfect Drain

#### Elkay Lustertone Classic Stainless Steel 33" x 19-1/2" x 6-1/2", Double Bowl Drop-in ADA Sink w/Perfect Drain



**Includes:** Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Drain

LKPDVR18B LKPDAD18B


LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"

**Approx. ship weight:** 20 lbs.

- ◆Dimensions: 29" x 22" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ◆3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

### Elkay Lustertone Classic Stainless Steel 29" x 22" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA Models are also available with

5", 6" and 6-1/2" depths

Quick-Clip Mounting System

**Optional Accessories** 

**Bottom** grid

LKWOBG1116SS

Drain

LK99

LKAD35


**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 17 lbs.

#### LRAD292265PD

- ◆Dimensions: 29" x 22" x 6-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size
- ♦ Features: Perfect Drain

# Elkay Lustertone Classic Stainless Steel 29" x 22" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** Two LKPD1 Perfect Drains and strainers.

ADA Compliant Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

**Bottom** grid

LKWOBG1116SS

Drain

LKPDVR18B

LKPDAD18B

LKDS99

**Ship dims:** 30-11/16" x 26-1/4" x 10-1/2"


Approx. ship weight: 17 lbs.

#### LRAD291855



- ◆Dimensions: 29" x 18" x 5-1/2"
- ♦18 gauge
- **♦** Lustrous Satin finish
- ◆ Available in 1, 2, 3, 4, MR2 faucet holes
- ♦3-1/2" (89mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size

# Elkay Lustertone Classic Stainless Steel 29" x 18" x 5-1/2", Equal Double Bowl Drop-in ADA Sink



ADA Compliant Made in USA

Models are also available with

5", 6" and 6-1/2" depths Quick-Clip Mounting System

**Optional Accessories** 

Drain

LK99 LKAD35

**Ship dims:** 37-3/4" x 26-1/4" x 8-1/2" **Approx. ship weight:** 16 lbs.

Approx. Simp weight. 16 ibs.





### **CUSTOM**

### **Modify an Existing SKU**



Shown: WNSF81362



### **Weldbilt Scullery Sinks**

- Superior quality 14-gauge, Type 304 stainless steel.
- Designed to withstand the heavy-duty requirements of hotel, restaurant, cafeteria and other commercial kitchens.
- Sink compartments have welded 1/4" radius coved corner construction; ground smooth for easy cleaning.
- Channel rim design with 2" apron, slanting sanitary turn under and inward sloping rim to minimize spillage.
- 8" high, full-length, sloped backsplash resists grime and is 2" thick to allow for plumbing.
- Sink polished to a uniform Lustrous Satin finish.
- Sink compartment pitched to drain.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs, 1-5/8" O.D. with up to 1" adjustable, bullet-shaped stainless steel feet.
- Carries NSF International certification.

	(203mm)
14" (356mm)	
36" (914mm) 22" (559mm)	
Side	View

#### **Optional Accessories**

24" Detachable Drainboard

\$974.00

Single compartment - no drainboard									
Model List Price Overall Overall Bowl Length Width Length									
WNSF81242	\$2,907.00	27"	27-1/2"	24"	24"				
WNSF81302	\$3,110.00	33"	27-1/2"	30"	24"				
WNSF81362	\$3,351.00	39"	27-1/2"	36"	24"				



Single compartment - left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8124L2	\$4,102.00	49-1/2"	27-1/2"	24"	24"	24"	
WNSF8130L2 🖁 🛇	\$4,194.00	55-1/2"	27-1/2"	30"	24"	24"	
WNSF8136L2 🖫	\$4,437.00	61-1/2"	27-1/2"	36"	24"	24"	



WNSF8124L2

Single compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
WNSF8124R2	\$4,102.00	49-1/2"	27-1/2"	24"	24"	24"		
WNSF8130R2	\$4,194.00	55-1/2"	27-1/2"	30"	24"	24"		
WNSF8136R2 ∑	\$4,437.00	61-1/2"	27-1/2"	36"	24"	24"		



WNSF8124R2

Single compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
WNSF8124LR2	\$5,180.00	72"	27-1/2"	24"	24"	24"		
WNSF8130LR2 \ S \ \O	\$5,274.00	78"	27-1/2"	30"	24"	24"		
WNSF8136LR2 🖫	\$5,527.00	84"	27-1/2"	36"	24"	24"		



WNSF8124LR2



### **Weldbilt Scullery Sinks**

Double compartment - no drainboard									
Model	List Price	Overall	Overall	Bowl	Bowl				
	LISCFFICE	Length	Width	Length	Width				
WNSF82302 ☒ ◎	\$4,223.00	33"	27-1/2"	15"	24"				
WNSF82362 ፮	\$4,458.00	39"	27-1/2"	18"	24"				
WNSF82422 ₺ 🛇	\$4,709.00	45"	27-1/2"	21"	24"				
WNSF82482 \$	\$4,933.00	51"	27-1/2"	24"	24"				
WNSF82542 ₺ 🛇	\$5,268.00	57"	27-1/2"	27"	24"				
WNSF82602 🖫	\$5,565.00	63"	27-1/2"	30"	24"				



Double compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
WNSF8230L2 ☒ ◊	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"		
WNSF8236L2 ☒ ◎	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"		
WNSF8248L2 ☒ ◎	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"		
WNSF8254L2 ☒ ◊	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"		
WNSF8260L2 ☒ ◎	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"		



Double compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
WNSF8230R2 ፮	\$5,308.00	55-1/2"	27-1/2"	15"	24"	24"		
WNSF8236R2 ∑	\$5,535.00	61-1/2"	27-1/2"	18"	24"	24"		
WNSF8248R2 🖫	\$6,026.00	73-1/2"	27-1/2"	24"	24"	24"		
WNSF8254R2 ☒ ◊	\$6,346.00	79-1/2"	27-1/2"	27"	24"	24"		
WNSF8260R2 ☒ ◊	\$6,642.00	85-1/2"	27-1/2"	30"	24"	24"		



Double compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
WNSF8230LR2 🖁	\$6,387.00	78"	27-1/2"	15"	24"	24"		
WNSF8236LR2 ☒ ◎	\$6,626.00	84"	27-1/2"	18"	24"	24"		
WNSF8248LR2 🖁	\$7,107.00	96"	27-1/2"	24"	24"	24"		
WNSF8254LR2 🖫	\$7,430.00	105"	27-1/2"	27"	24"	24"		
WNSF8260LR2 🖫	\$7,723.00	108"	27-1/2"	30"	24"	24"		



Triple compartment - no drainboard								
Model	List Price	Overall	Overall	Bowl	Bowl			
Widdei	LIST PITCE	Length	Width	Length	Width			
WNSF83454 \$	\$5,901.00	48"	27-1/2"	15"	24"			
WNSF83544 \$	\$6,407.00	57"	27-1/2"	18"	24"			
WNSF83604 ₺ 🛇	\$6,702.00	63"	27-1/2"	20"	24"			
WNSF83724 \$	\$7,267.00	75"	27-1/2"	24"	24"			



WNSF83544



### **Weldbilt Scullery Sinks**

Triple compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
WNSF8345L4 ☒ ◎	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"		
WNSF8354L4 ☒ ◎	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"		
WNSF8372L4 🖁 🛇	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"		



Triple compartment - right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
WNSF8345R4 ₺ 🛇	\$6,980.00	70-1/2"	27-1/2"	15"	24"	24"	
WNSF8354R4 \∑	\$7,484.00	79-1/2"	27-1/2"	18"	24"	24"	
WNSF8372R4 \( \bigsiz \) \( \O	\$8,348.00	97-1/2"	27-1/2"	24"	24"	24"	



WN	ISF	834	15R	4
----	-----	-----	-----	---

Triple compartment - left and right drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
WNSF8345LR4 \∑	\$8,070.00	93"	27-1/2"	15"	24"	24"				
WNSF8354LR4 \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	\$8,567.00	102"	27-1/2"	18"	24"	24"				
WNSF8360LR4 💈	\$8,860.00	108"	27-1/2"	20"	24"	24"				
WNSF8372LR4 \∑	\$9,430.00	120"	27-1/2"	24"	24"	24"				



WNSF8345LR4

### **FOODSERVICE**

Side View

12" (305mm

36" ± (914mm)

### **ELKAY**

### **Rigidbilt Scullery Sinks**

- 16-gauge, Type 304 stainless steel.
- Large die-drawn sink compartments pitched to drain.
- Seamless drawn 3-1/2" radius coved corners.
- Exposed surfaces blended into a Lustrous Satin finish.
- Steel channel-reinforced drainboards have a conical shaped pitch for drainage.
- 8" high, full-length backsplash with 45-degree sloped top to resist dirt and grime.
- 2" thick backsplash to allow for plumbing.
- 3-1/2" drain opening centered in each compartment.
- Stainless steel tubular legs with cross-brace supports.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.
- Channel rim design with 1" apron, has inward sloping rim to minimize spillage.

Single compartment - no drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
RNSF81182	\$2,359.00	27"	29-3/4"	18"	24"				
RNSF81242	\$2,542.00	33"	29-3/4"	24"	24"				



RNSF81182

Single compartment - left and right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
RNSF8118LR2 \( \bigsiz \) \( \omega \)	\$3,304.00	57"	29-3/4"	18"	24"	19-1/2"			
RNSF8124LR2 🖫	\$3,877.00	63"	29-3/4"	24"	24"	19-1/2"			



RNSF8118LR2

Double compartment - no drainboard									
Model List Price Overall Overall Bowl Bowl Length Width Length Wi									
RNSF82362	\$3,177.00	47-1/4"	29-3/4"	18"	24"				
RNSF82482 ∑ ⊗	\$3,833.00	59-1/4"	29-3/4"	24"	24"				



RNSF82362

Double compartment - left and right drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
RNSF8236LR2	\$4,394.00	77-1/4"	29-3/4"	18"	24"	19-1/2"				
RNSF8248LR2 \∑ \O	\$5,489.00	89-1/4"	29-3/4"	24"	24"	19-1/2"				



RNSF8236LR2



### **Rigidbilt Scullery Sinks**

Triple compartment - no drainboard										
Model	Bowl Length	Bowl Width								
RNSF83544 ∑ ⊗	\$4,136.00	67-1/2"	29-3/4"	18"	24"					
RNSF83724 ₺ 🛇	\$5,015.00	85-1/2"	29-3/4"	24"	24"					



RNSF83544

Triple compartment - left and right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
RNSF8354LR4	\$5,456.00	97-1/2"	29-3/4"	18"	24"	19-1/2"			
RNSF8372LR4 \∑	\$6,911.00	115-1/2"	29-3/4"	24"	24"	19-1/2"			




RNSF8354LR4


### **FOODSERVICE**

### **ELKAY**

### **Dependabilt Scullery Sinks, 16 Gauge**

- 16 Gauge 300 Series Stainless Steel Construction
- 10", 12" or 14" deep bowls with 3/4" coved corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 9"or 10" backsplash with tile ledge for easy installation.





1 Compartment - 12" deep bowl										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
1C18X18-0X	\$1,081.00	23"	23-3/4"	18"	18"					
1C18X24-0X	\$1,128.00	23"	29-3/4"	18"	24"					
1C24X24-0X	\$1,315.00	29"	29-3/4"	24"	24"					



1 Compartment - 12" deep bowl, left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
1C18X18-L-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"			
1C24X24-L-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"			



1C18X24-	L-18X
----------	-------

1 Compartment - 12" deep bowl, right drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
1C18X18-R-18X	\$1,296.00	38-1/2"	23-3/4"	18"	18"	18"			
1C24X24-R-24X	\$1,721.00	50-1/2"	29-3/4"	24"	24"	24"			



1C18X24-R-18X

1 Compartment - 12" deep bowl, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
1C18X18-2-18X	\$1,523.00	54"	29-3/4"	18"	18"	18"			
1C18X24-2-24X	\$1,784.00	66"	29-3/4"	18"	24"	24"			
1C24X24-2-24X	\$2,115.00	72"	29-3/4"	24"	24"	24"			



1C18X18-2-18X

1 Compartment - 14" deep bowl									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
14-1C16X20-0X	\$1,072.00	21"	25-3/4"	16"	20"				
14-1C18X24-0X	\$1,206.00	23"	29-3/4"	18"	24"				
14-1C22X22-0X	\$1,242.00	27"	27-3/4"	22"	22"				
14-1C24X24-0X	\$1,293.00	29"	29-3/4"	24"	24"				



14-1C16X20-0X



1 Compartment - 14" deep bowl, left drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
14-1C16X20-L-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"				
14-1C18X24-L-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"				



1	4-1	C1	6X20-	L-18X

1 Compartment - 14" deep bowl, right drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
14-1C16X20-R-18X	\$988.00	36-1/2"	25-3/4"	16"	20"	18"				
14-1C18X24-R-18X	\$1,486.00	38-1/2"	29-3/4"	18"	24"	18"				



14-1C16X20-R-18X

1 Compartment - 14" deep bowl, left and right drainboards									
Model	List Price	Overall Overall Bowl Bowl Drail Length Width Length Width							
14-1C16X20-2-18X	\$1,606.00	52"	25-3/4"	16"	20"	18"			



14-1C16X20-2-18X

2 Compartments - 12" deep bowls										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
2C18X18-0X	\$1,620.00	43"	23-3/4"	18"	18"					
2C18X24-0X	\$1,682.00	43"	29-3/4"	18"	24"					
2C24X24-0X	\$2,101.00	55"	29-3/4"	24"	24"					



2 Compartments - 12" deep bowls, left drainboard										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
2C18X18-L-18X	\$1,847.00	58-1/2"	23-3/4"	18"	18"	18"				
2C18X18-L-24X	\$2,003.00	64-1/2"	23-3/4"	18"	18"	24"				



2C18X24-L-18X

2 Compartments - 12" deep bowls, left and right drainboards										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
2C18X18-2-18X	\$2,174.00	74"	23-3/4"	18"	18"	18"				
2C18X18-2-24X	\$2,306.00	86"	23-3/4"	18"	18"	24"				
2C18X24-2-18X	\$2,185.00	74"	29-3/4"	18"	24"	18"				
2C24X24-2-24X	\$2,879.00	98"	29-3/4"	24"	24"	24"				





2 Compartments - 14" deep bowls										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width					
14-2C16X20-0X	\$1,625.00	39"	25-3/4"	16"	20"					
14-2C18X24-0X	\$1,916.00	43"	29-3/4"	18"	24"					



2 Compartments - 14" deep bowls, left drainboard									
Model	List Price	Overall Length	Overall Width	Bowl Length	Drainboar				
14-2C18X24-L-18X	\$2,133.00	58-1/2"	29-3/4"	18"	24"	18"			



2 Compartments - 14" deep bowls, left and right drainboards										
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard				
14-2C16X20-2-18X	\$2,115.00	70"	25-3/4"	16"	20"	18"				
14-2C18X24-2-18X	\$2,379.00	74"	29-3/4"	18"	24"	18"				
14-2C24X24-2-24X	\$2,949.00	98"	29-3/4"	24"	24"	24"				



14-2C16X20-2-18X
------------------

3 Compartments - 10" deep bowls										
Model	List Price Overall Overall Bowl Bowl Length Width Length Width									
3C10X14-0X	\$1,615.00	39"	19-3/4"	10"	14"					
3C12X16-0X	\$1,651.00	45"	21-3/4"	12"	16"					



3 Compartments - 12" deep bowls									
Model List Price Overall Overall Bowl Bowl Length Width Length Width									
3C18X18-0X	\$2,129.00	63"	23-3/4"	18"	18"				
3C18X24-0X \$2,334.00 63" 29-3/4" 18" 24"									



3 Compartments - 10" deep bowls, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
3C10X14-L-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"		



3C10X14-L-12X



3 Compartments - 10" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
3C10X14-R-12X	\$1,679.00	48-1/2"	19-3/4"	10"	14"	12"	



3C10X14-R-12X

3 Compartments - 10" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
3C10X14-2-12X	\$1,869.00	58"	19-3/4"	10"	14"	12"			
3C10X14-2-16X	\$1,942.00	66"	19-3/4"	10"	14"	16"			
3C12X16-2-12X	\$2,129.00	64"	21-3/4"	12"	16"	12"			
3C12X16-2-16X	\$2,146.00	72"	21-3/4"	12"	16"	16"			



3C10X14-2-12X

3 Compartments - 12" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
3C16X20-2-18X	\$2,599.00	88"	25-3/4"	16"	20"	18"			
3C18X18-2-18X	\$2,868.00	94"	23-3/4"	18"	18"	18"			
3C18X18-2-24X	\$2,633.00	106"	29-3/4"	18"	18"	24"			
3C18X24-2-18X	\$3,061.00	94"	29-3/4"	18"	24"	18"			
3C18X24-2-24X	\$3,195.00	106"	29-3/4"	18"	24"	24"			
3C24X24-2-24X	\$3,368.00	124"	29-3/4"	24"	24"	24"			



3C18X24-2-18X

3 Compartments - 14" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
14-3C16X20-0X	\$2,093.00	57"	25-3/4"	16"	20"				
14-3C18X24-0X	\$2,311.00	63"	29-3/4"	18"	24"				
14-3C24X24-0X	\$2,930.00	81"	29-3/4"	24"	24"				



3 Compartments - 14" deep bowls, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
14-3C16X20-L-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"		



14-3C16X20-L-18X

3 Compartments - 14" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
14-3C16X20-R-18X	\$2,320.00	72-1/2"	25-3/4"	16"	20"	18"	



14-3C16X20-R-18X




3 Compartments - 14" deep bowls, left and right drainboards									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard			
14-3C16X20-2-18X	\$2,639.00	88"	25-3/4"	16"	20"	18"			
14-3C16X20-2-24X	\$2,954.00	100"	25-3/4"	16"	20"	24"			
14-3C18X24-2-18X	\$3,120.00	94"	29-3/4"	18"	24"	18"			
14-3C18X24-2-24X	\$3,251.00	104"	29-3/4"	18"	24"	24"			
14-3C20X20-2-20X	\$3,089.00	106"	25-3/4"	20"	20"	20"			
14-3C24X24-2-24X	\$2,750.00	124"	29-3/4"	24"	24"	24"			



14-3C16X20-2-18X



- 18 Gauge 300 Series Stainless Steel Construction
- 11", 12" or 14" deep bowls with 3/4" coved corners.
- Includes stainless steel legs and bullet feet.
- 8" on center faucet holes.
- 8" or 9" backsplash with tile ledge for easy installation.



1 Compartment - 11" deep bowl									
Model	lel List Price			Bowl Length	Bowl Width				
SE1C18X18-0X	\$949.00	23"	23-3/4"	18"	18"				
SE1C24X24-0X	\$1,212.00	29"	29-3/4"	24"	24"				



1 Compartment - 11" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SE1C18X18-L-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"		



1 Compartment - 11" deep bowl, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
SE1C18X18-R-18X	\$1,212.00	38-1/2"	23-3/4"	18"	18"	18"	



1 Compartment - 12" deep bowl								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
E1C16X20-0X	\$712.00	21"	25-3/4"	16"	20"			
E1C20X20-0X	\$1,041.00	25"	25-3/4"	20"	20"			
E1C24X24-0X	\$1,223.00	29"	29-3/4"	24"	24"			



1 Compartment - 12" deep bowls								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
B1C18X18X	\$974.00	21"	21-1/2"	18"	18"			
B1C18X21X	\$982.00	21"	24-1/2"	18"	21"			
B1C24X24X	\$1,147.00	27"	27-1/2"	24"	24"			





1 Compartment - 12" deep bowl, left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
E1C16X20-L-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"		
E1C20X20-L-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"		
E1C24X24-L-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"		



1 Compartment - 12" deep bowl, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E1C16X20-R-18X	\$921.00	36-1/2"	25-3/4"	16"	20"	18"	
E1C20X20-R-20X	\$1,360.00	42-1/2"	25-3/4"	20"	20"	20"	
E1C24X24-R-24X	\$1,511.00	50-1/2"	29-3/4"	24"	24"	24"	



E1C1	6X20-R-1	18X
------	----------	-----

1 Compartment - 14" deep bowl								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
S1C18X18-0X	\$996.00	23"	23-3/4"	18"	18"			
S1C24X24-0X	\$887.00	29"	29-3/4"	24"	24"			



1 Compartment - 14" deep bowl, left drainboard							
Model List Price Overall Overall Bowl Bowl Drainbo						Drainboard	
S1C18X18-L-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"	



1 Compartment - 14" deep bowl, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S1C18X18-R-18X	\$1,256.00	38-1/2"	23-3/4"	18"	18"	18"	



S1C18X18-R-18X

1 Compartment - 14" deep bowl, left and right drainboards							
Model List Price Overall Overall Bowl Bowl Drainboar							
S1C18X18-2-18X	\$1,386.00	54"	23-3/4"	18"	18"	18"	





2 Compartments - 11" deep bowls, left and right drainboards							
Model List Price Overall Overall Bowl Bowl Drainb						Drainboard	
SE2C18X18-2-18X \$1,928.00 72" 23-3/4" 18" 18" 18"							



SE2C18x18-2-18X

2 Compartments - 12" deep bowls									
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width				
B2C18X21X	\$1,568.00	39"	24-1/2"	18"	21"				
B2C24X24X	\$1,802.00	51"	27-1/2"	24"	24"				
E2C16X20-0X	\$1,125.00	39"	25-3/4"	16"	20"				
E2C20X20-0X	\$1,640.00	47"	25-3/4"	20"	20"				
E2C24X24-0X	\$1,830.00	55"	29-3/4"	24"	24"				



2 Compartments - 12" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E2C16X20-L-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"	



E2C16X20-L-18X

2 Compartments - 12" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E2C16X20-R-18X	\$1,232.00	54-1/2"	25-3/4"	16"	20"	18"	



E2C16X20-R-18X

2 Compartments - 14" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S2C18X18-L-18X	\$1,691.00	56-1/2"	26-3/4"	18"	18"	18"	



S2C18X18-L-18X

2 Compartments - 14" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S2C18X18-2-18X	\$1,797.00	72"	23-3/4"	18"	18"	18"	



S2C18X18-2-18X

2 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E2C16X20-2-18X	\$1,369.00	70"	25-3/4"	16"	20"	18"	
E2C20X20-2-20X	\$2,112.00	82"	25-3/4"	20"	20"	20"	
E2C24X24-2-24X	\$2,543.00	98"	29-3/4"	24"	24"	24"	



E2C16X20-2-18X



3 Compartments - 11" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
SE3C18X18-2-18X	\$2,467.00	90"	23-3/4"	18"	18"	18"	
SE3C24X24-2-24X	\$2,940.00	120"	29-3/4"	24"	24"	24"	



SE3C18X18-2-18X	
-----------------	--

3 Compartments - 12" deep bowls								
Model	List Price	Overall	Overall	Bowl	Bowl			
		Length	Width	Length	Width			
B3C12X21X	\$1,836.00	39"	24-1/2"	12"	21"			
B3C18X21X	\$1,525.00	57"	24-1/2"	18"	21"			
E3C16X20-0X	\$1,419.00	57"	25-3/4"	16"	20"			
E3C24X24-0X	\$2,244.00	81"	29-3/4"	24"	24"			



3 Compartments - 12" deep bowls, left drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E3C16X20-L-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"	



E3C16X20-L-18X

3 Compartments - 12" deep bowls, right drainboard							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E3C16X20-R-18X	\$1,525.00	72-1/2"	25-3/4"	16"	20"	18"	



E3C16X20-R-18X

3 Compartments - 12" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
E3C16X20-2-18X	\$1,734.00	88"	25-3/4"	16"	20"	18"	
E3C20X20-2-20X	\$2,641.00	104"	25-3/4"	20"	20"	20"	
E3C24X24-2-24X	\$3,198.00	124"	29-3/4"	24"	24"	24"	



3 Compartments - 14" deep bowls, left and right drainboards							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard	
S3C18X18-2-18X	\$2,583.00	90"	23-3/4"	18"	18"	18"	
S3C24X24-2-24X	\$2,429.00	120"	29-3/4"	24"	24"	24"	



33010/10 2 10/



## Hand Wash Sinks, Pedestal Mount & Wall Mount

- 18 Gauge 300 Series Stainless Steel Construction
- Easy to clean and sanitize.
- 1-1/2" drain opening.
- NSF certified.

Splash mounted basic					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-14X	\$453.00	14"	16-1/2"	10"	12"
EHS-18X	\$468.00	18"	14-1/2"	14"	10"
SEHS-17X	\$228.00	17"	15"	14"	10"



EHS-14X

Splash mounted with knee valve					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-KVX	\$1,888.00	18"	14-1/2"	14"	10"



EHS-18-KVX

Splash mounted with pedestal base and foot valve					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-14-PEDX	\$2,931.00	14"	16-1/2"	10"	12"
EHS-18-PEDX	\$2,123.00	18"	14-1/2"	14"	10"



EHS-14-PEDX

Splash mounted with side splashes					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-SSX	\$440.00	18"	14-1/2"	14"	10"



EHS-18-SSX

Splash mounted with side splashes, lever waste, overflow, and p-trap					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-SDX	\$1,224.00	18"	14-1/2"	14"	10"



EHS-18-SDX



## Hand Wash Sinks, Pedestal Mount & Wall

Splash mounted with soap and towel dispenser					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EHS-18-STDX	\$1,551.00	18"	14-1/2"	14"	10"



EHS-18-STDX

## **300 Series Stainless Steel Drop-in Sinks**

- 18 Gauge 300 Series Stainless Steel Construction
- 3-1/2" drain opening.
- Strainer and faucet included.
- NSF certified.

1 Compartment - 10" deep bowls					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
DI-1C-101410X	\$605.00	13-1/2"	19-1/2"	10"	14"



DI-1C-101410X

1 Compartment - 6" deep bowls						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
DI10126X	\$663.00	12"	16-3/4"	10"	12"	



3 Compartments - 10" deep bowls					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
DI-3C-101410X	\$949.00	37"	19-1/2"	10"	14"



D1-3C-101410

#### **Floor Service Sinks**

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"



FLR-3X

## **FOODSERVICE**



## **Floor Service Sinks**

- 16 Gauge 300 Series Stainless Steel Construction
- 18 gauge stainless steel skirt.
- 2" no-caulk drain included.
- NSF certified.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
FLR-1X	\$657.00	24"	20"	20"	16"
FLR-2X	\$727.00	32"	24"	28"	20"
FLR-3X	\$936.00	24"	20"	20"	16"
FLR-4X	\$1,059.00	32"	24"	28"	20"



FLR-3X



## **Work Tables Standard Series**

- 16 Gauge 304 Series Stainless Steel Construction
- Two galvanized hat channels per table.
- 1-5/8" heavy gauge tubing with fully adjustable 1" feet.
- Available with under shelf or cross bracing.
- Tables are shipped knocked down.
- Work tables larger than 72" have 6 legs.
- Backsplash models are 4" with 1" return.
- Carries NSF certification for foodservice application.

		1
		36" (914mm)
		(914mm)
岀	Side view	<u> </u>

Flat top with stainless steel cross brace and legs						
List Price	Overall Length	Overall Width				
\$1,404.00	84"	30"				
	List Price	List Price Overall Length				



Flat top with stainless steel under shelf and legs						
Model	List Price	Overall Length	Overall Width			
WT24S36-STSX	\$617.00	36"	24"			
WT24S48-STSX	\$730.00	48"	24"			
WT24S60-STSX	\$897.00	60"	24"			
WT24S72-STSX	\$1,065.00	72"	24"			
WT30S120-STSX	\$1,935.00	120"	30"			
WT30S48-STSX	\$774.00	48"	30"			
WT30S60-STSX	\$968.00	60"	30"			
WT30S72-STSX	\$1,078.00	72"	30"			
WT30S84-STSX	\$1,329.00	84"	30"			





## Wash Lavatory Sinks, Rectangular **Compartment**

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 22" x 19" x 10".
- Bowl dimensions 16" x 11-1/2" x 5-1/2".
- 1-3/4" coved corners, 2-1/2" high backsplash, and 2-1/2" apron front and sides.
- Front and side decks with raised rim.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.





ELVWO2219SACC

ELV2219 series &							
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
ELV22191	\$1,617.00					1	
ELV22193	\$1,617.00					3	
ELV2219CS3	\$1,617.00					CS3	
ELV2219SACC ▼	\$2,442.00				•	1	
ELV2219SACMC ▼	\$2,578.00		•		•	1	
ELV2219SACTMC ▼	\$2,757.00			•	•	1	
ELVWO22191	\$1,659.00	•				1	
ELVWO22193	\$1,659.00	•				3	
ELVWO2219CS3	\$1,659.00	•				CS3	
ELVWO2219SACC ▼	\$2,484.00	•			•	1	
ELVWO2219SACMC ▼	\$2,620.00	•	•		•	1	
ELVWO2219SACTMC ▼	\$2,798.00	•		•	•	1	

<sup>\*</sup>Includes LKB721C sensor faucet and AC/battery power.

#### **LAVATORY**



## **Wash Lavatory Sinks, Oval Compartment**

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 18" x 17-1/16" x 5-13/16".
- Bowl dimensions 13-5/8" x 10-1/8" x 5-13/16".
- Anti-splash rim.
- 5-1/2" high backsplash.
- 2" wide apron.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 1-5/8" drain opening.
- Furnished with stainless steel wall support brackets.

ELV1817 &		
Model	List Price	Holes
ELV18173	\$1,525.00	3
ELV1817CS3	\$1,525.00	CS3



ELV1817CS3



## **Wheelchair Wash Lavatory Sinks**

- 18-gauge, Type 304 stainless steel.
- Sink dimensions 19" x 23" x 9".
- Bowl dimensions 13-1/2" x 16" x 4".
- Uniform Lustrous Satin finish.
- 1-3/4" coved corners, 2-1/2" apron, front and sides, and 2-1/2" high backsplash.
- Wide top deck with raised rim.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Drain placement provides more usable space on the bottom of the sink.
- 1-5/8" drain opening.
- Furnished with wall hanger and integral stainless steel support brackets.
- Carries NSF International certification.


Sensor faucet packages	ė.			
Model	List Price	Overflow	Faucet*	Holes
WCL1923OSDC	\$2,200.00		•	3
WCLWO1923OSDC	\$2,244.00	•	•	3





WCLWO1923OSDC

Sensor faucet kits 6							
Model	List Price	Overflow	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes	
WCL1923OSDSACC ▼	\$2,147.00				•	1	
WCL1923OSDSACMC ▼	\$2,284.00		•		•	1	
WCL1923OSDSACTMC ▼	\$2,461.00			•	•	1	
WCLWO1923OSDSACC ▼	\$2,192.00	•			•	1	
WCLWO1923OSDSACMC ▼	\$2,327.00	•	•		•	1	
WCLWO1923OSDSACTMC ▼	\$2,505.00	•		•	•	1	



Sink only &			
Model	List Price	Overflow	Holes
WCL1923OSD1	\$1,323.00		1
WCL1923OSD3	\$1,323.00		3
WCLWO1923OSD1	\$1,365.00	•	1
WCLWO1923OSD3	\$1,365.00	•	3





WCL1923OSDC

WCLWO1923OSDSACC



## **Multiple Station Urinals**

- 14-gauge, Type 304 stainless steel.
- Welded seamless 1/4" coved corners.
- Full-length sloping backsplash with flush pipe.
- 1-1/2" wide top channel rims with 2" flat front apron.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with continuous-length wall hanger and integral stainless steel mounting "Z" brackets.
- Exposed surfaces polished to a Satin finish; easy to clean and sanitize.
- Designed for use with any water control flush valve, time valve or tank.
- Easy to clean and sanitize.
- LK177 strainer included.

With exposed flush pipe							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EU4814C ⅔ ⊗	\$3,789.00	48"	14"	46-1/2"	11"		
EU6014C 🖫	\$4,060.00	60"	14"	58-1/2"	11"		



EU4814C

With integral hood							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EUH4814C ∑	\$4,245.00	48"	14"	46-1/2"	11"		
EUH6014C 🖫	\$4,528.00	60"	14"	58-1/2"	11"		



EUH4814C

#### SCRUB AND HAND WASH

## ELKAY

## **Surgeon's Lavatory Sinks With Instrument Trays**

- 16-gauge, Type 304 stainless steel.
- Sink dimensions 28" x 20" x 14".
- Bowl dimensions 14" x 14" x 7-1/2".
- Integral instrument tray dimensions 3-3/4" x 14".
- 1-3/4" coved corners.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with stainless steel support brackets.
- Mounts 1-1/2" from wall.
- 2" drain opening.
- Easy to clean and sanitize.









ESLV2820W4C

ESLV2820W6C wristblade faucet packages					
Model List Price Faucet* Grid Drain Holes					
ESLV2820W6C ₺ ▼	\$4,532.00	•	•	3	

<sup>\*</sup>Includes faucet LK940GN05T6H.

Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
ESLV2820SACC   ▼	\$5,034.00			•	•	1	
ESLV2820SACMC ℤ ▼	\$5,170.00	•		•	•	1	
ESLV2820SACTMC ♥	\$5,348.00		•	•	•	1	

<sup>\*</sup>Includes LKB721C sensor faucet and AC/battery power.

Foot control package			
Model	List Price	Grid Drain	Holes
ESLV2820FC   ▼	\$5,492.00	•	1

Includes LK398C foot control and LK396A spout.

Knee control package					
Model	List Price	Grid Drain	Holes		
ESLV2820KC ₺ ▼	\$5,867.00	•	1		

Includes LK397C knee control and LK396A spout.





ESLV2820SACC



# Surgeon's Lavatory Sinks With Instrument Trays

Sink only		
Model	List Price	Holes
ESLV28201 ∑	\$4,145.00	1
ESLV28203 \∑	\$4,145.00	3



ESLV28201



#### Wall Scrub Sinks 25" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 25" x 19-1/2" x 10-1/2".
- Bowl dimensions 22" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support
- 6" high, full-length backsplash.

4" wristblade faucet packages					
Model	List Price	Faucet*	Holes		
EWS2520W4C ▼	\$2,501.00	•	2		

<sup>\*</sup>Includes faucet LK940GN05T4H.



6" wristblade faucet packages				
Model List Price Faucet* Holes				
EWS2520W6C ▼	\$2,511.00	•	2	

<sup>\*</sup>Includes faucet LK940GN05T6H.



Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes		
EWS2520SACC ▼	\$3,029.00			•	1		
EWS2520SACMC ▼	\$3,166.00	•		•	1		
EWS2520SACTMC ▼	\$3,344.00		•	•	1		

<sup>\*</sup>Includes LKB722C sensor faucet and AC/battery power.

Foot control package				
Model	List Price	Holes		
EWS2520FC ▼	\$3,493.00	1		

Includes LK398C foot control and LK396 spout.





EWS2520SACC



## Wall Scrub Sinks 25" x 19-1/2"

Knee control package				
Model	List Price	Holes		
EWS2520KC ▼	\$3,656.00	1		

Includes LK397C knee control and LK396A spout.



Sink only		
Model	List Price	Holes
EWS25201	\$2,102.00	1
EWS25202	\$2,102.00	2



EWS25202



#### Wall Scrub Sinks 31" x 19-1/2"

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 31" x 19-1/2" x 10-1/2".
- Bowl dimensions 28" x 16" x 10-1/2".
- 1-3/4" radius coved corners.
- 1-1/2" rolled rims.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.
- 6" high, full-length backsplash.

4" wristblade faucet packages				
Model	List Price	Faucet*	Holes	
EWS3120W4C ▼	\$2,636.00	•	2	

<sup>\*</sup>Includes faucet LK940GN05T4H.



6" wristblade faucet packages				
Model	List Price	Faucet*	Holes	
EWS3120W6C ▼	\$2,646.00	•	2	

<sup>\*</sup>Includes faucet LK940GN05T6H.



Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Holes		
EWS3120SACC ▼	\$3,165.00			•	1		
EWS3120SACMC ▼	\$3,300.00	•		•	1		
EWS3120SACTMC ▼	\$3,480.00		•	•	1		

<sup>\*</sup>Includes LKB722C sensor faucet and AC/battery power.

Foot control package				
Model	List Price	Holes		
EWS3120FC ▼	\$3,628.00	1		

Includes LK398C foot control and LK396A spout.





EWS3120SACC



## Wall Scrub Sinks 31" x 19-1/2"

Knee control package					
Model	List Price	Holes			
EWS3120KC ▼	\$4,016.00	1			

Includes LK397C knee control and LK396A spout.



Sink only					
Model	List Price	Holes			
EWS31201	\$2,238.00	1			
EWS31202	\$2,238.00	2			



EWS31202

#### **SCRUB AND HAND WASH**

## **ELKAY**

## **Wall Scrub Sinks, Wall Mount**

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger and integral stainless steel support brackets.







CHS1716LRSSACTMC

Lever faucet package					
Model	List Price	Faucet*	Side Splashes	Holes	
CHS1716C	\$1,236.00	•		2	
CHS1716LRSC ▼	\$1,802.00	•	•	2	





CHS1716LRSC

Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Side Splashes	Holes	
CHS1716LRSSACC ▼	\$2,445.00			•	•	1	
CHS1716LRSSACMC ▼	\$2,590.00	•		•	•	1	
CHS1716LRSSACTMC ▼	\$2,782.00		•	•	•	1	
CHS1716SACC ▼	\$1,823.00			•		1	
CHS1716SACMC ▼	\$1,970.00	•		•		1	
CHS1716SACTMC ▼	\$2,155.00		•	•		1	



\*Includes LKB722C sensor faucet and AC/battery power.

Sink only			
Model	List Price	Side Splashes	Holes
CHS17161	\$779.00		1
CHS17162	\$779.00		2
CHS1716LRS1	\$1,243.00	•	1
CHS1716LRS2	\$1,243.00	•	2



CHS17162



## **SCRUB AND HAND WASH**

## **Hand Wash Sinks, Pedestal Mount**

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 43".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Exposed surfaces have a Brushed finish.
- Easy to clean and sanitize.
- 2" drain opening.
- 36" floor to rim.
- Stainless steel pedestal.

Foot control packages					
Model	List Price	Grid Drain	Side Splashes	Holes	
CHSP1716C	\$1,618.00	•		1	
CHSP1716LRSC ▼	\$1,992.00	•	•	1	

Includes LK399A foot control and LK395A spout.







Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Side Splashes	Holes
CHSP1716LRSSACC ▼	\$2,480.00			•	•	•	1
CHSP1716LRSSACMC ▼	\$2,627.00	•		•	•	•	1
CHSP1716LRSSACTMC ▼	\$2,816.00		•	•	•	•	1
CHSP1716SACC   ▼	\$1,945.00			•	•		1
CHSP1716SACMC ℤ ▼	\$2,091.00	•		•	•		1
CHSP1716SACTMC ℤ ▼	\$2,281.00		•	•	•		1



<sup>\*</sup>Includes LKB722C sensor faucet and AC/battery power.



## **Hand Wash Sinks, Wall Mount**

- Type 304 stainless steel basin.
- Sink dimensions 16-3/4" x 15-1/2" x 13".
- Bowl dimensions 12" x 9-1/4" x 6".
- 1-3/4" radius coved corners.
- 7" high, full-length backsplash with 45-degree angle sloped top.
- Inverted edge on sink rim.
- Exposed surfaces have a Brushed finish.
- 2" drain opening.
- Easy to clean and sanitize.
- Furnished with hanger support bracket.

Lever faucet package			
Model	List Price	Faucet*	Holes
CHSB1716C	\$659.00	•	2

<sup>\*</sup>Includes faucet LKB400.



CHSB1716C

Sink only		
Model	List Price	Holes
CHSB17162	\$529.00	2



CHSB17162



## Single Station Wash Sinks With Right Drainboard

- 14-gauge, Type 304 stainless steel.
- Sink dimensions 49-1/2" x 24" x 18".
- Bowl dimensions 18" x 20-1/2" x 10". Drainboard 30" x 20-1/2".
- 1/4" radius vertical and horizontal coved corners with 1-1/2" rolled rims.
- 8" high, full-length backsplash with 45-degree sloped top.
- Exposed surfaces are blended by hand to a uniform Lustrous Satin finish.
- Easy to clean and sanitize.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Wristblade faucet packages					
Model	List Price	Faucet*	Grid Drain	Holes	
ESS4924RW4C 🖁 ⊘ 🔻	\$4,972.00	•	•	2	
ESS4924RW6C \$ ◊ ▼	\$4,981.00	•	•	2	



ESS4924RW4C

<sup>\*</sup>Includes faucet LK940GN08T4H.

Sensor faucet packages							
Model	List Price	Mechanical Mixing Valve	Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes	
ESS4924RSACC ℤ ▼	\$5,497.00			•	•	1	
ESS4924RSACMC ♥ ▼	\$5,633.00	•		•	•	1	
ESS4924RSACTMC ♥ ▼	\$5,811.00		•	•	•	1	



\*Includes LKB722C sensor faucet and AC/battery power.

Foot control package						
Model	List Price	Grid Drain	Holes			
ESS4924RFC ₺ ▼	\$5,960.00	•	1			

Includes LK398C foot control and LK395A spout.



ESS4924RFC

Knee control package			
Model	List Price	Grid Drain	Holes
ESS4924RKC ₹ ▼	\$6,349.00	•	1

Includes LK397C knee control and LK395A spout.



ESS4924RKC



## **Single Station Wash Sinks With Right Drainboard**

Sink only		
Model	List Price	Holes
ESS4924R1 ∑	\$4,570.00	1
ESS4924R2 \( \bigsiz \o \)	\$4,570.00	2



ESS4924R2

Sink only without backsplash					
Model	List Price				
ESS4220R	\$3,612.00				





## **Multiple Station Wash Sinks**

- 14-gauge, Type 304 stainless steel.
- 1/4" coved corners.
- 1-1/2" wide inward sloping top channel rims with 2" flat apron.
- 10" high, full-length backsplash.
- Square rim corners.
- 3-1/2" drain opening.
- Exposed surfaces are blended by hand to a uniform Lustrous finish.
- Furnished with wall hanger and stainless steel support brackets.

48" two station wash sinks					
Model	List Price	Holes			
EWMA48202	\$3,602.00	2			
EWMA48204	\$3,602.00	4			



Sink dimensions 48" x 20" x 25-3/4". Bowl dimensions 45" x 16-1/2" x 8".

EWMA48204

48" two station wash sinks with wristblade faucet package								
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
EWMA4820C ▼	\$4,316.00			•		4		
EWMA4820SACC ▼	\$5,373.00			•	•	1		
EWMA4820SACMC ▼	\$5,644.00	•		•	•	1		
EWMA4820SACTMC ▼	\$6,002.00		•	•	•	1		



\*Includes two LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks						
Model List Price Holes						
\$3,932.00	3					
\$3,932.00	6					
	<b>List Price</b> \$3,932.00					



Sink dimensions 60" x 20" x 25-3/4". Bowl dimensions 57" x 16-1/2" x 8".


EWMA60203

60" three station wash sinks with wristblade faucet package								
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes		
EWMA6020C ▼	\$4,962.00			•		6		
EWMA6020SACMC ▼	\$7,142.00	•		•	•	1		
EWMA6020SACTMC ▼	\$7,678.00		•	•	•	1		



<sup>\*</sup>Includes three LK940GN05T4H faucets and one LK18B drain.

60" three station wash sinks with sensor faucet package						
Model	List Price	Faucet*	Grid Drain	Holes		
EWMA6020SACC ▼	\$6,734.00	•	•	1		





EWMA6020SACTMC

#### **SCRUB AND HAND WASH**




## **Multiple Station Wash Sinks**

72" three station wash sinks					
Model List Price Hole					
EWMA72203	\$4,263.00	3			
EWMA72206	\$4,263.00	6			



Sink dimensions 72" x 20" x 25-3/4". Bowl dimensions 69" x 16-1/2" x 8".

72" three station wash s faucet package	sinks with	wristblad	e
Model	List Price	Faucet*	Holes
EWMA7220C ▼	\$5,293.00	•	6






EWMA72200	Е	Ξ۷	V١	M	Α	7	2	2	0	C
-----------	---	----	----	---	---	---	---	---	---	---

72" three station wash sinks with sensor faucet packages									
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes			
EWMA7220SACC ▼	\$7,064.00			•	•	1			
EWMA7220SACMC ▼	\$7,474.00	•		•	•	1			
EWMA7220SACTMC ▼	\$8,008.00		•	•	•	1			



<sup>\*</sup>Includes three LKB722 sensor faucets, AC/battery power and one LK18B drain.

96" four station wash sinks							
Model	List Price	Holes					
EWMA96204	\$5,022.00	4					
EWMA96208	\$5,022.00	8					



package Model



96" four station wash sinks with wristblade faucet Holes

EWMA9620C ▼ \$6,367.00 \*Includes four LK940GN05T4H faucets and one LK18B drain.

List Price

EWMA9620C

96" four station wash sinks with sensor faucet packages									
Model	List Price		Thermostatic Mixing Valve	Faucet*	Grid Drain	Holes			
EWMA9620SACC ▼	\$8,686.00			•	•	1			
EWMA9620SACMC ▼	\$9,230.00	•		•	•	1			
EWMA9620SACTMC ▼	\$9,942.00		•	•	•	4			

Faucet\*



EWMA9620SACC

<sup>\*</sup>Includes four LKB722 sensor faucets, AC/battery power, and one LK18B drain.



## **Knee Operated Wash Sinks**

- 16-gauge, Type 304 stainless steel.
- Knee-operated water and soap push panels.
- Exposed surfaces are polished to a Satin finish.
- Latched front panel.
- User-adjustable water temperature valve.
- Full-length backsplash.
- 3-1/2" drain opening.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.

Single compartment with knee operated soap and water								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF13026KWSC 🛮	\$10,853.00	30"	23"	26"	16-1/4"			

Includes LK394A spout and LK18B drain.



EWSF13026KWSC

Single compartment with knee operated water								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF13026KWC 🖫	\$9,608.00	30"	23"	26"	16-1/4"			

Includes LK394A spout and LK18B drain.

Double compartment with knee operated soap and water							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF26026KWC 🖫	\$11,739.00	60"	23"	26"	16-1/4"		

Includes two LK394A spouts and two LK18B drains.



20020000

Double compartment with knee operated water								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF26026KWSC 💈	\$12,789.00	60"	23"	26"	16-1/4"			

Includes two LK394A spouts and two LK18B drains.

Triple compartment with knee operated soap and water								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF39026KWC 🖫	\$13,860.00	90"	23"	28"	16-1/4"			

Includes three LK394A spouts and three  $\overline{\text{LK18B}}$  drains.



EWSF39026KWC

Triple compartment with knee operated water								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF39026KWSC 🖫	\$15,435.00	90"	23"	28"	16-1/4"			

Includes three LK394A spouts and three LK18B drains.



## **Sensor-Operated Wash Sinks**

- 16-gauge, Type 304 stainless steel.
- Keyed access door(s) to hide plumbing.
- 4" high, full-length backsplash.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Coved corners.
- Wall hanger.
- Full enclosure.
- Exposed surfaces are polished to a uniform Lustrous
- 3-1/2" drain opening.
- Double and triple compartment models include removable clear acrylic partitions.

Single compartment sensor faucet package								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF13026SACC ▼	\$6,880.00	30"	23"	26"	16-1/4"			

Includes LKB721C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.



EWSF13026SACC

ADA compliant single compartment sensor faucet package								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSFAD13620SACC ▼	\$8,784.00	33"	16-13/16"	33"	16-1/2"			

Includes LKB722C sensor faucet, AC/battery power, LK723 mixing valve and LK18B drain.



EWSFAD13620SACC

Single compartment sink								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSF130261	\$5,531.00	30"	23"	26"	16-1/4"			



EWSF130261

ADA compliant single compartment sink 6								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
EWSFAD136201	\$7,878.00	33"	16-13/16"	33"	16-1/2"			



EWSFAD136201



## **Sensor-Operated Wash Sinks**

Double compartment sensor faucet package							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
EWSF26026SACC ▼	\$8,924.00	60"	23"	28"	16-1/4"		



EWSF26026SACC

Double compartment sink					
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EWSF260262	\$6,233.00	60"	23"	28"	16-1/4"



EWSF260262

Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

Triple compartment sensor faucet package						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF39026SACC ▼	\$11,521.00	90"	23"	28"	16-1/4"	



Includes two LKB721C sensor faucets, AC/battery power, two LK723 mixing valves and two LK18B drains.

EWSF39026SACC

Triple compartment sink						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
EWSF390263	\$7,485.00	90"	23"	28"	16-1/4"	




EWSF390263



## **Wall Service Sinks**

- 14-gauge, Type 304 stainless steel.
- 1-3/4" coved corners.
- 1-1/2" rolled rims.
- 12" high, full-length backsplash.
- Exposed surfaces blended by hand to a uniform Lustrous Satin finish.
- 3-1/2" drain opening.
- Furnished with wall hanger and stainless steel support brackets.

Cross arm faucet packages							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
ESS2118C ▼	\$2,633.00	21"	17-1/2"	18"	14"		
ESS2319C ▼	\$2,647.00	23"	18-1/2"	20"	15"		
ESS2520C ▼	\$2,779.00	25"	19-1/2"	22"	16"		





Lever Faucet Packages						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	
ESSB2118C ▼	\$2,741.00	21"	17-1/2"	18"	14"	

Includes faucet LK940BR03L2H.



ESSB2520C

ESSB Lever faucet packages							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
ESSB2319C ▼	\$2,756.00	23"	18-1/2"	20"	15"		
ESSB2520C ▼	\$2,888.00	25"	19-1/2"	22"	16"		

Includes faucet LK940BR03L2H.



ESSB2520C

ESSW Lever faucet packages							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
ESSW2118C ▼	\$2,687.00	21"	17-1/2"	18"	14"		
ESSW2319C ▼	\$2,805.00	23"	18-1/2"	20"	15"		
ESSW2520C ▼	\$2.833.00	25"	19-1/2"	22"	16"		

Includes faucet LKB940C.



ESSW2319C

## **SERVICE AND UTILITY**



## **Wall Service Sinks**

Sink only							
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width		
ESS21182	\$2,063.00	21"	17-1/2"	18"	14"		
ESS23192	\$2,077.00	23"	18-1/2"	20"	15"		
ESS25202	\$2,208.00	25"	19-1/2"	22"	16"		



ESS23192

#### **SERVICE AND UTILITY**

## ELKAY

#### **Floor Service Sinks**

- 16-gauge, Type 304 stainless steel.
- Eliminates high lifting of heavy containers.
- Fits into closet corners and limited work spaces.
- 1-3/4" coved corners.
- Apron on three sides.
- Top has 5/32" raised rims.
- Exposed surfaces are polished to a Lustrous Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- Furnished with wall hanger.

Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width
EFS2523C	\$2,168.00	25"	23"	20-1/16"	17-15/16"
EFS3321C	\$2,296.00	33"	21"	28"	16"





EFS2523C

## **Back And Side Panels For Floor Service Sinks**

- For use on EFS model floor sinks.
- 18-gauge, Type 304 stainless steel.
- 1/2" returns on all sides.
- Furnished with concealed wall hangers.
- Protects walls from splashing.
- Easy to clean and sanitize.

Model	List Price Overall Length		Overall Width
EFSBP25	\$238.00	25"	12"
EFSBP33	\$290.00	33"	12"
EFSSP21	\$207.00	20-3/8"	12"
EFSSP23	\$221.00	22-3/8"	12"



EFSBP33


EFSBP25

## **SERVICE AND UTILITY**

## ELKAY

## **Sturdibilt Scullery Sinks**

- 14-gauge, Type 304 stainless steel.
- Square corner welded compartment construction.
- Distinctive channel rim design with 2" apron minimizes spillover.
- 14" deep compartments.
- 8" high, full-length backsplash with 45-degree slope to resist grime.
- Sink compartments pitched to drain.
- 3-1/2" drain opening.
- Sink polished to a uniform Lustrous Satin finish.
- Sink supported on (4) LK251 stainless steel adjustable tubular legs.
- 1-5/8" O.D. with up to 1" adjustable bullet-shaped stainless steel feet.



#### **Optional Accessories**

SSD24 24" Detachable Drainboard

\$974.00

Single compartment - no drainboard							
Model	List Price	Overall	Overall	Bowl	Bowl		
		Length	Width	Length	Width		
SS81242	\$2,582.00	27"	27-1/2"	24"	24"		
SS81302	\$2,682.00	33"	27-1/2"	30"	24"		
SS81362	\$2,890.00	39"	27-1/2"	36"	24"		



Single compartment - left drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SS8124L2	\$3,633.00	49-1/2"	27-1/2"	24"	24"	24"
SS8130L2 ⅔ ◊	\$3,734.00	55-1/2"	27-1/2"	30"	24"	24"
SS8136L2 ⅔ ◊	\$3,960.00	61-1/2"	27-1/2"	36"	24"	24"



SS	81	24	2

Single compartment - right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SS8124R2	\$3,633.00	49-1/2"	27-1/2"	24"	24"	24"
SS8130R2 ⅔ ◊	\$3,734.00	55-1/2"	27-1/2"	30"	24"	24"
SS8136R2 ∑ ⊗	\$3,960.00	61-1/2"	27-1/2"	36"	24"	24"



SS8124R2

Single compartment - left and right drainboard						
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard
SS8124LR2 🖫	\$4,680.00	72"	27-1/2"	24"	24"	24"
SS8130LR2 ⅔ ⊗	\$4,778.00	78"	27-1/2"	30"	24"	24"
SS8136LR2 🖫	\$5,004.00	84"	27-1/2"	36"	24"	24"





## **Sturdibilt Scullery Sinks**

Double compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
SS82302 🖫	\$3,421.00	33"	27-1/2"	15"	24"			
SS82362 🖫	\$3,646.00	39"	27-1/2"	18"	24"			
SS82422 🖫	\$3,871.00	45"	27-1/2"	21"	24"			
SS82482 🖫	\$4,115.00	51"	27-1/2"	24"	24"			
SS82542 ₺ O	\$4,410.00	57"	27-1/2"	27"	24"			
SS82602 \$	\$4,687.00	63"	27-1/2"	30"	24"			



Double compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8230L2 🖫	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"		
SS8236L2 🖫	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"		
SS8248L2 ⅔ ⊗	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"		
SS8254L2 ⅔ ◊	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"		
SS8260L2 ☒ ◎	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"		



Double compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8230R2 ☒ ◎	\$4,499.00	55-1/2"	27-1/2"	15"	24"	24"		
SS8236R2 ∑	\$4,725.00	61-1/2"	27-1/2"	18"	24"	24"		
SS8248R2 ፮	\$5,174.00	73-1/2"	27-1/2"	24"	24"	24"		
SS8254R2 ☒ ◎	\$5,453.00	79-1/2"	27-1/2"	27"	24"	24"		
SS8260R2 ⅔ ⊗	\$5,731.00	85-1/2"	27-1/2"	30"	24"	24"		



Double compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8230LR2 🖫	\$5,543.00	78"	27-1/2"	15"	24"	24"		
SS8236LR2 ∑	\$5,770.00	61-1/2"	27-1/2"	18"	24"	24"		
SS8248LR2 ⅔ ◊	\$6,222.00	96"	27-1/2"	24"	24"	24"		
SS8254LR2 ∑ ⊗	\$6,502.00	102"	27-1/2"	27"	24"	24"		
SS8260LR2 ⅔ ⊗	\$6,779.00	108"	27-1/2"	30"	24"	24"		



Triple compartment - no drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width			
SS83454 🖫	\$4,751.00	48"	27-1/2"	15"	24"			
SS83544 🖫	\$5,171.00	57"	27-1/2"	18"	24"			
SS83604 ⅔ ⊗	\$5,439.00	63"	27-1/2"	20"	24"			
SS83724 ⅔ ⊗	\$5,983.00	75"	27-1/2"	24"	24"			



SS83454



## **Sturdibilt Scullery Sinks**

Triple compartment - left drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8345L4 ⅔ ⊗	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"		
SS8354L4 ⅔ ◊	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"		
SS8372L4 ⅔ ◊	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"		



Triple compartment - right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8345R4 ₺ 🛇	\$5,826.00	70-1/2"	27-1/2"	15"	24"	24"		
SS8354R4 ☒ ◎	\$6,216.00	79-1/2"	27-1/2"	18"	24"	24"		
SS8360LR4 ⅔ ⊗	\$7,541.00	108"	27-1/2"	20"	24"	24"		
SS8372R4 ☒ ◎	\$7,032.00	97-1/2"	27-1/2"	24"	24"	24"		



Triple compartment - left and right drainboard								
Model	List Price	Overall Length	Overall Width	Bowl Length	Bowl Width	Drainboard		
SS8345LR4 🖫	\$6,872.00	93"	27-1/2"	15"	24"	24"		
SS8354LR4 ፟ S ⊗	\$7,266.00	102"	27-1/2"	18"	24"	24"		
SS8372LR4 🖫	\$8,068.00	120"	27-1/2"	24"	24"	24"		







Waste Fittings:	Waste Fittings: For 3-1/2" Drain Openings (4-1/2" top diameter)						
Model	Description	Image					
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece						
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	N					
LKADOS	Elkay 3-1/2" Drain Fitting Chrome Plated Brass Offset Tailpiece	1					

Waste Fittings: For 1-1/2" to 1-3/4" Drain Openings (For Lavatory sinks 2-1/4" top diameter)						
Model	Description	Image				
LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow					
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	7				



Dart Canyon		
Model	Description	Image
CTXBG2513R	Elkay Dart Canyon Stainless Steel 24-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXBG2813R	Elkay Dart Canyon Stainless Steel 27-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXBG3113R	Elkay Dart Canyon Stainless Steel 30-1/2" x 13" x 4-3/8" Reversible Bottom Grid	
CTXC0712	Elkay Dart Canyon Stainless Steel 6-7/16" x 11-7/8" x 2-1/2" Colander	<b>**</b>
CTXDC0606	Elkay Dart Canyon Stainless Steel 5-1/8" x 5-1/4" x 7/8" Bottom Grid Drain Cover	
LKC0722LSS	Elkay Dart Canyon Stainless Steel 6-7/16" x 21-1/2" x 2-1/2" Colander	<b>\</b>
LKCB1223LWN	Elkay Dart Canyon Hardwood 12" x 22-1/2" x 1" Cutting Board	




#### LRAD291865PD



- ♦ Dimensions: 29" x 18" x 6-1/2"
- ♦18 gauge
- **♦**Lustrous Satin finish
- ◆ Available in 1, 2, 3 faucet holes
- ◆3-3/8" (86mm) drain opening
- ◆Sound deadening: Bottom only pads
- ♦33" minimum cabinet size
- ◆Features: Perfect Drain

## Elkay Lustertone Classic Stainless Steel 29" x 18" x 6-1/2", Equal Double Bowl Drop-in ADA Sink with Perfect Drain



**Includes:** Two LKPD1 Perfect Drains and strainers.

ADA Compliant
Built in USA

Models are also available with

Quick-Clip Mounting System

**Optional Accessories** 

Drain

LKPDVR18B LKPDAD18B

LKDS99

**Ship dims:** 37-3/4" x 26-1/4" x 10-1/2"

Approx. ship weight: 16 lbs.





## **GENERAL USE SINKS**





#### **CuVerro Antimicrobial Copper Lavatory Sinks**

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.
- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.





ELUH9-CU LLVR1916CS3-CU

Undermount								
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width			
ELUH9-CU \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\	11-3/8"	11-3/8"	4-3/4"	9"	9"			
ELUH12-CU 🖫	14-3/8"	14-3/8"	6"	12"	12"			
ELUH16-CU 🖫	18-3/8"	18-3/8"	8"	16"	16"			

Undermount with overflow	ı				
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV-CU 🞖	14-3/8"	14-3/8"	6"	12"	12"
ELUH16LV-CU \Z	18-3/8"	18-3/8"	8"	16"	16"

Drop-in with overflow &						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LLVR1916-CU	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3



# **CuVerro Antimicrobial Copper Drop-in Sinks**

- 18-gauge, CuVerro antimicrobial copper.
- Registered by the U.S. Environmental Protection Agency to continuously kill more than 99.9% of bacteria within two hours.
- Continuously reduces bacterial contamination.
- Supplements routine cleaning and sanitizing.
- Lustrous Satin finish.
- Aesthetically pleasing soft rose hue.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.





CU DLR2022103-CU

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316-CU ⅔	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1522-CU 🎖	15"	22"	7-5/8"	11-1/2"	16"	1, 2, 3, MR2
LR1722-CU 🕏	17"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
DLR172210-CU 🖫	17"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, MR2, OS4
LR1918-CU 🕏	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2, OS4
LR1919-CU 🕏	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2, OS4
DLR191910-CU 🖫	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2, OS4
LR2022-CU \( \bigzi{z} \)	19-1/2"	22"	7-5/8"	16"	16"	1, 2, 3, MR2, OS4
DLR202210-CU ∑	19-1/2"	22"	10-1/8"	16"	16"	1, 2, 3, MR2, OS4
LR2219-CU ፮	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, 5, MR2
DLR221910-CU ፮	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, 5, MR2
LR2222-CU ፮	22"	22"	7-5/8"	19"	16"	1, 2, 3, 4, 5, MR2

#### **Stainless Steel Undermount Sinks**

- 18-gauge, Type 304 stainless steel.
- Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH1316	16"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH2115	23-1/2"	18-1/4"	7-1/2"	21"	15-3/4"
ELUH211510	23-1/2"	18-1/4"	10"	21"	15-3/4"
ELUH281610	30-1/2"	18-1/2"	10"	28"	16"





ELUH211510



Double bowl					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH3118	30-3/4"	18-1/2"	7-7/8"	13-1/2"	16"
ELUH311810	30-3/4"	18-1/2"	10"	13-1/2"	16"
ELUH3120L	31-1/4"	20-1/2"	9-7/8"	13-1/2"	16"
ELUH3120R	31-1/4"	20-1/2"	9-7/8"	14"	18"





ELUH3118

ELUH3120R

Hospitality sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12	14-3/8"	14-3/8"	6"	12"	12"
ELUH12FB	14-3/8"	14-3/8"	6"	12"	12"
ELUH16	18-3/8"	18-3/8"	8"	16"	16"
ELUH16FB	18-3/8"	18-3/8"	8"	16"	16"





ELUH12

ELUH16FB

Lavatory sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
ELUH12LV	14-3/8"	14-3/8"	6"	12"	12"
ELUH1511	18"	14"	6"	15-1/2"	11-3/8"
ELUH16LV	18-3/8"	18-3/8"	8"	16"	16"





ELUH12LV

ELUH1511



#### **Stainless Steel Drop-in Sinks**

- 18-gauge, Type 304 stainless steel.Lustrous Satin finish.
- Sink drain opening measures 3-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.

Single bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR1316	13"	16"	7-5/8"	10"	10"	1, 2, 3, MR2
LR1517	15"	17-1/2"	7-5/8"	12"	12"	1, 2, 3, MR2
DLR151710	15"	17-1/2"	10"	12"	12"	1, 2, 3, MR2
LR1716	17"	16"	7-5/8"	14"	10"	1, 2, 3, MR2
LR1720	17"	20"	7-5/8"	14"	14"	1, 2, 3, MR2
LR1918	19"	18"	7-5/8"	16"	11-1/2"	1, 2, 3, MR2
LR1919	19-1/2"	19"	7-1/2"	16"	13-1/2"	1, 2, 3, MR2
DLR191910	19-1/2"	19"	10-1/8"	16"	13-1/2"	1, 2, 3, MR2
LR2219	22"	19-1/2"	7-5/8"	18"	14"	1, 2, 3, 4, MR2
DLR221910	22"	19-1/2"	10-1/8"	18"	14"	1, 2, 3, 4, MR2
LR2522	25"	22"	8-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252212	25"	22"	12-1/8"	21"	15-3/4"	1, 2, 3, 4, MR2
DLR252210	25"	22"	10-3/8"	21"	15-3/4"	1, 2, 3, 4, MR2





DLR1517103

DLR1919103



Double bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LR3319	33"	19-1/2"	7-5/8"	14"	14"	1, 2, 3, 4, MR2
LR3321	33"	21-1/4"	7-7/8"	13-1/2"	16"	1, 2, 3, 4, MR2
LR3322	33"	22"	8-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2
DLR332210	33"	22"	10-1/8"	13-1/2"	16"	1, 2, 3, 4, MR2



LR33214

Triple bowl						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
LTR4622	46"	22"	7-5/8"	13-1/2"	16"	1, 2, 3, 4, 6
LTR542210	54"	22"	10-1/8"	16"	16"	1, 2, 3, 4, 6



#### **Stainless Steel Drop-in Specialty Sinks**

- 16-gauge, Type 316 stainless steel.
- Buffed Satin finish.
- 1-3/16" flat rim with crimped edges.
- Drain opening measures 1-1/2".



CUPR4

Specialty sinks					
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width
CUPR4	6-3/8"	6-3/8"	4"	4"	4"
CUPR5	7-3/8"	7-3/8"	4"	5"	5"
CUPR6	8-7/8"	8-7/8"	5"	6-1/2"	6-1/2"



#### **Stainless Steel Drop-in Lavatory** Sinks

- Type 304 stainless steel.Drain opening measures 1-1/2".
- Sound-deadening pad(s) minimizes sound and vibration.





18 gauge sinks with Lustrous Satin finish							
	0		<u> </u>	D1		1 11-1-	
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options	
RLLVR12	14-3/8"	14-3/8"	6"	12"	12"		
LLVR1310	16"	12-1/2"	5-13/16"	13-5/8"	10-1/8"		
RLLVR16	18-3/8"	18-3/8"	8"	16"	16"		
LLVR19	19"	19"	7"	14"	14"	1, 2, 3, CS3	
LLVR1916	19-5/8"	16-11/16"	6"	15-1/2"	11-3/8"	1, 2, 3, CS3	





LLVR1310

RLLVR12

20 gauge sink with Brushed Satin finish &						
Model	Overall Length	Overall Width	Depth	Bowl Length	Bowl Width	Hole Options
PSLVR1917	19"	17"	6-1/8"	16"	11-1/2"	1, 2, 3



PSLVR1917CS3



Waste fittings for 3-1/2" drain openings (4-1/2" top diameter)					
Model	Description	Image			
LK173	Elkay Adjustable P-Trap with Cast Iron Enameled Inside				
LK18	Elkay 3-1/2" Drain Nickel Plated Brass Body, Strainer and Tailpiece				
LK18B	Elkay 3-1/2" Drain Type 304 Stainless Steel Body, Strainer and Tailpiece				
LK2	Elkay 3-1/2" Drain with Rubber Stopper	(3)			
LK20	Elkay 3-1/2" Drain with Removable 13" (11-1/2" assembled) Standpipe 13" Rubber Stopper				
LK24RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with 1-1/2" OD Tailpiece				
LK25RT	Elkay 3-1/2 Drain Fitting Rotary Lever Operated with 2" OD Tailpiece				
LK27	Elkay 3-1/2" Drain Fitting Lever Operated				
LK335	Elkay 3-1/2" Drain Fitting Type 316 Stainless Steel Body, Strainer Basket with rubber seal and Tailpiece				
LK35	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece				
LK35B	Elkay 3-1/2" Drain Fitting Type 304 Stainless Steel Body, Strainer Basket and Tailpiece				
LK372	Elkay 3-1/2" Drain Type 316 Stainless Steel Body, Strainer and Tailpiece				



LK86RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	
LK87RT	Elkay 3-1/2" Drain Fitting Rotary Lever Operated with Overflow	-
LK99	Elkay Deluxe 3-1/2" Drain Type 304 Stainless Steel Body, Strainer Basket Rubber Seal and Tailpiece	
LK99S	Elkay Deluxe 3-1/2" Drain with Satin Finish Type 304, Stainless Steel Body Strainer Basket Rubber Seal and Tailpiece	
LKAD18	Elkay 3-1/2" Drain Chrome Plated Brass Body, Strainer and LKADOS Tailpiece	
LKAD35	Elkay 3-1/2" Drain Fitting" Stainless Steel Body, Strainer Basket and Offset Tailpiece	7
LKVR18	Elkay 3-1/2"Drain Nickel Plated Brass Body, Vandal-resistant Strainer and Tailpiece	
LKVR18-CU	Elkay 3-1/2" Drain CuVerro Antimicrobial Copper Body, Vandal-resistant Strainer and Tailpiece	

For 2" - 2-3/8" dr	For 2" - 2-3/8" drain opening					
Model	Description	Image				
LK177	Elkay 2" Drain Fitting Chrome Plated Brass Beehive Strainer					
LK337	Elkay Drain Fitting 2" Type 316 Stainless Steel Body, Grid Strainer and Tailpiece					
LK8	Elkay 2" Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Tailpiece					



Elkay Drain Fitting Type 304 Stainless Steel Body, Grid Strainer and Brass Tailpiece LK9

For 1-1/2" to 1-3/4" drain openings (for lavatory sinks 2-1/4" top diameter)					
Model	Description	Image			
LK174	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	alt-			
LK174-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	₩			
LK174LO	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with Perforated Grid and Tailpiece	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1			
LK174LO-CU	Elkay 1-1/2" Drain Fitting CuVerro Antimicrobial Copper with Perforated Grid and Tailpiece	( <b>f</b> )			
LK175	Elkay 1-1/2" Drain Fitting Chrome Plated Brass with, Rubber Stopper Ring and Chain				
LK290	Elkay 3-1/2" Drain Fitting Center Outlet for Triple Bowl Sinks with Offset Center Drain				
LK52	Elkay Drain Fitting Center Outlet for Double Bowl Sinks				
LK53	Elkay Drain Fitting End Outlet for Double Bowl Sinks				
LK60	Elkay Drain Fitting Center Outlet for Triple Bowl Sinks with Aligned Drains				
LK76	Elkay Drain Fitting end Outlet for Triple Bowl Sinks with Aligned Drains	Î			



LKAD174	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	*
LKAD174LO	Elkay 1-1/2" or 1-5/8" Drain Outlet Fitting Chrome Plated Brass, Perforated Grid and Elbow	<b>%</b>

Installation hard		
Model	Description	Image
LK350	Elkay Screwdriver with Extra Long 10-1/4" Shank	
LK363	Elkay Installation Extra Long Screws and Clips, set of 14	<b>-</b>
LK364	Elkay Installation Extra Long Screws, set of 14	Î
LK463	Elkay Installation Hex Head Screws Hex Nuts, and Clips	-
LKUCLIP8	Elkay Sink Installation Undermount Bracket Clips - set of 8	
LKUMSK25	Elkay Sink Installation Undermount Support Kit 25" Long Rails	
LKUMSK36	Elkay Sink Installation Undermount Support Kit 36" Long Rails	

Cleaner					
Model	Description	Image			
LK34	Elkay Stainless Steel Sink Restoration Kit				



For EFS floor sink					
Model	Description	Image			
LK43	Elkay Drain Fitting 5-1/2" Stainless Steel Dome / Flat Grid Strainer				

Miscellaneous		
Model	Description	Image
LK402	Elkay 36" Black Heavy Duty Rubber Hose with Standard Female Faucet Hose Connection on One End	$\bigcirc$
LK403	Elkay Mop Holder, 3 Station Wall Mount	110 110 116
LK404	Elkay Stainless Steel Hose Hanger	
LK80 \$	Elkay Stainless Steel Soap Dish for Back / Wall Mounting, 3-1/2" x 6"	
SSD24 \$	Elkay Sturdibilt 24" Detachable Drainboard	7





## **CLASSROOM SINKS**









#### Lustertone Classic Classroom Sinks, Double Bowl

- 18-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces are hand blended to a Lustrous Highlighted Satin finish.
- Recessed bowls and faucet deck.
- 5/32" raised rim.
- 3-1/2" drain opening on large bowl.
- 2" drain opening on small bowl.
- LRAD models comply with ADA requirements.

Sink kits include LKD2439C faucet, LK1141A bubbler, LK35 strainer, and LK8 drain fitting						
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options	Additional Depths
DRKAD371755LC $\Omega$	\$2,722.00*	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 5-3/8"	16" x 11-1/2" x 3-1/2"	4	^
DRKAD371755RC $\Omega$	\$2,722.00*	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4	^
DRKR3717RC	\$2,744.00	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4	





DRKAD371755LC

DRKAD371755RC

Sink only					
	_		T		T
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	<b>Hole Options</b>
DD///D07/755/ / 0	+4 F00 001	07.4/4" 47" 5.4/0"			
DRKAD371755L4 $\Omega$	\$1,508.00*	37-1/4" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD371755R4 $\Omega$	\$1,508.00*	37-1/4" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR3717L4	\$1,477.00*	37-1/4" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR3717R4	\$1,477.00*	37-1/4" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4





DRKR3717L4

DRKR3717R4

<sup>^</sup>Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



#### Lustertone Classic Double Ledge Sinks, Single Bowl

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer							
Model List Price Overall Dimensions Bowl Dimensions Hole Options Additional Depths							
DRKAD251755C $\Omega$	\$1,954.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	4	٨		
DRKAD311955C ⊗ Ω	\$1,934.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	4	٨		
DRKR2517C ⊗	\$1,859.00	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	4			
DRKR3119C ⊗	\$2,088.00	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	4			



DRKAD251755C

Sink kits include LKD2432C faucet, LK1141A bubbler, LKJ35 strainer						
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>		
DRKRC2220C ⊗	\$1,890.00	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4		



DRKRC2220C

		Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, EWF172 water filter &					
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>			
DRKAD251765FC 🖫	\$2,076.00*	25" x 17" x 6-1/2"	16" x 13-1/2" x 6-3/8"	4			



DRKAD251765FC



#### **Lustertone Classic Double Ledge Sinks, Single Bowl**

Sink only							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD251755 Ω	\$832.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	٨		
DRKAD311955 $\Omega$	\$1,045.00*	31" x 19-1/2" x 5-1/2"	22" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	٨		
DRKR2517 $\Omega$	\$793.00*	25" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	2, 2FRM, 2LM, 4, FR4	٨		
DRKR3119 $\Omega$	\$995.00*	31" x 19-1/2" x 7-5/8"	22" x 16" x 7-1/2"	2, 2FRM, 2LM, 4	٨		



<sup>^</sup>Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



# **Lustertone Classic Rear and Side Ledge Sinks, Single Bowl**

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer.						
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths	
DRKAD222055C $\Omega$	\$1,973.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	4	٨	
DRKR2220C $\otimes \Omega$	\$1,736.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	4		



DRKAD222055C

Sink only							
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths		
DRKAD222055 $\Omega$	\$851.00*	22" x 19-1/2" x 5-1/2"	13-1/2" x 16" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	٨		
DRKAD222055L $\Omega$	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	٨		
DRKAD222055R $\Omega$	\$851.00*	22" x 19-1/2" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 3, 4	^		
DRKAD252255 $\Omega$	\$991.00*	25" x 22" x 5-1/2"	16" x 19" x 5-3/8"	2, 2FRM, 2LM, 4, FR4	٨		
DRKAD252255L $\Omega$	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^		
DRKAD252255R $\Omega$	\$991.00*	25" x 22" x 5-1/2"	19" x 16" x 5-3/8"	2, 3, 4	^		
DRKR2220	\$811.00*	22" x 19-1/2" x 7-1/2"	13-1/2" x 16" x 7-3/8"	2, 2FRM, 2LM, 4			
DRKR2220L	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4			
DRKR2220R	\$826.00*	22" x 19-1/2" x 7-1/2"	16" x 13-1/2" x 7-3/8"	2, 3, 4			
DRKR2522	\$944.00*	25" x 22" x 7-5/8"	16" x 19" x 7-1/2"	2, 2LM, 4			
DRKR2522L	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4			
DRKR2522R	\$944.00*	25" x 22" x 7-5/8"	19" x 16" x 7-1/2"	2, 4			





DRKAD222055L4

DRKR2220R4

<sup>^</sup>Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



#### **Lustertone Classic Single Ledge Sinks, Single Bowl**

Sink only						
	-					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths	
DRKAD221755 $\Omega$	\$769.00*	22" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	1, 2	۸	
DRKR2217	\$732.00*	22" x 17" x 7-5/8"	16" x 13-1/2" x 7-1/2"	1, 2		



DRKAD2217552

^Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



#### **Lustertone Classic Sink Sets**

Sink kit includes LKD2439C faucet, LK1141A bubbler, LK35 strainer, LK8 drain fitting							
Model List Price Overall Dimensions Left Bowl Dimensions Dimensions Hole Options							
DRKR23417LC	\$2,667.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4		
DRKR23417RC	\$2,667.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4		
DRKR24119LC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4		
DRKR24119RC	\$2,917.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4		





DRKR23417LC

DRKR24119RC

Sink only					
Model	List Price	Overall Dimensions	Left Bowl Dimensions	Right Bowl Dimensions	Hole Options
DRKAD2341755L4	\$1,512.00	34" x 17" x 5-1/2"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 5-3/8"	4
DRKAD2341755R4	\$1,512.00	34" x 17" x 5-1/2"	16" x 11-1/2" x 5-3/8"	9-1/4" x 12" x 3-1/2"	4
DRKR23417L4	\$1,454.00*	34" x 17" x 7-5/8"	9-1/4" x 12" x 3-1/2"	16" x 11-1/2" x 7-1/2"	4
DRKR23417R4	\$1,454.00*	34" x 17" x 7-5/8"	16" x 11-1/2" x 7-1/2"	9-1/4" x 12" x 3-1/2"	4
DRKR24119L4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	10" x 14" x 3-1/2"	19" x 16" x 7-1/2"	4
DRKR24119R4	\$1,697.00*	41" x 19-1/2" x 7-5/8"	19" x 16" x 7-1/2"	10" x 14" x 3-1/2"	4



DRKR23417R4

DRKR24119L4



#### **Lustertone Classic Triple Ledge Sinks, Single Bowl**

Sink kit includes LKF413945RS faucet, LK1141A bubbler, LKAD35 strainer					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD282255LC ⊗	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	^
DRKAD282255RC ⊗	\$1,937.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	3	٨



DRKAD282255RC

Sink only &					
Model	List Price	Overall Dimensions	Bowl Dimensions	Hole Options	Additional Depths
DRKAD282255	\$991.00*	28" x 22" x 5-1/2"	19" x 16" x 5-3/8"	L, R	٨



<sup>^</sup>Also available with 4", 4-1/2", 5", 6", 6-1/2" depths.



#### **Celebrity Classroom Sinks**

- 20-gauge, Type 304 stainless steel.
- 1-3/4" radius coved corners.
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- PSDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler					
Model	List Price	Overall Dimensions	<b>Bowl Dimensions</b>	<b>Hole Options</b>	
PSDKR2517C	\$1,550.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2	



PSDKR2517C

Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
PSDKR2517VRC	\$1,640.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2



PSDKR2517VRC

Sink only				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
PSDKAD251755	\$656.00*	25" x 17" x 5-1/2"	16" x 13-1/2" x 5-3/8"	2, 2LM, 4
PSDKR2517	\$623.00*	25" x 17" x 7-1/8"	16" x 13-1/2" x 7"	2, 2LM, 4





#### **Celebrity Classroom Sinks**

- 20-gauge, Type 304 stainless steel.
- 3" corner radius
- Exposed surfaces polished to a Brushed Satin finish.
- Sound-deadening material minimizes sound and vibration for a quieter time at the sink.
- 3-1/2" drain opening.
- Top has 5/32" raised rims.
- CDKAD models comply with ADA requirements.

Sink kit includes LKD208513LC faucet, LK35 drain, LK1141A bubbler					
Model	List Price	<b>Overall Dimensions</b>	Bowl Dimensions	<b>Hole Options</b>	
CDKAD251765C	\$1,449.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2	
CDKR2517C	\$1,426.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2	



CDKAD251765C

Sink kit includes I bubbler	Sink kit includes LKDVR208513LC faucet, LKVR18 drain, LKVR1141A bubbler			
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
CDKAD2517VRC	\$1,539.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2
CDKR2517VRC	\$1,515.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKAD2517VRC

Sink kit includes LKD20858C faucet, LKJ35 drain, LK1141A bubbler				
Model	List Price	<b>Overall Dimensions</b>	<b>Bowl Dimensions</b>	<b>Hole Options</b>
CDKRC2517C	\$1,288.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2



CDKRC2517C




## **Celebrity Classroom Sinks**


Sink only				
Model	List Price	<b>Overall Dimensions</b>	Bowl Dimensions	<b>Hole Options</b>
CDKAD251765	\$526.00*	25" x 17" x 6-1/2"	15-3/4" x 14" x 6-3/8"	2, 2LM, 4
CDKR2517	\$503.00*	25" x 17" x 6-7/8"	15-3/4" x 14" x 6-3/4"	2, 2LM, 4







# **FAUCETS**







#### 3" - 8" Adjustable Centers Wall Mount Faucet

- Available with arc tube, double swing, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets with 2" offset.



LK945 with arc tub	e spout 👶	
Model	Spout Type	Handle Type
LK945AT08L2T	8" Arc Tube	2" Lever Handle
LK945AT08T4T	8" Arc Tube	4" Wristblade Handle
LK945AT08T6T	8" Arc Tube	6" Wristblade Handle
LK945AT10L2T	10" Arc Tube	2" Lever Handle
LK945AT10T4T	10" Arc Tube	4" Wristblade Handle
LK945AT10T6T	10" Arc Tube	6" Wristblade Handle
LK945AT12L2T	12" Arc Tube	2" Lever Handle
LK945AT12T4T	12" Arc Tube	4" Wristblade Handle
LK945AT12T6T	12" Arc Tube	6" Wristblade Handle
LK945AT14L2T	14" Arc Tube	2" Lever Handle
LK945AT14T4T	14" Arc Tube	4" Wristblade Handle
LK945AT14T6T	14" Arc Tube	6" Wristblade Handle



LK945 with double swing spout &				
Model	Spout Type	Handle Type		
LK945DS20L2T	19-1/2" Double Swing	2" Lever Handle		
LK945DS20T4T	19-1/2" Double Swing	4" Wristblade Handle		
LK945DS20T6T	19-1/2" Double Swing	6" Wristblade Handle		



LK945 with gooseneck spout &					
Model	Spout Type	Handle Type			
LK945GN04L2T	3-5/8" Gooseneck	2" Lever Handle			
LK945GN04T4T	3-5/8" Gooseneck	4" Wristblade Handle			
LK945GN04T6T	3-5/8" Gooseneck	6" Wristblade Handle			
LK945GN05L2T	5-1/8" Gooseneck	2" Lever Handle			
LK945GN05T4T	5-1/8" Gooseneck	4" Wristblade Handle			
LK945GN05T6T	5-1/8" Gooseneck	6" Wristblade Handle			
LK945GN08L2T	8" Gooseneck	2" Lever Handle			
LK945GN08T4T	8" Gooseneck	4" Wristblade Handle			
LK945GN08T6T	8" Gooseneck	6" Wristblade Handle			



LK945GN08T4T



LK945 with high arc spout 💍				
Model	Spout Type	Handle Type		
LK945HA08L2T	8" High Arc	2" Lever Handle		
LK945HA08T4T	8" High Arc	4" Wristblade Handle		
LK945HA08T6T	8" High Arc	6" Wristblade Handle		
LK945HA10L2T	10" High Arc	2" Lever Handle		
LK945HA10T4T	10" High Arc	4" Wristblade Handle		
LK945HA10T6T	10" High Arc	6" Wristblade Handle		



LK945 with tube spout &				
Model	Spout Type	Handle Type		
LK945TS08L2T	8" Tube Spout	2" Lever Handle		
LK945TS08T4T	8" Tube Spout	4" Wristblade Handle		
LK945TS08T6T	8" Tube Spout	6" Wristblade Handle		





#### **8" Centerset Wall Mount Faucet**

- Available with arc tube, double swing, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with arc tube s	spout 🕏		
Model	Spout Type	Handle Type	Shut-off Valve
LK940AT08L2H	8" Arc Tube	2" Lever Handle	
LK940AT08L2S	8" Arc Tube	2" Lever Handle	•
LK940AT08T4H	8" Arc Tube	4" Wristblade Handle	
LK940AT08T4S	8" Arc Tube	4" Wristblade Handle	•
LK940AT08T6H	8" Arc Tube	6" Wristblade Handle	
LK940AT08T6S	8" Arc Tube	6" Wristblade Handle	•
LK940AT10L2H	10" Arc Tube	2" Lever Handle	
LK940AT10L2S	10" Arc Tube	2" Lever Handle	•
LK940AT10T4H	10" Arc Tube	4" Wristblade Handle	
LK940AT10T4S	10" Arc Tube	4" Wristblade Handle	•
LK940AT10T6H	10" Arc Tube	6" Wristblade Handle	
LK940AT10T6S	10" Arc Tube	6" Wristblade Handle	•
LK940AT12L2H	12" Arc Tube	2" Lever Handle	
LK940AT12L2S	12" Arc Tube	2" Lever Handle	•
LK940AT12T4H	12" Arc Tube	4" Wristblade Handle	
LK940AT12T4S	12" Arc Tube	4" Wristblade Handle	•
LK940AT12T6H	12" Arc Tube	6" Wristblade Handle	
LK940AT12T6S	12" Arc Tube	6" Wristblade Handle	•
LK940AT14L2H	14" Arc Tube	2" Lever Handle	
LK940AT14L2S	14" Arc Tube	2" Lever Handle	•
LK940AT14T4H	14" Arc Tube	4" Wristblade Handle	
LK940AT14T4S	14" Arc Tube	4" Wristblade Handle	•
LK940AT14T6H	14" Arc Tube	6" Wristblade Handle	
LK940AT14T6S	14" Arc Tube	6" Wristblade Handle	•



LK940 with double swing spout &			
Model	Spout Type	Handle Type	Shut-off Valve
LK940DS20L2H	19-1/2" Double Swing	2" Lever Handle	
LK940DS20L2S	19-1/2" Double Swing	2" Lever Handle	•
LK940DS20T4H	19-1/2" Double Swing	4" Wristblade Handle	
LK940DS20T4S	19-1/2" Double Swing	4" Wristblade Handle	•
LK940DS20T6H	19-1/2" Double Swing	6" Wristblade Handle	
LK940DS20T6S	19-1/2" Double Swing	6" Wristblade Handle	•





LK940 with high arc	: spout 💍		
Model	Spout Type	Handle Type	Shut-off Valve
LK940HA08L2H	8" High Arc	2" Lever Handle	
LK940HA08L2S	8" High Arc	2" Lever Handle	•
LK940HA08T4H	8" High Arc	4" Wristblade Handle	
LK940HA08T4S	8" High Arc	4" Wristblade Handle	•
LK940HA08T6H	8" High Arc	6" Wristblade Handle	
LK940HA08T6S	8" High Arc	6" Wristblade Handle	•
LK940HA10L2H	10" High Arc	2" Lever Handle	
LK940HA10L2S	10" High Arc	2" Lever Handle	•
LK940HA10T4H	10" High Arc	4" Wristblade Handle	
LK940HA10T4S	10" High Arc	4" Wristblade Handle	•
LK940HA10T6H	10" High Arc	6" Wristblade Handle	
LK940HA10T6S	10" High Arc	6" Wristblade Handle	•




LK940 with tube sp	out &		
Model	Spout Type	Handle Type	Shut-off Valve
LK940TS08L2H	8" Tube Spout	2" Lever Handle	
LK940TS08L2S	8" Tube Spout	2" Lever Handle	•
LK940TS08T4H	8" Tube Spout	4" Wristblade Handle	
LK940TS08T4S	8" Tube Spout	4" Wristblade Handle	•
LK940TS08T6H	8" Tube Spout	6" Wristblade Handle	
LK940TS08T6S	8" Tube Spout	6" Wristblade Handle	•





# 8" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK810 with arc tube spout 👶		
Model	Spout Type	Handle Type
LK810AT08L2	8" Arc Tube	2" Lever Handle
LK810AT08T4	8" Arc Tube	4" Wristblade Handle
LK810AT08T6	8" Arc Tube	6" Wristblade Handle
LK810AT10L2	10" Arc Tube	2" Lever Handle
LK810AT10T4	10" Arc Tube	4" Wristblade Handle
LK810AT10T6	10" Arc Tube	6" Wristblade Handle
LK810AT12L2	12" Arc Tube	2" Lever Handle
LK810AT12T4	12" Arc Tube	4" Wristblade Handle
LK810AT12T6	12" Arc Tube	6" Wristblade Handle
LK810AT14L2	14" Arc Tube	2" Lever Handle
LK810AT14T4	14" Arc Tube	4" Wristblade Handle
LK810AT14T6	14" Arc Tube	6" Wristblade Handle



LK810 with 8" arc tu	ube spout with side spray 💍		
Model	Spout Type	Handle Type	Side Spray
LK811AT08L2	8" Arc Tube	2" Lever Handle	•



LK810 with gooseneck spout 👶		
Model	Spout Type	Handle Type
LK810GN04L2	3-5/8" Gooseneck	2" Lever Handle
LK810GN04T4	3-5/8" Gooseneck	4" Wristblade Handle
LK810GN04T6	3-5/8" Gooseneck	6" Wristblade Handle
LK810GN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810GN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810GN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810GN08L2	8" Gooseneck	2" Lever Handle
LK810GN08T4	8" Gooseneck	4" Wristblade Handle
LK810GN08T6	8" Gooseneck	6" Wristblade Handle





LK810 with laminar flow gooseneck spout 💰		
Model	Spout Type	Handle Type
LK810LGN05L2	5-1/8" Gooseneck	2" Lever Handle
LK810LGN05T4	5-1/8" Gooseneck	4" Wristblade Handle
LK810LGN05T6	5-1/8" Gooseneck	6" Wristblade Handle
LK810LGN08L2	8" Gooseneck	2" Lever Handle
LK810LGN08T4	8" Gooseneck	4" Wristblade Handle
LK810LGN08T6	8" Gooseneck	6" Wristblade Handle



LK810 with high arc spout 👶		
Model	Spout Type	Handle Type
LK810HA08L2	8" High Arc	2" Lever Handle
LK810HA08T4	8" High Arc	4" Wristblade Handle
LK810HA08T6	8" High Arc	6" Wristblade Handle
LK810HA10L2	10" High Arc	2" Lever Handle
LK810HA10T4	10" High Arc	4" Wristblade Handle

10" High Arc

6" Wristblade Handle

LK810HA10T6



LK810 with tube spout 👶		
Model	Spout Type	Handle Type
LK810TS08L2	8" Tube Spout	2" Lever Handle
LK810TS08T4	8" Tube Spout	4" Wristblade Handle
LK810TS08T6	8" Tube Spout	6" Wristblade Handle





# 8" Centerset Wall Mount Faucet With Flexible Stainless Steel Hose

- 2" Lever Handles
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.6 GPM spray head; 1.2 GPM spray head on Low Flow Models
- Chrome finish.
- 44" flexible stainless steel hose; 60" hose on LK960 models
- Insulated handle.
- Spouts come with 2.2 GPM vandal-resistant aerator standard with 1.5 and .5 GPM insert included.



LK543		
Model	Spout Type	Handle Type
LK543C	30" Flexible Spout	Lever Handle
LK543LC	30" Flexible Spout	Lever Handle



LK543 with arc tube spout		
Model	Spout Type	Handle Type
LK543AF08C	30" Flexible Spout	Lever Handle
LK543AF10C	30" Flexible Spout	Lever Handle
LK543AF12C	30" Flexible Spout	Lever Handle
LK543AF14C	30" Flexible Spout	Lever Handle



LK543 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK543AF08LC	30" Flexible Spout	Lever Handle
LK543AF10LC	30" Flexible Spout	Lever Handle
LK543AF12LC	30" Flexible Spout	Lever Handle
LK543AF14LC	30" Flexible Spout	Lever Handle



LK843		
Model	Spout Type	Handle Type
LK843C	30" Flexible Spout	Lever Handle
LK843LC	30" Flexible Spout	Lever Handle





LK843 with arc tube spout		
Model	Spout Type	Handle Type
LK843AF08C	30" Flexible Spout	Lever Handle
LK843AF10C	30" Flexible Spout	Lever Handle
LK843AF12C	30" Flexible Spout	Lever Handle
LK843AF14C	30" Flexible Spout	Lever Handle



LK843 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK843AF08LC	30" Flexible Spout	Lever Handle
LK843AF10LC	30" Flexible Spout	Lever Handle
LK843AF12LC	30" Flexible Spout	Lever Handle
LK843AF14LC	30" Flexible Spout	Lever Handle



LK943		
Model	Spout Type	Handle Type
LK943C	30" Flexible Spout	Lever Handle
LK943LC	30" Flexible Spout	Lever Handle



LK943 with arc tube spout		
Model	Spout Type	Handle Type
LK943AF08C	30" Flexible Spout	Lever Handle
LK943AF10C	30" Flexible Spout	Lever Handle
LK943AF12C	30" Flexible Spout	Lever Handle
LK943AF14C	30" Flexible Spout	Lever Handle



LK943 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK943AF08LC	30" Flexible Spout	Lever Handle
LK943AF10LC	30" Flexible Spout	Lever Handle
LK943AF12LC	30" Flexible Spout	Lever Handle
LK943AF14LC	14" Flexible Spout	Lever Handle



LK960 with arc tube spout		
Model	Spout Type	Handle Type
LK960AF08C	30" Flexible Spout	Lever Handle
LK960AF10C	30" Flexible Spout	Lever Handle
LK960AF12C	30" Flexible Spout	Lever Handle
LK960AF14C	30" Flexible Spout	Lever Handle





LK960 with arc tube spout - low flow models (1.2 GPM)		
Model	Spout Type	Handle Type
LK960AF08LC	30" Flexible Spout	Lever Handle
LK960AF10LC	30" Flexible Spout	Lever Handle
LK960AF12LC	30" Flexible Spout	Lever Handle
LK960AF14LC	30" Flexible Spout	Lever Handle



# **Metered, Deck Mount Faucet**

- Self-closing metering ceramic cartridge.
- Polished chrome finish
- Solid brass construction.
- Vandal-resistant aerator with key.
- .5 GPM / 8.3L / min at 60 P.S.I.G.
- 0.25 gal / cycle max.

Cast fixed spout LK651 &		
Model	Spout Type	Handle Type
LK651	5" Fixed Spout	Push Button



Cast fixed spout LK652 &		
Model	Spout Type	Handle Type
LK652	4-1/8" Fixed Spout	Push Button



Cast fixed spout LK654 &		
Model	Spout Type	Handle Type
LK654	4-1/8" Fixed Spout	Push Button



Cast fixed spout LK656 &		
Model	Spout Type	Handle Type
LK656	4" Fixed Spout	Push Button



LK656



# **8" Centerset With Concealed Deck Faucet**



- 2" lever handle.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- .5 GPM aerator standard.
- Chrome finish.
- Adjustable mounting up to 8" spread.





LK804F

Executive lavatory faucet &		
Model	Spout Type	Handle Type
LK804F	5-5/16" Fixed Spout	Lever Handle

# **Single Hole Wall Mount Faucet**

• Cross arm handle

LK69CP

- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



Chrome faucet with	ı plain end	
Model	Spout Type	Handle Type

Cross Handle

3-3/16" Fixed Spout



LK69CP
--------

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle





### **Electronic Deck Mount Faucet**

- Adjustable hot and cold operation.
- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.





LKB736C

Cast fixed spout	\$	
Model	Spout Type	Handle Type
LKB736C	4-3/4" Fixed Spout	Sensor Operated (Hands Free)
LKB737C	5-1/16" Fixed Spout	Sensor Operated (Hands Free)

## **Electronic Deck Mount Faucet**

- Dual power (AC/battery).
- Adjustable sensor range.
- .5 GPM laminar flow aerator.
- Chrome plated finish.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay.
- Adjustable time-out feature.



Cast fixed spout	<u>&amp;</u>	
Model	Spout Type	Handle Type
LKB738C	5-13/16" Fixed Spout	Sensor Operated (Hands Free)



# **Electronic, Deck and Wall Mount Faucet**

- Dual power (AC/battery).
- Gooseneck spout.
- Adjustable sensor range.
- Solid brass construction.
- Vandal-resistant and water-resistant sensor control module.
- Adjustable shut-off delay
- Adjustable time-out feature.
- 1.5 GPM flow.

Deck mount - chrome plated finish 👶		
Model	Spout Type	Handle Type
LKB721C	5-5/8" Gooseneck	Sensor Operated (Hands Free)



Deck mount - soft rose blush finish with CuVerro antimicrobial copper		
Model	Spout Type	Handle Type
LKB721CNC	5-5/8" Gooseneck	Sensor Operated (Hands Free)



Wall mount - chrome finish 🔥		
Model	Spout Type	Handle Type
LKB722C	7-1/2" Fixed Spout	Sensor Operated (Hands Free)





# 4" Centerset With Exposed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK406 with arc tube spout 👶		
Model	Spout Type	Handle Type
LK406AT08L2	8" Arc Tube	2" Lever Handle
LK406AT08T4	8" Arc Tube	4" Wristblade Handle
LK406AT08T6	8" Arc Tube	6" Wristblade Handle
LK406AT10L2	10" Arc Tube	2" Lever Handle
LK406AT10T4	10" Arc Tube	4" Wristblade Handle
LK406AT10T6	10" Arc Tube	6" Wristblade Handle
LK406AT12L2	12" Arc Tube	2" Lever Handle
LK406AT12T4	12" Arc Tube	4" Wristblade Handle
LK406AT12T6	12" Arc Tube	6" Wristblade Handle
LK406AT14L2	14" Arc Tube	2" Lever Handle
LK406AT14T4	14" Arc Tube	4" Wristblade Handle
LK406AT14T6	14" Arc Tube	6" Wristblade Handle



LK406 with gooseneck spout &		
Model	Spout Type	Handle Type
LK406GN04L2	4" Gooseneck	2" Lever Handle
LK406GN04T4	4" Gooseneck	4" Wristblade Handle
LK406GN04T6	4" Gooseneck	6" Wristblade Handle
LK406GN05L2	5" Gooseneck	2" Lever Handle
LK406GN05T4	5" Gooseneck	4" Wristblade Handle
LK406GN05T6	5" Gooseneck	6" Wristblade Handle
LK406GN08L2	8" Gooseneck	2" Lever Handle
LK406GN08T4	8" Gooseneck	4" Wristblade Handle
LK406GN08T6	8" Gooseneck	6" Wristblade Handle



LK406 with high arc spout &		
Model	Spout Type	Handle Type
LK406HA08L2	8" High Arc	2" Lever Handle
LK406HA08T4	8" High Arc	4" Wristblade Handle
LK406HA08T6	8" High Arc	6" Wristblade Handle
LK406HA10L2	10" High Arc	2" Lever Handle
LK406HA10T4	10" High Arc	4" Wristblade Handle
LK406HA10T6	10" High Arc	6" Wristblade Handle





LK406 with laminar flow gooseneck spout 👶		
Model	Spout Type	Handle Type
LK406LGN05L2	5" Gooseneck	2" Lever Handle
LK406LGN05T4	5" Gooseneck	4" Wristblade Handle
LK406LGN05T6	5" Gooseneck	6" Wristblade Handle
LK406LGN08L2	8" Gooseneck	2" Lever Handle
LK406LGN08T4	8" Gooseneck	4" Wristblade Handle
LK406LGN08T6	8" Gooseneck	6" Wristblade Handle



LK406 with tube spout &		
Model	Spout Type	Handle Type
LK406TS08L2	8" Tube Spout	2" Lever Handle
LK406TS08T4	8" Tube Spout	4" Wristblade Handle
LK406TS08T6	8" Tube Spout	6" Wristblade Handle




# Single Hole With Concealed Deck Faucet

- Available with arc tube, gooseneck, or high arc spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Dual control.

LK500AT14L2

LK500AT14T4

LK500AT14T6



2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

14" Arc Tube

14" Arc Tube

14" Arc Tube







LK500 with high arc spout

Model

LK500HA08L2

LK500HA08T4

LK500HA08T6

LK500HA10L2

LK500HA10T4

LK500HA10T6

LK500 with gooseneck spout 💍		
Model	Spout Type	Handle Type
LK500GN04L2	4" Gooseneck	2" Lever Handle
LK500GN04T4	4" Gooseneck	4" Wristblade Handle
LK500GN04T6	4" Gooseneck	6" Wristblade Handle
LK500GN05L2	5" Gooseneck	2" Lever Handle
LK500GN05T4	5" Gooseneck	4" Wristblade Handle
LK500GN05T6	5" Gooseneck	6" Wristblade Handle
LK500GN08L2	8" Gooseneck	2" Lever Handle
LK500GN08T4	8" Gooseneck	4" Wristblade Handle
LK500GN08T6	8" Gooseneck	6" Wristblade Handle

ら

**Spout Type** 

8" High Arc

8" High Arc

8" High Arc

10" High Arc

10" High Arc

10" High Arc



Handle Type

2" Lever Handle

4" Wristblade Handle

6" Wristblade Handle

2" Lever Handle

4" Wristblade Handle 6" Wristblade Handle

(4)	
5640-2	
are In	
- 44	
── LK500HA10Te	_
- LKOUUHATUTI	J



### **8" Centerset Wall Mount Faucet**

- Gooseneck spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with goosen	eck spout 🔥		
Model	Spout Type	Handle Type	Shut-off Valve
LK940GN04L2H	3-5/8" Gooseneck	2" Lever Handle	
LK940GN04L2S	3-5/8" Gooseneck	2" Lever Handle	•
LK940GN04T4H	3-5/8" Gooseneck	4" Wristblade Handle	
LK940GN04T4S	3-5/8" Gooseneck	4" Wristblade Handle	•
LK940GN04T6H	3-5/8" Gooseneck	6" Wristblade Handle	
LK940GN04T6S	3-5/8" Gooseneck	6" Wristblade Handle	•
LK940GN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940GN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940GN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940GN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940GN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940GN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940GN08L2H	8" Gooseneck	2" Lever Handle	
LK940GN08L2S	8" Gooseneck	2" Lever Handle	•
LK940GN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940GN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940GN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940GN08T6S	8" Gooseneck	6" Wristblade Handle	•



LK940 with lamina	r flow gooseneck spout		
Model	Spout Type	Handle Type	Shut-off Valve
LK940LGN05L2H	5-1/8" Gooseneck	2" Lever Handle	
LK940LGN05L2S	5-1/8" Gooseneck	2" Lever Handle	•
LK940LGN05T4H	5-1/8" Gooseneck	4" Wristblade Handle	
LK940LGN05T4S	5-1/8" Gooseneck	4" Wristblade Handle	•
LK940LGN05T6H	5-1/8" Gooseneck	6" Wristblade Handle	
LK940LGN05T6S	5-1/8" Gooseneck	6" Wristblade Handle	•
LK940LGN08L2H	8" Gooseneck	2" Lever Handle	
LK940LGN08L2S	8" Gooseneck	2" Lever Handle	•
LK940LGN08T4H	8" Gooseneck	4" Wristblade Handle	
LK940LGN08T4S	8" Gooseneck	4" Wristblade Handle	•
LK940LGN08T6H	8" Gooseneck	6" Wristblade Handle	
LK940LGN08T6S	8" Gooseneck	6" Wristblade Handle	•




**Commercial Faucets** C-225



# 8" Centerset With Concealed Deck Faucet

- Available with arc tube, gooseneck, high arc or tube spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.
- Adjustable mounting up to 8" spread.



LK800 with arc tube	e spout 👶		
Model	Spout Type	Handle Type	Side Spray
LK800AT08L2	8" Arc Tube	2" Lever Handle	
LK800AT08T4	8" Arc Tube	4" Wristblade Handle	
LK800AT08T6	8" Arc Tube	6" Wristblade Handle	
LK800AT10L2	10" Arc Tube	2" Lever Handle	
LK800AT10T4	10" Arc Tube	4" Wristblade Handle	
LK800AT10T6	10" Arc Tube	6" Wristblade Handle	
LK800AT12L2	12" Arc Tube	2" Lever Handle	
LK800AT12T4	12" Arc Tube	4" Wristblade Handle	
LK800AT12T6	12" Arc Tube	6" Wristblade Handle	
LK800AT14L2	14" Arc Tube	2" Lever Handle	
LK800AT14T4	14" Arc Tube	4" Wristblade Handle	
LK800AT14T6	14" Arc Tube	6" Wristblade Handle	
LK801AT08L2	8" Arc Tube	2" Lever Handle	•



LK800 with gooseneck spout <b>5</b>			
Model	Spout Type	Handle Type	Side Spray
LK800GN04L2	3-5/8" Gooseneck	2" Lever Handle	
LK800GN04T4	3-5/8" Gooseneck	4" Wristblade Handle	
LK800GN04T6	3-5/8" Gooseneck	6" Wristblade Handle	
LK800GN05L2	5" Gooseneck	2" Lever Handle	
LK800GN05T4	5" Gooseneck	4" Wristblade Handle	
LK800GN05T6	5" Gooseneck	6" Wristblade Handle	
LK800GN08L2	8" Gooseneck	2" Lever Handle	
LK800GN08T4	8" Gooseneck	4" Wristblade Handle	
LK800GN08T6	8" Gooseneck	6" Wristblade Handle	
LK801GN08L2	8" Gooseneck	2" Lever Handle	•





LK800 with high arc	spout 🕏	
Model	Spout Type	Handle Type
LK800HA08L2	8" High Arc	2" Lever Handle
LK800HA08T4	8" High Arc	4" Wristblade Handle
LK800HA08T6	8" High Arc	6" Wristblade Handle
LK800HA10L2	10" High Arc	2" Lever Handle
LK800HA10T4	10" High Arc	4" Wristblade Handle
LK800HA10T6	10" High Arc	6" Wristblade Handle



LK800 with tube spe	out 🕏	
Model	Spout Type	Handle Type
LK800TS08L2	8" Tube Spout	2" Lever Handle
LK800TS08T4	8" Tube Spout	4" Wristblade Handle
LK800TS08T6	8" Tube Spout	6" Wristblade Handle



# **Spouts**

- For use with Elkay knee and foot pedal valves.
- Solid brass construction.
- Chrome plated finish.
- Vandal-resistant anti-hose aerator.

Back mount spout
Model
LK395A



Deck mount spout
Model
LK394A
LK396A





#### **Knee and Foot Pedal Valves**

- Chrome plated finish.
- Hands-free operation for enhanced sanitation.
- Mounting package of stops, valves and wall flanges included with LK397C and LK398C.

Foot pedal
Model
LK398C
LK399A



Knee pedal	
Model	
LK397C	





## **8" Centerset Wall Mount Faucet**

- Available with bucket hook, arc tube, or vented spout.
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Chrome finish.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.
- External shut-off valve available with some models.



LK940 with bucket hook spout and polished chrome finish 👶			
Model	Spout Type	Handle Type	Shut-off Valve
LK940BP03L2H	3-5/16" Bucket Hook	2" Lever Handle	
LK940BP03L2S	6" Bucket Hook	2" Lever Handle	•
LK940BP03T4H	3-5/16" Bucket Hook	4" Wristblade Handle	
LK940BP03T4S	3-5/16" Bucket Hook	4" Wristblade Handle	•
LK940BP03T6H	3-5/16" Bucket Hook	6" Wristblade Handle	
LK940BP03T6S	3-5/16" Bucket Hook	6" Wristblade Handle	•
LK940BP07L2H	6-1/2" Bucket Hook	2" Lever Handle	
LK940BP07L2S	6-1/2" Bucket Hook	2" Lever Handle	•
LK940BP07T4H	6-1/2" Bucket Hook	4" Wristblade Handle	
LK940BP07T4S	6-1/2" Bucket Hook	4" Wristblade Handle	•
LK940BP07T6H	6-1/2" Bucket Hook	6" Wristblade Handle	
LK940BP07T6S	6-1/2" Bucket Hook	6" Wristblade Handle	•





LK940 with bucket hook spout and rough chrome finish 6			
Model	Spout Type	Handle Type	Shut-off Valve
LK940BR03L2H	6" Bucket Hook	2" Lever Handle	
LK940BR03L2S	6" Bucket Hook	2" Lever Handle	•
LK940BR03T4H	6" Bucket Hook	4" Wristblade Handle	
LK940BR03T4S	6" Bucket Hook	4" Wristblade Handle	•
LK940BR03T6H	6" Bucket Hook	6" Wristblade Handle	
LK940BR03T6S	6" Bucket Hook	6" Wristblade Handle	•
LK940BR07L2H	8-1/2" Bucket Hook	2" Lever Handle	
LK940BR07L2S	8-1/2" Bucket Hook	2" Lever Handle	•
LK940BR07T4H	8-1/2" Bucket Hook	4" Wristblade Handle	
LK940BR07T4S	8-1/2" Bucket Hook	4" Wristblade Handle	•
LK940BR07T6H	8-1/2" Bucket Hook	6" Wristblade Handle	
LK940BR07T6S	8-1/2" Bucket Hook	6" Wristblade Handle	



LK940 with vented	spout 🕏		
Model	Spout Type	Handle Type	Shut-off Valve
LK940VS07L2H	6-1/2" Vented Spout	2" Lever Handle	
LK940VS07L2S	6-1/2" Vented Spout	2" Lever Handle	•
LK940VS07T4H	6-1/2" Vented Spout	4" Wristblade Handle	
LK940VS07T4S	6-1/2" Vented Spout	4" Wristblade Handle	•
LK940VS07T6H	6-1/2" Vented Spout	6" Wristblade Handle	
LK940VS07T6S	6-1/2" Vented Spout	6" Wristblade Handle	•





# Single Hole Wall Mount Faucet

- Cross arm handle
- Chrome plated brass.
- 1/2" NPT female inlets.

Chrome faucet with hose end		
Model	Spout Type	Handle Type
LK69CH	3-3/16" Fixed Spout	Cross Handle



Chrome faucet with plain end		
Model	Spout Type	Handle Type
LK69CP	3-3/16" Fixed Spout	Cross Handle



LK69CP

One pair chrome faucets		
Model	Spout Type	Handle Type
LK69C	3-3/16" Fixed Spout	Cross Handle





# 3" - 8" Adjustable Centers Wall Mount **Faucet**

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Includes spout swing restriction pin.
- 1/2" NPT female inlets.

LK945 with bucket hook spout 💍		
Model	Spout Type	Handle Type
LK945BP03L2T	3-5/16" Bucket Hook	2" Lever Handle
LK945BP03T4T	3-5/16" Bucket Hook	4" Wristblade Handle
LK945BP03T6T	3-5/16" Bucket Hook	6" Wristblade Handle
LK945BP07L2T	6-1/2" Bucket Hook	2" Lever Handle
LK945BP07T4T	6-1/2" Bucket Hook	4" Wristblade Handle
LK945BP07T6T	6-1/2" Bucket Hook	6" Wristblade Handle



LK945 with vented	spout 👶	
Model	Spout Type	Handle Type
LK945VS07L2T	6-1/2" Vented Spout	2" Lever Handle
LK945VS07T4T	6-1/2" Vented Spout	4" Wristblade Handle
LK945VS07T6T	6-1/2" Vented Spout	6" Wristblade Handle



LK945VS07L2T



# 4" - 8-3/8" Adjustable Centers Wall Mount **Faucet**



- Bucket hook spout.
- 2" lever handles
- Solid brass construction.
- Rough chrome finish
- 1/2" NPT female inlets.

<u>&amp;</u>		
Model	Spout Type	Handle Type
LK400	5-1/2" Bucket Hook	Lever Handle

## **8" Centerset Wall Mount Faucet**

- Bucket hook spout.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- Rough chrome finish.



LKB940C

Š.		
Model	Spout Type	Handle Type
LKB940C	6-1/2" Fixed Spout	2" Lever Handle



# **Single Hole With Single Control**

- Available with arc tube, gooseneck, or high arc
- Choice of 2" lever, 4" wristblade, or 6" wristblade handles.
- Quarter turn ceramic disc cartridge.
- Solid brass construction.
- 1.5 GPM vandal-resistant aerator standard with 2.2 GPM and .5 GPM insert included.
- Chrome finish.
- Includes spout swing restriction pin.



LK535 with arc tube spout $\delta$			
Model	Spout Type	Handle Type	
LK535AT08L2	8" Arc Tube	2" Lever Handle	
LK535AT08T4	8" Arc Tube	4" Wristblade Handle	
LK535AT08T6	8" Arc Tube	6" Wristblade Handle	
LK535AT10L2	10" Arc Tube	2" Lever Handle	
LK535AT10T4	10" Arc Tube	4" Wristblade Handle	
LK535AT10T6	10" Arc Tube	6" Wristblade Handle	
LK535AT12L2	12" Arc Tube	2" Lever Handle	
LK535AT12T4	12" Arc Tube	4" Wristblade Handle	
LK535AT12T6	12" Arc Tube	6" Wristblade Handle	
LK535AT14L2	14" Arc Tube	2" Lever Handle	
LK535AT14T4	14" Arc Tube	4" Wristblade Handle	
LK535AT14T6	14" Arc Tube	6" Wristblade Handle	



LK535 with gooseneck spout &			
Model	Spout Type	Handle Type	
LK535GN04L2	4" Gooseneck	2" Lever Handle	
LK535GN04T4	4" Gooseneck	4" Wristblade Handle	
LK535GN04T6	4" Gooseneck	6" Wristblade Handle	
LK535GN05L2	5" Gooseneck	2" Lever Handle	
LK535GN05T4	5" Gooseneck	4" Wristblade Handle	
LK535GN05T6	5" Gooseneck	6" Wristblade Handle	
LK535GN08L2	8" Gooseneck	2" Lever Handle	
LK535GN08T4	8" Gooseneck	4" Wristblade Handle	
LK535GN08T6	8" Gooseneck	6" Wristblade Handle	



LK535 with high arc spout 💍		
Model	Spout Type	Handle Type
LK535HA08L2	8" High Arc	2" Lever Handle
LK535HA08T4	8" High Arc	4" Wristblade Handle
LK535HA08T6	8" High Arc	6" Wristblade Handle
LK535HA10L2	10" High Arc	2" Lever Handle
LK535HA10T4	10" High Arc	4" Wristblade Handle
LK535HA10T6	10" High Arc	6" Wristblade Handle





## **Classroom Bubblers**

- Built-in adjustable water volume control and pressure regulator.
- Flexi-Guard bubbler provides a flexible antimicrobial mouth guard to protect against injury and microorganisms.
- Vandal-resistant bubblers feature chrome-plated integral hood guard to prevent contamination from other users, airborne deposits and tampering.
- 1/2" straight pipe thread connection.



Bubbler with remote pushbutton handle &		
Model	Spout Type	Handle Type
LKR1141A	Bubblers + Other	Push Button



Stainless steel bubb	oler with pushbutton handle	8	
Model	Spout Type	Handle Type	Vandal Resistant
LKSS1141A	Bubblers + Other	Push Button	
LKSSVR1141A	Bubblers + Other	Push Button	•



LKSSVR1141A

Bubbler with pushbutton handle &			
Model	Spout Type	Handle Type	Vandal Resistant
LK1141A	Bubblers + Other	Push Button	
LKVR1141A	Bubblers + Other	Push Button	•



LK1141A

Bubbler with bat handle &			
Model	Spout Type	Handle Type	Vandal Resistant
LKBH1141A	Bubblers + Other	2" Lever Handle	
LKVRBH1141A	Bubblers + Other	2" Lever Handle	•



LKVRBH1141A



# 8" Centerset, Concealed Deck, With Twin **Handles Faucet**

- Choice of 3 spout styles.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

7" arc tube spout 6		
Model	Spout Type	Handle Type
LKD2439BHC	7" Arc Tube	4" Lever Handle
LKD2439C	7" Arc Tube	2.6" Lever Handle



8" arc tube spout			
Model	Spout Type	Handle Type	Side Spray
LKD2432BHC	8" Arc Tube	4" Lever Handle	
LKD2432C	8" Arc Tube	2.6" Lever Handle	
LKD2433C	8" Arc Tube	2.6" Lever Handle	•



7" gooseneck spout 6			
Model	Spout Type	Handle Type	
LKD232SBH5C	7" Gooseneck	4" Lever Handle	
LKD232SC	7" Gooseneck	2.6" Lever Handle	





# 8" Centerset, Exposed Deck Mount, With Twin Handles Faucet

- Available with arc tube or gooseneck spout.
- Removable cartridge.
- Chrome plated finish.
- Swing spout with aerator.
- Water saving flow restrictor.

Arc tube spout			
Model	Spout Type	Handle Type	Side Spray
LKD2442BHC	8" Arc Tube	4" Lever Handle	
LKD2442C	8" Arc Tube	2.6" Lever Handle	
LKD2443C	8" Arc Tube	2.6" Lever Handle	•



Gooseneck spout	<u>&amp;</u>	
Model	Spout Type	Handle Type
LKD2423BHC	7" Gooseneck	4" Lever Handle



# Single Handle, Bar/Hospitality Faucet

- Available with gooseneck or high arc spout.
- Circular brass base.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

LKD20858C &		
Model	Spout Type	Handle Type
LKD20858C	5" Gooseneck	2.6" Lever Handle



LKD208513C 🕏		
Model	Spout Type	Handle Type
LKD208513C	5" Gooseneck	2.6" Lever Handle





LKD208513LC &		
Model	Spout Type	Handle Type
LKD208513LC	5" Gooseneck	2.6" Lever Handle



LKDVR208513C &			
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513C	5" Gooseneck	2.6" Lever Handle	•



LKDVR208513LC	\$		
Model	Spout Type	Handle Type	Vandal Resistant
LKDVR208513LC	5" Gooseneck	2.6" Lever Handle	•





# Twin Handle, Bar/Hospitality Faucet

- Choice of arc, gooseneck or standard spout.
- Removable cartridge.
- Chrome plated finish.
- Water saving flow restrictor.

LKD2437BHC &		
Model	Spout Type	Handle Type
LKD2437BHC	6" Arc Tube	4" Lever Handle



LKDA2437C		
Model	Spout Type	Handle Type
LKDA2437C	6" Arc Tube	2.6" Lever Handle



LKD2223C &		
Model	Spout Type	Handle Type
LKD2223C	5" Gooseneck	2.6" Lever Handle



LKD24898BHC <b>3</b>		
Model	Spout Type	Handle Type
LKD24898BHC	4" Gooseneck	4" Lever Handle



LKB400		
Model	Spout Type	Handle Type
LKB400	3-1/2" Bubblers + Other	2" Lever Handle





# **Commercial Model Reference List**

## **Bottle Filling Stations Prefix**

EZ*WS	ezH2O Non-filtered Models
EMABF*WS	ezH2O Non-filtered Models
LK44*BF	Outdoor Tubular Steel
LMABF*WS	ezH2O Filtered Models
LVRC*WS	ezH2O Filtered Models
LZ*WS	ezH2O Filtered Models
VRC*WS	ezH2O Non-filtered Models

#### **ADA Water Coolers Prefix**

ECRSP	Slimline Soft Sides
EHFRA	Fully Recessed Wheelchair Access
EHFSA	Wall-mount Backsplash
EMABF	Wall-mount Mechanically Activated
ENOB	SwirlFlo Sensor Activated
ERFP	Soft Sides
ERO	Soft Sides Sensor Activated
ERPB	SwirlFlo
ERPBGRN	GreenSpec Listed SwirlFlo
EZO	Wall-mount Sensor Activated
EZS	Wall Mount
LCRSP	Slimline Soft Sides Filtered
LMABF	Wall-mount Mechanically Activated Filtered
LNFE	Soft Sides Filtered, Single
LNTE	Soft Sides Filtered, Bi-level
LRPB	SwirlFlo Filtered
LVRC	Vandal-resistant Filtered
LVRCGRN	GreenSpec Listed Filtered
LZO	Wall-mount Sensor Activated Filtered
LZS	Wall-mount Filtered
OHFAVR	Outdoor Vandal-resistant Backsplash
VRC	Vandal Resistant
VRCGRN	GreenSpec Listed
VRCHD	14 Gauge Vandal Resistant

### Wall-mount Water Coolers Prefix

EFR(P)C	Fully Recessed
ESW(D)A	Simulated Semirecessed
EW(D)A	Deluxe
EWC(D)A	Compact
EWTLA	Deluxe Two-level
HEW	Slant Front
LJNE	Fully Recessed Filtered
LWAE	Deluxe Filtered
LWCE	Compact Filtered
LWTLA	Deluxe Two-level Filtered

## Floor-mount Water Coolers Prefix

EF(D)A	Deluxe
EFHA	Hot and Cold
EFOA	Deluxe Sensor Activated
EFW	Deluxe Water Cooled
EFWC	Corrosion Resistant
EFY	Hazardous Locations
FD	Space-ette
LFAE	Deluxe Filtered
LFDE	Space-ette Filtered

#### **ADA Fountains Prefix**

ECDFPW	ADA Slimline Soft Sides
EDFP(VR)214	ADA Soft Sides, Single
EDFP(VR)217	ADA Soft Sides, Bi-level
EDFP*RC	ADA Premium Composite
EDFPB	ADA SwirlFlo
EHW	ADA 14 Gauge Soft Sides

## **Outdoor Fountains Prefix**

LK44	Outdoor Fountain, Tubular Steel
LK45	Outdoor Fountain, Stone Aggregate

# **Commercial Model Reference List**

#### **Standard Fountains Prefix**

DRKR	Countertop
EDF15R	Bracket
EDF210/EDF310	Stainless Steel Multistations
EDFB(C)(2)12	Fully Recessed
EDFP(VR)210	Soft Sides, Single
EDFP19	Simulated Semirecessed

#### **Remote Chillers Prefix**

1 GPH Air Cooled
2 GPH Air Cooled
5 GPH Air Cooled
GreenSpec Listed 8 GPH Air Cooled
8 GPH Air Cooled
8 GPH Air Cooled for EFR(P)C and LJNE models
8 GPH Air Cooled for EHFRA Models
10 GPH Air Cooled
19 GPH Air Cooled
30 GPH Air Cooled
32 GPH Water Cooled

EU	Elkay Urinal
EUH	Elkay Urinal with Hood
EWMA	Elkay Multistation Wash Sink
EWS	Elkay Wall Scrub-up Sink
EWSF	Elkay Sensor-operated Wash Sink
EWSFAD	Elkay ADA Sensor-operated Wash Sink
LR	Lustertone Sink
LRAD	Lustertone ADA Sink
LTR	Lustertone Triple Bowl Sink
PSDKR	Pacemaker Classroom Sink
RNSF	Rigidbuilt Scullery Sink
SS	Sturdibilt Scullery Sink
SSD	Sturdibilt Drainboard
WCL	Elkay ADA Lavatory Sink
WCLWO	Elkay ADA Lavatory Sink with Overflow
WNSF	Weldbilt Scullery Sink

Elkay Surgeon's Lavatory

Elkay Wall Service Sink

### Suffix

**ESLV** 

ESS

PD Perfect Drain Sink

#### **Commercial Sinks and Faucets Prefix**

CDKAD	Celebrity ADA Classroom Sink
CDKR	Celebrity Classroom Sink
CHS	Elkay Hand Wash Sink
CHSB	Elkay Hand Wash Sink
CHSP	Elkay Pedestal Hand Wash Sink
DRKAD	Lustertone ADA Classroom Sink
DRKR	Lustertone Classroom Sink
EFS	Floor Service Sink
ELUH	Lustertone Undermount
ELUHAD	Lustertone ADA Undermount
ELV	Elkay Lavatory Sink
ELVWO	Elkay Lavatory Sink with Overflow

## **Elkay Foodservice Products Prefix**

14	14" Standard Series Sink
ADR	Aluminum Dunnage Rack
APR	Aluminum Pan Rack
В	Budget Utility Sink
CDT	Clean Dish Table
CT-11	Drawer
CT-19	Casters
DDT	Soiled Dish Table
DI	Drop-in Sink
DLW	Pot Rack, Double Line
Е	Economy Series Sink
EHS	Economy Hand Sink

# **Commercial Model Reference List**

## Elkay Foodservice Products prefix (Continued)

EWMS	Economy Series Wall Shelf
EWT	Economy Series Work Table
FLR	Mop Sink
MS	Mixer Stand
RS	Rack Slide
RSPB	Rack Slide with Plastic Basket
RSSB	Rack Slide with Stainless Steel Basket
S	14" Super Economy Series Sink
SEHS	Super Economy Hand Sink
SES	Standard Equipment Stand
SLANT	Slant Rack
SL	Spec-line 14 Gauge
SLW	Pot Rack, Single Line
SLW-S	Pot Rack, Single Line with Shelf
UDT	Undercounter Dish Table
VH	Vapor Hood
WMMS	Wall-mounted Microwave Shelf
WT	Standard Work Table

#### Suffix

BG	Backsplash with Galvanized Undershelf
BS	Backsplash with Stainless Steel Undershelf
STG	Flat Top with Galvanized Undershelf
STS	Flat Top with Stainless Steel Undershelf

The index on the following pages reference page numbers where our products can be found in the Residential and Commerical Price Guides. Please note:

R-pg# is in the ELP-7R Residential Price Guide. C-pg# is in the ELP-7C Commercial Price Guide.



## **Terms and Conditions**

## **Pricing**

Elkay reserves the right at its sole discretion to change the prices (provided by way of a Quotation or a Price List) of any Elkay product at any time and with advance notice. Elkay further reserves the right to make any corrections to prices quoted due to clerical errors or errors of omission. In the event of any specific actions representing a price change, Elkay or one of its representatives will notify Buyer by posting a new published Price List and giving Buyer advanced notice. All orders received and accepted by Elkay prior to the effective date of the price change will be billed at the prices in effect at the time of Elkay's acceptance of the order.

#### **Terms**

As standard.

#### **Taxes**

All federal, state and local taxes will be added when applicable.

# **Limited Warranty**

Warranties vary by product family. Please see website, specification sheet and/or installation instructions for further detail. Warranties do not cover transportation or installation charges. Contact Elkay Customer Care at (630) 574-8484 for complete details and conditions.

# Loss and/or Damage in Transit

Our liability ceases upon delivery of the goods to the carrier at our factory. Claims for damage and/or loss in transit to be made by the consignee against the carrier. We will assist and cooperate in the processing of such claims upon customer's request.

## Freight

Prices are FOB factory.

## Overpack

For a nominal charge, a sink will be repackaged to reduce damage that could occur during shipment. Overpack is offered for sinks with an overall dimension of 43" x 22" or less, and must be requested when the order is submitted.

#### **Returned Goods**

Returns will not be accepted without prior written authorization from Elkay. Handling and reconditioning charges will be assessed as may be required to restore the items to salable condition.

#### Cancellation

On custom-made or standard models designed to customer's specifications, orders can be canceled before fabrication has commenced. Cancellation after fabrication is started will result in a charge commensurate with the extent of work completed.

#### **EDI**

Elkay supports the following EDI transaction sets: Inbound Purchase Orders (850), Outbound Invoices (810), Advanced Ship Notice (856), Inbound Remittance Advice (820) and Outbound Order Acknowledgment (855). Please contact Elkay's EDI coordinator at (630) 574-8484 to discuss the list of current transaction set versions and your implementation requirements.



## **About Elkay**

Family owned since 1920, Elkay has been making innovative products and delivering exceptional customer care for almost a century. Elkay expanded its commercial offerings more than four decades ago, and today delivers faucets, foodservice fixtures, water coolers, drinking fountains and award-winning ezH2O\* bottle filling stations, in addition to world-class stainless steel and quartz sinks.

Like your family, Elkay has values and traditions that endure; like a commitment to sustainability and to community. Headquartered in Oak Brook, Illinois, Elkay is American-owned and -operated.







