



Elkay Drinking Solutions
– Europe



Professionals in Global Drinking Solutions



Table of Contents

| | |
|--------------------------------------|---------------|
| Elkay | 01 |
| EZH2O® Bottle Filling Station | 01 |
| Bottle Filling Station w/ ADA Cooler | 02 |
| In-wall Bottle Filling Station | 05 |
| Surface Mount Bottle Filling Station | 06 |
| EZ ADA Water Cooler | 08 |
| Vandal-Resistant Water Cooler | 12 |
| Classic Water Cooler | 13 |
| Wall Mount Water Cooler | 13 |
| Floor Mount Space-ette™ Water Cooler | 15 |
| Remote Chiller | 17 |
| Drinking Fountain | 20 |
| Halsey Taylor | 27 |
| HydroBoost® Bottle Filler | 28 |
| Bottle Filler Cooler Combo | 28 |
| In-wall Bottle Filler | 30 |
| Wall Mount ADA Cooler | 31 |
| Legacy Floor Mount Cooler | 33 |
| Remote Chiller | 34 |

EZH2O® RAPID WATER BOTTLE FILLING STATIONS

Elkay's EZH2O bottle filling stations deliver a clean, quick water bottle fill and enhance sustainability by minimizing our dependency on disposable plastic bottles. They are ideal for education, healthcare, fitness clubs and hospitality settings.

The EZH2O bottle filling stations are good for the earth and great for facility managers, with installation and maintenance made stunningly simple.

Plastic bottles
of water served
without the
plastic bottles.

3,369,142,784

by 12.31.2015


Why ezH2O?

Sensor Activation



Touchless, sensor activated filling system with automatic 20-second shut-off timer.

Graphic Ticker™



Informs users of number of 20 oz. plastic water bottles saved from waste.

Dual-Function



Complete cooler and bottle filling station in a consolidated space saving ADA compliant design.

Visual Filter Monitor (filtered models only)



Green, yellow and red LEDs indicate filter status and when replacement is necessary.

3000 Gallon Filtration



Optional WaterSentry® Plus™ filter certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction.

Easy Installation



Universal design adapts easily to existing plumbing systems.

EZH2O® Bottle Filling Station with Single ADA Cooler

- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Filter:** WaterSentry® Plus™ 3000 gallon /11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick Fill Rate:** 1.1-1.5 GPM / 4.2-5.7LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18-3/8" * (W) 19" * (H) 39-1/16"
- **Dimensions (mm):** (L) 467 * (W) 483 * (H) 992



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION | SHIPPING WEIGHT |
|-----------|------------------|--------------------|----------|---------------|-----------------|
| EZS8WSL2K | Vinyl | Light Grey Granite | Optional | 8 GPH/30 LPH | 68 lbs/30.8 kg |
| EZS8WSS2K | Stainless Steel | Stainless Steel | Optional | 8 GPH/30 LPH | 68 lbs/30.8 kg |
| LZS8WSL2K | Vinyl | Light Grey Granite | ✓ | 8 GPH/30 LPH | 71 lbs/32.2 kg |
| LZS8WSS2K | Stainless Steel | Stainless Steel | ✓ | 8 GPH/30 LPH | 71 lbs/32.2 kg |
| LZSDWSL2K | Vinyl | Light Grey Granite | ✓ | — | 45 lbs/20.4 kg |
| LZSDWSS2K | Stainless Steel | Stainless Steel | ✓ | — | 45 lbs/20.4 kg |

EZH2O® Bottle Filling Station with Single Vandal-Resistant ADA Cooler

- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Filter:** WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** counts the quantity of bottles saved from waste
- **Bubbler:** Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and is keyed-in to prevent rotation
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick Fill Rate:** 1.1-1.5 GPH/4.2-5.7LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18-3/8" * (W) 19" * (H) 39-1/16"
- **Dimensions (mm):** (L) 467 * (W) 483 * (H) 992



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION | SHIPPING WEIGHT |
|-------------|------------------|--------------------|----------|---------------|-----------------|
| EZS8WSVRL2K | Vinyl | Light Grey Granite | Optional | 8 GPH/30 LPH | 69 lbs/31.3 kg |
| EZS8WSVRS2K | Stainless Steel | Stainless Steel | Optional | 8 GPH/30 LPH | 69 lbs/31.3 kg |
| LZS8WSVRL2K | Vinyl | Light Grey Granite | ✓ | 8 GPH/30 LPH | 72 lbs/32.7 kg |
| LZS8WSVRS2K | Stainless Steel | Stainless Steel | ✓ | 8 GPH/30 LPH | 72 lbs/32.7 kg |

EZH2O® Bottle Filling Station with Versatile Bi-Level ADA Cooler

- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Versatile Bi-Level Design:** Allows for standard high-left/low-right or alternative low-left/high-right installation
- **Filter:** WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick Fill Rate:** 1.1-1.5 GPH/4.2-5.7LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 36-3/4" * (W) 19" * (H) 39-1/16"
- **Dimensions (mm):** (L) 467 * (W) 483 * (H) 933



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | FILTER | REFRIGERATION | SHIPPING WEIGHT |
|---------------|------------------|--------------------|--------------------|--------|---------------|-----------------|
| LZSTL8WSL2K | Vinyl | Light Grey Granite | Flexi-Guard * | ✓ | 8 GPH/30 LPH | 92 lbs/41.7 kg |
| LZSTL8WSS2K | Stainless Steel | Stainless Steel | Flexi-Guard * | ✓ | 8 GPH/30 LPH | 92 lbs/41.7 kg |
| LZSTL8WSVRL2K | Vinyl | Light Grey Granite | Vandal-Resistant** | ✓ | 8 GPH/30 LPH | 94 lbs/42.6 kg |
| LZSTL8WSVRS2K | Stainless Steel | Stainless Steel | Vandal-Resistant** | ✓ | 8 GPH/30 LPH | 94 lbs/42.6 kg |

*Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation

**Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and keyed-in to prevent rotation

EZH2O® In-Wall Bottle Filling Station

- **Filter:** WaterSentry® Plus™ 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Hands-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Location:** Rated for indoor service
- **Installation:** Fully-recessed in-wall design
- **ADA:** Meets ADA standards when properly installed
- **Quick Fill Rate:** 1.1-1.5 GPH/4.2-5.7LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 19-3/4" * (W) 3-1/2" * (H) 40-13/16"
- **Dimensions (mm):** (L) 502 * (W) 279 * (H) 1037



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION | SHIPPING WEIGHT |
|----------|------------------|-----------------|----------|---------------|-----------------|
| EZWSM82K | Stainless Steel | Stainless Steel | Optional | 8 GPH/30 LPH | 80 lbs/36.3 kg |
| LZWSM82K | Stainless Steel | Stainless Steel | ✓ | 8 GPH/30 LPH | 80 lbs/36.3 kg |

EZH2O® Surface-Mount Bottle Filling Station

- **Hand-Free™:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer
- **Green Ticker™:** Counts the quantity of bottles saved from waste
- **Location:** Rated for indoor service
- **Installation:** Surface mount design - ideal for installations with limited wall depth
- **ADA:** Meets ADA standards when properly installed
- **Quick Fill Rate:** 1.1-1.5 GPH/4.2-5.7LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-15/16" * (W) 8-3/16" * (H) 25-7/16"
- **Dimensions (mm):** (L) 456 * (W) 208 * (H) 646



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION | SHIPPING WEIGHT |
|----------|---------------------|-------------------|--------|---------------|--------------------|
| EZWSSMJO | Stainless Steel | Stainless Steel | — | — | 32 lbs/14.5 kg |

EZH2O® Mechanical Surface-Mount Bottle Filling Station

- **Push-Button Activation:** Ideal for installations where electrical wiring is not easily accessible or locations looking to reduce electrical usage
- **Filtration:** 500 gallon/1,893 liter capacity AquaSentry filtration with battery powered Visual LED Filter Monitor to indicate when replacement is necessary
- **Green Ticker™:** Battery powered, counts the quantity of bottles saved from waste
- **Anti-Bacterial:** Integrated silver ion antimicrobial protection in key areas
- **Location:** Rated for indoor service
- **Installation:** Surface mount design - ideal for installations with limited wall depth
- **ADA:** Meets ADA standards when properly installed
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-7/8" * (W) 6-1/4" * (H) 25-15/16"
- **Dimensions (mm):** (L) 454 * (W) 159 * (H) 859



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILL RATE | FILTER | REFRIGERATION | SHIPPING WEIGHT |
|---------|------------------|-----------------|-----------------|----------|---------------|-----------------|
| EMASMB | Stainless Steel | Stainless Steel | 1.0 GPH/3.8 LPM | Optional | – | 22 lbs/10.0 kg |
| LMASMB | Stainless Steel | Stainless Steel | 0.5 GPH/1.9 LPM | ✓ | – | 24 lbs/10.9 kg |

EZ WATER COOLERS WITH EFFICIENT REFRIGERATION SYSTEMS

Choose from a wide array of indoor and outdoor water coolers in a variety of styles and finishes, including many ADA compliant models. Elkay water coolers offer efficient refrigeration systems; waterway systems utilizing copper components and lead-free material; and a Filtrex System to prevent large impurities from entering the cooler.

The Elkay EZ models are our most popular water cooler series. These models offer easy-touch push bar or sensor-activated and come standard with a Flexi-Guard® Safety Bubbler. The extra deep basin minimizes splashing and features an integral drain.

Find the perfect water cooler for any application including medical facilities, schools, office buildings, malls and other high-traffic venues.





EZ ADA Water Cooler

- **Barrier-Free ADA:** Meets adult or child ADA standards when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal Design adapts easily to existing plumbing systems
- **Glass Filler:** Prepped for separate order
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18-3/8" * (W) 19" * (H) 19-13/16"
- **Dimensions (mm):** (L) 467 * (W) 483 * (H) 503



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | GLASS FILLER | REFRIGERATION | SHIPPING WEIGHT |
|-----------|------------------|--------------------|-------------|--------------|---------------|-----------------|
| EZS8L2JO | Vinyl | Light Grey Granite | Flexi-Guard | – | 8 GPH/30 LPH | 51 lbs/23.1 kg |
| EZS8LF2JO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 8 GPH/30 LPH | 51 lbs/23.1 kg |
| EZS8S2JO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 8 GPH/30 LPH | 51 lbs/23.1 kg |
| EZS8SF2JO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 8 GPH/30 LPH | 51 lbs/23.1 kg |

EZ Versatile ADA Bi-Level Water Cooler

- **Bi-Level Design:** Allows for standard high-left/low-right or alternative low-left/high-right installation
- **Barrier-Free ADA:** Meets adult or child ADA standards when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Optional Filtration:** 1500 gallon capacity WaterSentry® filtration
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 36-3/4" * (W) 19" * (H) 25-5/16"
- **Dimensions (mm):** (L) 933 * (W) 483 * (H) 640



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | REFRIGERATION | SHIPPING WEIGHT |
|-------------|------------------|--------------------|-------------|---------------|-----------------|
| EZSTL8L2JOC | Vinyl | Light Grey Granite | Flexi-Guard | 8 GPH/30 LPH | 72 lbs/32.7 kg |
| EZSTL8S2JOC | Stainless Steel | Stainless Steel | Flexi-Guard | 8 GPH/30 LPH | 72 lbs/32.7 kg |

Vandal-Resistant ADA Bi-Level Water Cooler

- **Bi-Level Design:** Allows for standard high-left/low-right or alternative low-left/high-right installation
- **Barrier-Free ADA:** Meets adult or child ADA standards when properly installed
- **Bubbler:** One piece Vandal-Resistant StreamSaver™ bubbler reduces water usage by 40% and keyed-in to prevent rotation
- **Activation:** Temper-resistant push button activation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Location:** Rated for indoor / outdoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 36-5/16" * (W) 18-5/8" * (H) 27-1/8"
Dimensions (mm): (L) 922 * (W) 473 * (H) 689



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | REFRIGERATION | LOUVER SCREEN | SHIPPING WEIGHT |
|---------------|------------------|-----------------|------------------|---------------|---------------|-----------------|
| VRCTL8S2JOC | Stainless Steel | Stainless Steel | Vandal-Resistant | 8 GPH/30 LPH | – | 94 lbs/42.6 kg |
| VRCTLSC8S2JOC | Stainless Steel | Stainless Steel | Vandal-Resistant | 8 GPH/30 LPH | ✓ | 94 lbs/42.6 kg |

Classic Wall Mount ADA Water Cooler

- **One-Piece Design:** One-piece stainless steel basin with backsplash
- **Barrier-Free ADA:** Meets adult or child ADA standards when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Push Bar Activation:** Located on front and sides with raised letters to assist the visually impaired
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18" * (W) 18-3/4" * (H) 23-7/8"
- **Dimensions (mm):** (L) 457 * (W) 476 * (H) 606



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | REFRIGERATION | SHIPPING WEIGHT |
|-------------|------------------|--------------------|-------------|---------------|-----------------|
| EHFSA8L2ZJO | Vinyl | Light Grey Granite | Flexi-Guard | 8 GPH/30 LPH | 66 lbs/29.9 kg |
| EHFSA8S2ZJO | Stainless Steel | Stainless Steel | Flexi-Guard | 8 GPH/30 LPH | 66 lbs/29.9 kg |

Classic Wall Mount Water Cooler

- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Easy-To-Install:** Universal design adapts easily to existing plumbing systems
- **Glass Filler:** Prepped for separate order
- **Activation:** Push button
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18" * (W) 14-1/2" * (H) 22"
Dimensions (mm): (L) 457 * (W) 368 * (H) 559



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | GLASS FILLER | REFRIGERATION | SHIPPING WEIGHT |
|-------------|------------------|--------------------|-------------|--------------|---------------|-----------------|
| EWCA8L2YJO | Vinyl | Light Grey Granite | Flexi-Guard | – | 8 GPH/30 LPH | 54 lbs/24,5 kg |
| EWCA8LF2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 8 GPH/30 LPH | 68 lbs/30,8 kg |
| EWCA8S2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 8 GPH/30 LPH | 54 lbs/24,5 kg |
| EWCA8SF2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 8 GPH/30 LPH | 76 lbs/34,5 kg |
| EWCA8T2YJO | Vinyl | Sandalwood | Flexi-Guard | – | 8 GPH/30 LPH | 54 lbs/24,5 kg |
| EWCA8TF2YJO | Vinyl | Sandalwood | Flexi-Guard | ✓ | 8 GPH/30 LPH | 68 lbs/30,8 kg |

Classic Floor Mount Space-ette® Water Cooler

- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Glass Filler:** Prepped for separate order
- **Strainer:** Integral vandal-resistant strainer
- **Activation:** Push button and optional foot pedal activation
- **Maintenance:** Removable front panel for easy access
- **Location:** Rated for indoor service
- **Installation:** Floor-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 18" * (W) 14-1/2" * (H) 41-1/2"
Dimensions (mm): (L) 457 * (W) 368 * (H) 1054



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | GLASS FILLER | REFRIGERATION | FILTER | FOOT PEDAL | SHIPPING WEIGHT |
|-------------|------------------|--------------------|-------------|--------------|---------------|----------|------------|-----------------|
| EFA14LF2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 14 GPH/53 LPH | Optional | – | 82 lbs./37.2 kg |
| EFA14SF2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 14 GPH/53 LPH | Optional | – | 82 lbs./37.2 kg |
| EFA8L2YJO | Vinyl | Light Grey Granite | Flexi-Guard | – | 8 GPH/30 LPH | Optional | – | 72 lbs./37.2 kg |
| EFA8LF2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 8 GPH/30 LPH | Optional | – | 78 lbs./35.4 kg |
| EFA8LFP2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 8 GPH/30 LPH | Optional | ✓ | 78 lbs./35.4 kg |
| EFA8LP2YJO | Vinyl | Light Grey Granite | Flexi-Guard | – | 8 GPH/30 LPH | Optional | ✓ | 78 lbs./35.4 kg |
| EFA8S2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 8 GPH/30 LPH | Optional | – | 72 lbs./37.2 kg |
| EFA8SF2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 8 GPH/30 LPH | Optional | – | 75 lbs./34.0 kg |
| EFA8SP2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 8 GPH/30 LPH | Optional | ✓ | 78 lbs./35.4 kg |
| EFA8T2YJO | Vinyl | Sandalwood | Flexi-Guard | – | 8 GPH/30 LPH | Optional | – | 72 lbs./37.2 kg |

Classic Floor Mount Space-ette® Water Cooler

- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of cooler and is keyed in to prevent rotation
- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Glass Filler:** Prepped for separate order
- **Strainer:** Integral vandal-resistant strainer
- **Activation:** Push button
- **Maintenance:** Removable front panel for easy access
- **Location:** Rated for indoor service
- **Installation:** Floor-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 12" * (W) 12" * (H) 38"
Dimensions (mm): (L) 305 * (W) 305 * (H) 965



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | GLASS FILLER | REFRIGERATION | FILTER | SHIPPING WEIGHT |
|---------------|------------------|--------------------|-------------|--------------|---------------|----------|-----------------|
| FD70010L2YJO | Vinyl | Light Grey Granite | Flexi-Guard | – | 10 GPH/38 LPH | Optional | 65 lbs./29,5 kg |
| FD70010LF2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 10 GPH/38 LPH | Optional | 66 lbs./30,0 kg |
| FD70010S2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 10 GPH/38 LPH | Optional | 65 lbs./29,5 kg |
| FD70010SF2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 10 GPH/38 LPH | Optional | 66 lbs./30,0 kg |
| FD70010T2YJO | Vinyl | Sandalwood | Flexi-Guard | – | 10 GPH/38 LPH | Optional | 65 lbs./29,5 kg |
| FD70010TF2YJO | Vinyl | Sandalwood | Flexi-Guard | ✓ | 10 GPH/38 LPH | Optional | 66 lbs./30,0 kg |
| FD7003L2YJO | Vinyl | Light Grey Granite | Flexi-Guard | – | 3 GPH/11 LPH | Optional | 54 lbs./24,5 kg |
| FD7003LF2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 3 GPH/11 LPH | Optional | 55 lbs./25,0 kg |
| FD7003S2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 3 GPH/11 LPH | Optional | 54 lbs./24,5 kg |
| FD7003SF2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 3 GPH/11 LPH | Optional | 55 lbs./25,0 kg |
| FD7003T2YJO | Vinyl | Sandalwood | Flexi-Guard | – | 3 GPH/11 LPH | Optional | 54 lbs./24,5 kg |
| FD7003TF2YJO | Vinyl | Sandalwood | Flexi-Guard | ✓ | 3 GPH/11 LPH | Optional | 55 lbs./25,0 kg |
| FD7005L2YJO | Vinyl | Light Grey Granite | Flexi-Guard | – | 5 GPH/19 LPH | Optional | 54 lbs./24,5 kg |
| FD7005LF2YJO | Vinyl | Light Grey Granite | Flexi-Guard | ✓ | 5 GPH/19 LPH | Optional | 55 lbs./25,0 kg |
| FD7005S2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | – | 5 GPH/19 LPH | Optional | 54 lbs./24,5 kg |
| FD7005SF2YJO | Stainless Steel | Stainless Steel | Flexi-Guard | ✓ | 5 GPH/19 LPH | Optional | 55 lbs./25,0 kg |
| FD7005T2YJO | Vinyl | Sandalwood | Flexi-Guard | – | 5 GPH/19 LPH | Optional | 54 lbs./24,5 kg |
| FD7005TF2YJO | Vinyl | Sandalwood | Flexi-Guard | ✓ | 5 GPH/19 LPH | Optional | 55 lbs./25,0 kg |

Remote Chiller – Convert drinking fountains into a water cooler

ERS12Y Remote Chiller – 1 GPH/3.8LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 1 GPH/3.8 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17" * (W) 7" * (H) 14"
Dimensions (mm): (L) 432 * (W) 178 * (H) 356
- **Shipping Weight:** 33 lbs/15 kg

ER22Y Remote Chiller – 2 GPH/7.6LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 2 GPH/7.6 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 13-1/2" * (W) 10-1/2" * (H) 17-1/2"
Dimensions (mm): (L) 343 * (W) 267 * (H) 445
- **Shipping Weight:** 44 lbs/20 kg

Remote Chiller – Convert drinking fountains into a water cooler

ER52Y Remote Chiller – 5 GPH/19 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 5 GPH/19 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 19-9/16" * (W) 7-15/16" * (H) 20-1/16"
Dimensions (mm): (L) 497 * (W) 202 * (H) 510
- **Shipping Weight:** 66 lbs/30 kg

ECH82 Remote Chiller – 8 GPH/34 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 8 GPH/34 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 13-1/4" * (W) 10-1/4" * (H) 17-3/8"
Dimensions (mm): (L) 337 * (W) 260 * (H) 441
- **Shipping Weight:** 43 lbs/19.5 kg

Remote Chiller – Convert drinking fountains into a water cooler

ER192 Remote Chiller – 19 GPH/72 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 19 GPH/72 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 23" * (W) 10-1/4" * (H) 25-3/4"
Dimensions (mm): (L) 584 * (W) 260 * (H) 654
- **Shipping Weight:** 115 lbs/52 kg

SwirlFlo® ADA Single Fountains

- **Barrier-Free ADA:** Meets ADA when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 14" * (W) 18-3/8" * (H) 11-5/16"
- **Dimensions (mm):** (L) 356 * (W) 457 * (H) 279



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | REFRIGERATION | SHIPPING WEIGHT |
|------------|---------------------|-------------------|------------------|---------------|--------------------|
| EDFPB114C | Stainless Steel | Stainless Steel | Flexi-Guard | – | 19 lbs/8.6 kg |
| EDFPBV114C | Stainless Steel | Stainless Steel | Vandal-Resistant | – | 18 lbs/8.2 kg |

SwirFlo® ADA Bi-Level Fountains

- **Bi-Level Design:** Available in bi-level (high-left/low-right) or bi-level reverse alternative (low-left/high-right) installation
- **Barrier-Free ADA:** Meets ADA when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 38-1/2" * (W) 19" * (H) 21-15/16"
- **Dimensions (mm):** (L) 965 * (W) 483 * (H) 533



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | DESIGN | REFRIGERATION | SHIPPING WEIGHT |
|--------------|------------------|-----------------|-------------|------------------|---------------|-----------------|
| EDFPBM117C | Stainless Steel | Stainless Steel | Flexi-Guard | Bi-Level | – | 72 lbs/32.6 kg |
| EDFPBM117RAC | Stainless Steel | Stainless Steel | Flexi-Guard | Bi-Level Reverse | – | 72 lbs/32.6 kg |

Soft Sides® ADA Single Drinking Fountains

- **Barrier-Free ADA:** Meets ADA when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 12-1/8" * (W) 18-3/4" * (H) 6-1/2"
- **Dimensions (mm):** (L) 305 * (W) 457 * (H) 15



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | REFRIGERATION | SHIPPING WEIGHT |
|------------|------------------|-----------------|------------------|---------------|-----------------|
| EDFP214C | Stainless Steel | Stainless Steel | Flexi-Guard | – | 16 lbs/7.3 kg |
| EDFPVR214C | Stainless Steel | Stainless Steel | Vandal-Resistant | – | 16 lbs/7.3 kg |

Soft Sides® ADA Bi-Level Fountains

- **Bi-Level Design:** Available in bi-level (high-left/low-right) or bi-level reverse alternative (low-left/high-right) installation
- **Barrier-Free ADA:** Meets ADA when properly installed
- **Bubbler:** Flexi-Guard® anti-microbial safety bubbler complements styling of fountain and is keyed in to prevent rotation; optional vandal-resistant bubbler is available
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Wall-mount
- **Location:** Rated for indoor use
- **Power:** No electrical required
- **Dimensions (in):** (L) 38-1/2" * (W) 19-3/8" * (H) 20-3/8"
- **Dimensions (mm):** (L) 25 * (W) 482 * (H) 508



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | DESIGN | REFRIGERATION | SHIPPING WEIGHT |
|------------|------------------|-----------------|-------------|----------|---------------|-----------------|
| EDFP217C | Stainless Steel | Stainless Steel | Flexi-Guard | Bi-Level | – | 42 lbs/19.1 kg |
| EDFP217RAC | Stainless Steel | Stainless Steel | Flexi-Guard | Bi-Level | – | 42 lbs/19.1 kg |

Outdoor EZH2O® Bottle Filling Stations - Pedestal

- **Bubbler:** Vandal-resistant bubbler is keyed in to prevent rotation
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Floor Mount/Freestanding
- **Location:** Rated for indoor/outdoor service
- **Quick Fill Rate:** 1.1 GPH/4.2 LPM
- **Power:** No electrical required
- **Dimensions (in):** (L) 14" * (W) 14" * (H) 64"
- **Dimensions (mm):** (L) 356 * (W) 356 * (H) 1626

AVAILABLE FINISHES / MATERIALS



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | FREEZE RESISTANT | REFRIGERATION | SHIPPING WEIGHT |
|--------------|------------------|---------------------|------------------|------------------|---------------|-----------------|
| *LK4400BF | Heavy-Duty Steel | 12 Colors Available | Vandal-Resistant | – | – | 179lbs/81.2 kg |
| *LK4400BFFRK | Heavy-Duty Steel | 12 Colors Available | Vandal-Resistant | ✓ | – | 203lbs/92.1 kg |

*SKU number will vary by color. Please contact customer service for more details.

Outdoor EZH2O® Bi-Level Bottle Filling Stations with Pet Station

- **Multifunctional:** Includes bottle filling station, drinking fountain and pet station; available in 12 colors
- **Bubbler:** Vandal-resistant bubbler is keyed in to prevent rotation
- **Activation:** Vandal-resistant front pushbutton provides easy operation
- **Installation:** Floor Mount/Freestanding
- **Location:** Rated for indoor/outdoor service
- **Power:** No electrical required
- **Dimensions (in):** (L) 26" * (W) 31" * (H) 64"
- **Dimensions (mm):** (L) 660 * (W) 787 * (H) 1626

AVAILABLE FINISHES / MATERIALS



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | FREEZE RESISTANT | REFRIGERATION | SHIPPING WEIGHT |
|------------------|------------------|---------------------|------------------|------------------|---------------|-----------------|
| *LK4420BF1UDB | Heavy-Duty Steel | 12 Colors Available | Vandal-Resistant | – | – | 205 lbs/93 kg |
| *LK4420BF1UDBFRK | Heavy-Duty Steel | 12 Colors Available | Vandal-Resistant | ✓ | – | 224 lbs/102 kg |

*SKU number will vary by color. Please contact customer service for more details.

Outdoor Bi-Level ADA Pedestal Fountain

- **Multifunctional:** Includes two drinking fountain stations
- **Bubbler:** Vandal-resistant bubbler is keyed in to prevent rotation
- **Activation:** Vandal-resistant pushbuttons provide easy operation
- **Installation:** Floor Mount/Freestanding
- **Location:** Rated for indoor/outdoor service
- **Power:** No electrical required
- **Dimensions (in):** (L) 14" * (W) 31" * (H) 40-5/16"
- **Dimensions (mm):** (L) 356 * (W) 787 * (H) 1016

AVAILABLE FINISHES / MATERIALS



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | FREEZE RESISTANT | REFRIGERATION | SHIPPING WEIGHT |
|------------|---------------------|---------------------|------------------|---------------------|---------------|--------------------|
| *LK4420 | Heavy-Duty Steel | 12 Colors Available | Vandal-Resistant | – | – | 155lbs/70.3 kg |
| *LK4420FRK | Heavy-Duty Steel | 12 Colors Available | Vandal-Resistant | ✓ | – | 155lbs/70.3 kg |

*SKU number will vary by color. Please contact customer service for more details.



Satisfying Thirsts Since 1912



HydroBoost® Bottle Filler Cooler Combo

- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Filter:** Optional WaterSentry® Plus 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Activation:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer for bottle filler and easy-to-operate push bar for cooler
- **Green Counter™:** Counts the quantity of bottles saved from waste
- **Double Bubbler™:** Exclusive one-piece, chrome plated two-stream mound-building bubbler with non-removable anti-squirt feature
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick fill rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-7/8" * (W) 18-1/2" * (H) 39-3/4"
Dimensions (mm): (L) 454 * (W) 471 * (H) 1010



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION |
|------------------|------------------|-----------------|----------|---------------|
| HTHBHAC8PV-NF-25 | Vinyl | Platinum | Optional | 8 GPH/30 LPH |
| HTHBHAC8SS-NF-25 | Stainless Steel | Stainless Steel | Optional | 8 GPH/30 LPH |

HydroBoost® Vandal-Resistant Bottle Filler Cooler Combo

- **Dual-Function:** Complete cooler and bottle filling station in a consolidated space saving ADA compliant design
- **Filter:** Optional WaterSentry® Plus 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary
- **Activation:** Vandal-Resistant push buttons on bottle filler and water cooler
- **Green Counter™:** Counts the quantity of bottles saved from waste
- **Bubble:** Vandal-Resistant bubbler
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Quick fill rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
- **Power:** 220V-230V
- **Dimensions (in):** (L) 16-5/16" * (W) 18-8/16" * (H) 38-13/16"
- **Dimensions (mm):** (L) 414 * (W) 472 * (H) 986



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION |
|----------------|---------------------|-------------------|----------|---------------|
| HTHBHVR8-25 | Stainless Steel | Stainless Steel | ✓ | 8 GPH/30 LPH |
| HTHBHVR8-NF-25 | Stainless Steel | Stainless Steel | Optional | 8 GPH/30 LPH |

HydroBoost® In-Wall Bottle Filler

- **Activation:** Sanitary no-touch sensor activation with automatic 20-second shut-off timer for bottle filler
 - **Green Counter™:** Counts the quantity of bottles saved from waste
 - **ADA:** Meets ADA standards when properly installed
 - **Location:** Rated for indoor service
 - **Installation:** In-wall
 - **Quick fill rate:** 1.1-1.5 GPM / 4.2-5.7 LPM
 - **Power:** 220V-230V
 - **Dimensions (in):** (L) 19-3/4" * (W) 11" * (H) 40-13/16"
- Dimensions (mm):** (L) 502 * (W) 279 * (H) 1037



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION |
|------------|---------------------|-------------------|-----------|---------------|
| 8657082383 | Stainless Steel | Stainless Steel | Optional* | 8 GPH/30 LPH |
| 8657087083 | Stainless Steel | Stainless Steel | ✓** | 8 GPH/30 LPH |

*Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary

**WaterSentry® Plus 3000 gallon/11,356 liter filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction) with Visual LED Filter Monitor to indicate when replacement is necessary

Wall Mount ADA Water Cooler

- **Barrier-Free ADA:** Meets adult or child ADA standards when properly installed
- **Double Bubbler™:** Exclusive one-piece, chrome plated two-stream mound-building bubbler with non-removable anti-squirt feature
- **Activation:** Easy-to-operate front and side push bars with raised letters for the visually impaired
- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Easy-To-Install:** Large backplate for easy rough-in
- **Location:** Rated for indoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-7/8 * (W) 18-5/8" * (H) 20-11/16
- **Dimensions (mm):** (L) 454 * (W) 472 * (H) 525



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | REFRIGERATION |
|------------|------------------|-----------------|----------|---------------|
| 8240088241 | Vinyl | Platinum | Optional | 8 GPH/30 LPH |
| 8240088283 | Stainless Steel | Stainless Steel | Optional | 8 GPH/30 LPH |

Vandal-Resistant ADA Water Cooler – Ideal for Schools

- **Barrier-Free ADA:** Meets adult or child ADA standards when properly installed
- **Bubbler:** Vandal-Resistant bubbler with Pinned Torx® screw
- **Activation:** Vandal-Resistant push button with Pinned Torx® screw
- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Easy-To-Install:** Large backplate for easy rough-in
- **Location:** Filterless model rated for indoor/outdoor service
- **Installation:** Wall-mount
- **Power:** 220V-230V
- **Dimensions (in):** (L) 17-7/8 * (W) 18-5/8" * (H) 20-10/16
- **Dimensions (mm):** (L) 454 * (W) 472 * (H) 524



| MODEL # | MATERIAL cabinet | FINISH cabinet | FILTER | LOUVER SCREEN | REFRIGERATION |
|-------------|------------------|-----------------|----------|---------------|---------------|
| 8250081283 | Stainless Steel | Stainless Steel | Optional | – | 8 GPH/30 LPH |
| 82500812S83 | Stainless Steel | Stainless Steel | Optional | ✓ | 8 GPH/30 LPH |

Legacy Floor Mount Cooler

- **Filtration:** Optional 1,500 gallon/5,678 liter capacity WaterSentry™ VII filter (certified to NSF 42 and 53 for lead, particulate, chlorine, taste and odor reduction)
- **Hot Water Dispenser:** Optional factory-installed hot water dispenser
- **Activation:** Push button
- **Location:** Rated for indoor service
- **Installation:** Freestanding or wall tight
- **Power:** 220V-230V
- **Dimensions (in):** (L) 16" * (W) 13-1/4" * (H) 40"
- **Dimensions (mm):** (L) 406 * (W) 337 * (H) 1016



| MODEL # | MATERIAL cabinet | FINISH cabinet | BUBBLER | FILTER | REFRIGERATION | HOT WATER DISPENSOR |
|------------|------------------|-----------------|------------------|----------|-----------------|---------------------|
| 7226082341 | Vinyl | Platinum | Double Bubbler | Optional | 8 GPH/30 LPH | Optional |
| 7226082383 | Stainless Steel | Stainless Steel | Double Bubbler | Optional | 8 GPH/30 LPH | Optional |
| 7226142341 | Vinyl | Platinum | Double Bubbler | Optional | 14 GPH/53 LPH | Optional |
| 7226142383 | Vinyl | Platinum | Double Bubbler | Optional | 14 GPH/53 LPH | Optional |
| 7226147183 | Stainless Steel | Stainless Steel | Vandal-Resistant | Optional | 13.5 GPH/51 LPH | — |

Remote Chiller – Convert drinking fountains into a water cooler

7214082373 Remote Chiller – 8 GPH/30 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 8 GPH/30 LPH
- **Compressor:** Hermetically sealed
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 13-5/16" * (W) 10-5/16" * (H) 17-1/16"
- **Dimensions (mm):** (L) 383 * (W) 262 * (H) 433

7214102373 Remote Chiller – 10 GPH/38 LPH



- **Finish:** Galvanized steel
- **Chilling Option:** 10 GPH/38 LPH
- **Location:** Rated for indoor service
- **Power:** 220V-230V
- **Dimensions (in):** (L) 19-9/16" * (W) 7-15/16" * (H) 22-1/16"
- **Dimensions (mm):** (L) 497 * (W) 202 * (H) 560

Remote Chiller – Convert drinking fountains into a water cooler

7214302373 Remote Chiller – 30 GPH/113.6 LPH



- **Finish:** Galvanized steel
 - **Chilling Option:** 30 GPH/113.6 LPH
 - **Location:** Rated for indoor service
 - **Power:** 220V-230V
 - **Dimensions (in):** (L) 33-1/4" * (W) 13-3/4" * (H) 16"
- Dimensions (mm):** (L) 845 * (W) 349 * (H) 406

INDEX

| Model # | Page | Model # | Page | Model # | Page |
|--------------|------|------------------|------|------------------|------|
| 7214082373 | 34 | EWCA8LF2YJO | 14 | *LK4420BF1UDB | 25 |
| 7214102373 | 34 | EWCA8S2YJO | 14 | *LK4420BF1UDBFRK | 25 |
| 7214302373 | 35 | EWCA8SF2YJO | 14 | *LK4420 | 26 |
| 7226082341 | 33 | EWCA8T2YJO | 14 | *LK4420FRK | 26 |
| 7226082383 | 33 | EWCA8TF2YJO | 14 | LMASMB | 7 |
| 7226142341 | 33 | EZS8L2JO | 10 | LZS8WSL2K | 2 |
| 7226142383 | 33 | EZS8LF2JO | 10 | LZS8WSS2K | 2 |
| 7226147183 | 33 | EZS8S2JO | 10 | LZS8WSVRL2K | 3 |
| 8240088241 | 31 | EZS8SF2JO | 10 | LZS8WSVRS2K | 3 |
| 8240088283 | 31 | EZS8WSL2K | 2 | LZSDWSL2K | 2 |
| 8250081283 | 32 | EZS8WSS2K | 2 | LZSDWSS2K | 2 |
| 8657082383 | 30 | EZS8WSVRL2K | 3 | LZSTL8WSL2K | 4 |
| 8657087083 | 30 | EZS8WSVRS2K | 3 | LZSTL8WSS2K | 4 |
| 82500812S83 | 32 | EZSTL8L2JOC | 11 | LZSTL8WSVRL2K | 4 |
| ECH82 | 18 | EZSTL8S2JOC | 11 | LZSTL8WSVRS2K | 4 |
| EDFPB114C | 20 | EZWSM82K | 5 | LZWSM82K | 5 |
| EDFPBV114C | 20 | EZWSSMJO | 6 | VRCTL8S2JOC | 12 |
| EDFPBM117C | 21 | FD70010L2YJO | 16 | VRCTLSC8S2JOC | 12 |
| EDFPBM117RAC | 21 | FD70010LF2YJO | 16 | | |
| EDFP214C | 22 | FD70010S2YJO | 16 | | |
| EDFPVR214C | 22 | FD70010SF2YJO | 16 | | |
| EDFP217C | 23 | FD70010T2YJO | 16 | | |
| EDFP217RAC | 23 | FD70010TF2YJO | 16 | | |
| EFA14LF2YJO | 15 | FD7003L2YJO | 16 | | |
| EFA14SF2YJO | 15 | FD7003LF2YJO | 16 | | |
| EFA8L2YJO | 15 | FD7003S2YJO | 16 | | |
| EFA8LF2YJO | 15 | FD7003SF2YJO | 16 | | |
| EFA8LFP2YJO | 15 | FD7003T2YJO | 16 | | |
| EFA8LP2YJO | 15 | FD7003TF2YJO | 16 | | |
| EFA8S2YJO | 15 | FD7005L2YJO | 16 | | |
| EFA8SF2YJO | 15 | FD7005LF2YJO | 16 | | |
| EFA8SP2YJO | 15 | FD7005S2YJO | 16 | | |
| EFA8T2YJO | 15 | FD7005SF2YJO | 16 | | |
| EHFSA8L2ZJO | 13 | FD7005T2YJO | 16 | | |
| EHFSA8S2ZJO | 13 | FD7005TF2YJO | 16 | | |
| EMASMB | 7 | HTHBHAC8PV-NF-25 | 28 | | |
| ER192 | 19 | HTHBHAC8SS-NF-25 | 28 | | |
| ER22Y | 17 | HTHBHVR8-25 | 29 | | |
| ER52Y | 18 | HTHBHVR8-NF-25 | 29 | | |
| ERS12Y | 17 | *LK4400BF | 24 | | |
| EWCA8L2YJO | 14 | *LK4400BFFRK | 24 | | |

*ALL PRODUCT SPECIFICATIONS AND DATA ARE SUBJECT TO CHANGE WITHOUT NOTICE.



Chicago · Shanghai · Zhuhai · Mexico City · Dubai · Singapore · Amsterdam

Corporate Headquarters
2222 Camden Court
Oak Brook, Illinois 60523, USA
+1-630-572-3192
www.elkay.com



F-4611